







Band2-9538-3-1000~30000MHz-PASS




Band2-9538-3-3000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~30000MHz-PASS




Band2-9538-4-3000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS




Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~30000MHz-PASS



Band2-9538-5-3000~20000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-0.82	-0.000443	±20	PASS
Band2	9262	VL	NT	0.80	0.000432	±20	PASS
Band2	9262	VH	NT	-0.11	-0.000059	±20	PASS
Band2	9400	VN	NT	0.88	0.000468	±20	PASS
Band2	9400	VL	NT	1.14	0.000606	±20	PASS
Band2	9400	VH	NT	1.22	0.000649	±20	PASS
Band2	9538	VN	NT	2.43	0.001274	±20	PASS
Band2	9538	VL	NT	2.37	0.001242	±20	PASS
Band2	9538	VH	NT	1.78	0.000933	±20	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.67	0.000362	±20	PASS
Band2	9262	NV	-20	0.33	0.000178	±20	PASS
Band2	9262	NV	-10	0.64	0.000345	±20	PASS
Band2	9262	NV	0	0.25	0.000135	±20	PASS
Band2	9262	NV	10	1.05	0.000567	±20	PASS
Band2	9262	NV	20	1.07	0.000578	±20	PASS
Band2	9262	NV	30	1.30	0.000702	±20	PASS
Band2	9262	NV	40	1.29	0.000696	±20	PASS
Band2	9262	NV	50	1.48	0.000799	±20	PASS
Band2	9400	NV	-30	1.42	0.000755	±20	PASS
Band2	9400	NV	-20	1.47	0.000782	±20	PASS
Band2	9400	NV	-10	1.66	0.000883	±20	PASS
Band2	9400	NV	0	1.64	0.000872	±20	PASS
Band2	9400	NV	10	1.29	0.000686	±20	PASS
Band2	9400	NV	20	1.93	0.001027	±20	PASS
Band2	9400	NV	30	1.75	0.000931	±20	PASS
Band2	9400	NV	40	1.85	0.000984	±20	PASS
Band2	9400	NV	50	2.50	0.001330	±20	PASS
Band2	9538	NV	-30	2.05	0.001075	±20	PASS
Band2	9538	NV	-20	2.70	0.001415	±20	PASS
Band2	9538	NV	-10	1.88	0.000986	±20	PASS

Band2	9538	NV	0	2.38	0.001248	±20	PASS
Band2	9538	NV	10	2.97	0.001557	±20	PASS
Band2	9538	NV	20	2.45	0.001284	±20	PASS
Band2	9538	NV	30	2.51	0.001316	±20	PASS
Band2	9538	NV	40	2.27	0.001190	±20	PASS
Band2	9538	NV	50	2.15	0.001127	±20	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-2.05	-0.001107	±10	PASS
Band2	9262	1	VL	NT	-0.02	-0.000011	±10	PASS
Band2	9262	1	VH	NT	2.06	0.001112	±10	PASS
Band2	9262	2	VN	NT	0.42	0.000227	±10	PASS
Band2	9262	2	VL	NT	1.68	0.000907	±10	PASS
Band2	9262	2	VH	NT	0.06	0.000032	±10	PASS
Band2	9262	3	VN	NT	0.17	0.000092	±10	PASS
Band2	9262	3	VL	NT	1.31	0.000707	±10	PASS
Band2	9262	3	VH	NT	2.35	0.001269	±10	PASS
Band2	9262	4	VN	NT	1.85	0.000999	±10	PASS
Band2	9262	4	VL	NT	1.84	0.000993	±10	PASS
Band2	9262	4	VH	NT	3.27	0.001765	±10	PASS
Band2	9400	1	VN	NT	2.31	0.001229	±10	PASS
Band2	9400	1	VL	NT	1.02	0.000543	±10	PASS
Band2	9400	1	VH	NT	2.36	0.001255	±10	PASS
Band2	9400	2	VN	NT	1.43	0.000761	±10	PASS
Band2	9400	2	VL	NT	2.32	0.001234	±10	PASS
Band2	9400	2	VH	NT	-0.45	-0.000239	±10	PASS
Band2	9400	3	VN	NT	1.33	0.000707	±10	PASS
Band2	9400	3	VL	NT	1.72	0.000915	±10	PASS
Band2	9400	3	VH	NT	2.40	0.001277	±10	PASS
Band2	9400	4	VN	NT	1.62	0.000862	±10	PASS
Band2	9400	4	VL	NT	3.53	0.001878	±10	PASS
Band2	9400	4	VH	NT	1.75	0.000931	±10	PASS
Band2	9538	1	VN	NT	4.00	0.002097	±10	PASS
Band2	9538	1	VL	NT	1.61	0.000844	±10	PASS
Band2	9538	1	VH	NT	3.08	0.001615	±10	PASS
Band2	9538	2	VN	NT	1.42	0.000744	±10	PASS
Band2	9538	2	VL	NT	2.70	0.001415	±10	PASS
Band2	9538	2	VH	NT	1.32	0.000692	±10	PASS
Band2	9538	3	VN	NT	1.19	0.000624	±10	PASS
Band2	9538	3	VL	NT	-1.10	-0.000577	±10	PASS
Band2	9538	3	VH	NT	1.56	0.000818	±10	PASS
Band2	9538	4	VN	NT	4.11	0.002155	±10	PASS
Band2	9538	4	VL	NT	3.72	0.001950	±10	PASS
Band2	9538	4	VH	NT	2.04	0.001069	±10	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	1.37	0.000740	±10	PASS
Band2	9262	1	NV	-20	0.39	0.000211	±10	PASS
Band2	9262	1	NV	-10	2.22	0.001198	±10	PASS
Band2	9262	1	NV	0	0.99	0.000534	±10	PASS
Band2	9262	1	NV	10	0.30	0.000162	±10	PASS
Band2	9262	1	NV	20	-0.37	-0.000200	±10	PASS
Band2	9262	1	NV	30	1.04	0.000561	±10	PASS
Band2	9262	1	NV	40	2.56	0.001382	±10	PASS
Band2	9262	1	NV	50	0.50	0.000270	±10	PASS
Band2	9262	2	NV	-30	2.47	0.001333	±10	PASS
Band2	9262	2	NV	-20	1.37	0.000740	±10	PASS
Band2	9262	2	NV	-10	0.39	0.000211	±10	PASS
Band2	9262	2	NV	0	2.32	0.001252	±10	PASS
Band2	9262	2	NV	10	0.72	0.000389	±10	PASS
Band2	9262	2	NV	20	1.99	0.001074	±10	PASS
Band2	9262	2	NV	30	0.62	0.000335	±10	PASS
Band2	9262	2	NV	40	1.69	0.000912	±10	PASS
Band2	9262	2	NV	50	0.88	0.000475	±10	PASS
Band2	9262	3	NV	-30	2.53	0.001366	±10	PASS
Band2	9262	3	NV	-20	0.74	0.000399	±10	PASS
Band2	9262	3	NV	-10	3.45	0.001862	±10	PASS
Band2	9262	3	NV	0	1.15	0.000621	±10	PASS
Band2	9262	3	NV	10	1.67	0.000902	±10	PASS
Band2	9262	3	NV	20	5.78	0.003120	±10	PASS
Band2	9262	3	NV	30	3.07	0.001657	±10	PASS
Band2	9262	3	NV	40	0.77	0.000416	±10	PASS
Band2	9262	3	NV	50	2.15	0.001161	±10	PASS
Band2	9262	4	NV	-30	2.39	0.001290	±10	PASS
Band2	9262	4	NV	-20	1.44	0.000777	±10	PASS
Band2	9262	4	NV	-10	3.31	0.001787	±10	PASS
Band2	9262	4	NV	0	1.95	0.001053	±10	PASS
Band2	9262	4	NV	10	1.97	0.001063	±10	PASS
Band2	9262	4	NV	20	3.17	0.001711	±10	PASS
Band2	9262	4	NV	30	1.85	0.000999	±10	PASS
Band2	9262	4	NV	40	4.02	0.002170	±10	PASS
Band2	9262	4	NV	50	3.86	0.002084	±10	PASS
Band2	9400	1	NV	-30	3.05	0.001622	±10	PASS

Band2	9400	1	NV	-20	0.82	0.000436	±10	PASS
Band2	9400	1	NV	-10	0.69	0.000367	±10	PASS
Band2	9400	1	NV	0	2.01	0.001069	±10	PASS
Band2	9400	1	NV	10	0.47	0.000250	±10	PASS
Band2	9400	1	NV	20	3.50	0.001862	±10	PASS
Band2	9400	1	NV	30	0.54	0.000287	±10	PASS
Band2	9400	1	NV	40	0.79	0.000420	±10	PASS
Band2	9400	1	NV	50	3.20	0.001702	±10	PASS
Band2	9400	2	NV	-30	3.97	0.002112	±10	PASS
Band2	9400	2	NV	-20	1.82	0.000968	±10	PASS
Band2	9400	2	NV	-10	2.34	0.001245	±10	PASS
Band2	9400	2	NV	0	4.76	0.002532	±10	PASS
Band2	9400	2	NV	10	2.70	0.001436	±10	PASS
Band2	9400	2	NV	20	1.39	0.000739	±10	PASS
Band2	9400	2	NV	30	1.78	0.000947	±10	PASS
Band2	9400	2	NV	40	2.17	0.001154	±10	PASS
Band2	9400	2	NV	50	3.15	0.001676	±10	PASS
Band2	9400	3	NV	-30	2.70	0.001436	±10	PASS
Band2	9400	3	NV	-20	0.92	0.000489	±10	PASS
Band2	9400	3	NV	-10	5.08	0.002702	±10	PASS
Band2	9400	3	NV	0	1.07	0.000569	±10	PASS
Band2	9400	3	NV	10	4.23	0.002250	±10	PASS
Band2	9400	3	NV	20	1.65	0.000878	±10	PASS
Band2	9400	3	NV	30	3.16	0.001681	±10	PASS
Band2	9400	3	NV	40	3.20	0.001702	±10	PASS
Band2	9400	3	NV	50	1.54	0.000819	±10	PASS
Band2	9400	4	NV	-30	-0.16	-0.000085	±10	PASS
Band2	9400	4	NV	-20	4.00	0.002128	±10	PASS
Band2	9400	4	NV	-10	1.60	0.000851	±10	PASS
Band2	9400	4	NV	0	1.17	0.000622	±10	PASS
Band2	9400	4	NV	10	2.48	0.001319	±10	PASS
Band2	9400	4	NV	20	1.16	0.000617	±10	PASS
Band2	9400	4	NV	30	3.14	0.001670	±10	PASS
Band2	9400	4	NV	40	1.34	0.000713	±10	PASS
Band2	9400	4	NV	50	2.50	0.001330	±10	PASS
Band2	9538	1	NV	-30	1.34	0.000702	±10	PASS
Band2	9538	1	NV	-20	3.91	0.002050	±10	PASS
Band2	9538	1	NV	-10	4.46	0.002338	±10	PASS
Band2	9538	1	NV	0	1.62	0.000849	±10	PASS
Band2	9538	1	NV	10	2.45	0.001284	±10	PASS

Band2	9538	1	NV	20	3.05	0.001599	±10	PASS
Band2	9538	1	NV	30	2.46	0.001290	±10	PASS
Band2	9538	1	NV	40	3.10	0.001625	±10	PASS
Band2	9538	1	NV	50	4.32	0.002265	±10	PASS
Band2	9538	2	NV	-30	2.47	0.001295	±10	PASS
Band2	9538	2	NV	-20	1.93	0.001012	±10	PASS
Band2	9538	2	NV	-10	1.63	0.000854	±10	PASS
Band2	9538	2	NV	0	2.57	0.001347	±10	PASS
Band2	9538	2	NV	10	1.45	0.000760	±10	PASS
Band2	9538	2	NV	20	2.03	0.001064	±10	PASS
Band2	9538	2	NV	30	0.98	0.000514	±10	PASS
Band2	9538	2	NV	40	4.91	0.002574	±10	PASS
Band2	9538	2	NV	50	2.10	0.001101	±10	PASS
Band2	9538	3	NV	-30	3.68	0.001929	±10	PASS
Band2	9538	3	NV	-20	2.37	0.001242	±10	PASS
Band2	9538	3	NV	-10	1.95	0.001022	±10	PASS
Band2	9538	3	NV	0	5.25	0.002752	±10	PASS
Band2	9538	3	NV	10	2.47	0.001295	±10	PASS
Band2	9538	3	NV	20	4.33	0.002270	±10	PASS
Band2	9538	3	NV	30	4.00	0.002097	±10	PASS
Band2	9538	3	NV	40	1.32	0.000692	±10	PASS
Band2	9538	3	NV	50	2.83	0.001484	±10	PASS
Band2	9538	4	NV	-30	0.26	0.000136	±10	PASS
Band2	9538	4	NV	-20	-0.57	-0.000299	±10	PASS
Band2	9538	4	NV	-10	4.55	0.002385	±10	PASS
Band2	9538	4	NV	0	2.85	0.001494	±10	PASS
Band2	9538	4	NV	10	2.88	0.001510	±10	PASS
Band2	9538	4	NV	20	3.87	0.002029	±10	PASS
Band2	9538	4	NV	30	0.94	0.000493	±10	PASS
Band2	9538	4	NV	40	4.95	0.002595	±10	PASS
Band2	9538	4	NV	50	2.10	0.001101	±10	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	3.32	0.001792	±10	PASS
Band2	9262	1	VL	NT	3.61	0.001949	±10	PASS
Band2	9262	1	VH	NT	3.26	0.001760	±10	PASS
Band2	9262	2	VN	NT	2.54	0.001371	±10	PASS
Band2	9262	2	VL	NT	3.74	0.002019	±10	PASS
Band2	9262	2	VH	NT	2.48	0.001339	±10	PASS
Band2	9262	3	VN	NT	3.58	0.001933	±10	PASS
Band2	9262	3	VL	NT	5.07	0.002737	±10	PASS
Band2	9262	3	VH	NT	3.04	0.001641	±10	PASS
Band2	9262	4	VN	NT	4.20	0.002267	±10	PASS
Band2	9262	4	VL	NT	3.30	0.001781	±10	PASS
Band2	9262	4	VH	NT	4.48	0.002418	±10	PASS
Band2	9262	5	VN	NT	1.98	0.001069	±10	PASS
Band2	9262	5	VL	NT	3.57	0.001927	±10	PASS
Band2	9262	5	VH	NT	4.72	0.002548	±10	PASS
Band2	9400	1	VN	NT	4.05	0.002154	±10	PASS
Band2	9400	1	VL	NT	5.79	0.003080	±10	PASS
Band2	9400	1	VH	NT	0.99	0.000527	±10	PASS
Band2	9400	2	VN	NT	2.07	0.001101	±10	PASS
Band2	9400	2	VL	NT	3.58	0.001904	±10	PASS
Band2	9400	2	VH	NT	4.41	0.002346	±10	PASS
Band2	9400	3	VN	NT	0.89	0.000473	±10	PASS
Band2	9400	3	VL	NT	3.13	0.001665	±10	PASS
Band2	9400	3	VH	NT	4.53	0.002410	±10	PASS
Band2	9400	4	VN	NT	0.32	0.000170	±10	PASS
Band2	9400	4	VL	NT	4.17	0.002218	±10	PASS
Band2	9400	4	VH	NT	3.28	0.001745	±10	PASS
Band2	9400	5	VN	NT	2.46	0.001309	±10	PASS
Band2	9400	5	VL	NT	3.14	0.001670	±10	PASS
Band2	9400	5	VH	NT	4.02	0.002138	±10	PASS
Band2	9538	1	VN	NT	2.43	0.001274	±10	PASS
Band2	9538	1	VL	NT	2.38	0.001248	±10	PASS
Band2	9538	1	VH	NT	3.12	0.001636	±10	PASS
Band2	9538	2	VN	NT	1.95	0.001022	±10	PASS
Band2	9538	2	VL	NT	2.33	0.001221	±10	PASS
Band2	9538	2	VH	NT	1.72	0.000902	±10	PASS
Band2	9538	3	VN	NT	3.20	0.001678	±10	PASS

Band2	9538	3	VL	NT	1.12	0.000587	±10	PASS
Band2	9538	3	VH	NT	4.84	0.002537	±10	PASS
Band2	9538	4	VN	NT	4.14	0.002170	±10	PASS
Band2	9538	4	VL	NT	1.75	0.000917	±10	PASS
Band2	9538	4	VH	NT	0.43	0.000225	±10	PASS
Band2	9538	5	VN	NT	1.60	0.000839	±10	PASS
Band2	9538	5	VL	NT	3.84	0.002013	±10	PASS
Band2	9538	5	VH	NT	0.64	0.000336	±10	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	4.11	0.002219	±10	PASS
Band2	9262	1	NV	-20	4.23	0.002284	±10	PASS
Band2	9262	1	NV	-10	4.84	0.002613	±10	PASS
Band2	9262	1	NV	0	4.73	0.002553	±10	PASS
Band2	9262	1	NV	10	4.96	0.002678	±10	PASS
Band2	9262	1	NV	20	4.29	0.002316	±10	PASS
Band2	9262	1	NV	30	0.72	0.000389	±10	PASS
Band2	9262	1	NV	40	1.84	0.000993	±10	PASS
Band2	9262	1	NV	50	3.71	0.002003	±10	PASS
Band2	9262	2	NV	-30	0.58	0.000313	±10	PASS
Band2	9262	2	NV	-20	2.46	0.001328	±10	PASS
Band2	9262	2	NV	-10	1.05	0.000567	±10	PASS
Band2	9262	2	NV	0	3.20	0.001727	±10	PASS
Band2	9262	2	NV	10	0.24	0.000130	±10	PASS
Band2	9262	2	NV	20	4.71	0.002543	±10	PASS
Band2	9262	2	NV	30	2.65	0.001431	±10	PASS
Band2	9262	2	NV	40	0.89	0.000480	±10	PASS
Band2	9262	2	NV	50	3.79	0.002046	±10	PASS
Band2	9262	3	NV	-30	5.13	0.002769	±10	PASS
Band2	9262	3	NV	-20	2.24	0.001209	±10	PASS
Band2	9262	3	NV	-10	1.35	0.000729	±10	PASS
Band2	9262	3	NV	0	1.60	0.000864	±10	PASS
Band2	9262	3	NV	10	3.60	0.001943	±10	PASS
Band2	9262	3	NV	20	3.38	0.001825	±10	PASS
Band2	9262	3	NV	30	4.33	0.002338	±10	PASS
Band2	9262	3	NV	40	3.13	0.001690	±10	PASS
Band2	9262	3	NV	50	4.85	0.002618	±10	PASS
Band2	9262	4	NV	-30	3.98	0.002149	±10	PASS

Band2	9262	4	NV	-20	3.94	0.002127	±10	PASS
Band2	9262	4	NV	-10	1.74	0.000939	±10	PASS
Band2	9262	4	NV	0	2.52	0.001360	±10	PASS
Band2	9262	4	NV	10	-0.18	-0.000097	±10	PASS
Band2	9262	4	NV	20	3.93	0.002122	±10	PASS
Band2	9262	4	NV	30	3.69	0.001992	±10	PASS
Band2	9262	4	NV	40	2.12	0.001144	±10	PASS
Band2	9262	4	NV	50	5.01	0.002705	±10	PASS
Band2	9262	5	NV	-30	2.19	0.001182	±10	PASS
Band2	9262	5	NV	-20	1.51	0.000815	±10	PASS
Band2	9262	5	NV	-10	5.18	0.002796	±10	PASS
Band2	9262	5	NV	0	2.54	0.001371	±10	PASS
Band2	9262	5	NV	10	2.34	0.001263	±10	PASS
Band2	9262	5	NV	20	2.22	0.001198	±10	PASS
Band2	9262	5	NV	30	1.80	0.000972	±10	PASS
Band2	9262	5	NV	40	0.97	0.000524	±10	PASS
Band2	9262	5	NV	50	0.89	0.000480	±10	PASS
Band2	9400	1	NV	-30	1.86	0.000989	±10	PASS
Band2	9400	1	NV	-20	4.64	0.002468	±10	PASS
Band2	9400	1	NV	-10	3.82	0.002032	±10	PASS
Band2	9400	1	NV	0	2.81	0.001495	±10	PASS
Band2	9400	1	NV	10	2.74	0.001457	±10	PASS
Band2	9400	1	NV	20	1.97	0.001048	±10	PASS
Band2	9400	1	NV	30	2.47	0.001314	±10	PASS
Band2	9400	1	NV	40	3.83	0.002037	±10	PASS
Band2	9400	1	NV	50	4.57	0.002431	±10	PASS
Band2	9400	2	NV	-30	4.46	0.002372	±10	PASS
Band2	9400	2	NV	-20	2.00	0.001064	±10	PASS
Band2	9400	2	NV	-10	-1.44	-0.000766	±10	PASS
Band2	9400	2	NV	0	2.30	0.001223	±10	PASS
Band2	9400	2	NV	10	3.01	0.001601	±10	PASS
Band2	9400	2	NV	20	4.13	0.002197	±10	PASS
Band2	9400	2	NV	30	2.77	0.001473	±10	PASS
Band2	9400	2	NV	40	5.43	0.002888	±10	PASS
Band2	9400	2	NV	50	2.40	0.001277	±10	PASS
Band2	9400	3	NV	-30	1.90	0.001011	±10	PASS
Band2	9400	3	NV	-20	2.98	0.001585	±10	PASS
Band2	9400	3	NV	-10	2.85	0.001516	±10	PASS
Band2	9400	3	NV	0	3.13	0.001665	±10	PASS
Band2	9400	3	NV	10	3.75	0.001995	±10	PASS

Band2	9400	3	NV	20	2.82	0.001500	±10	PASS
Band2	9400	3	NV	30	1.82	0.000968	±10	PASS
Band2	9400	3	NV	40	2.89	0.001537	±10	PASS
Band2	9400	3	NV	50	5.17	0.002750	±10	PASS
Band2	9400	4	NV	-30	3.79	0.002016	±10	PASS
Band2	9400	4	NV	-20	1.52	0.000809	±10	PASS
Band2	9400	4	NV	-10	3.82	0.002032	±10	PASS
Band2	9400	4	NV	0	2.17	0.001154	±10	PASS
Band2	9400	4	NV	10	3.45	0.001835	±10	PASS
Band2	9400	4	NV	20	4.54	0.002415	±10	PASS
Band2	9400	4	NV	30	2.73	0.001452	±10	PASS
Band2	9400	4	NV	40	3.61	0.001920	±10	PASS
Band2	9400	4	NV	50	4.38	0.002330	±10	PASS
Band2	9400	5	NV	-30	-7.65	-0.004069	±10	PASS
Band2	9400	5	NV	-20	9.55	0.005080	±10	PASS
Band2	9400	5	NV	-10	2.60	0.001383	±10	PASS
Band2	9400	5	NV	0	3.10	0.001649	±10	PASS
Band2	9400	5	NV	10	3.29	0.001750	±10	PASS
Band2	9400	5	NV	20	3.00	0.001596	±10	PASS
Band2	9400	5	NV	30	2.22	0.001181	±10	PASS
Band2	9400	5	NV	40	2.23	0.001186	±10	PASS
Band2	9400	5	NV	50	1.75	0.000931	±10	PASS
Band2	9538	1	NV	-30	3.72	0.001950	±10	PASS
Band2	9538	1	NV	-20	6.01	0.003151	±10	PASS
Band2	9538	1	NV	-10	1.42	0.000744	±10	PASS
Band2	9538	1	NV	0	1.37	0.000718	±10	PASS
Band2	9538	1	NV	10	2.44	0.001279	±10	PASS
Band2	9538	1	NV	20	2.72	0.001426	±10	PASS
Band2	9538	1	NV	30	2.61	0.001368	±10	PASS
Band2	9538	1	NV	40	3.14	0.001646	±10	PASS
Band2	9538	1	NV	50	2.52	0.001321	±10	PASS
Band2	9538	2	NV	-30	2.78	0.001457	±10	PASS
Band2	9538	2	NV	-20	4.44	0.002328	±10	PASS
Band2	9538	2	NV	-10	3.90	0.002044	±10	PASS
Band2	9538	2	NV	0	2.39	0.001253	±10	PASS
Band2	9538	2	NV	10	0.86	0.000451	±10	PASS
Band2	9538	2	NV	20	2.46	0.001290	±10	PASS
Band2	9538	2	NV	30	5.57	0.002920	±10	PASS
Band2	9538	2	NV	40	1.66	0.000870	±10	PASS
Band2	9538	2	NV	50	5.21	0.002731	±10	PASS

Band2	9538	3	NV	-30	2.01	0.001054	±10	PASS
Band2	9538	3	NV	-20	4.79	0.002511	±10	PASS
Band2	9538	3	NV	-10	1.12	0.000587	±10	PASS
Band2	9538	3	NV	0	2.03	0.001064	±10	PASS
Band2	9538	3	NV	10	1.78	0.000933	±10	PASS
Band2	9538	3	NV	20	4.50	0.002359	±10	PASS
Band2	9538	3	NV	30	1.38	0.000723	±10	PASS
Band2	9538	3	NV	40	2.89	0.001515	±10	PASS
Band2	9538	3	NV	50	3.35	0.001756	±10	PASS
Band2	9538	4	NV	-30	2.70	0.001415	±10	PASS
Band2	9538	4	NV	-20	3.14	0.001646	±10	PASS
Band2	9538	4	NV	-10	1.72	0.000902	±10	PASS
Band2	9538	4	NV	0	1.62	0.000849	±10	PASS
Band2	9538	4	NV	10	2.33	0.001221	±10	PASS
Band2	9538	4	NV	20	1.31	0.000687	±10	PASS
Band2	9538	4	NV	30	1.11	0.000582	±10	PASS
Band2	9538	4	NV	40	0.59	0.000309	±10	PASS
Band2	9538	4	NV	50	3.07	0.001609	±10	PASS
Band2	9538	5	NV	-30	2.98	0.001562	±10	PASS
Band2	9538	5	NV	-20	5.12	0.002684	±10	PASS
Band2	9538	5	NV	-10	2.62	0.001373	±10	PASS
Band2	9538	5	NV	0	1.67	0.000875	±10	PASS
Band2	9538	5	NV	10	5.05	0.002647	±10	PASS
Band2	9538	5	NV	20	5.04	0.002642	±10	PASS
Band2	9538	5	NV	30	3.50	0.001835	±10	PASS
Band2	9538	5	NV	40	4.23	0.002217	±10	PASS
Band2	9538	5	NV	50	3.00	0.001573	±10	PASS