







Band4-1513-3-1000~30000MHz-PASS




Band4-1513-3-3000~20000MHz-PASS




Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS




Band4-1513-4-30~1000MHz-PASS




Band4-1513-4-1000~30000MHz-PASS




Band4-1513-4-3000~20000MHz-PASS




Band4-1513-5-0.009~0.15MHz-PASS




Band4-1513-5-0.15~30MHz-PASS



Band4-1513-5-30~1000MHz-PASS



Band4-1513-5-1000~30000MHz-PASS



Band4-1513-5-3000~20000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	3.98	0.002324	±20	PASS
Band4	1312	VL	NT	1.96	0.001145	±20	PASS
Band4	1312	VH	NT	0.38	0.000222	±20	PASS
Band4	1413	VN	NT	-1.17	-0.000675	±20	PASS
Band4	1413	VL	NT	0.76	0.000439	±20	PASS
Band4	1413	VH	NT	0.75	0.000433	±20	PASS
Band4	1513	VN	NT	-5.11	-0.002916	±20	PASS
Band4	1513	VL	NT	-3.09	-0.001763	±20	PASS
Band4	1513	VH	NT	-1.85	-0.001056	±20	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	1.17	0.000683	±20	PASS
Band4	1312	NV	-20	3.46	0.002021	±20	PASS
Band4	1312	NV	-10	2.68	0.001565	±20	PASS
Band4	1312	NV	0	3.33	0.001945	±20	PASS
Band4	1312	NV	10	0.59	0.000345	±20	PASS
Band4	1312	NV	20	4.67	0.002727	±20	PASS
Band4	1312	NV	30	2.17	0.001267	±20	PASS
Band4	1312	NV	40	2.62	0.001530	±20	PASS
Band4	1312	NV	50	2.53	0.001477	±20	PASS
Band4	1413	NV	-30	-0.97	-0.000560	±20	PASS
Band4	1413	NV	-20	-1.57	-0.000906	±20	PASS
Band4	1413	NV	-10	1.83	0.001056	±20	PASS
Band4	1413	NV	0	1.84	0.001062	±20	PASS
Band4	1413	NV	10	0.62	0.000358	±20	PASS
Band4	1413	NV	20	2.46	0.001420	±20	PASS
Band4	1413	NV	30	-1.00	-0.000577	±20	PASS
Band4	1413	NV	40	-0.86	-0.000496	±20	PASS
Band4	1413	NV	50	-1.39	-0.000802	±20	PASS
Band4	1513	NV	-30	-1.70	-0.000970	±20	PASS
Band4	1513	NV	-20	-4.11	-0.002345	±20	PASS
Band4	1513	NV	-10	-3.53	-0.002014	±20	PASS

Band4	1513	NV	0	-1.49	-0.000850	±20	PASS
Band4	1513	NV	10	-8.70	-0.004964	±20	PASS
Band4	1513	NV	20	-0.98	-0.000559	±20	PASS
Band4	1513	NV	30	-2.40	-0.001369	±20	PASS
Band4	1513	NV	40	-2.52	-0.001438	±20	PASS
Band4	1513	NV	50	-2.32	-0.001324	±20	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	4.07	0.002377	±10	PASS
Band4	1312	1	VL	NT	1.75	0.001022	±10	PASS
Band4	1312	1	VH	NT	2.23	0.001302	±10	PASS
Band4	1312	2	VN	NT	1.86	0.001086	±10	PASS
Band4	1312	2	VL	NT	1.11	0.000648	±10	PASS
Band4	1312	2	VH	NT	2.10	0.001226	±10	PASS
Band4	1312	3	VN	NT	1.06	0.000619	±10	PASS
Band4	1312	3	VL	NT	3.41	0.001991	±10	PASS
Band4	1312	3	VH	NT	1.81	0.001057	±10	PASS
Band4	1312	4	VN	NT	1.04	0.000607	±10	PASS
Band4	1312	4	VL	NT	1.49	0.000870	±10	PASS
Band4	1312	4	VH	NT	3.44	0.002009	±10	PASS
Band4	1413	1	VN	NT	-1.85	-0.001068	±10	PASS
Band4	1413	1	VL	NT	0.79	0.000456	±10	PASS
Band4	1413	1	VH	NT	-0.10	-0.000058	±10	PASS
Band4	1413	2	VN	NT	1.71	0.000987	±10	PASS
Band4	1413	2	VL	NT	-1.05	-0.000606	±10	PASS
Band4	1413	2	VH	NT	1.81	0.001045	±10	PASS
Band4	1413	3	VN	NT	-0.04	-0.000023	±10	PASS
Band4	1413	3	VL	NT	0.07	0.000040	±10	PASS
Band4	1413	3	VH	NT	1.29	0.000745	±10	PASS
Band4	1413	4	VN	NT	0.09	0.000052	±10	PASS
Band4	1413	4	VL	NT	-0.55	-0.000317	±10	PASS
Band4	1413	4	VH	NT	-0.55	-0.000317	±10	PASS
Band4	1513	1	VN	NT	-2.12	-0.001210	±10	PASS
Band4	1513	1	VL	NT	-5.36	-0.003058	±10	PASS
Band4	1513	1	VH	NT	-3.38	-0.001929	±10	PASS
Band4	1513	2	VN	NT	-4.56	-0.002602	±10	PASS
Band4	1513	2	VL	NT	-3.63	-0.002071	±10	PASS
Band4	1513	2	VH	NT	-1.60	-0.000913	±10	PASS
Band4	1513	3	VN	NT	-2.32	-0.001324	±10	PASS
Band4	1513	3	VL	NT	-4.00	-0.002282	±10	PASS
Band4	1513	3	VH	NT	-3.90	-0.002225	±10	PASS
Band4	1513	4	VN	NT	-2.34	-0.001335	±10	PASS
Band4	1513	4	VL	NT	-4.46	-0.002545	±10	PASS
Band4	1513	4	VH	NT	-3.10	-0.001769	±10	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	1.55	0.000905	±10	PASS
Band4	1312	1	NV	-20	1.63	0.000952	±10	PASS
Band4	1312	1	NV	-10	2.86	0.001670	±10	PASS
Band4	1312	1	NV	0	2.86	0.001670	±10	PASS
Band4	1312	1	NV	10	2.15	0.001256	±10	PASS
Band4	1312	1	NV	20	2.14	0.001250	±10	PASS
Band4	1312	1	NV	30	1.80	0.001051	±10	PASS
Band4	1312	1	NV	40	2.20	0.001285	±10	PASS
Band4	1312	1	NV	50	2.60	0.001518	±10	PASS
Band4	1312	2	NV	-30	1.42	0.000829	±10	PASS
Band4	1312	2	NV	-20	3.03	0.001769	±10	PASS
Band4	1312	2	NV	-10	1.91	0.001115	±10	PASS
Band4	1312	2	NV	0	1.87	0.001092	±10	PASS
Band4	1312	2	NV	10	4.41	0.002575	±10	PASS
Band4	1312	2	NV	20	0.27	0.000158	±10	PASS
Band4	1312	2	NV	30	4.08	0.002383	±10	PASS
Band4	1312	2	NV	40	2.46	0.001437	±10	PASS
Band4	1312	2	NV	50	4.53	0.002645	±10	PASS
Band4	1312	3	NV	-30	1.08	0.000631	±10	PASS
Band4	1312	3	NV	-20	2.92	0.001705	±10	PASS
Band4	1312	3	NV	-10	2.55	0.001489	±10	PASS
Band4	1312	3	NV	0	2.69	0.001571	±10	PASS
Band4	1312	3	NV	10	0.73	0.000426	±10	PASS
Band4	1312	3	NV	20	3.55	0.002073	±10	PASS
Band4	1312	3	NV	30	2.30	0.001343	±10	PASS
Band4	1312	3	NV	40	2.35	0.001372	±10	PASS
Band4	1312	3	NV	50	3.91	0.002283	±10	PASS
Band4	1312	4	NV	-30	3.01	0.001758	±10	PASS
Band4	1312	4	NV	-20	1.95	0.001139	±10	PASS
Band4	1312	4	NV	-10	3.64	0.002126	±10	PASS
Band4	1312	4	NV	0	3.48	0.002032	±10	PASS
Band4	1312	4	NV	10	-0.54	-0.000315	±10	PASS
Band4	1312	4	NV	20	2.21	0.001291	±10	PASS
Band4	1312	4	NV	30	1.85	0.001080	±10	PASS
Band4	1312	4	NV	40	2.64	0.001542	±10	PASS
Band4	1312	4	NV	50	4.81	0.002809	±10	PASS
Band4	1413	1	NV	-30	-1.32	-0.000762	±10	PASS

Band4	1413	1	NV	-20	-1.88	-0.001085	±10	PASS
Band4	1413	1	NV	-10	1.39	0.000802	±10	PASS
Band4	1413	1	NV	0	2.04	0.001177	±10	PASS
Band4	1413	1	NV	10	-0.88	-0.000508	±10	PASS
Band4	1413	1	NV	20	0.28	0.000162	±10	PASS
Band4	1413	1	NV	30	2.05	0.001183	±10	PASS
Band4	1413	1	NV	40	0.58	0.000335	±10	PASS
Band4	1413	1	NV	50	0.38	0.000219	±10	PASS
Band4	1413	2	NV	-30	-2.61	-0.001506	±10	PASS
Band4	1413	2	NV	-20	0.45	0.000260	±10	PASS
Band4	1413	2	NV	-10	-0.12	-0.000069	±10	PASS
Band4	1413	2	NV	0	-0.22	-0.000127	±10	PASS
Band4	1413	2	NV	10	0.21	0.000121	±10	PASS
Band4	1413	2	NV	20	-1.10	-0.000635	±10	PASS
Band4	1413	2	NV	30	0.35	0.000202	±10	PASS
Band4	1413	2	NV	40	1.70	0.000981	±10	PASS
Band4	1413	2	NV	50	-3.16	-0.001824	±10	PASS
Band4	1413	3	NV	-30	-0.63	-0.000364	±10	PASS
Band4	1413	3	NV	-20	0.83	0.000479	±10	PASS
Band4	1413	3	NV	-10	0.31	0.000179	±10	PASS
Band4	1413	3	NV	0	0.79	0.000456	±10	PASS
Band4	1413	3	NV	10	1.22	0.000704	±10	PASS
Band4	1413	3	NV	20	-0.89	-0.000514	±10	PASS
Band4	1413	3	NV	30	-0.09	-0.000052	±10	PASS
Band4	1413	3	NV	40	-0.37	-0.000214	±10	PASS
Band4	1413	3	NV	50	-0.06	-0.000035	±10	PASS
Band4	1413	4	NV	-30	-0.24	-0.000139	±10	PASS
Band4	1413	4	NV	-20	-0.79	-0.000456	±10	PASS
Band4	1413	4	NV	-10	-2.93	-0.001691	±10	PASS
Band4	1413	4	NV	0	-1.11	-0.000641	±10	PASS
Band4	1413	4	NV	10	-0.52	-0.000300	±10	PASS
Band4	1413	4	NV	20	1.32	0.000762	±10	PASS
Band4	1413	4	NV	30	-0.14	-0.000081	±10	PASS
Band4	1413	4	NV	40	-0.80	-0.000462	±10	PASS
Band4	1413	4	NV	50	1.80	0.001039	±10	PASS
Band4	1513	1	NV	-30	-1.75	-0.000999	±10	PASS
Band4	1513	1	NV	-20	-2.47	-0.001409	±10	PASS
Band4	1513	1	NV	-10	-1.88	-0.001073	±10	PASS
Band4	1513	1	NV	0	-3.02	-0.001723	±10	PASS
Band4	1513	1	NV	10	-3.86	-0.002202	±10	PASS
Band4	1513	1	NV	20	-3.48	-0.001986	±10	PASS

Band4	1513	1	NV	30	-3.89	-0.002220	±10	PASS
Band4	1513	1	NV	40	-1.56	-0.000890	±10	PASS
Band4	1513	1	NV	50	-2.60	-0.001484	±10	PASS
Band4	1513	2	NV	-30	-5.13	-0.002927	±10	PASS
Band4	1513	2	NV	-20	-4.58	-0.002613	±10	PASS
Band4	1513	2	NV	-10	-1.50	-0.000856	±10	PASS
Band4	1513	2	NV	0	-4.84	-0.002762	±10	PASS
Band4	1513	2	NV	10	-1.18	-0.000673	±10	PASS
Band4	1513	2	NV	20	-4.17	-0.002379	±10	PASS
Band4	1513	2	NV	30	-5.11	-0.002916	±10	PASS
Band4	1513	2	NV	40	-3.40	-0.001940	±10	PASS
Band4	1513	2	NV	50	-2.55	-0.001455	±10	PASS
Band4	1513	3	NV	-30	-2.48	-0.001415	±10	PASS
Band4	1513	3	NV	-20	-4.05	-0.002311	±10	PASS
Band4	1513	3	NV	-10	-3.32	-0.001894	±10	PASS
Band4	1513	3	NV	0	-1.39	-0.000793	±10	PASS
Band4	1513	3	NV	10	-3.69	-0.002105	±10	PASS
Band4	1513	3	NV	20	-2.87	-0.001638	±10	PASS
Band4	1513	3	NV	30	-3.15	-0.001797	±10	PASS
Band4	1513	3	NV	40	0.01	0.000006	±10	PASS
Band4	1513	3	NV	50	-2.62	-0.001495	±10	PASS
Band4	1513	4	NV	-30	-1.65	-0.000941	±10	PASS
Band4	1513	4	NV	-20	-3.13	-0.001786	±10	PASS
Band4	1513	4	NV	-10	-1.85	-0.001056	±10	PASS
Band4	1513	4	NV	0	-1.32	-0.000753	±10	PASS
Band4	1513	4	NV	10	-2.52	-0.001438	±10	PASS
Band4	1513	4	NV	20	-3.40	-0.001940	±10	PASS
Band4	1513	4	NV	30	-2.30	-0.001312	±10	PASS
Band4	1513	4	NV	40	-3.04	-0.001735	±10	PASS
Band4	1513	4	NV	50	-3.21	-0.001832	±10	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-0.36	-0.000210	±10	PASS
Band4	1312	1	VL	NT	1.12	0.000654	±10	PASS
Band4	1312	1	VH	NT	2.60	0.001518	±10	PASS
Band4	1312	2	VN	NT	1.03	0.000601	±10	PASS
Band4	1312	2	VL	NT	1.87	0.001092	±10	PASS
Band4	1312	2	VH	NT	3.88	0.002266	±10	PASS
Band4	1312	3	VN	NT	1.72	0.001004	±10	PASS
Band4	1312	3	VL	NT	2.43	0.001419	±10	PASS
Band4	1312	3	VH	NT	1.66	0.000969	±10	PASS
Band4	1312	4	VN	NT	1.09	0.000637	±10	PASS
Band4	1312	4	VL	NT	3.18	0.001857	±10	PASS
Band4	1312	4	VH	NT	-0.01	-0.000006	±10	PASS
Band4	1312	5	VN	NT	2.90	0.001694	±10	PASS
Band4	1312	5	VL	NT	1.71	0.000999	±10	PASS
Band4	1312	5	VH	NT	3.87	0.002260	±10	PASS
Band4	1413	1	VN	NT	-0.36	-0.000208	±10	PASS
Band4	1413	1	VL	NT	-1.73	-0.000998	±10	PASS
Band4	1413	1	VH	NT	1.29	0.000745	±10	PASS
Band4	1413	2	VN	NT	-1.81	-0.001045	±10	PASS
Band4	1413	2	VL	NT	-0.29	-0.000167	±10	PASS
Band4	1413	2	VH	NT	-0.39	-0.000225	±10	PASS
Band4	1413	3	VN	NT	-0.01	-0.000006	±10	PASS
Band4	1413	3	VL	NT	0.53	0.000306	±10	PASS
Band4	1413	3	VH	NT	1.42	0.000820	±10	PASS
Band4	1413	4	VN	NT	-2.17	-0.001252	±10	PASS
Band4	1413	4	VL	NT	-1.77	-0.001022	±10	PASS
Band4	1413	4	VH	NT	1.80	0.001039	±10	PASS
Band4	1413	5	VN	NT	1.33	0.000768	±10	PASS
Band4	1413	5	VL	NT	-0.26	-0.000150	±10	PASS
Band4	1413	5	VH	NT	-2.17	-0.001252	±10	PASS
Band4	1513	1	VN	NT	-1.98	-0.001130	±10	PASS
Band4	1513	1	VL	NT	-2.98	-0.001700	±10	PASS
Band4	1513	1	VH	NT	-5.84	-0.003332	±10	PASS
Band4	1513	2	VN	NT	-4.94	-0.002819	±10	PASS
Band4	1513	2	VL	NT	-1.67	-0.000953	±10	PASS
Band4	1513	2	VH	NT	-2.09	-0.001193	±10	PASS
Band4	1513	3	VN	NT	-3.83	-0.002185	±10	PASS

Band4	1513	3	VL	NT	-2.47	-0.001409	±10	PASS
Band4	1513	3	VH	NT	-3.69	-0.002105	±10	PASS
Band4	1513	4	VN	NT	-3.09	-0.001763	±10	PASS
Band4	1513	4	VL	NT	-1.08	-0.000616	±10	PASS
Band4	1513	4	VH	NT	-2.07	-0.001181	±10	PASS
Band4	1513	5	VN	NT	-3.61	-0.002060	±10	PASS
Band4	1513	5	VL	NT	-2.39	-0.001364	±10	PASS
Band4	1513	5	VH	NT	-1.92	-0.001096	±10	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	1.43	0.000835	±10	PASS
Band4	1312	1	NV	-20	2.88	0.001682	±10	PASS
Band4	1312	1	NV	-10	1.52	0.000888	±10	PASS
Band4	1312	1	NV	0	0.57	0.000333	±10	PASS
Band4	1312	1	NV	10	1.70	0.000993	±10	PASS
Band4	1312	1	NV	20	1.05	0.000613	±10	PASS
Band4	1312	1	NV	30	3.78	0.002207	±10	PASS
Band4	1312	1	NV	40	1.40	0.000818	±10	PASS
Band4	1312	1	NV	50	0.57	0.000333	±10	PASS
Band4	1312	2	NV	-30	3.60	0.002102	±10	PASS
Band4	1312	2	NV	-20	2.51	0.001466	±10	PASS
Band4	1312	2	NV	-10	3.96	0.002313	±10	PASS
Band4	1312	2	NV	0	1.89	0.001104	±10	PASS
Band4	1312	2	NV	10	1.60	0.000934	±10	PASS
Band4	1312	2	NV	20	1.86	0.001086	±10	PASS
Band4	1312	2	NV	30	1.60	0.000934	±10	PASS
Band4	1312	2	NV	40	2.33	0.001361	±10	PASS
Band4	1312	2	NV	50	2.36	0.001378	±10	PASS
Band4	1312	3	NV	-30	4.65	0.002715	±10	PASS
Band4	1312	3	NV	-20	3.17	0.001851	±10	PASS
Band4	1312	3	NV	-10	2.76	0.001612	±10	PASS
Band4	1312	3	NV	0	3.70	0.002161	±10	PASS
Band4	1312	3	NV	10	3.81	0.002225	±10	PASS
Band4	1312	3	NV	20	2.15	0.001256	±10	PASS
Band4	1312	3	NV	30	2.27	0.001326	±10	PASS
Band4	1312	3	NV	40	1.59	0.000929	±10	PASS
Band4	1312	3	NV	50	3.43	0.002003	±10	PASS
Band4	1312	4	NV	-30	2.93	0.001711	±10	PASS

Band4	1312	4	NV	-20	2.42	0.001413	±10	PASS
Band4	1312	4	NV	-10	3.59	0.002096	±10	PASS
Band4	1312	4	NV	0	2.62	0.001530	±10	PASS
Band4	1312	4	NV	10	1.90	0.001110	±10	PASS
Band4	1312	4	NV	20	2.98	0.001740	±10	PASS
Band4	1312	4	NV	30	3.10	0.001810	±10	PASS
Band4	1312	4	NV	40	1.46	0.000853	±10	PASS
Band4	1312	4	NV	50	1.81	0.001057	±10	PASS
Band4	1312	5	NV	-30	1.21	0.000707	±10	PASS
Band4	1312	5	NV	-20	3.28	0.001915	±10	PASS
Band4	1312	5	NV	-10	2.56	0.001495	±10	PASS
Band4	1312	5	NV	0	2.87	0.001676	±10	PASS
Band4	1312	5	NV	10	1.93	0.001127	±10	PASS
Band4	1312	5	NV	20	1.85	0.001080	±10	PASS
Band4	1312	5	NV	30	2.72	0.001588	±10	PASS
Band4	1312	5	NV	40	2.37	0.001384	±10	PASS
Band4	1312	5	NV	50	3.00	0.001752	±10	PASS
Band4	1413	1	NV	-30	-1.59	-0.000918	±10	PASS
Band4	1413	1	NV	-20	-0.33	-0.000190	±10	PASS
Band4	1413	1	NV	-10	1.80	0.001039	±10	PASS
Band4	1413	1	NV	0	-0.69	-0.000398	±10	PASS
Band4	1413	1	NV	10	-0.04	-0.000023	±10	PASS
Band4	1413	1	NV	20	-1.09	-0.000629	±10	PASS
Band4	1413	1	NV	30	0.24	0.000139	±10	PASS
Band4	1413	1	NV	40	-0.29	-0.000167	±10	PASS
Band4	1413	1	NV	50	-1.27	-0.000733	±10	PASS
Band4	1413	2	NV	-30	1.80	0.001039	±10	PASS
Band4	1413	2	NV	-20	0.70	0.000404	±10	PASS
Band4	1413	2	NV	-10	-0.23	-0.000133	±10	PASS
Band4	1413	2	NV	0	0.19	0.000110	±10	PASS
Band4	1413	2	NV	10	0.50	0.000289	±10	PASS
Band4	1413	2	NV	20	0.58	0.000335	±10	PASS
Band4	1413	2	NV	30	0.43	0.000248	±10	PASS
Band4	1413	2	NV	40	1.72	0.000993	±10	PASS
Band4	1413	2	NV	50	-0.66	-0.000381	±10	PASS
Band4	1413	3	NV	-30	-1.08	-0.000623	±10	PASS
Band4	1413	3	NV	-20	0.12	0.000069	±10	PASS
Band4	1413	3	NV	-10	-1.34	-0.000773	±10	PASS
Band4	1413	3	NV	0	-0.24	-0.000139	±10	PASS
Band4	1413	3	NV	10	-2.40	-0.001385	±10	PASS
Band4	1413	3	NV	20	0.79	0.000456	±10	PASS

Band4	1413	3	NV	30	-0.19	-0.000110	±10	PASS
Band4	1413	3	NV	40	0.13	0.000075	±10	PASS
Band4	1413	3	NV	50	-2.24	-0.001293	±10	PASS
Band4	1413	4	NV	-30	1.15	0.000664	±10	PASS
Band4	1413	4	NV	-20	-1.34	-0.000773	±10	PASS
Band4	1413	4	NV	-10	-0.78	-0.000450	±10	PASS
Band4	1413	4	NV	0	-2.08	-0.001201	±10	PASS
Band4	1413	4	NV	10	0.21	0.000121	±10	PASS
Band4	1413	4	NV	20	0.29	0.000167	±10	PASS
Band4	1413	4	NV	30	0.46	0.000265	±10	PASS
Band4	1413	4	NV	40	-1.69	-0.000975	±10	PASS
Band4	1413	4	NV	50	1.92	0.001108	±10	PASS
Band4	1413	5	NV	-30	0.73	0.000421	±10	PASS
Band4	1413	5	NV	-20	-0.15	-0.000087	±10	PASS
Band4	1413	5	NV	-10	0.57	0.000329	±10	PASS
Band4	1413	5	NV	0	-0.10	-0.000058	±10	PASS
Band4	1413	5	NV	10	-0.20	-0.000115	±10	PASS
Band4	1413	5	NV	20	0.89	0.000514	±10	PASS
Band4	1413	5	NV	30	-1.47	-0.000848	±10	PASS
Band4	1413	5	NV	40	0.85	0.000491	±10	PASS
Band4	1413	5	NV	50	0.35	0.000202	±10	PASS
Band4	1513	1	NV	-30	-3.71	-0.002117	±10	PASS
Band4	1513	1	NV	-20	-2.40	-0.001369	±10	PASS
Band4	1513	1	NV	-10	-3.33	-0.001900	±10	PASS
Band4	1513	1	NV	0	-3.03	-0.001729	±10	PASS
Band4	1513	1	NV	10	-3.62	-0.002066	±10	PASS
Band4	1513	1	NV	20	-0.72	-0.000411	±10	PASS
Band4	1513	1	NV	30	-2.91	-0.001660	±10	PASS
Band4	1513	1	NV	40	-3.09	-0.001763	±10	PASS
Band4	1513	1	NV	50	-1.17	-0.000668	±10	PASS
Band4	1513	2	NV	-30	-2.23	-0.001272	±10	PASS
Band4	1513	2	NV	-20	-3.38	-0.001929	±10	PASS
Band4	1513	2	NV	-10	-2.53	-0.001444	±10	PASS
Band4	1513	2	NV	0	-3.79	-0.002163	±10	PASS
Band4	1513	2	NV	10	-5.14	-0.002933	±10	PASS
Band4	1513	2	NV	20	-2.63	-0.001501	±10	PASS
Band4	1513	2	NV	30	-2.11	-0.001204	±10	PASS
Band4	1513	2	NV	40	-4.21	-0.002402	±10	PASS
Band4	1513	2	NV	50	-1.45	-0.000827	±10	PASS
Band4	1513	3	NV	-30	-3.55	-0.002026	±10	PASS
Band4	1513	3	NV	-20	-2.70	-0.001541	±10	PASS

Band4	1513	3	NV	-10	-3.49	-0.001991	±10	PASS
Band4	1513	3	NV	0	-2.60	-0.001484	±10	PASS
Band4	1513	3	NV	10	-3.25	-0.001854	±10	PASS
Band4	1513	3	NV	20	-1.24	-0.000708	±10	PASS
Band4	1513	3	NV	30	-5.10	-0.002910	±10	PASS
Band4	1513	3	NV	40	-3.01	-0.001717	±10	PASS
Band4	1513	3	NV	50	-5.66	-0.003229	±10	PASS
Band4	1513	4	NV	-30	-1.52	-0.000867	±10	PASS
Band4	1513	4	NV	-20	-2.63	-0.001501	±10	PASS
Band4	1513	4	NV	-10	-1.95	-0.001113	±10	PASS
Band4	1513	4	NV	0	-3.28	-0.001872	±10	PASS
Band4	1513	4	NV	10	-5.16	-0.002944	±10	PASS
Band4	1513	4	NV	20	-1.21	-0.000690	±10	PASS
Band4	1513	4	NV	30	-4.14	-0.002362	±10	PASS
Band4	1513	4	NV	40	-3.58	-0.002043	±10	PASS
Band4	1513	4	NV	50	-3.43	-0.001957	±10	PASS
Band4	1513	5	NV	-30	-2.68	-0.001529	±10	PASS
Band4	1513	5	NV	-20	-3.28	-0.001872	±10	PASS
Band4	1513	5	NV	-10	-2.62	-0.001495	±10	PASS
Band4	1513	5	NV	0	-2.58	-0.001472	±10	PASS
Band4	1513	5	NV	10	0.21	0.000120	±10	PASS
Band4	1513	5	NV	20	-2.96	-0.001689	±10	PASS
Band4	1513	5	NV	30	-2.50	-0.001426	±10	PASS
Band4	1513	5	NV	40	-4.08	-0.002328	±10	PASS
Band4	1513	5	NV	50	-2.37	-0.001352	±10	PASS