






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.92	3.74	78.07	1.08	---	---
		2480	2.92	3.75	77.87	1.09	---	---
3DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.91	3.75	77.60	1.10	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-59.95	2.00	1.10	38.35	≤54	PASS
				AV	2384.945	-58.34	2.00	1.10	39.96	≤54	PASS
				AV	2390.000	-59.29	2.00	1.10	39.01	≤54	PASS
				Peak	2310.000	-50.58	2.00	0.00	46.62	≤74	PASS
				Peak	2357.330	-48.16	2.00	0.00	49.04	≤74	PASS
				Peak	2390.000	-49.46	2.00	0.00	47.74	≤74	PASS
		High	2480	AV	2483.500	-57.72	2.00	1.10	40.58	≤54	PASS
				AV	2483.600	-57.54	2.00	1.10	40.76	≤54	PASS
				AV	2500.000	-58.58	2.00	1.10	39.72	≤54	PASS
				Peak	2483.500	-49.96	2.00	0.00	47.24	≤74	PASS
				Peak	2495.360	-48.46	2.00	0.00	48.74	≤74	PASS
				Peak	2500.000	-51.85	2.00	0.00	45.35	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-59.74	2.00	1.10	38.56	≤54	PASS
				AV	2369.195	-58.36	2.00	1.10	39.94	≤54	PASS
				AV	2390.000	-59.51	2.00	1.10	38.79	≤54	PASS
				Peak	2310.000	-51.33	2.00	0.00	45.87	≤74	PASS
				Peak	2374.340	-48.31	2.00	0.00	48.89	≤74	PASS
				Peak	2390.000	-50.6	2.00	0.00	46.60	≤74	PASS
		High	2480	AV	2483.500	-58.89	2.00	1.09	39.40	≤54	PASS
				AV	2484.080	-58.06	2.00	1.09	40.23	≤54	PASS
				AV	2500.000	-58.81	2.00	1.09	39.48	≤54	PASS
				Peak	2483.500	-49.02	2.00	0.00	48.18	≤74	PASS
				Peak	2498.640	-47.13	2.00	0.00	50.07	≤74	PASS
				Peak	2500.000	-50.16	2.00	0.00	47.04	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.84	2.00	1.10	38.46	≤54	PASS
				AV	2374.970	-58.47	2.00	1.10	39.83	≤54	PASS
				AV	2390.000	-59.44	2.00	1.10	38.86	≤54	PASS
				Peak	2310.000	-52.38	2.00	0.00	44.82	≤74	PASS
				Peak	2342.420	-48.24	2.00	0.00	48.96	≤74	PASS
				Peak	2390.000	-52.4	2.00	0.00	44.80	≤74	PASS
		High	2480	AV	2483.500	-58.16	2.00	1.10	40.14	≤54	PASS
				AV	2483.920	-58.06	2.00	1.10	40.24	≤54	PASS
				AV	2500.000	-58.86	2.00	1.10	39.44	≤54	PASS
				Peak	2483.500	-50.32	2.00	0.00	46.88	≤74	PASS
				Peak	2484.080	-47.81	2.00	0.00	49.39	≤74	PASS
				Peak	2500.000	-50.26	2.00	0.00	46.94	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

