






11N20SISO\_Ant2\_5180\_5360~40000




11N20SISO\_Ant2\_5220\_30~5140



# 11N20SISO\_Ant2\_5220\_5360~40000




# 11N20SISO\_Ant2\_5240\_30~5140




# 11N20SISO\_Ant2\_5240\_5360~40000




11N20SISO\_Ant2\_5745\_30~5650




11N20SISO\_Ant2\_5745\_5925~40000



# 11N20SISO\_Ant2\_5785\_30~5650




# 11N20SISO\_Ant2\_5785\_5925~40000




# 11N20SISO\_Ant2\_5825\_30~5650



11N20SISO\_Ant2\_5825\_5925~40000




11N40SISO\_Ant2\_5190\_30~5140



# 11N40SISO\_Ant2\_5190\_5360~40000




# 11N40SISO\_Ant2\_5230\_30~5140




# 11N40SISO\_Ant2\_5230\_5360~40000




11N40SISO\_Ant2\_5755\_30~5650




11N40SISO\_Ant2\_5755\_5925~40000




# 11N40SISO\_Ant2\_5795\_30~5650




# 11N40SISO\_Ant2\_5795\_5925~40000




# 11AC20SISO\_Ant2\_5180\_30~5140



11AC20SISO\_Ant2\_5180\_5360~40000




11AC20SISO\_Ant2\_5220\_30~5140



# 11AC20SISO\_Ant2\_5220\_5360~40000




# 11AC20SISO\_Ant2\_5240\_30~5140




# 11AC20SISO\_Ant2\_5240\_5360~40000



11AC20SISO\_Ant2\_5745\_30~5650




11AC20SISO\_Ant2\_5745\_5925~40000



# 11AC20SISO\_Ant2\_5785\_30~5650




# 11AC20SISO\_Ant2\_5785\_5925~40000




# 11AC20SISO\_Ant2\_5825\_30~5650



11AC20SISO\_Ant2\_5825\_5925~40000




11AC40SISO\_Ant2\_5190\_30~5140



# 11AC40SISO\_Ant2\_5190\_5360~40000




# 11AC40SISO\_Ant2\_5230\_30~5140




# 11AC40SISO\_Ant2\_5230\_5360~40000



11AC40SISO\_Ant2\_5755\_30~5650




11AC40SISO\_Ant2\_5755\_5925~40000



# 11AC40SISO\_Ant2\_5795\_30~5650




# 11AC40SISO\_Ant2\_5795\_5925~40000




# 11AX20SISO\_Ant2\_5180\_30~5140



11AX20SISO\_Ant2\_5180\_5360~40000




11AX20SISO\_Ant2\_5220\_30~5140



# 11AX20SISO\_Ant2\_5220\_5360~40000




# 11AX20SISO\_Ant2\_5240\_30~5140




# 11AX20SISO\_Ant2\_5240\_5360~40000



11AX20SISO\_Ant2\_5745\_30~5650




11AX20SISO\_Ant2\_5745\_5925~40000



# 11AX20SISO\_Ant2\_5785\_30~5650




# 11AX20SISO\_Ant2\_5785\_5925~40000




# 11AX20SISO\_Ant2\_5825\_30~5650



11AX20SISO\_Ant2\_5825\_5925~40000




11AX40SISO\_Ant2\_5190\_30~5140



# 11AX40SISO\_Ant2\_5190\_5360~40000




# 11AX40SISO\_Ant2\_5230\_30~5140




# 11AX40SISO\_Ant2\_5230\_5360~40000




11AX40SISO\_Ant2\_5755\_30~5650




11AX40SISO\_Ant2\_5755\_5925~40000



# 11AX40SISO\_Ant2\_5795\_30~5650



# 11AX40SISO\_Ant2\_5795\_5925~40000



## Appendix G: Emissions in Restricted Bands

### Test Result

| TestMode      | Antenna | ChName | Freq(MHz) | Detect or | Freq [MHz] | Result [dBm] | Gain [dB] | DC Factor [dB] | EIRP [dBm] | Limit [dBm] | Verdict |
|---------------|---------|--------|-----------|-----------|------------|--------------|-----------|----------------|------------|-------------|---------|
| 11A           | Ant2    | Low    | 5180      | AV        | 4500.000   | -62.57       | 2.00      | 1.25           | -59.32     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5149.600   | -56.83       | 2.00      | 1.25           | -53.58     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5150.000   | -57          | 2.00      | 1.25           | -53.75     | ≤-41.20     | PASS    |
|               |         |        |           | Peak      | 4500.000   | -54.91       | 2.00      | 0.00           | -52.91     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5144.700   | -47.09       | 2.00      | 0.00           | -45.09     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5150.000   | -47.93       | 2.00      | 0.00           | -45.93     | ≤-27.00     | PASS    |
|               |         | High   | 5240      | AV        | 5350.000   | -57.94       | 2.00      | 1.25           | -54.69     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5350.320   | -57.58       | 2.00      | 1.25           | -54.33     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5460.000   | -59.87       | 2.00      | 1.25           | -56.62     | ≤-41.20     | PASS    |
|               |         |        |           | Peak      | 5350.000   | -49.37       | 2.00      | 0.00           | -47.37     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5355.600   | -47.48       | 2.00      | 0.00           | -45.48     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5460.000   | -50.66       | 2.00      | 0.00           | -48.66     | ≤-27.00     | PASS    |
|               |         | Low    | 5745      | Peak      | 5650.000   | -51.555      | 2.00      | 0.00           | -49.555    | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5700.000   | -49.72       | 2.00      | 0.00           | -47.72     | ≤10.00      | PASS    |
|               |         |        |           | Peak      | 5720.000   | -48.23       | 2.00      | 0.00           | -46.23     | ≤15.60      | PASS    |
|               |         |        |           | Peak      | 5725.000   | -41.16       | 2.00      | 0.00           | -39.16     | ≤27.00      | PASS    |
|               |         | High   | 5825      | Peak      | 5850.000   | -44.712      | 2.00      | 0.00           | -42.712    | ≤27.00      | PASS    |
|               |         |        |           | Peak      | 5855.000   | -47.28       | 2.00      | 0.00           | -45.28     | ≤15.60      | PASS    |
|               |         |        |           | Peak      | 5875.000   | -48.93       | 2.00      | 0.00           | -46.93     | ≤10.00      | PASS    |
|               |         |        |           | Peak      | 5925.000   | -49.86       | 2.00      | 0.00           | -47.86     | ≤-27.00     | PASS    |
| 11N20SI<br>SO | Ant2    | Low    | 5180      | AV        | 4500.000   | -62.41       | 2.00      | 1.06           | -59.35     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5143.300   | -57.35       | 2.00      | 1.06           | -54.29     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5150.000   | -57.59       | 2.00      | 1.06           | -54.53     | ≤-41.20     | PASS    |
|               |         |        |           | Peak      | 4500.000   | -53.96       | 2.00      | 0.00           | -51.96     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5141.200   | -47.5        | 2.00      | 0.00           | -45.5      | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5150.000   | -47.91       | 2.00      | 0.00           | -45.91     | ≤-27.00     | PASS    |
|               |         | High   | 5240      | AV        | 5350.000   | -58.12       | 2.00      | 0.87           | -55.25     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5366.400   | -57.63       | 2.00      | 0.87           | -54.76     | ≤-41.20     | PASS    |
|               |         |        |           | AV        | 5460.000   | -59.94       | 2.00      | 0.87           | -57.07     | ≤-41.20     | PASS    |
|               |         |        |           | Peak      | 5350.000   | -50.12       | 2.00      | 0.00           | -48.12     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5399.760   | -46.69       | 2.00      | 0.00           | -44.69     | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5460.000   | -51.41       | 2.00      | 0.00           | -49.41     | ≤-27.00     | PASS    |
|               |         | Low    | 5745      | Peak      | 5650.000   | -51.349      | 2.00      | 0.00           | -49.349    | ≤-27.00     | PASS    |
|               |         |        |           | Peak      | 5700.000   | -50.44       | 2.00      | 0.00           | -48.44     | ≤10.00      | PASS    |
|               |         |        |           | Peak      | 5720.000   | -47.94       | 2.00      | 0.00           | -45.94     | ≤15.60      | PASS    |
|               |         |        |           | Peak      | 5725.000   | -42.49       | 2.00      | 0.00           | -40.49     | ≤27.00      | PASS    |

|                |      |      |      |      |          |         |      |      |         |         |      |
|----------------|------|------|------|------|----------|---------|------|------|---------|---------|------|
|                |      | High | 5825 | Peak | 5850.000 | -43.756 | 2.00 | 0.00 | -41.756 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5855.000 | -46.89  | 2.00 | 0.00 | -44.89  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5875.000 | -49.87  | 2.00 | 0.00 | -47.87  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5925.000 | -50.68  | 2.00 | 0.00 | -48.68  | ≤-27.00 | PASS |
| 11N40SI<br>SO  | Ant2 | Low  | 5190 | AV   | 4500.000 | -62.76  | 2.00 | 1.06 | -59.7   | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5148.900 | -53.97  | 2.00 | 1.06 | -50.91  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5150.000 | -54.12  | 2.00 | 1.06 | -51.06  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 4500.000 | -53.9   | 2.00 | 0.00 | -51.9   | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5149.600 | -44.35  | 2.00 | 0.00 | -42.35  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5150.000 | -43.9   | 2.00 | 0.00 | -41.9   | ≤-27.00 | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -57.52  | 2.00 | 1.06 | -54.46  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5350.800 | -57.5   | 2.00 | 1.06 | -54.44  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -59.2   | 2.00 | 1.06 | -56.14  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -47.06  | 2.00 | 0.00 | -45.06  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5402.540 | -46.79  | 2.00 | 0.00 | -44.79  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5460.000 | -51.2   | 2.00 | 0.00 | -49.2   | ≤-27.00 | PASS |
|                |      | Low  | 5755 | Peak | 5650.000 | -51.703 | 2.00 | 0.00 | -49.703 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -47.53  | 2.00 | 0.00 | -45.53  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -41.74  | 2.00 | 0.00 | -39.74  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -41.37  | 2.00 | 0.00 | -39.37  | ≤27.00  | PASS |
|                |      | High | 5795 | Peak | 5850.000 | -46.144 | 2.00 | 0.00 | -44.144 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5855.000 | -46.91  | 2.00 | 0.00 | -44.91  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5875.000 | -49.93  | 2.00 | 0.00 | -47.93  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5925.000 | -48.7   | 2.00 | 0.00 | -46.7   | ≤-27.00 | PASS |
| 11AC20S<br>ISO | Ant2 | Low  | 5180 | AV   | 4500.000 | -62.25  | 2.00 | 0.76 | -59.49  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5143.300 | -53.4   | 2.00 | 0.76 | -50.64  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5150.000 | -53.5   | 2.00 | 0.76 | -50.74  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 4500.000 | -54.66  | 2.00 | 0.00 | -52.66  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5148.200 | -43.37  | 2.00 | 0.00 | -41.37  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5150.000 | -45.53  | 2.00 | 0.00 | -43.53  | ≤-27.00 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -58.04  | 2.00 | 0.76 | -55.28  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5352.480 | -57.16  | 2.00 | 0.76 | -54.4   | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -59.24  | 2.00 | 0.76 | -56.48  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -47.47  | 2.00 | 0.00 | -45.47  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5360.640 | -46.54  | 2.00 | 0.00 | -44.54  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5460.000 | -51.1   | 2.00 | 0.00 | -49.1   | ≤-27.00 | PASS |
|                |      | Low  | 5745 | Peak | 5650.000 | -49.509 | 2.00 | 0.00 | -47.509 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -50.97  | 2.00 | 0.00 | -48.97  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -43.05  | 2.00 | 0.00 | -41.05  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -41.83  | 2.00 | 0.00 | -39.83  | ≤27.00  | PASS |
|                |      | High | 5825 | Peak | 5850.000 | -39.918 | 2.00 | 0.00 | -37.918 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5855.000 | -47.7   | 2.00 | 0.00 | -45.7   | ≤15.60  | PASS |
|                |      |      |      | Peak | 5875.000 | -50.14  | 2.00 | 0.00 | -48.14  | ≤10.00  | PASS |


|                |      |      |      |      |          |         |      |      |         |         |      |
|----------------|------|------|------|------|----------|---------|------|------|---------|---------|------|
|                |      |      |      | Peak | 5925.000 | -50.95  | 2.00 | 0.00 | -48.95  | ≤-27.00 | PASS |
| 11AC40S<br>ISO | Ant2 | Low  | 5190 | AV   | 4500.000 | -62.33  | 2.00 | 0.87 | -59.46  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5148.900 | -54.01  | 2.00 | 0.87 | -51.14  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5150.000 | -53.48  | 2.00 | 0.87 | -50.61  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 4500.000 | -53.32  | 2.00 | 0.00 | -51.32  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5149.600 | -43.27  | 2.00 | 0.00 | -41.27  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5150.000 | -41.25  | 2.00 | 0.00 | -39.25  | ≤-27.00 | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -58.11  | 2.00 | 0.87 | -55.24  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5361.720 | -57.66  | 2.00 | 0.87 | -54.79  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -59.04  | 2.00 | 0.87 | -56.17  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -49.1   | 2.00 | 0.00 | -47.1   | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5351.060 | -46.41  | 2.00 | 0.00 | -44.41  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5460.000 | -50.3   | 2.00 | 0.00 | -48.3   | ≤-27.00 | PASS |
|                |      | Low  | 5755 | Peak | 5650.000 | -50.125 | 2.00 | 0.00 | -48.125 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -46.6   | 2.00 | 0.00 | -44.6   | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -42.33  | 2.00 | 0.00 | -40.33  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -42.75  | 2.00 | 0.00 | -40.75  | ≤27.00  | PASS |
|                |      | High | 5795 | Peak | 5850.000 | -46.423 | 2.00 | 0.00 | -44.423 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5855.000 | -48.86  | 2.00 | 0.00 | -46.86  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5875.000 | -48.91  | 2.00 | 0.00 | -46.91  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5925.000 | -51.6   | 2.00 | 0.00 | -49.6   | ≤-27.00 | PASS |
| 11AX20S<br>ISO | Ant2 | Low  | 5180 | AV   | 4500.000 | -62.69  | 2.00 | 0.62 | -60.07  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5148.200 | -56.79  | 2.00 | 0.62 | -54.17  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5150.000 | -56.74  | 2.00 | 0.62 | -54.12  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 4500.000 | -52.9   | 2.00 | 0.00 | -50.9   | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5143.300 | -46.51  | 2.00 | 0.00 | -44.51  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5150.000 | -47.49  | 2.00 | 0.00 | -45.49  | ≤-27.00 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -57.67  | 2.00 | 0.79 | -54.88  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5358.480 | -57.46  | 2.00 | 0.79 | -54.67  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -59.22  | 2.00 | 0.79 | -56.43  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -49.08  | 2.00 | 0.00 | -47.08  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5352.000 | -47.01  | 2.00 | 0.00 | -45.01  | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5460.000 | -52.18  | 2.00 | 0.00 | -50.18  | ≤-27.00 | PASS |
|                |      | Low  | 5745 | Peak | 5650.000 | -50.867 | 2.00 | 0.00 | -48.867 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -49.53  | 2.00 | 0.00 | -47.53  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -44.72  | 2.00 | 0.00 | -42.72  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -40.39  | 2.00 | 0.00 | -38.39  | ≤27.00  | PASS |
|                |      | High | 5825 | Peak | 5850.000 | -39.415 | 2.00 | 0.00 | -37.415 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5855.000 | -45.11  | 2.00 | 0.00 | -43.11  | ≤15.60  | PASS |
|                |      |      |      | Peak | 5875.000 | -49.76  | 2.00 | 0.00 | -47.76  | ≤10.00  | PASS |
|                |      |      |      | Peak | 5925.000 | -51.73  | 2.00 | 0.00 | -49.73  | ≤-27.00 | PASS |
| 11AX40S<br>ISO | Ant2 | Low  | 5190 | AV   | 4500.000 | -62.49  | 2.00 | 1.06 | -59.43  | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5149.600 | -52.73  | 2.00 | 1.06 | -49.67  | ≤-41.20 | PASS |


|  |  |      |      |      |          |         |      |      |         |         |      |
|--|--|------|------|------|----------|---------|------|------|---------|---------|------|
|  |  |      |      | AV   | 5150.000 | -52.89  | 2.00 | 1.06 | -49.83  | ≤-41.20 | PASS |
|  |  |      |      | Peak | 4500.000 | -51.51  | 2.00 | 0.00 | -49.51  | ≤-27.00 | PASS |
|  |  |      |      | Peak | 5149.600 | -42.37  | 2.00 | 0.00 | -40.37  | ≤-27.00 | PASS |
|  |  |      |      | Peak | 5150.000 | -42.62  | 2.00 | 0.00 | -40.62  | ≤-27.00 | PASS |
|  |  | High | 5230 | AV   | 5350.000 | -57.6   | 2.00 | 1.06 | -54.54  | ≤-41.20 | PASS |
|  |  |      |      | AV   | 5350.280 | -57.36  | 2.00 | 1.06 | -54.3   | ≤-41.20 | PASS |
|  |  |      |      | AV   | 5460.000 | -59.05  | 2.00 | 1.06 | -55.99  | ≤-41.20 | PASS |
|  |  |      |      | Peak | 5350.000 | -48.88  | 2.00 | 0.00 | -46.88  | ≤-27.00 | PASS |
|  |  |      |      | Peak | 5362.760 | -47.7   | 2.00 | 0.00 | -45.7   | ≤-27.00 | PASS |
|  |  |      |      | Peak | 5460.000 | -49.93  | 2.00 | 0.00 | -47.93  | ≤-27.00 | PASS |
|  |  | Low  | 5755 | Peak | 5650.000 | -50.321 | 2.00 | 0.00 | -48.321 | ≤-27.00 | PASS |
|  |  |      |      | Peak | 5700.000 | -48.65  | 2.00 | 0.00 | -46.65  | ≤10.00  | PASS |
|  |  |      |      | Peak | 5720.000 | -39.43  | 2.00 | 0.00 | -37.43  | ≤15.60  | PASS |
|  |  |      |      | Peak | 5725.000 | -43.05  | 2.00 | 0.00 | -41.05  | ≤27.00  | PASS |
|  |  | High | 5795 | Peak | 5850.000 | -45.728 | 2.00 | 0.00 | -43.728 | ≤27.00  | PASS |
|  |  |      |      | Peak | 5855.000 | -48.25  | 2.00 | 0.00 | -46.25  | ≤15.60  | PASS |
|  |  |      |      | Peak | 5875.000 | -48.76  | 2.00 | 0.00 | -46.76  | ≤10.00  | PASS |
|  |  |      |      | Peak | 5925.000 | -49.94  | 2.00 | 0.00 | -47.94  | ≤-27.00 | PASS |

Note:


- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





11A\_Ant2\_High\_5240\_Peak



11A\_Ant2\_Low\_5745\_Peak

