







DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441





3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBUV/m]	Limit [dBUV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.06	3.09	1.10	38.24	≤54	PASS
				AV	2372.450	-58.67	3.09	1.10	39.63	≤54	PASS
				AV	2390.000	-59.95	3.09	1.10	38.35	≤54	PASS
				Peak	2310.000	-52.67	3.09	0.00	44.53	≤74	PASS
				Peak	2378.120	-48.6	3.09	0.00	48.60	≤74	PASS
				Peak	2390.000	-52.24	3.09	0.00	44.96	≤74	PASS
		High	2480	AV	2483.500	-58.54	3.09	1.10	39.76	≤54	PASS
				AV	2489.840	-58.33	3.09	1.10	39.97	≤54	PASS
				AV	2500.000	-59.37	3.09	1.10	38.93	≤54	PASS
				Peak	2483.500	-51.18	3.09	0.00	46.02	≤74	PASS
				Peak	2484.560	-47.06	3.09	0.00	50.14	≤74	PASS
				Peak	2500.000	-51.77	3.09	0.00	45.43	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.63	3.09	1.09	37.66	≤54	PASS
				AV	2372.765	-58.53	3.09	1.09	39.76	≤54	PASS
				AV	2390.000	-59.5	3.09	1.09	38.79	≤54	PASS
				Peak	2310.000	-53.05	3.09	0.00	44.15	≤74	PASS
				Peak	2378.120	-48.6	3.09	0.00	48.60	≤74	PASS
				Peak	2390.000	-51.01	3.09	0.00	46.19	≤74	PASS
		High	2480	AV	2483.500	-58.78	3.09	1.09	39.51	≤54	PASS
				AV	2499.680	-58.44	3.09	1.09	39.85	≤54	PASS
				AV	2500.000	-59.28	3.09	1.09	39.01	≤54	PASS
				Peak	2483.500	-49.49	3.09	0.00	47.71	≤74	PASS
				Peak	2490.080	-48.21	3.09	0.00	48.99	≤74	PASS
				Peak	2500.000	-50.73	3.09	0.00	46.47	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.77	3.09	1.09	38.52	≤54	PASS
				AV	2369.510	-58.39	3.09	1.09	39.90	≤54	PASS
				AV	2390.000	-59.41	3.09	1.09	38.88	≤54	PASS
				Peak	2310.000	-51.74	3.09	0.00	45.46	≤74	PASS
				Peak	2374.970	-48.24	3.09	0.00	48.96	≤74	PASS
				Peak	2390.000	-52.12	3.09	0.00	45.08	≤74	PASS
		High	2480	AV	2483.500	-59.35	3.09	1.09	38.94	≤54	PASS
				AV	2484.800	-58.5	3.09	1.09	39.79	≤54	PASS
				AV	2500.000	-58.93	3.09	1.09	39.36	≤54	PASS
				Peak	2483.500	-52.59	3.09	0.00	44.61	≤74	PASS
				Peak	2483.760	-48.97	3.09	0.00	48.23	≤74	PASS
				Peak	2500.000	-50.92	3.09	0.00	46.28	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

