




Test Graphs







2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Freq(M Hz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-59.56	2.00	1.10	38.74	≤54	PASS
				AV	2388.200	-58.49	2.00	1.10	39.81	≤54	PASS
				AV	2390.000	-58.97	2.00	1.10	39.33	≤54	PASS
				Peak	2310.000	-51.41	2.00	0.00	45.79	≤74	PASS
				Peak	2386.310	-47.79	2.00	0.00	49.41	≤74	PASS
				Peak	2390.000	-51.3	2.00	0.00	45.90	≤74	PASS
		High	2480	AV	2483.500	-58.73	2.00	1.10	39.57	≤54	PASS
				AV	2483.920	-57.82	2.00	1.10	40.48	≤54	PASS
				AV	2500.000	-59.28	2.00	1.10	39.02	≤54	PASS
				Peak	2483.500	-50.16	2.00	0.00	47.04	≤74	PASS
				Peak	2492.720	-47.86	2.00	0.00	49.34	≤74	PASS
				Peak	2500.000	-50.06	2.00	0.00	47.14	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.17	2.00	1.09	38.12	≤54	PASS
				AV	2379.170	-58.51	2.00	1.09	39.78	≤54	PASS
				AV	2390.000	-59.74	2.00	1.09	38.55	≤54	PASS
				Peak	2310.000	-51.94	2.00	0.00	45.26	≤74	PASS
				Peak	2384.945	-48.86	2.00	0.00	48.34	≤74	PASS
				Peak	2390.000	-51.34	2.00	0.00	45.86	≤74	PASS
		High	2480	AV	2483.500	-58.49	2.00	1.09	39.80	≤54	PASS
				AV	2483.840	-58.15	2.00	1.09	40.14	≤54	PASS
				AV	2500.000	-59.26	2.00	1.09	39.03	≤54	PASS
				Peak	2483.500	-51.08	2.00	0.00	46.12	≤74	PASS
				Peak	2492.560	-48.06	2.00	0.00	49.14	≤74	PASS
				Peak	2500.000	-51.87	2.00	0.00	45.33	≤74	PASS


Note:

Note:


The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

