






Test Graphs





BLE_2M_Ant1_2402

BLE_2M_Ant1_2440




Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.16	39.83	2.67	74.00	34.17	150	213	PK	Vertical	PASS
2	2321.7000	39.20	42.09	2.89	74.00	31.91	150	191	PK	Vertical	PASS
3	2341.2000	39.06	41.93	2.87	74.00	32.07	150	360	PK	Vertical	PASS
4	2368.7600	40.43	43.45	3.02	74.00	30.55	150	115	PK	Vertical	PASS
5	2378.6400	41.23	44.29	3.06	74.00	29.71	150	44	PK	Vertical	PASS
6	2390.0000	44.12	47.07	2.95	74.00	26.93	150	348	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.33	40.00	2.67	74.00	34.00	150	205	PK	Horizontal	PASS
2	2328.8500	38.60	41.43	2.83	74.00	32.57	150	154	PK	Horizontal	PASS
3	2352.3800	41.40	44.36	2.96	74.00	29.64	150	37	PK	Horizontal	PASS
4	2366.4200	43.20	46.19	2.99	74.00	27.81	150	37	PK	Horizontal	PASS
5	2379.0300	46.27	49.32	3.05	74.00	24.68	150	46	PK	Horizontal	PASS
6	2390.0000	46.05	49.00	2.95	74.00	25.00	150	27	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.73	41.19	3.46	74.00	32.81	150	42	PK	Vertical	PASS
2	2485.9000	39.97	43.45	3.48	74.00	30.55	150	44	PK	Vertical	PASS
3	2490.2000	42.41	45.98	3.57	74.00	28.02	150	38	PK	Vertical	PASS
4	2492.4500	48.03	51.59	3.56	74.00	22.41	150	56	PK	Vertical	PASS
5	2496.6000	38.73	42.31	3.58	74.00	31.69	150	77	PK	Vertical	PASS
6	2500.0000	38.15	41.65	3.50	74.00	32.35	150	273	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	40.32	43.78	3.46	74.00	30.22	150	34	PK	Horizontal	PASS
2	2485.4000	43.79	47.30	3.51	74.00	26.70	150	45	PK	Horizontal	PASS
3	2490.0000	44.96	48.53	3.57	74.00	25.47	150	34	PK	Horizontal	PASS
4	2492.3500	48.85	52.41	3.56	74.00	21.59	150	45	PK	Horizontal	PASS
5	2496.9000	39.37	42.96	3.59	74.00	31.04	150	241	PK	Horizontal	PASS
6	2500.0000	37.82	41.32	3.50	74.00	32.68	150	184	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.54	40.21	2.67	74.00	33.79	150	260	PK	Vertical	PASS
2	2321.8300	39.88	42.77	2.89	74.00	31.23	150	279	PK	Vertical	PASS
3	2338.4700	39.56	42.38	2.82	74.00	31.62	150	92	PK	Vertical	PASS
4	2367.2000	40.33	43.32	2.99	74.00	30.68	150	344	PK	Vertical	PASS
5	2378.7700	41.35	44.41	3.06	74.00	29.59	150	46	PK	Vertical	PASS
6	2390.0000	43.54	46.49	2.95	74.00	27.51	150	328	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.74	40.41	2.67	74.00	33.59	150	102	PK	Horizontal	PASS
2	2331.1900	39.58	42.36	2.78	74.00	31.64	150	185	PK	Horizontal	PASS
3	2357.0600	41.04	44.00	2.96	74.00	30.00	150	58	PK	Horizontal	PASS
4	2366.4200	43.99	46.98	2.99	74.00	27.02	150	37	PK	Horizontal	PASS
5	2378.6400	46.72	49.78	3.06	74.00	24.22	150	45	PK	Horizontal	PASS
6	2390.0000	49.66	52.61	2.95	74.00	21.39	150	53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.28	40.74	3.46	74.00	33.26	150	61	PK	Vertical	PASS
2	2486.6000	39.64	43.15	3.51	74.00	30.85	150	55	PK	Vertical	PASS
3	2490.2500	42.90	46.46	3.56	74.00	27.54	150	44	PK	Vertical	PASS
4	2492.2000	46.87	50.43	3.56	74.00	23.57	150	55	PK	Vertical	PASS
5	2496.9500	38.44	42.03	3.59	74.00	31.97	150	4	PK	Vertical	PASS
6	2500.0000	38.34	41.84	3.50	74.00	32.16	150	215	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	41.20	44.66	3.46	74.00	29.34	150	8	PK	Horizontal	PASS
2	2485.4500	44.58	48.09	3.51	74.00	25.91	150	24	PK	Horizontal	PASS
3	2490.2500	45.69	49.25	3.56	74.00	24.75	150	167	PK	Horizontal	PASS
4	2492.1000	48.91	52.47	3.56	74.00	21.53	150	63	PK	Horizontal	PASS
5	2497.4500	39.54	43.12	3.58	74.00	30.88	150	356	PK	Horizontal	PASS
6	2500.0000	38.17	41.67	3.50	74.00	32.33	150	148	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.0066	49.58	33.76	-15.82	40.00	6.24	150	315	PK	Vertical	PASS
2	74.5275	40.20	20.81	-19.39	40.00	19.19	150	282	PK	Vertical	PASS
3	106.5407	39.17	20.18	-18.99	43.50	23.32	150	323	PK	Vertical	PASS
4	178.1338	37.02	19.65	-17.37	43.50	23.85	150	108	PK	Vertical	PASS
5	332.4762	40.24	25.21	-15.03	46.00	20.79	150	313	PK	Vertical	PASS
6	562.4862	36.44	26.83	-9.61	46.00	19.17	150	126	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.2006	50.30	34.41	-15.89	40.00	5.59	150	288	PK	Horizontal	PASS
2	108.8689	40.00	21.15	-18.85	43.50	22.35	150	255	PK	Horizontal	PASS
3	159.9930	35.01	19.17	-15.84	43.50	24.33	150	169	PK	Horizontal	PASS
4	401.6442	37.32	24.03	-13.29	46.00	21.97	150	247	PK	Horizontal	PASS
5	562.4862	35.33	25.72	-9.61	46.00	20.28	150	122	PK	Horizontal	PASS
6	830.1360	34.78	29.75	-5.03	46.00	16.25	150	208	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.0000	-0.31	41.88	41.57	74.00	32.43	41.30	40.99	54.00	13.01	150	137	Vertical	PASS
2	1992.4000	1.79	41.24	43.03	74.00	30.97	41.00	42.79	54.00	11.21	150	50	Vertical	PASS
3	4804.0000	-14.53	72.34	57.81	74.00	16.19	62.83	48.30	54.00	5.70	150	93	Vertical	PASS
4	7205.3919	-9.44	72.58	63.14	74.00	10.86	63.07	53.63	54.00	0.37	150	344.3	Vertical	PASS
5	9606.5000	-5.07	59.38	54.31	74.00	19.69	56.64	51.57	54.00	2.43	150	62	Vertical	PASS
6	12010.500	-1.78	53.03	51.25	74.00	22.75	51.42	49.64	54.00	4.36	150	252	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200.0000	-0.28	39.22	38.94	74.00	35.06	39.04	38.76	54.00	15.24	150	319	Horizontal	PASS
2	1848.0000	1.29	39.08	40.37	74.00	33.63	38.61	39.90	54.00	14.10	150	238	Horizontal	PASS
3	4804.0000	-14.53	71.92	57.39	74.00	16.61	64.15	49.62	54.00	4.38	150	360	Horizontal	PASS
4	7206.5000	-9.36	67.96	58.60	74.00	15.40	63.02	53.66	54.00	0.34	150	292	Horizontal	PASS
5	9607.5000	-5.07	57.63	52.56	74.00	21.44	50.14	45.07	54.00	8.93	150	310	Horizontal	PASS
6	12008.500	-1.77	52.84	51.07	74.00	22.93	51.29	49.52	54.00	4.48	150	324	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.0000	-0.24	39.88	39.64	74.00	34.36	39.51	39.27	54.00	14.73	150	79	Vertical	PASS
2	1590.4000	0.31	39.57	39.88	74.00	34.12	39.36	39.67	54.00	14.33	150	227	Vertical	PASS
3	4879.5000	-14.09	71.01	56.92	74.00	17.08	64.32	50.23	54.00	3.77	150	155	Vertical	PASS
4	7319.0000	-9.19	68.57	59.38	74.00	14.62	63.04	53.85	54.00	0.15	150	17	Vertical	PASS
5	9758.5000	-4.60	61.83	57.23	74.00	16.77	57.89	53.29	54.00	0.71	150	310	Vertical	PASS
6	12201.000	-1.59	52.47	50.88	74.00	23.12	51.44	49.85	54.00	4.15	150	17	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1222.8000	-0.51	39.19	38.68	74.00	35.32	38.99	38.48	54.00	15.52	150	103	Horizonta	PASS
2	1793.0000	1.00	39.74	40.74	74.00	33.26	39.44	40.44	54.00	13.56	150	140	Horizonta	PASS
3	4880.5000	-14.05	71.75	57.70	74.00	16.30	64.52	50.47	54.00	3.53	150	354	Horizonta	PASS
4	7320.5000	-9.15	65.3	56.15	74.00	17.85	62.98	53.83	54.00	0.17	150	284	Horizonta	PASS
5	9759.0000	-4.60	57.29	52.69	74.00	21.31	55.42	50.82	54.00	3.18	150	296	Horizonta	PASS
6	13663.500	1.18	48.68	49.86	74.00	24.14	46.80	47.98	54.00	6.02	150	271	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	1M	Channel:	2480MHz
Antenna:		State:	
Start of Test:	2026-07-22 15:06:23		

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1163.8000	-0.24	40.8	40.56	74.00	33.44	40.64	40.40	54.00	13.60	150	96	Vertical	PASS
2	1698.0000	0.54	39.45	39.99	74.00	34.01	39.06	39.60	54.00	14.40	150	122	Vertical	PASS
3	4959.5000	-14.79	66.56	51.77	74.00	22.23	65.32	50.53	54.00	3.47	150	23	Vertical	PASS
4	7440.5000	-8.90	67.16	58.26	74.00	15.74	62.43	53.53	54.00	0.47	150	29	Vertical	PASS
5	9921.0000	-4.28	59.72	55.44	74.00	18.56	57.67	53.39	54.00	0.61	150	297	Vertical	PASS
6	12401.000	-1.52	50.64	49.12	74.00	24.88	49.13	47.61	54.00	6.39	150	239	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1281.2000	-0.39	38.66	38.27	74.00	35.73	38.41	38.02	54.00	15.98	150	67	Horizonta	PASS
2	1862.8000	1.28	38.81	40.09	74.00	33.91	38.64	39.92	54.00	14.08	150	29	Horizonta	PASS
3	4960.0000	-14.84	68.76	53.92	74.00	20.08	66.31	51.47	54.00	2.53	150	321	Horizonta	PASS
4	7439.0000	-8.94	62.37	53.43	74.00	20.57	61.13	52.19	54.00	1.81	150	302	Horizonta	PASS
5	9919.5000	-4.29	59.05	54.76	74.00	19.24	57.37	53.08	54.00	0.92	150	308	Horizonta	PASS
6	12401.000	-1.52	50.99	49.47	74.00	24.53	47.27	45.75	54.00	8.25	150	276	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.0000	-0.17	42.88	42.71	74.00	31.29	42.69	42.52	54.00	11.48	150	97	Vertical	PASS
2	1721.0000	0.64	39.92	40.56	74.00	33.44	39.76	40.40	54.00	13.60	150	356	Vertical	PASS
3	4803.0000	-14.58	69.24	54.66	74.00	19.34	64.97	50.39	54.00	3.61	150	296	Vertical	PASS
4	7207.4108	-9.32	72.92	63.60	74.00	10.40	62.841	53.52	54.00	0.48	118.8	358	Vertical	PASS
5	9610.0000	-5.06	59.16	54.10	74.00	19.90	56.90	51.84	54.00	2.16	150	314	Vertical	PASS
6	12012.000	-1.79	52.2	50.41	74.00	23.59	50.01	48.22	54.00	5.78	150	308	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1190.2000	-0.51	39.5	38.99	74.00	35.01	39.26	38.75	54.00	15.25	150	111	Horizonta	PASS
2	1560.6000	0.19	39.62	39.81	74.00	34.19	39.38	39.57	54.00	14.43	150	170	Horizonta	PASS
3	3635.5000	-19.32	57.04	37.72	74.00	36.28	55.34	36.02	54.00	17.98	150	147	Horizonta	PASS
4	4803.0000	-14.58	71.13	56.55	74.00	17.45	64.52	49.94	54.00	4.06	150	295	Horizonta	PASS
5	7207.5000	-9.28	63.7	54.42	74.00	19.58	61.58	52.30	54.00	1.70	150	134	Horizonta	PASS
6	9609.5000	-5.06	57.89	52.83	74.00	21.17	56.40	51.34	54.00	2.66	150	308	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.0000	-0.17	42.08	41.91	74.00	32.09	41.88	41.71	54.00	12.29	150	110	Vertical	PASS
2	1994.4000	1.73	40.57	42.30	74.00	31.70	40.46	42.19	54.00	11.81	150	51	Vertical	PASS
3	3991.5000	-17.56	57.78	40.22	74.00	33.78	56.66	39.10	54.00	14.90	150	160	Vertical	PASS
4	4880.5000	-14.05	68.25	54.20	74.00	19.80	65.01	50.96	54.00	3.04	150	246	Vertical	PASS
5	7321.0000	-9.15	68.28	59.13	74.00	14.87	62.68	53.53	54.00	0.47	150	326	Vertical	PASS
6	9758.0000	-4.60	59.82	55.22	74.00	18.78	56.90	52.30	54.00	1.70	150	295	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.8000	-0.22	42.01	41.79	74.00	32.21	41.76	41.54	54.00	12.46	150	107	Horizontal	PASS
2	1999.0000	1.63	40.25	41.88	74.00	32.12	39.58	41.21	54.00	12.79	150	32	Horizontal	PASS
3	4881.0000	-14.04	70.02	55.98	74.00	18.02	65.94	51.90	54.00	2.10	150	153	Horizontal	PASS
4	7321.0000	-9.15	69.25	60.10	74.00	13.90	62.95	53.80	54.00	0.20	150	356	Horizontal	PASS
5	9761.5000	-4.60	58.47	53.87	74.00	20.13	55.51	50.91	54.00	3.09	150	299	Horizontal	PASS
6	13617.000	0.47	48.9	49.37	74.00	24.63	46.94	47.41	54.00	6.59	150	229	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1162.4000	-0.28	40.68	40.40	74.00	33.60	40.45	40.17	54.00	13.83	150	106	Vertical	PASS
2	1993.4000	1.76	40.09	41.85	74.00	32.15	39.65	41.41	54.00	12.59	150	41	Vertical	PASS
3	4960.0000	-14.84	65.33	50.49	74.00	23.51	62.80	47.96	54.00	6.04	150	156	Vertical	PASS
4	7438.0000	-8.99	64.76	55.77	74.00	18.23	62.36	53.37	54.00	0.63	150	356	Vertical	PASS
5	9921.5000	-4.28	57.27	52.99	74.00	21.01	54.98	50.70	54.00	3.30	150	288	Vertical	PASS
6	12402.500	-1.50	51.2	49.70	74.00	24.30	48.70	47.20	54.00	6.80	150	11	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1235.0000	-0.46	39.35	38.89	74.00	35.11	38.95	38.49	54.00	15.51	150	273	Horizonta	PASS
2	1997.6000	1.65	38.95	40.60	74.00	33.40	38.82	40.47	54.00	13.53	150	152	Horizonta	PASS
3	4961.0000	-14.69	68.31	53.62	74.00	20.38	65.97	51.28	54.00	2.72	150	317	Horizonta	PASS
4	7440.0000	-8.89	61.7	52.81	74.00	21.19	59.54	50.65	54.00	3.35	150	305	Horizonta	PASS
5	9921.5000	-4.28	58.68	54.40	74.00	19.60	55.49	51.21	54.00	2.79	150	312	Horizonta	PASS
6	13831.500	1.02	48.52	49.54	74.00	24.46	46.62	47.64	54.00	6.36	150	210	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level