






Test Graphs





BLE_2M_Ant1_2402

BLE_2M_Ant1_2440




Appendix H: Emissions in Restricted Bands

Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.97	40.64	2.67	74.00	33.36	150	232	PK	Vertical	PASS
2	2322.6100	39.24	42.11	2.87	74.00	31.89	150	68	PK	Vertical	PASS
3	2332.8800	39.17	41.93	2.76	74.00	32.07	150	314	PK	Vertical	PASS
4	2357.4500	39.14	42.09	2.95	74.00	31.91	150	0	PK	Vertical	PASS
5	2378.3800	42.59	45.66	3.07	74.00	28.34	150	336	PK	Vertical	PASS
6	2390.0000	47.74	50.69	2.95	74.00	23.31	150	10	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	35.57	38.24	2.67	54.00	15.76	150	357	AV	Horizontal	PASS
2	2318.3200	37.42	40.33	2.91	54.00	13.67	150	63	AV	Horizontal	PASS
3	2349.1300	37.71	40.72	3.01	54.00	13.28	150	87	AV	Horizontal	PASS
4	2365.7700	39.37	42.36	2.99	54.00	11.64	150	60	AV	Horizontal	PASS
5	2377.9900	42.74	45.82	3.08	54.00	8.18	150	55	AV	Horizontal	PASS
6	2390.0000	41.72	44.67	2.95	54.00	9.33	150	161	AV	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	39.50	42.96	3.46	74.00	31.04	150	260	PK	Vertical	PASS
2	2486.4500	40.08	43.58	3.50	74.00	30.42	150	320	PK	Vertical	PASS
3	2491.7000	48.36	51.92	3.56	74.00	22.08	150	306	PK	Vertical	PASS
4	2494.4500	39.05	42.63	3.58	74.00	31.37	150	306	PK	Vertical	PASS
5	2498.0000	38.62	42.20	3.58	74.00	31.80	150	23	PK	Vertical	PASS
6	2500.0000	37.40	40.90	3.50	74.00	33.10	150	131	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	43.45	46.91	3.46	74.00	27.09	150	60	PK	Horizontal	PASS
2	2485.2000	42.29	45.82	3.53	74.00	28.18	150	70	PK	Horizontal	PASS
3	2490.2000	44.42	47.99	3.57	74.00	26.01	150	60	PK	Horizontal	PASS
4	2492.5500	48.58	52.15	3.57	74.00	21.85	150	73	PK	Horizontal	PASS
5	2496.4500	39.14	42.71	3.57	74.00	31.29	150	221	PK	Horizontal	PASS
6	2500.0000	37.75	41.25	3.50	74.00	32.75	150	181	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	39.72	42.39	2.67	74.00	31.61	150	205	PK	Vertical	PASS
2	2320.0100	39.14	42.06	2.92	74.00	31.94	150	185	PK	Vertical	PASS
3	2337.6900	38.71	41.52	2.81	74.00	32.48	150	41	PK	Vertical	PASS
4	2356.2800	38.55	41.51	2.96	74.00	32.49	150	212	PK	Vertical	PASS
5	2378.2500	42.33	45.40	3.07	74.00	28.60	150	19	PK	Vertical	PASS
6	2390.0000	45.88	48.83	2.95	74.00	25.17	150	14	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.34	40.01	2.67	74.00	33.99	150	142	PK	Horizontal	PASS
2	2318.0600	38.65	41.55	2.90	74.00	32.45	150	157	PK	Horizontal	PASS
3	2337.6900	38.83	41.64	2.81	74.00	32.36	150	291	PK	Horizontal	PASS
4	2365.5100	41.24	44.23	2.99	74.00	29.77	150	61	PK	Horizontal	PASS
5	2378.7700	45.93	48.99	3.06	74.00	25.01	150	58	PK	Horizontal	PASS
6	2390.0000	49.34	52.29	2.95	74.00	21.71	150	66	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.10	41.56	3.46	74.00	32.44	150	187	PK	Vertical	PASS
2	2485.7500	39.53	43.02	3.49	74.00	30.98	150	313	PK	Vertical	PASS
3	2492.1000	47.59	51.15	3.56	74.00	22.85	150	310	PK	Vertical	PASS
4	2494.9000	38.38	41.94	3.56	74.00	32.06	150	223	PK	Vertical	PASS
5	2498.4000	38.36	41.91	3.55	74.00	32.09	150	254	PK	Vertical	PASS
6	2500.0000	38.64	42.14	3.50	74.00	31.86	150	1	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	40.71	44.17	3.46	74.00	29.83	150	74	PK	Horizontal	PASS
2	2486.0000	42.71	46.18	3.47	74.00	27.82	150	71	PK	Horizontal	PASS
3	2491.4500	49.26	52.81	3.55	74.00	21.19	150	68	PK	Horizontal	PASS
4	2494.2000	42.48	46.06	3.58	74.00	27.94	150	71	PK	Horizontal	PASS
5	2496.5500	38.55	42.13	3.58	74.00	31.87	150	294	PK	Horizontal	PASS
6	2500.0000	37.35	40.85	3.50	74.00	33.15	150	14	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	43.9694	49.24	33.33	-15.91	40.00	6.67	150	356	PK	Vertical	PASS
2	62.9833	37.73	20.33	-17.40	40.00	19.67	150	78	PK	Vertical	PASS
3	108.8689	40.78	21.93	-18.85	43.50	21.57	150	106	PK	Vertical	PASS
4	171.7312	33.79	17.20	-16.59	43.50	26.30	150	137	PK	Vertical	PASS
5	314.3354	34.32	19.25	-15.07	46.00	26.75	150	119	PK	Vertical	PASS
6	562.4862	36.69	27.08	-9.61	46.00	18.92	150	117	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	44.3574	49.81	33.90	-15.91	40.00	6.10	150	4	PK	Horizontal	PASS
2	82.1912	42.22	22.09	-20.13	40.00	17.91	150	232	PK	Horizontal	PASS
3	151.8442	33.89	18.10	-15.79	43.50	25.40	150	93	PK	Horizontal	PASS
4	244.4884	36.08	18.24	-17.84	46.00	27.76	150	104	PK	Horizontal	PASS
5	401.0621	35.76	22.46	-13.30	46.00	23.54	150	85	PK	Horizontal	PASS
6	562.5833	36.09	26.48	-9.61	46.00	19.52	150	124	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.2000	-0.31	42.94	42.63	74.00	31.37	42.85	42.54	54.00	11.46	150	104	Vertical	PASS
2	1963.6000	1.75	39.6	41.35	74.00	32.65	39.42	41.17	54.00	12.83	150	0	Vertical	PASS
3	4803.5000	-14.56	69.48	54.92	74.00	19.08	65.79	51.23	54.00	2.77	150	53	Vertical	PASS
4	7206.5000	-9.36	67.86	58.50	74.00	15.50	62.50	53.14	54.00	0.86	150	360	Vertical	PASS
5	9609.0000	-5.06	56.21	51.15	74.00	22.85	54.62	49.56	54.00	4.44	150	350	Vertical	PASS
6	12010.500	-1.78	51.05	49.27	74.00	24.73	48.70	46.92	54.00	7.08	150	325	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1296.0000	-0.44	38.82	38.38	74.00	35.62	38.55	38.11	54.00	15.89	150	0	Horizonta	PASS
2	1902.0000	1.56	37.53	39.09	74.00	34.91	37.24	38.80	54.00	15.20	150	0	Horizonta	PASS
3	4804.5000	-14.51	68.64	54.13	74.00	19.87	65.38	50.87	54.00	3.13	150	134	Horizonta	PASS
4	7206.8892	-9.36	68.73	59.37	74.00	14.63	63.104	53.74	54.00	0.26	150	250.3	Horizonta	PASS
5	9609.0000	-5.06	53.13	48.07	74.00	25.93	51.46	46.40	54.00	7.60	150	308	Horizonta	PASS
6	12009.000	-1.77	52.17	50.40	74.00	23.60	50.17	48.40	54.00	5.60	150	258	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.4000	-0.23	43.25	43.02	74.00	30.98	43.17	42.94	54.00	11.06	150	95	Vertical	PASS
2	1845.8000	1.31	39.18	40.49	74.00	33.51	38.91	40.22	54.00	13.78	150	124	Vertical	PASS
3	4880.5000	-14.05	71.58	57.53	74.00	16.47	65.13	51.08	54.00	2.92	150	322	Vertical	PASS
4	7319.0000	-9.19	64.98	55.79	74.00	18.21	62.30	53.11	54.00	0.89	150	17	Vertical	PASS
5	9759.0000	-4.60	56.78	52.18	74.00	21.82	55.15	50.55	54.00	3.45	150	346	Vertical	PASS
6	13694.500	0.74	48.5	49.24	74.00	24.76	45.39	46.13	54.00	7.87	150	24	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1187.2000	-0.43	39.25	38.82	74.00	35.18	38.96	38.53	54.00	15.47	150	112	Horizontal	PASS
2	1651.0000	0.45	38.96	39.41	74.00	34.59	38.77	39.22	54.00	14.78	150	180	Horizontal	PASS
3	4880.5000	-14.05	72.27	58.22	74.00	15.78	65.38	51.33	54.00	2.67	150	141	Horizontal	PASS
4	7319.0000	-9.19	68.44	59.25	74.00	14.75	63.12	53.93	54.00	0.07	150	252	Horizontal	PASS
5	9759.0000	-4.60	52.08	47.48	74.00	26.52	50.11	45.51	54.00	8.49	150	354	Horizontal	PASS
6	15001.000	2.48	47.78	50.26	74.00	23.74	45.40	47.88	54.00	6.12	150	141	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ✱ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.4000	-0.30	42.86	42.56	74.00	31.44	42.59	42.29	54.00	11.71	150	81	Vertical	PASS
2	1999.4000	1.62	40.06	41.68	74.00	32.32	39.93	41.55	54.00	12.45	150	36	Vertical	PASS
3	3322.0000	-20.25	60.77	40.52	74.00	33.48	57.60	37.35	54.00	16.65	150	103	Vertical	PASS
4	4960.0000	-14.84	68.57	53.73	74.00	20.27	67.76	52.92	54.00	1.08	150	4	Vertical	PASS
5	7439.5000	-8.92	66.17	57.25	74.00	16.75	62.74	53.82	54.00	0.18	150	259	Vertical	PASS
6	9919.0000	-4.29	56.09	51.80	74.00	22.20	54.86	50.57	54.00	3.43	150	4	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.4000	-0.23	39.35	39.12	74.00	34.88	39.17	38.94	54.00	15.06	150	204	Horizonta	PASS
2	1846.6000	1.30	38.97	40.27	74.00	33.73	38.72	40.02	54.00	13.98	150	101	Horizonta	PASS
3	4959.5000	-14.79	68.76	53.97	74.00	20.03	67.11	52.32	54.00	1.68	150	360	Horizonta	PASS
4	7439.5000	-8.92	64.42	55.50	74.00	18.50	62.15	53.23	54.00	0.77	150	116	Horizonta	PASS
5	9919.0000	-4.29	51.69	47.40	74.00	26.60	50.15	45.86	54.00	8.14	150	41	Horizonta	PASS
6	13928.000	0.42	49.01	49.43	74.00	24.57	47.05	47.47	54.00	6.53	150	360	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ✱ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.0000	-0.24	42.5	42.26	74.00	31.74	42.35	42.11	54.00	11.89	150	105	Vertical	PASS
2	1997.8000	1.65	41.52	43.17	74.00	30.83	41.11	42.76	54.00	11.24	150	42	Vertical	PASS
3	4803.0000	-14.58	68.4	53.82	74.00	20.18	66.85	52.27	54.00	1.73	150	29	Vertical	PASS
4	7204.5000	-9.52	64.2	54.68	74.00	19.32	62.91	53.39	54.00	0.61	150	86	Vertical	PASS
5	9606.0000	-5.08	56.07	50.99	74.00	23.01	53.54	48.46	54.00	5.54	150	337	Vertical	PASS
6	12012.500	-1.79	51.39	49.60	74.00	24.40	50.15	48.36	54.00	5.64	150	174	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1248.2000	-0.53	39.46	38.93	74.00	35.07	39.24	38.71	54.00	15.29	150	305	Horizonta	PASS
2	2032.6000	1.81	39.56	41.37	74.00	32.63	39.37	41.18	54.00	12.82	150	222	Horizonta	PASS
3	4803.0000	-14.58	68.99	54.41	74.00	19.59	65.43	50.85	54.00	3.15	150	20	Horizonta	PASS
4	7204.7323	-9.28	68.41	59.13	74.00	14.87	59.924	50.64	54.00	3.36	150	257.6	Horizonta	PASS
5	10026.500	-4.49	51.4	46.91	74.00	27.09	48.23	43.74	54.00	10.26	150	306	Horizonta	PASS
6	13797.000	1.14	48.31	49.45	74.00	24.55	45.43	46.57	54.00	7.43	150	312	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.4000	-0.23	42.17	41.94	74.00	32.06	41.70	41.47	54.00	12.53	150	104	Vertical	PASS
2	1664.8000	0.41	40.94	41.35	74.00	32.65	40.59	41.00	54.00	13.00	150	104	Vertical	PASS
3	4879.0000	-14.10	71.69	57.59	74.00	16.41	65.35	51.25	54.00	2.75	150	321	Vertical	PASS
4	7321.5000	-9.16	64.65	55.49	74.00	18.51	60.95	51.79	54.00	2.21	150	315	Vertical	PASS
5	9758.5000	-4.60	54.15	49.55	74.00	24.45	51.23	46.63	54.00	7.37	150	334	Vertical	PASS
6	14021.500	0.96	48.77	49.73	74.00	24.27	46.83	47.79	54.00	6.21	150	261	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1202.2000	-0.27	38.6	38.33	74.00	35.67	38.39	38.12	54.00	15.88	150	123	Horizonta	PASS
2	1805.0000	1.01	39.26	40.27	74.00	33.73	39.09	40.10	54.00	13.90	150	9	Horizonta	PASS
3	4879.0000	-14.10	69.39	55.29	74.00	18.71	65.06	50.96	54.00	3.04	150	158	Horizonta	PASS
4	7321.0000	-9.15	67.25	58.10	74.00	15.90	59.25	50.10	54.00	3.90	150	251	Horizonta	PASS
5	9529.5000	-4.69	51.52	46.83	74.00	27.17	46.85	42.16	54.00	11.84	150	240	Horizonta	PASS
6	13767.500	0.76	49.89	50.65	74.00	23.35	48.34	49.10	54.00	4.90	150	217	Horizonta	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2480MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.8000	-0.22	41.3	41.08	74.00	32.92	41.09	40.87	54.00	13.13	150	91	Vertical	PASS
2	1991.8000	1.80	39.23	41.03	74.00	32.97	38.64	40.44	54.00	13.56	150	36	Vertical	PASS
3	4961.0000	-14.69	68.6	53.91	74.00	20.09	65.05	50.36	54.00	3.64	150	360	Vertical	PASS
4	7441.5000	-8.92	64.81	55.89	74.00	18.11	60.04	51.12	54.00	2.88	150	213	Vertical	PASS
5	9922.0000	-4.28	54.29	50.01	74.00	23.99	51.99	47.71	54.00	6.29	150	357	Vertical	PASS
6	14674.500	1.25	48.6	49.85	74.00	24.15	45.38	46.63	54.00	7.37	150	143	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.6000	-0.29	40.17	39.88	74.00	34.12	39.95	39.66	54.00	14.34	150	222	Horizonta	PASS
2	1889.0000	1.40	39.06	40.46	74.00	33.54	38.95	40.35	54.00	13.65	150	327	Horizonta	PASS
3	3600.5000	-19.26	56.63	37.37	74.00	36.63	53.38	34.12	54.00	19.88	150	74	Horizonta	PASS
4	4959.0000	-14.74	67.62	52.88	74.00	21.12	65.89	51.15	54.00	2.85	150	168	Horizonta	PASS
5	7438.5000	-8.97	62.7	53.73	74.00	20.27	60.78	51.81	54.00	2.19	150	112	Horizonta	PASS
6	11543.500	-2.29	50.97	48.68	74.00	25.32	49.04	46.75	54.00	7.25	150	143	Horizonta	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.246	10.33	49.99	61.89	11.90	32.98	51.89	18.91	L1	PASS
2	0.579	10.25	42.06	56.00	13.94	29.90	46.00	16.10	L1	PASS
3	1.776	10.28	37.75	56.00	18.25	23.08	46.00	22.92	L1	PASS
4	3.855	10.30	40.71	56.00	15.29	26.98	46.00	19.02	L1	PASS
5	6.774	10.50	42.74	60.00	17.26	31.82	50.00	18.18	L1	PASS
6	14.29	10.64	46.59	60.00	13.41	32.32	50.00	17.68	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.243	10.35	44.08	61.99	17.91	28.23	51.99	23.76	N	PASS
2	0.582	10.35	41.24	56.00	14.76	29.76	46.00	16.24	N	PASS
3	2.187	10.48	38.56	56.00	17.44	24.50	46.00	21.50	N	PASS
4	4.659	10.50	39.79	56.00	16.21	26.27	46.00	19.73	N	PASS
5	6.777	10.52	41.85	60.00	18.15	31.82	50.00	18.18	N	PASS
6	14.431	10.63	47.09	60.00	12.91	34.28	50.00	15.72	N	PASS