


Appendix A. Test Result of AC Power Line Conducted Emission
Master mode



Appendix B. Test Result of Emission Bandwidthh

Master mode

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11a (20MHz)	5180	16.98	16.78	22.08	22.16	-	
	5220	16.86	16.86	22.20	22.20	-	
	5240	16.90	16.82	22.16	22.24	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11a (20MHz)	5745	16.98	16.98	16.32	16.32	-	≥ 0.5
	5785	18.38	17.34	16.32	16.32	-	≥ 0.5
	5825	16.94	16.86	16.32	16.32	-	≥ 0.5

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11ac (20MHz)	5180	17.90	17.98	22.60	22.40	-	
	5220	17.90	17.98	22.12	22.12	-	
	5240	17.86	17.90	22.72	22.20	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11ac (20MHz)	5745	17.94	18.06	17.60	17.72	-	≥ 0.5
	5785	18.10	21.86	17.76	17.84	-	≥ 0.5
	5825	17.82	17.94	17.60	17.60	-	≥ 0.5

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11ac (40MHz)	5190	36.68	36.52	44.24	45.12	-	
	5230	36.76	37.00	44.96	44.64	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11ac (40MHz)	5755	36.44	37.08	36.56	36.56	-	≥ 0.5
	5795	36.68	36.76	36.32	36.56	-	≥ 0.5

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11ac (80MHz)	5210	76.08	76.24	93.92	90.88	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11ac (80MHz)	5775	76.40	76.08	76.32	76.32	-	≥ 0.5


Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11be (20MHz)	5180	19.18	19.14	27.64	23.04	-	
	5220	19.14	19.02	23.12	22.56	-	
	5240	19.10	19.06	22.80	22.44	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11be (20MHz)	5745	19.14	19.18	19.04	19.12	-	≥ 0.5
	5785	19.22	19.22	18.96	19.04	-	≥ 0.5
	5825	19.18	19.10	19.12	19.04	-	≥ 0.5

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11be (40MHz)	5190	38.20	38.28	42.64	44.16	-	
	5230	38.12	38.12	43.28	42.40	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11be (40MHz)	5755	38.12	38.04	38.24	38.16	-	≥ 0.5
	5795	38.12	38.12	38.32	38.32	-	≥ 0.5


Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth	
802.11be (80MHz)	5210	77.36	77.84	88.00	85.60	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		DTS Bandwidth (MHz)		Limit (MHz)	
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth	DTS Bandwidth
802.11be (80MHz)	5775	77.68	77.68	78.24	78.24	-	≥ 0.5

For 99% Occupied Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11a/20MHz/6M/5745MHz/Ch149




802.11a/20MHz/6M/5785MHz/Ch157




802.11a/20MHz/6M/5825MHz/Ch165




802.11ac/20MHz/MCS0/5180MHz/Ch36




802.11ac/20MHz/MCS0/5220MHz/Ch44




802.11ac/20MHz/MCS0/5240MHz/Ch48




802.11ac/20MHz/MCS0/5745MHz/Ch149




802.11ac/20MHz/MCS0/5785MHz/Ch157




802.11ac/20MHz/MCS0/5825MHz/Ch165




802.11ac/40MHz/MCS0/5190MHz/Ch38




802.11ac/40MHz/MCS0/5230MHz/Ch46




802.11ac/40MHz/MCS0/5755MHz/Ch151




802.11ac/40MHz/MCS0/5795MHz/Ch159




802.11ac/80MHz/MCS0/5210MHz/Ch42




802.11ac/80MHz/MCS0/5775MHz/Ch155




802.11be/20MHz/MCS0/5180MHz/Ch36




802.11be/20MHz/MCS0/5220MHz/Ch44




802.11be/20MHz/MCS0/5240MHz/Ch48




802.11be/20MHz/MCS0/5745MHz/Ch149




802.11be/20MHz/MCS0/5785MHz/Ch157




802.11be/20MHz/MCS0/5825MHz/Ch165




802.11be/40MHz/MCS0/5190MHz/Ch38




802.11be/40MHz/MCS0/5230MHz/Ch46




802.11be/40MHz/MCS0/5755MHz/Ch151




802.11be/40MHz/MCS0/5795MHz/Ch159



802.11be/80MHz/MCS0/5210MHz/Ch42




802.11be/80MHz/MCS0/5775MHz/Ch155




For 26dB Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11ac/20MHz/MCS0/5180MHz/Ch36




802.11ac/20MHz/MCS0/5220MHz/Ch44




802.11ac/20MHz/MCS0/5240MHz/Ch48




802.11ac/40MHz/MCS0/5190MHz/Ch38




802.11ac/40MHz/MCS0/5230MHz/Ch46




802.11ac/80MHz/MCS0/5210MHz/Ch42




802.11be/20MHz/MCS0/5180MHz/Ch36




802.11be/20MHz/MCS0/5220MHz/Ch44




802.11be/20MHz/MCS0/5240MHz/Ch48






For DTS Bandwidth:


802.11a/20MHz/6M/5745MHz/Ch149




802.11a/20MHz/6M/5785MHz/Ch157




802.11a/20MHz/6M/5825MHz/Ch165




802.11ac/20MHz/MCS0/5745MHz/Ch149




802.11ac/20MHz/MCS0/5785MHz/Ch157




802.11ac/20MHz/MCS0/5825MHz/Ch165




802.11ac/40MHz/MCS0/5755MHz/Ch151




802.11ac/40MHz/MCS0/5795MHz/Ch159




802.11ac/80MHz/MCS0/5775MHz/Ch155




802.11be/20MHz/MCS0/5745MHz/Ch149




802.11be/20MHz/MCS0/5785MHz/Ch157



802.11be/20MHz/MCS0/5825MHz/Ch165





Slave mode

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11a (20MHz)	5180	16.90	16.82	22.92	22.52	-
	5220	16.94	16.86	22.24	22.12	-
	5240	16.90	16.82	22.16	22.24	-

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11ac (20MHz)	5180	17.90	17.86	22.04	22.48	-
	5220	17.90	17.98	22.64	22.28	-
	5240	17.90	17.90	22.36	22.56	-

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11ac (40MHz)	5190	36.76	36.76	44.00	44.80	-
	5230	36.76	36.76	44.96	44.96	-

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11ac (80MHz)	5210	75.92	76.24	90.56	91.04	-


Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11be (20MHz)	5180	19.10	19.14	22.48	22.24	-
	5220	19.10	19.02	22.96	23.00	-
	5240	19.10	19.10	23.04	22.72	-

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11be (40MHz)	5190	38.04	37.96	42.96	43.28	-
	5230	38.12	38.20	43.92	44.32	-


Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)		Limit (MHz)
		Ant. 1	Ant. 2	Ant. 1	Ant. 2	99% Occupied Bandwidth & 26dB Bandwidth
802.11be (80MHz)	5210	77.68	77.68	85.44	89.28	-

For 99% Occupied Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11ac/20MHz/MCS0/5180MHz/Ch36




802.11ac/20MHz/MCS0/5220MHz/Ch44




802.11ac/20MHz/MCS0/5240MHz/Ch48




802.11ac/40MHz/MCS0/5190MHz/Ch38




802.11ac/40MHz/MCS0/5230MHz/Ch46




802.11ac/80MHz/MCS0/5210MHz/Ch42




802.11be/20MHz/MCS0/5180MHz/Ch36




802.11be/20MHz/MCS0/5220MHz/Ch44




802.11be/20MHz/MCS0/5240MHz/Ch48






For 26dB Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11ac/20MHz/MCS0/5180MHz/Ch36




802.11ac/20MHz/MCS0/5220MHz/Ch44




802.11ac/20MHz/MCS0/5240MHz/Ch48




802.11ac/40MHz/MCS0/5190MHz/Ch38




802.11ac/40MHz/MCS0/5230MHz/Ch46




802.11ac/80MHz/MCS0/5210MHz/Ch42




802.11be/20MHz/MCS0/5180MHz/Ch36




802.11be/20MHz/MCS0/5220MHz/Ch44




802.11be/20MHz/MCS0/5240MHz/Ch48




802.11be/40MHz/MCS0/5190MHz/Ch38



802.11be/40MHz/MCS0/5230MHz/Ch46



802.11be/80MHz/MCS0/5210MHz/Ch42



Appendix C. Test Result of Maximum Conducted Output Power

Master mode

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	19.75	20.11	22.94	30.00	Pass
	5220	20.90	20.98	23.95	30.00	Pass
	5240	20.66	21.25	23.98	30.00	Pass
	5745	24.37	24.75	27.57	30.00	Pass
	5785	23.99	24.33	27.17	30.00	Pass
	5825	23.32	24.08	26.73	30.00	Pass
802.11n (20MHz)	5180	19.71	20.04	22.89	30.00	Pass
	5220	20.40	20.58	23.50	30.00	Pass
	5240	20.67	21.11	23.91	30.00	Pass
	5745	24.00	24.22	27.12	30.00	Pass
	5785	23.91	24.26	27.10	30.00	Pass
	5825	23.38	23.88	26.65	30.00	Pass
802.11n (40MHz)	5190	15.62	15.82	18.73	30.00	Pass
	5230	20.53	20.78	23.67	30.00	Pass
	5755	21.67	22.25	24.98	30.00	Pass
	5795	21.71	22.26	25.00	30.00	Pass
802.11ac (20MHz)	5180	19.77	20.13	22.96	30.00	Pass
	5220	20.49	20.71	23.61	30.00	Pass
	5240	20.77	21.15	23.97	30.00	Pass
	5745	24.05	24.32	27.20	30.00	Pass
	5785	23.98	24.31	27.16	30.00	Pass
	5825	23.45	23.92	26.70	30.00	Pass
802.11ac (40MHz)	5190	15.69	15.91	18.81	30.00	Pass
	5230	20.66	20.89	23.79	30.00	Pass
	5755	21.75	22.31	25.05	30.00	Pass
	5795	21.78	22.30	25.06	30.00	Pass
802.11ac (80MHz)	5210	16.55	16.81	19.69	30.00	Pass
	5775	20.77	21.31	24.06	30.00	Pass

Note: Maximum Conducted Output Power (dBm) = $10 \cdot \log(\text{Ant. 1(mW)} + \text{Ant. 2(mW)})$

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5180	18.70	19.07	21.90	30.00	Pass
	5220	18.35	18.69	21.53	30.00	Pass
	5240	19.63	20.39	23.04	30.00	Pass
	5745	23.52	24.02	26.79	30.00	Pass
	5785	23.69	24.10	26.91	30.00	Pass
	5825	23.08	23.59	26.35	30.00	Pass
802.11ax (40MHz)	5190	16.40	16.70	19.56	30.00	Pass
	5230	20.81	21.17	24.00	30.00	Pass
	5755	22.53	23.09	25.83	30.00	Pass
	5795	22.64	23.00	25.83	30.00	Pass
802.11ax (80MHz)	5210	16.72	16.96	19.85	30.00	Pass
	5775	20.87	21.37	24.14	30.00	Pass
802.11be (20MHz)	5180	18.85	19.12	22.00	30.00	Pass
	5220	18.47	18.74	21.62	30.00	Pass
	5240	19.76	20.43	23.12	30.00	Pass
	5745	23.66	24.10	26.90	30.00	Pass
	5785	23.79	24.18	27.00	30.00	Pass
	5825	23.15	23.66	26.42	30.00	Pass
802.11be (40MHz)	5190	16.44	16.77	19.62	30.00	Pass
	5230	20.96	21.32	24.15	30.00	Pass
	5755	22.59	23.21	25.92	30.00	Pass
	5795	22.79	23.11	25.96	30.00	Pass
802.11be (80MHz)	5210	16.79	17.05	19.93	30.00	Pass
	5775	20.98	21.44	24.23	30.00	Pass

Note: Maximum Conducted Output Power (dBm) = $10 \cdot \log (\text{Ant. 1(mW)} + \text{Ant. 2(mW)})$

Slave mode

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	17.77	18.11	20.95	24.00	Pass
	5220	18.97	19.32	22.16	24.00	Pass
	5240	19.84	20.44	23.16	24.00	Pass
802.11n (20MHz)	5180	18.18	18.52	21.36	24.00	Pass
	5220	18.87	19.26	22.08	24.00	Pass
	5240	19.75	20.30	23.04	24.00	Pass
802.11n (40MHz)	5190	20.45	20.72	23.60	24.00	Pass
	5230	20.65	21.09	23.89	24.00	Pass
802.11ac (20MHz)	5180	18.31	18.62	21.48	24.00	Pass
	5220	19.02	19.41	22.23	24.00	Pass
	5240	19.78	20.38	23.10	24.00	Pass
802.11ac (40MHz)	5190	20.50	20.76	23.64	24.00	Pass
	5230	20.80	21.12	23.97	24.00	Pass
802.11ac (80MHz)	5210	20.79	21.10	23.96	24.00	Pass
802.11ax (20MHz)	5180	18.55	18.91	21.74	24.00	Pass
	5220	19.60	19.84	22.73	24.00	Pass
	5240	19.73	20.42	23.10	24.00	Pass
802.11ax (40MHz)	5190	20.75	20.96	23.87	24.00	Pass
	5230	20.45	20.91	23.70	24.00	Pass
802.11ax (80MHz)	5210	20.30	20.62	23.47	24.00	Pass
802.11be (20MHz)	5180	18.60	18.94	21.78	24.00	Pass
	5220	19.65	19.95	22.81	24.00	Pass
	5240	19.88	20.54	23.23	24.00	Pass
802.11be (40MHz)	5190	20.80	21.11	23.97	24.00	Pass
	5230	20.60	20.96	23.79	24.00	Pass
802.11be (80MHz)	5210	20.45	20.72	23.60	24.00	Pass

Note: Maximum Conducted Output Power (dBm) = $10 \cdot \log (\text{Ant. 1(mW)} + \text{Ant. 2(mW)})$

Appendix D. Test Result of Maximum Power Spectral Density

Master mode

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	7.28	8.05	10.61	17.00	Pass
	5220	8.32	8.92	11.58	17.00	Pass
	5240	7.80	8.33	11.02	17.00	Pass
802.11ac (20MHz)	5180	7.10	7.70	10.32	17.00	Pass
	5220	8.13	8.41	10.95	17.00	Pass
	5240	7.45	7.90	10.54	17.00	Pass
802.11ac (40MHz)	5190	1.80	2.19	4.81	17.00	Pass
	5230	5.74	6.38	8.75	17.00	Pass
802.11ac (80MHz)	5210	-1.02	-0.58	2.17	17.00	Pass
802.11be (20MHz)	5180	6.91	8.26	10.73	17.00	Pass
	5220	6.64	7.02	9.78	17.00	Pass
	5240	7.52	7.98	10.70	17.00	Pass
802.11be (40MHz)	5190	1.97	2.81	5.14	17.00	Pass
	5230	6.37	6.52	9.16	17.00	Pass
802.11be (80MHz)	5210	-0.97	-0.78	2.07	17.00	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5745	8.91	10.19	12.37	29.63	Pass
	5785	7.92	9.41	11.55	29.63	Pass
	5825	6.90	9.40	11.23	29.63	Pass
802.11ac (20MHz)	5745	7.88	9.40	11.66	29.63	Pass
	5785	7.62	8.91	11.40	29.63	Pass
	5825	6.54	8.88	10.92	29.63	Pass
802.11ac (40MHz)	5755	3.22	4.57	6.89	29.63	Pass
	5795	3.17	4.84	6.97	29.63	Pass
802.11ac (80MHz)	5775	-1.00	1.11	3.32	29.63	Pass
802.11be (20MHz)	5745	7.66	9.32	11.69	29.63	Pass
	5785	7.67	8.96	11.31	29.63	Pass
	5825	6.58	8.60	10.59	29.63	Pass
802.11be (40MHz)	5755	4.29	5.46	7.64	29.63	Pass
	5795	3.92	5.78	7.74	29.63	Pass
802.11be (80MHz)	5775	-0.98	1.38	3.29	29.63	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

