








Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-10.52	8	Pass
NVNT	b	2437	Ant1	-11.2	8	Pass
NVNT	b	2462	Ant1	-10.7	8	Pass
NVNT	g	2412	Ant1	-13.49	8	Pass
NVNT	g	2437	Ant1	-13.84	8	Pass
NVNT	g	2462	Ant1	-13.41	8	Pass
NVNT	n20	2412	Ant1	-14.08	8	Pass
NVNT	n20	2437	Ant1	-14.37	8	Pass
NVNT	n20	2462	Ant1	-13.89	8	Pass















Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-43.7	-20	Pass
NVNT	b	2462	Ant1	-54.89	-20	Pass
NVNT	g	2412	Ant1	-37.93	-20	Pass
NVNT	g	2462	Ant1	-47.04	-20	Pass
NVNT	n20	2412	Ant1	-36.63	-20	Pass
NVNT	n20	2462	Ant1	-45.74	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-53.42	-20	Pass
NVNT	b	2462	Ant1	-53.88	-20	Pass
NVNT	g	2412	Ant1	-50.71	-20	Pass
NVNT	g	2462	Ant1	-50.89	-20	Pass
NVNT	n20	2412	Ant1	-49.7	-20	Pass
NVNT	n20	2462	Ant1	-50.03	-20	Pass

