




































8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3KHz)	Duty Factor (dB)	Total PSD (dBm/3KHz)	Limit (dBm/3KHz)	Verdict
NVNT	b	2412	Ant1	-4.71	0.02	-4.69	8	Pass
NVNT	b	2437	Ant1	-4.32	0.02	-4.3	8	Pass
NVNT	b	2462	Ant1	-3.75	0.02	-3.73	8	Pass
NVNT	g	2412	Ant1	-7.61	0.06	-7.55	8	Pass
NVNT	g	2437	Ant1	-8.14	0.08	-8.06	8	Pass
NVNT	g	2462	Ant1	-8.02	0.08	-7.94	8	Pass
NVNT	n20	2412	Ant1	-9.76	0.06	-9.7	8	Pass
NVNT	n20	2437	Ant1	-10.83	0.06	-10.77	8	Pass
NVNT	n20	2462	Ant1	-10.53	0.06	-10.47	8	Pass
NVNT	n40	2422	Ant1	-14.07	0.08	-13.99	8	Pass
NVNT	n40	2437	Ant1	-12.94	0.09	-12.85	8	Pass
NVNT	n40	2452	Ant1	-13.23	0.08	-13.15	8	Pass
NVNT	ax20	2412	Ant1	-12.26	0.06	-12.2	8	Pass
NVNT	ax20	2437	Ant1	-12.84	0.06	-12.78	8	Pass
NVNT	ax20	2462	Ant1	-12.87	0.06	-12.81	8	Pass
NVNT	ax40	2422	Ant1	-15.75	0.08	-15.67	8	Pass
NVNT	ax40	2437	Ant1	-14.5	0.08	-14.42	8	Pass
NVNT	ax40	2452	Ant1	-15.64	0.09	-15.55	8	Pass


































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-51.35	-30	Pass
NVNT	b	2462	Ant1	-58.37	-30	Pass
NVNT	g	2412	Ant1	-41.29	-30	Pass
NVNT	g	2462	Ant1	-49.6	-30	Pass
NVNT	n20	2412	Ant1	-49.51	-30	Pass
NVNT	n20	2462	Ant1	-48.13	-30	Pass
NVNT	n40	2422	Ant1	-45.56	-30	Pass
NVNT	n40	2452	Ant1	-43.16	-30	Pass
NVNT	ax20	2412	Ant1	-41.39	-30	Pass
NVNT	ax20	2462	Ant1	-48.55	-30	Pass
NVNT	ax40	2422	Ant1	-45.39	-30	Pass
NVNT	ax40	2452	Ant1	-48.2	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.52	-30	Pass
NVNT	b	2437	Ant1	-47.41	-30	Pass
NVNT	b	2462	Ant1	-49.91	-30	Pass
NVNT	g	2412	Ant1	-43.07	-30	Pass
NVNT	g	2437	Ant1	-41.47	-30	Pass
NVNT	g	2462	Ant1	-41.98	-30	Pass
NVNT	n20	2412	Ant1	-43.21	-30	Pass
NVNT	n20	2437	Ant1	-39.26	-30	Pass
NVNT	n20	2462	Ant1	-39.89	-30	Pass
NVNT	n40	2422	Ant1	-36.23	-30	Pass
NVNT	n40	2437	Ant1	-37.91	-30	Pass
NVNT	n40	2452	Ant1	-36.62	-30	Pass
NVNT	ax20	2412	Ant1	-40.75	-30	Pass
NVNT	ax20	2437	Ant1	-40.64	-30	Pass
NVNT	ax20	2462	Ant1	-40.48	-30	Pass
NVNT	ax40	2422	Ant1	-37.2	-30	Pass
NVNT	ax40	2437	Ant1	-38.53	-30	Pass
NVNT	ax40	2452	Ant1	-38.74	-30	Pass

