






Date: 20.JUN.2026 06:54:57

11N40SISO_Ant1_5230




Date: 20.JUN.2026 06:57:48

11N40SISO_Ant1_5755



Date: 20.JUN.2026 07:01:43


11N40SISO_Ant1_5795



11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5220




Date: 20.JUN.2026 07:10:24

11AC20SISO_Ant1_5240




Date: 20.JUN.2026 07:11:48

11AC20SISO_Ant1_5745




Date: 20.JUN.2026 07:14:54


11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




Date: 20.JUN.2026 07:23:21

11AC40SISO_Ant1_5230




Date: 20.JUN.2026 07:27:23

11AC40SISO_Ant1_5755




Date: 20.JUN.2026 07:30:40

11AC40SISO_Ant1_5795




Date: 20.JUN.2026 07:33:26

11AC80SISO_Ant1_5210



Date: 20.JUN.2026 07:35:59

11AC80SISO_Ant1_5775



Date: 20.JUN.2026 07:42:26

Appendix E: Band edge measurements

Test Result B1


TestMode	Antenna	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-44.22	≤ -27	PASS
		High	5240	-45.39	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-42.78	≤ -27	PASS
		High	5240	-44.97	≤ -27	PASS
11N40SISO	Ant1	Low	5190	-36.4	≤ -27	PASS
		High	5230	-45.32	≤ -27	PASS
11AC20SISO	Ant1	Low	5180	-42.38	≤ -27	PASS
		High	5240	-45.22	≤ -27	PASS
11AC40SISO	Ant1	Low	5190	-36.08	≤ -27	PASS
		High	5230	-44.93	≤ -27	PASS
11AC80SISO	Ant1	Low	5210	-35.86	≤ -27	PASS
		High	5210	-44.85	≤ -27	PASS


Test Result B4

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5645~5650	-45.32	≤ -27	PASS
				5650~5700	-44.9	≤ -26.38	PASS
				5700~5720	-44.17	≤ 11.68	PASS
				5720~5725	-45.15	≤ 15.98	PASS
		High	5825	5850~5855	-45.55	≤ 15.65	PASS
				5855~5875	-45.28	≤ 10.18	PASS
				5875~5925	-45.68	≤ -26.29	PASS
				5925~5935	-44.63	≤ -27	PASS
11N20SISO	Ant1	Low	5745	5645~5650	-46.01	≤ -27	PASS
				5650~5700	-46.19	≤ -26.38	PASS
				5700~5720	-45.07	≤ 10.05	PASS
				5720~5725	-44.8	≤ 15.98	PASS
		High	5825	5850~5855	-45.41	≤ 15.65	PASS
				5855~5875	-44.94	≤ 10.40	PASS
				5875~5925	-44.92	≤ -25.86	PASS
				5925~5935	-44.94	≤ -27	PASS
11N40SISO	Ant1	Low	5755	5645~5650	-44.99	≤ -27	PASS
				5650~5700	-45.27	≤ -25.92	PASS
				5700~5720	-36.74	≤ 14.98	PASS
				5720~5725	-36.54	≤ 16.34	PASS

		High	5795	5850~5855	-45.32	≤ 15.85	PASS
				5855~5875	-43.48	≤ 11.08	PASS
				5875~5925	-46.58	≤ -26.44	PASS
				5925~5935	-46.22	≤ -27	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-44.96	≤ -27	PASS
				5650~5700	-47.32	≤ -26.88	PASS
				5700~5720	-45.8	≤ 10.05	PASS
				5720~5725	-45.52	≤ 15.98	PASS
		High	5825	5850~5855	-44.58	≤ 15.65	PASS
				5855~5875	-43.86	≤ 11.55	PASS
				5875~5925	-44.85	≤ -25.86	PASS
				5925~5935	-45.42	≤ -27	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-45.89	≤ -27	PASS
				5650~5700	-46.04	≤ -26.94	PASS
				5700~5720	-36.67	≤ 15.58	PASS
				5720~5725	-36.75	≤ 15.90	PASS
		High	5795	5850~5855	-45.28	≤ 15.85	PASS
				5855~5875	-43.53	≤ 10.61	PASS
				5875~5925	-44.46	≤ -26.26	PASS
				5925~5935	-44.84	≤ -27	PASS
11AC80S ISO	Ant1	Low	5775	5645~5650	-44.75	≤ -27	PASS
				5650~5700	-45.59	≤ -26.88	PASS
				5700~5720	-38.07	≤ 15.10	PASS
				5720~5725	-39.41	≤ 16.18	PASS
		High	5775	5850~5855	-42.35	≤ 15.98	PASS
				5855~5875	-43.45	≤ 10.62	PASS
				5875~5925	-46.52	≤ -26.86	PASS
				5925~5935	-44.45	≤ -27	PASS


Test Graphs B1






Date: 20.JUN.2026 06:39:41

11N20SISO_Ant1_High_5240




Date: 20.JUN.2026 06:45:09

11N40SISO_Ant1_Low_5190




Date: 20.JUN.2026 06:55:17

11N40SISO_Ant1_High_5230




Date: 20.JUN.2026 06:58:07

11AC20SISO_Ant1_Low_5180




Date: 20.JUN.2026 07:07:59


11AC20SISO_Ant1_High_5240




11AC40SISO_Ant1_Low_5190



11AC40SISO_Ant1_High_5230




11AC80SISO_Ant1_Low_5210




Date: 20.JUN.2026 07:36:18


11AC80SISO_Ant1_High_5210



Date: 20.JUN.2026 07:36:38


Test Graphs B4






Date: 20.JUN.2026 06:48:11

11N20SISO_Ant1_High_5825




Date: 20.JUN.2026 06:52:36

11N40SISO_Ant1_Low_5755




Date: 20.JUN.2026 07:02:03


11N40SISO_Ant1_High_5795



11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825




Date: 20.JUN.2026 07:21:06

11AC40SISO_Ant1_Low_5755




Date: 20.JUN.2026 07:31:00

11AC40SISO_Ant1_High_5795




Date: 20.JUN.2026 07:33:45

11AC80SISO_Ant1_Low_5775



11AC80SISO_Ant1_High_5775




Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	975.74	-45.71	≤-27	PASS
			5360~40000	39987.9	-41.89	≤-27	PASS
		5220	30~5140	1015.6	-45.36	≤-27	PASS
			5360~40000	39730.4	-41.99	≤-27	PASS
		5240	30~5140	1032.97	-46.18	≤-27	PASS
			5360~40000	39841.2	-41.72	≤-27	PASS
		5745	30~5650	5585.09	-45.53	≤-27	PASS
			5925~40000	39841.6	-42.83	≤-27	PASS
		5785	30~5650	5625.37	-45.71	≤-27	PASS
			5925~40000	39875.6	-41.88	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5139.23	-43.65	≤-27	PASS
			5360~40000	39761.6	-41.44	≤-27	PASS
		5220	30~5140	1014.75	-45.58	≤-27	PASS
			5360~40000	39997.1	-42.41	≤-27	PASS
		5240	30~5140	1033.66	-44.63	≤-27	PASS
			5360~40000	39862	-42.31	≤-27	PASS
		5745	30~5650	5647.66	-47.21	≤-27	PASS
			5925~40000	39767.7	-41.57	≤-27	PASS
		5785	30~5650	5631.92	-46.82	≤-27	PASS
			5925~40000	39726.8	-42.64	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5138.55	-38.62	≤-27	PASS
			5360~40000	39797.4	-42.78	≤-27	PASS
		5230	30~5140	5138.04	-45	≤-27	PASS
			5360~40000	39834.3	-42.59	≤-27	PASS
		5755	30~5650	5595.21	-45.2	≤-27	PASS
			5925~40000	39910.8	-43.04	≤-27	PASS
		5795	30~5650	5612.63	-47.79	≤-27	PASS
			5925~40000	39793.9	-42.98	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	5136.17	-44	≤-27	PASS
			5360~40000	39780	-42.56	≤-27	PASS
		5220	30~5140	1012.19	-46.04	≤-27	PASS
			5360~40000	39967.1	-42.45	≤-27	PASS


		5240	30~5140	1034.17	-46.94	≤-27	PASS
			5360~40000	39774.3	-41.63	≤-27	PASS
		5745	30~5650	5649.53	-46.88	≤-27	PASS
			5925~40000	39884.7	-42.26	≤-27	PASS
		5785	30~5650	5635.86	-47.5	≤-27	PASS
			5925~40000	39814.3	-41.8	≤-27	PASS
		5825	30~5650	5624.06	-46.92	≤-27	PASS
			5925~40000	39848.4	-41.9	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5138.38	-38.17	≤-27	PASS
			5360~40000	39843.5	-41.4	≤-27	PASS
		5230	30~5140	5137.87	-44.27	≤-27	PASS
			5360~40000	39729.2	-42.02	≤-27	PASS
		5755	30~5650	5629.3	-46.03	≤-27	PASS
			5925~40000	39799.5	-40.98	≤-27	PASS
		5795	30~5650	5623.12	-46.76	≤-27	PASS
			5925~40000	39827.9	-41.04	≤-27	PASS
11AC80SISO	Ant1	5210	30~5140	5136.34	-35.43	≤-27	PASS
			5360~40000	39739.6	-41.76	≤-27	PASS
		5775	30~5650	5626.12	-44.17	≤-27	PASS
			5925~40000	39746.1	-41.02	≤-27	PASS

Test Graphs







11A_Ant1_5220_5360~40000



11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000




Date: 20.JUN.2026 06:30:08

11A_Ant1_5745_30~5650




Date: 20.JUN.2026 06:33:10


11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650



11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




Date: 20.JUN.2026 06:37:22

11A_Ant1_5825_5925~40000




Date: 20.JUN.2026 06:37:27


11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360~40000



11N20SISO_Ant1_5220_30~5140




11N20SISO_Ant1_5220_5360~40000




Date: 20.JUN.2026 06:42:21

11N20SISO_Ant1_5240_30~5140




Date: 20.JUN.2026 06:46:18


11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5745_30~5650



11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




Date: 20.JUN.2026 06:50:57

11N20SISO_Ant1_5785_5925~40000




Date: 20.JUN.2026 06:51:02


11N20SISO_Ant1_5825_30~5650




11N20ISO_Ant1_5825_5925~40000



11N40ISO_Ant1_5190_30~5140




11N40SISO_Ant1_5190_5360~40000




Date: 20.JUN.2026 06:56:34

11N40SISO_Ant1_5230_30~5140




Date: 20.JUN.2026 06:59:16


11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5755_30~5650



11N40SISO_Ant1_5755_5925~40000




11N40SISO_Ant1_5795_30~5650




Date: 20.JUN.2026 07:05:53

11N40SISO_Ant1_5795_5925~40000




Date: 20.JUN.2026 07:05:58


11AC20SISO_Ant1_5180_30~5140




11AC20SISO_Ant1_5180_5360~40000



11AC20SISO_Ant1_5220_30~5140




11AC20SISO_Ant1_5220_5360~40000




Date: 20.JUN.2026 07:10:39

11AC20SISO_Ant1_5240_30~5140




Date: 20.JUN.2026 07:13:16


11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5785_30~5650




Date: 20.JUN.2026 07:19:24

11AC20SISO_Ant1_5785_5925~40000




Date: 20.JUN.2026 07:19:29


11AC20SISO_Ant1_5825_30~5650




11AC20SISO_Ant1_5825_5925~40000



11AC40SISO_Ant1_5190_30~5140




11AC40SISO_Ant1_5190_5360~40000




Date: 20.JUN.2026 07:24:58

11AC40SISO_Ant1_5230_30~5140




Date: 20.JUN.2026 07:28:52


11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5755_30~5650



11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650




Date: 20.JUN.2026 07:34:44

11AC40SISO_Ant1_5795_5925~40000




Date: 20.JUN.2026 07:34:49


11AC80SISO_Ant1_5210_30~5140




11AC80SISO_Ant1_5210_5360~40000



11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



Date: 20.JUN.2026 07:45:01

Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-57.25	2.00	1.03	-54.22	≤-41.20	PASS
				AV	5149.275	-53.68	2.00	1.03	-50.65	≤-41.20	PASS
				AV	5150.000	-53.62	2.00	1.03	-50.59	≤-41.20	PASS
				Peak	4500.000	-47.52	2.00	0.00	-45.52	≤-27.00	PASS
				Peak	5149.275	-41.67	2.00	0.00	-39.67	≤-27.00	PASS
				Peak	5150.000	-42.71	2.00	0.00	-40.71	≤-27.00	PASS
		High	5240	AV	5350.000	-55.82	2.00	1.33	-52.49	≤-41.20	PASS
				AV	5395.652	-55.55	2.00	1.33	-52.22	≤-41.20	PASS
				AV	5460.000	-56.34	2.00	1.33	-53.01	≤-41.20	PASS
				Peak	5350.000	-45.49	2.00	0.00	-43.49	≤-27.00	PASS
				Peak	5375.478	-43.37	2.00	0.00	-41.37	≤-27.00	PASS
				Peak	5460.000	-45.74	2.00	0.00	-43.74	≤-27.00	PASS
		Low	5745	Peak	5650.000	-44.79	2.00	0.00	-42.79	≤-27.00	PASS
				Peak	5700.000	-43.73	2.00	0.00	-41.73	≤10.00	PASS
				Peak	5720.000	-41.87	2.00	0.00	-39.87	≤15.60	PASS
				Peak	5725.000	-34.25	2.00	0.00	-32.25	≤27.00	PASS
		High	5825	Peak	5850.000	-40.23	2.00	0.00	-38.23	≤27.00	PASS
				Peak	5855.000	-42.5	2.00	0.00	-40.5	≤15.60	PASS
				Peak	5875.000	-43.59	2.00	0.00	-41.59	≤10.00	PASS
				Peak	5925.000	-43.22	2.00	0.00	-41.22	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-57.58	2.00	1.12	-54.46	≤-41.20	PASS
				AV	5149.275	-53.34	2.00	1.12	-50.22	≤-41.20	PASS
				AV	5150.000	-53.11	2.00	1.12	-49.99	≤-41.20	PASS
				Peak	4500.000	-46.58	2.00	0.00	-44.58	≤-27.00	PASS
				Peak	5149.275	-41.38	2.00	0.00	-39.38	≤-27.00	PASS
				Peak	5150.000	-41.85	2.00	0.00	-39.85	≤-27.00	PASS
		High	5240	AV	5350.000	-56.21	2.00	0.87	-53.34	≤-41.20	PASS
				AV	5408.522	-55.47	2.00	0.87	-52.6	≤-41.20	PASS
				AV	5460.000	-56.01	2.00	0.87	-53.14	≤-41.20	PASS
				Peak	5350.000	-45.46	2.00	0.00	-43.46	≤-27.00	PASS
				Peak	5365.043	-43.96	2.00	0.00	-41.96	≤-27.00	PASS
				Peak	5460.000	-45.1	2.00	0.00	-43.1	≤-27.00	PASS
		Low	5745	Peak	5650.000	-44.47	2.00	0.00	-42.47	≤-27.00	PASS
				Peak	5700.000	-43.45	2.00	0.00	-41.45	≤10.00	PASS
				Peak	5720.000	-41.09	2.00	0.00	-39.09	≤15.60	PASS
				Peak	5725.000	-33.92	2.00	0.00	-31.92	≤27.00	PASS


		High	5825	Peak	5850.000	-38.3	2.00	0.00	-36.3	≤27.00	PASS
				Peak	5855.000	-42.19	2.00	0.00	-40.19	≤15.60	PASS
				Peak	5875.000	-43.37	2.00	0.00	-41.37	≤10.00	PASS
				Peak	5925.000	-43.39	2.00	0.00	-41.39	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-57.23	2.00	0.87	-54.36	≤-41.20	PASS
				AV	5149.275	-48.14	2.00	0.87	-45.27	≤-41.20	PASS
				AV	5150.000	-47.93	2.00	0.87	-45.06	≤-41.20	PASS
				Peak	4500.000	-47.73	2.00	0.00	-45.73	≤-27.00	PASS
				Peak	5149.275	-35.07	2.00	0.00	-33.07	≤-27.00	PASS
				Peak	5150.000	-35.95	2.00	0.00	-33.95	≤-27.00	PASS
		High	5230	AV	5350.000	-55.65	2.00	1.06	-52.59	≤-41.20	PASS
				AV	5394.435	-55.56	2.00	1.06	-52.5	≤-41.20	PASS
				AV	5460.000	-55.98	2.00	1.06	-52.92	≤-41.20	PASS
				Peak	5350.000	-46.1	2.00	0.00	-44.1	≤-27.00	PASS
				Peak	5407.246	-43.91	2.00	0.00	-41.91	≤-27.00	PASS
				Peak	5460.000	-46.04	2.00	0.00	-44.04	≤-27.00	PASS
		Low	5755	Peak	5650.000	-43.66	2.00	0.00	-41.66	≤-27.00	PASS
				Peak	5700.000	-41.77	2.00	0.00	-39.77	≤10.00	PASS
				Peak	5720.000	-34.89	2.00	0.00	-32.89	≤15.60	PASS
				Peak	5725.000	-33.75	2.00	0.00	-31.75	≤27.00	PASS
		High	5795	Peak	5850.000	-41.6	2.00	0.00	-39.6	≤27.00	PASS
				Peak	5855.000	-42.59	2.00	0.00	-40.59	≤15.60	PASS
				Peak	5875.000	-42.33	2.00	0.00	-40.33	≤10.00	PASS
				Peak	5925.000	-44.04	2.00	0.00	-42.04	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-57.56	2.00	0.62	-54.94	≤-41.20	PASS
				AV	5149.275	-52.32	2.00	0.62	-49.7	≤-41.20	PASS
				AV	5150.000	-52.42	2.00	0.62	-49.8	≤-41.20	PASS
				Peak	4500.000	-47.92	2.00	0.00	-45.92	≤-27.00	PASS
				Peak	5149.275	-39.97	2.00	0.00	-37.97	≤-27.00	PASS
				Peak	5150.000	-39.44	2.00	0.00	-37.44	≤-27.00	PASS
		High	5240	AV	5350.000	-55.71	2.00	0.62	-53.09	≤-41.20	PASS
				AV	5396.696	-55.56	2.00	0.62	-52.94	≤-41.20	PASS
				AV	5460.000	-56.09	2.00	0.62	-53.47	≤-41.20	PASS
				Peak	5350.000	-45.75	2.00	0.00	-43.75	≤-27.00	PASS
				Peak	5371.652	-43.99	2.00	0.00	-41.99	≤-27.00	PASS
				Peak	5460.000	-45.87	2.00	0.00	-43.87	≤-27.00	PASS
		Low	5745	Peak	5650.000	-43.99	2.00	0.00	-41.99	≤-27.00	PASS
				Peak	5700.000	-43.87	2.00	0.00	-41.87	≤10.00	PASS
				Peak	5720.000	-40.26	2.00	0.00	-38.26	≤15.60	PASS
				Peak	5725.000	-37.6	2.00	0.00	-35.6	≤27.00	PASS
		High	5825	Peak	5850.000	-35.5	2.00	0.00	-33.5	≤27.00	PASS
				Peak	5855.000	-42.24	2.00	0.00	-40.24	≤15.60	PASS
				Peak	5875.000	-42.83	2.00	0.00	-40.83	≤10.00	PASS


				Peak	5925.000	-43.68	2.00	0.00	-41.68	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-57.53	2.00	1.12	-54.41	≤-41.20	PASS
				AV	5149.275	-47.26	2.00	1.12	-44.14	≤-41.20	PASS
				AV	5150.000	-46.82	2.00	1.12	-43.7	≤-41.20	PASS
				Peak	4500.000	-47.71	2.00	0.00	-45.71	≤-27.00	PASS
				Peak	5146.232	-34.59	2.00	0.00	-32.59	≤-27.00	PASS
				Peak	5150.000	-34.79	2.00	0.00	-32.79	≤-27.00	PASS
		High	5230	AV	5350.000	-56.08	2.00	1.12	-52.96	≤-41.20	PASS
				AV	5383.130	-55.39	2.00	1.12	-52.27	≤-41.20	PASS
				AV	5460.000	-55.96	2.00	1.12	-52.84	≤-41.20	PASS
				Peak	5350.000	-45.63	2.00	0.00	-43.63	≤-27.00	PASS
				Peak	5394.812	-43.79	2.00	0.00	-41.79	≤-27.00	PASS
				Peak	5460.000	-45.13	2.00	0.00	-43.13	≤-27.00	PASS
		Low	5755	Peak	5650.000	-43.65	2.00	0.00	-41.65	≤-27.00	PASS
				Peak	5700.000	-41.84	2.00	0.00	-39.84	≤10.00	PASS
				Peak	5720.000	-36.27	2.00	0.00	-34.27	≤15.60	PASS
				Peak	5725.000	-35.74	2.00	0.00	-33.74	≤27.00	PASS
		High	5795	Peak	5850.000	-42.08	2.00	0.00	-40.08	≤27.00	PASS
				Peak	5855.000	-43.04	2.00	0.00	-41.04	≤15.60	PASS
				Peak	5875.000	-42.97	2.00	0.00	-40.97	≤10.00	PASS
				Peak	5925.000	-43.66	2.00	0.00	-41.66	≤-27.00	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-57.58	2.00	1.18	-54.4	≤-41.20	PASS
				AV	5146.739	-47.02	2.00	1.18	-43.84	≤-41.20	PASS
				AV	5150.000	-47.69	2.00	1.18	-44.51	≤-41.20	PASS
				Peak	4500.000	-47.12	2.00	0.00	-45.12	≤-27.00	PASS
				Peak	5147.826	-35.18	2.00	0.00	-33.18	≤-27.00	PASS
				Peak	5150.000	-35.69	2.00	0.00	-33.69	≤-27.00	PASS
		High	5210	AV	5350.000	-55.59	2.00	1.18	-52.41	≤-41.20	PASS
				AV	5359.768	-55.44	2.00	1.18	-52.26	≤-41.20	PASS
				AV	5460.000	-55.75	2.00	1.18	-52.57	≤-41.20	PASS
				Peak	5350.000	-45.01	2.00	0.00	-43.01	≤-27.00	PASS
				Peak	5365.449	-43.23	2.00	0.00	-41.23	≤-27.00	PASS
				Peak	5460.000	-46.42	2.00	0.00	-44.42	≤-27.00	PASS
		Low	5775	Peak	5650.000	-43.31	2.00	0.00	-41.31	≤-27.00	PASS
				Peak	5700.000	-38.57	2.00	0.00	-36.57	≤10.00	PASS
				Peak	5720.000	-36.95	2.00	0.00	-34.95	≤15.60	PASS
				Peak	5725.000	-29.54	2.00	0.00	-27.54	≤27.00	PASS
		High	5775	Peak	5850.000	-38.39	2.00	0.00	-36.39	≤27.00	PASS
				Peak	5855.000	-39.73	2.00	0.00	-37.73	≤15.60	PASS
				Peak	5875.000	-42.79	2.00	0.00	-40.79	≤10.00	PASS
				Peak	5925.000	-43.87	2.00	0.00	-41.87	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




Date: 20.JUN.2026 06:37:12

11N20SISO_Ant1_Low_5180_AV




Date: 20.JUN.2026 06:40:43

11N20SISO_Ant1_Low_5180_Peak




Date: 20.JUN.2026 06:40:27

11N20SISO_Ant1_High_5240_AV




Date: 20.JUN.2026 06:46:10

11N20SISO_Ant1_High_5240_Peak




Date: 20.JUN.2026 06:45:55

11N20SISO_Ant1_Low_5745_Peak




Date: 20.JUN.2026 06:49:00

11N20SISO_Ant1_High_5825_Peak




Date: 20.JUN.2026 06:53:24


11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV




11N40SISO_Ant1_High_5230_Peak



Date: 20.JUN.2026 06:58:53

11N40SISO_Ant1_Low_5755_Peak



Date: 20.JUN.2026 07:02:51

11N40SISO_Ant1_High_5795_Peak