


Radiated Spurious Emission below 1GHz:

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes, only the worst case highest channel of GFSK 1M was recorded in the report.

Test Graph

Horizontal:


72.0 dBuV/m



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Antenna Height cm	Table Degree	Comment
1		31.0379	4.78	12.54	17.32	40.00	-22.68	QP	199	354
2		54.6907	0.64	14.12	14.76	40.00	-25.24	QP	100	6
3		137.4924	8.49	10.47	18.96	43.50	-24.54	QP	100	323
4		304.2363	5.49	16.46	21.95	46.00	-24.05	QP	100	122
5		528.8018	0.37	21.24	21.61	46.00	-24.39	QP	100	81
6	*	722.7388	1.33	24.21	25.54	46.00	-20.46	QP	199	202

Remark:

1. Margin=Measurement(Level)-Limit.
2. Measurement(Level)=Reading Level+Correct Factor.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	31.8316	6.99	12.60	19.59	40.00	-20.41	QP	100	354
2		47.3753	4.47	14.27	18.74	40.00	-21.26	QP	100	328
3		83.5075	5.49	10.36	15.85	40.00	-24.15	QP	100	72
4		145.3760	8.97	10.31	19.28	43.50	-24.22	QP	100	354
5		410.0229	-0.09	19.59	19.50	46.00	-26.50	QP	100	183
6		778.7871	0.89	24.56	25.45	46.00	-20.55	QP	100	46

Remark:


- 1. Margin=Measurement(Level)-Limit.
- 2. Measurement(Level)=Reading Level+Correct Factor.
- 3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

During the test, the Radiated Spurious Emission from above 1GHz was performed in all modes, only the worst case BLE 1M was recorded in the report.

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1445.8964	13.12	36.22	49.34	74.00	24.66	PASS	Horizontal	PK
2	2994.7997	17.87	36.41	54.28	74.00	19.72	PASS	Horizontal	PK
3	4804.1203	-8.60	61.29	52.69	74.00	21.31	PASS	Horizontal	PK
4	7453.2969	-2.31	51.95	49.64	74.00	24.36	PASS	Horizontal	PK
5	13715.7144	7.23	50.02	57.25	74.00	16.75	PASS	Horizontal	PK
6	16333.8889	11.39	49.86	61.25	74.00	12.75	PASS	Horizontal	PK
7	2980.6654	17.87	18.26	36.13	54.00	17.87	PASS	Horizontal	AV
8	13677.7118	7.35	38.31	45.66	54.00	8.34	PASS	Horizontal	AV
9	16500.9001	11.94	36.84	48.78	54.00	5.22	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1531.5021	13.46	36.01	49.47	74.00	24.53	PASS	Vertical	PK
2	2971.0647	17.93	36.35	54.28	74.00	19.72	PASS	Vertical	PK
3	4804.1203	-8.60	58.14	49.54	74.00	24.46	PASS	Vertical	PK
4	9129.4086	0.10	52.11	52.21	74.00	21.79	PASS	Vertical	PK
5	13678.7119	7.34	50.42	57.76	74.00	16.24	PASS	Vertical	PK
6	16349.89	11.58	49.62	61.20	74.00	12.80	PASS	Vertical	PK
7	2971.1981	17.93	18.40	36.33	54.00	17.67	PASS	Vertical	AV
8	13673.7116	7.36	38.35	45.71	54.00	8.29	PASS	Vertical	AV
9	16345.8897	11.53	37.09	48.62	54.00	5.38	PASS	Vertical	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18856.4943	-26.28	62.46	36.18	74.00	37.82	PASS	Horizontal	PK
2	19859.5344	-25.05	61.04	35.99	74.00	38.01	PASS	Horizontal	PK
3	21005.7202	-25.99	61.61	35.62	74.00	38.38	PASS	Horizontal	PK
4	22317.1527	-25.22	60.61	35.39	74.00	38.61	PASS	Horizontal	PK
5	23460.2784	-23.41	58.57	35.16	74.00	38.84	PASS	Horizontal	PK
6	25284.4514	-21.21	58.43	37.22	74.00	36.78	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18569.1828	-26.69	64.01	37.32	74.00	36.68	PASS	Vertical	PK
2	19835.3934	-25.12	60.99	35.87	74.00	38.13	PASS	Vertical	PK
3	21937.0175	-25.72	60.54	34.82	74.00	39.18	PASS	Vertical	PK
4	23934.9374	-22.07	58.23	36.16	74.00	37.84	PASS	Vertical	PK
5	25058.6823	-21.82	58.11	36.29	74.00	37.71	PASS	Vertical	PK
6	26355.1542	-21.22	58.79	37.57	74.00	36.43	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/13

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1562.1708	13.50	36.42	49.92	74.00	24.08	PASS	Horizontal	PK
2	2952.7969	17.64	35.40	53.04	74.00	20.96	PASS	Horizontal	PK
3	4880.1253	-8.36	58.93	50.57	74.00	23.43	PASS	Horizontal	PK
4	10217.4812	1.69	51.17	52.86	74.00	21.14	PASS	Horizontal	PK
5	13686.7124	7.31	49.78	57.09	74.00	16.91	PASS	Horizontal	PK
6	16496.8998	11.88	49.40	61.28	74.00	12.72	PASS	Horizontal	PK
7	13826.7218	7.41	38.31	45.72	54.00	8.28	PASS	Horizontal	AV
8	16332.8889	11.38	37.53	48.91	54.00	5.09	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1663.6442	13.84	35.63	49.47	74.00	24.53	PASS	Vertical	PK
2	2982.5322	17.88	35.77	53.65	74.00	20.35	PASS	Vertical	PK
3	4880.1253	-8.36	56.97	48.61	74.00	25.39	PASS	Vertical	PK
4	7975.3317	-1.38	53.14	51.76	74.00	22.24	PASS	Vertical	PK
5	13741.7161	7.18	49.98	57.16	74.00	16.84	PASS	Vertical	PK
6	16357.8905	11.33	49.34	60.67	74.00	13.33	PASS	Vertical	PK
7	13702.7135	7.26	38.87	46.13	54.00	7.87	PASS	Vertical	AV
8	16491.8995	11.79	36.64	48.43	54.00	5.57	PASS	Vertical	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/13

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18734.7694	-26.42	62.59	36.17	74.00	37.83	PASS	Horizontal	PK
2	19980.9192	-24.67	60.63	35.96	74.00	38.04	PASS	Horizontal	PK
3	21121.3249	-25.85	61.17	35.32	74.00	38.68	PASS	Horizontal	PK
4	22872.7349	-25.28	59.83	34.55	74.00	39.45	PASS	Horizontal	PK
5	24782.9313	-21.96	57.87	35.91	74.00	38.09	PASS	Horizontal	PK
6	26198.4079	-21.36	57.66	36.30	74.00	37.70	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18720.1488	-26.45	62.46	36.01	74.00	37.99	PASS	Vertical	PK
2	19885.3754	-24.97	60.47	35.50	74.00	38.50	PASS	Vertical	PK
3	21332.4733	-25.83	61.87	36.04	74.00	37.96	PASS	Vertical	PK
4	22494.9798	-25.05	60.34	35.29	74.00	38.71	PASS	Vertical	PK
5	23785.6714	-22.39	58.81	36.42	74.00	37.58	PASS	Vertical	PK
6	25391.5557	-21.42	56.81	35.39	74.00	38.61	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1526.7018	13.41	35.74	49.15	74.00	24.85	PASS	Horizontal	PK
2	2992.3995	17.89	36.14	54.03	74.00	19.97	PASS	Horizontal	PK
3	4960.1307	-8.05	58.72	50.67	74.00	23.33	PASS	Horizontal	PK
4	9287.4192	0.75	51.21	51.96	74.00	22.04	PASS	Horizontal	PK
5	13726.7151	7.21	49.66	56.87	74.00	17.13	PASS	Horizontal	PK
6	16254.8837	10.49	50.02	60.51	74.00	13.49	PASS	Horizontal	PK
7	2959.9973	17.75	18.77	36.52	54.00	17.48	PASS	Horizontal	AV
8	13670.7114	7.37	38.12	45.49	54.00	8.51	PASS	Horizontal	AV
9	16428.8953	10.55	37.82	48.37	54.00	5.63	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1532.0355	13.46	35.39	48.85	74.00	25.15	PASS	Vertical	PK
2	2995.8664	17.86	35.82	53.68	74.00	20.32	PASS	Vertical	PK
3	4960.1307	-8.05	57.57	49.52	74.00	24.48	PASS	Vertical	PK
4	8139.3426	-1.17	51.93	50.76	74.00	23.24	PASS	Vertical	PK
5	13803.7202	7.70	49.86	57.56	74.00	16.44	PASS	Vertical	PK
6	16425.8951	10.49	49.76	60.25	74.00	13.75	PASS	Vertical	PK
7	13727.7152	7.21	38.59	45.80	54.00	8.20	PASS	Vertical	AV
8	16498.8999	11.92	36.51	48.43	54.00	5.57	PASS	Vertical	AV