


Indoor Spotlights User Guide



⚠ Attention:

1. Disconnect the power before installation and maintenance to avoid electric shock.
2. This product is not waterproof please stay away from rainwater.
3. This fixture is for rated alternating current (AC) only. Do not use with incorrect voltage.
4. The remote control requires 2 AAA batteries (not included).
5. The remote works within a 10-16 feet range, please point it straight at the product for better performance.

Specifications:

- Model No: HJCL180
- CCT: 3000K / 4000K / 6000K R / G / B
- Lighting Angle: 38°
- Material: Aluminium+ABS+PC
- Input Voltage: AC100-240V 50Hz/60Hz
- Remote Range: 15m

Remote Control



About the App



Scan the QR code above or search in the app store to download the application.

Operating Instructions:

Q: Why can't the application connect to the device or operate?

- A: (1) Check if Bluetooth is turned on to avoid connection failure.
 (2) Please make sure the light is not connected to other devices.
 (3) The lamp can not be connected for a long time. Please turn off the switch connected to the light. Then turn it on and restart the device bluetooth and application, then clear the device cache.

Q: Why does it show that my device is connected to the light, but I can't control it?

- A: (1) Please make sure the device is the one you want to control.
 (2) Please make sure the light on the app is powered on.

The light can only be controlled and connected by one device.

It is not possible to control and connect one light at the same time.

Multiple devices. If you need to replace a device control light, disconnect or turn off the previous device from the light. application on the previous device. Please match within 15 feet. Optimum control distance between phone and lamp is within 30 feet. When the light is between 50, the device will disconnect. If there is no automatic connection to the light, connect manually. Product Supported Device Systems:

Android 4.3 or later, IOS 8.0 or later.

Product safety certification


Our products have been awarded the following certificates:



E0100331-V1

Made in China

EN Benutzerhandbuch für Innenschutzstrahler



Nicht abnehmbarer Sockel

⚠ Achtung:

1. Trennen Sie vor der Installation und Wartung die Stromversorgung, um einen elektrischen Schlag zu vermeiden.
2. Dieses Produkt ist nicht wasserdicht – halten Sie es von Regenwasser fern.
3. Dieses Gerät ist nur für festgelegten Wechselstrom (AC) ausgelegt. Nicht mit falscher Spannung betreiben.
4. Die Fernbedienung erfordert 2 AAA-Batterien (nicht enthalten).
5. Die Fernbedienung hat einen Wirkungsbereich von 10–16 Metern; richten Sie sie bitte direkt auf das Produkt für optimale Leistung.

Specifications:

- Modell-Nr.: HJCL180
- Farbtemperatur (CCT): 3000K / 4000K / 6000K; Rot / Grün / Blau (RGB)
- Lichtwinkel: 38°
- Material: Aluminium + ABS + PC
- Eingangsspannung: AC100-240V 50Hz/60Hz
- Fernbedienungsreichweite: 15 m

Remote Control



Über die App



Scannen Sie den QR-Code oben oder suchen Sie im App Store, um die Anwendung herunterzuladen.

Bedienungsanleitung:

Q: Warum kann die Anwendung keine Verbindung zum Gerät herstellen oder bedient werden?

- A: (1) Überprüfen Sie, ob Bluetooth aktiviert ist, um Verbindungsfehler zu vermeiden.
- (2) Stellen Sie sicher, dass die Lampe nicht mit anderen Geräten verbunden ist.
- (3) Die Lampe kann lange Zeit nicht verbunden werden. Bitte schalten Sie den mit der Lampe verbundenen Schalter aus. Schalten Sie ihn dann wieder ein und starten Sie das Geräte-Bluetooth sowie die Anwendung neu, anschließend löschen Sie den Geräte-Cache.

Q: Warum wird angezeigt, dass mein Gerät mit der Lampe verbunden ist, aber ich kann es nicht steuern?

- A: (1) Stellen Sie sicher, dass es sich bei dem Gerät um das handelt, das Sie steuern möchten.
- (2) Stellen Sie sicher, dass die Lampe in der App eingeschaltet ist.

Die Lampe kann nur von einem Gerät gesteuert und verbunden werden. Es ist nicht möglich, eine Lampe gleichzeitig mit mehreren Geräten zu verbinden und zu steuern. Wenn Sie die Steuerung der Lampe auf ein anderes Gerät übertragen möchten, trennen Sie die Verbindung oder schalten Sie die Anwendung auf dem vorherigen Gerät von der Lampe aus. Bitte führen Sie die Kopplung innerhalb von 15 Fuß durch. Die optimale Steuerungsdistanz zwischen Telefon und Lampe liegt innerhalb von 30 Fuß. Wenn die Lampe mehr als 50 Fuß entfernt ist, trennt das Gerät die Verbindung. Wenn keine automatische Verbindung zur Lampe hergestellt wird, stellen Sie die Verbindung manuell her.

Unterstützte Betriebssysteme:

Android 4.3 oder neuer, iOS 8.0 oder neuer.

Product safety certification

Our products have been awarded the following certificates:



E0100331-V1

Made in China

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.