




EUT Mode


802.11be EHT80 Puncture20/1

Plot on 6385 MHz




Date: 26.AUG.2026 22:25:18

Plot on 6785 MHz




Date: 26.AUG.2026 22:38:18

Plot on 6865 MHz



Date: 26.AUG.2026 22:39:12


Plot on 7025 MHz



Date: 26.AUG.2026 22:41:16



Plot on 6545 MHz




Date: 26.AUG.2026 22:34:23



EUT Mode


802.11be EHT80 Puncture20/4

Plot on 5985 MHz




Date: 26.AUG.2026 22:22:47

Plot on 6225 MHz




Date: 26.AUG.2026 22:23:57

Plot on 6465 MHz



Date: 26.AUG.2026 22:27:02


Plot on 6625 MHz



Date: 26.AUG.2026 22:35:49




Plot on 6705 MHz



Date: 26.AUG.2026 22:37:20

Plot on 6945 MHz




Date: 26.AUG.2026 22:40:16



EUT Mode


802.11be EHT160 FullIRU

Plot on 6025 MHz




Date: 25.AUG.2026 01:51:05

Plot on 6185 MHz




Date: 25.AUG.2026 01:52:58

Plot on 6345 MHz



Date: 25.AUG.2026 01:55:07


Plot on 6665 MHz



Date: 25.AUG.2026 01:59:51




Plot on 6825 MHz




Date: 25.AUG.2026 02:02:28

Plot on 6985 MHz



Date: 25.AUG.2026 02:04:44

Plot on 6505 MHz




Date: 25.AUG.2026 01:57:29



EUT Mode


802.11be EHT160 Puncture20/1

Plot on 6345 MHz




Date: 26.AUG.2026 22:50:03

Plot on 6825 MHz




Date: 26.AUG.2026 23:10:07

Plot on 6985 MHz



Date: 26.AUG.2026 23:12:17

Plot on 6505 MHz




Date: 26.AUG.2026 23:03:32



EUT Mode


802.11be EHT160 Puncture20/8

Plot on 6025 MHz




Date: 26.AUG.2026 22:43:14

Plot on 6185 MHz



Date: 26.AUG.2026 22:46:29

Plot on 6665 MHz




Date: 26.AUG.2026 23:07:40



EUT Mode


802.11be EHT160 Puncture40/1

Plot on 6345 MHz




Date: 26.AUG.2026 22:55:20

Plot on 6825 MHz




Date: 26.AUG.2026 23:11:07

Plot on 6985 MHz



Date: 26.AUG.2026 23:13:09

Plot on 6505 MHz




Date: 26.AUG.2026 23:05:17



EUT Mode


802.11be EHT160 Puncture40/4

Plot on 6025 MHz




Date: 26.AUG.2026 22:44:26

Plot on 6185 MHz



Date: 26.AUG.2026 22:48:14

Plot on 6665 MHz




Date: 26.AUG.2026 23:08:44



EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




Date: 25.AUG.2026 02:07:55

Plot on 6265 MHz




Date: 25.AUG.2026 02:12:03

Plot on 6425 MHz



Date: 25.AUG.2026 02:15:43


Plot on 6585 MHz



Date: 25.AUG.2026 02:17:54




Plot on 6745 MHz



Date: 25.AUG.2026 02:19:58

Plot on 6905 MHz




Date: 25.AUG.2026 02:22:27



EUT Mode


802.11be EHT320 Puncture40/1

Plot on 6265 MHz




Date: 26.AUG.2026 23:20:23

Plot on 6425 MHz




Date: 26.AUG.2026 23:23:30

Plot on 6585 MHz



Date: 26.AUG.2026 23:29:19


Plot on 6745 MHz



Date: 26.AUG.2026 23:32:48



Plot on 6905 MHz




Date: 26.AUG.2026 23:36:21



EUT Mode

802.11be EHT320 Puncture40/8

Plot on 6105 MHz




Date: 26.AUG.2026 23:15:20



EUT Mode


802.11be EHT320 Puncture80/1

Plot on 6265 MHz




Date: 26.AUG.2026 23:21:17

Plot on 6425 MHz




Date: 26.AUG.2026 23:24:30

Plot on 6585 MHz



Date: 26.AUG.2026 23:30:11


Plot on 6745 MHz



Date: 26.AUG.2026 23:33:48



Plot on 6905 MHz




Date: 26.AUG.2026 23:37:14



EUT Mode

802.11be EHT320 Puncture80/4

Plot on 6105 MHz




Date: 26.AUG.2026 23:16:31



EUT Mode

802.11be EHT320 Puncture80+40/6

Plot on 6105 MHz




Date: 26.AUG.2026 23:19:04



EUT Mode


802.11be EHT320 Puncture80+40/7

Plot on 6265 MHz




Date: 26.AUG.2026 23:22:14

Plot on 6425 MHz




Date: 26.AUG.2026 23:27:07

Plot on 6585 MHz



Date: 26.AUG.2026 23:31:13


Plot on 6745 MHz



Date: 26.AUG.2026 23:34:50



Plot on 6905 MHz



Date: 26.AUG.2026 23:38:14




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	22.9~24.8℃
		Relative Humidity :	43.1~48.4%

EUT Information

Report NO : 651604
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.217500	---	21.81	52.91	31.10	L1	ON	20.0
0.217500	36.22	---	62.91	26.69	L1	ON	20.0
0.402000	---	22.06	47.81	25.75	L1	ON	20.0
0.402000	36.65	---	57.81	21.16	L1	ON	20.0
0.435750	---	22.83	47.14	24.31	L1	ON	20.0
0.435750	37.67	---	57.14	19.47	L1	ON	20.0
0.460500	---	28.72	46.68	17.96	L1	ON	20.0
0.460500	40.79	---	56.68	15.89	L1	ON	20.0
0.496500	---	26.36	46.06	19.70	L1	ON	20.0
0.496500	41.49	---	56.06	14.57	L1	ON	20.0
0.539250	---	31.82	46.00	14.18	L1	ON	20.0
0.539250	45.29	---	56.00	10.71	L1	ON	20.0
0.595500	---	29.91	46.00	16.09	L1	ON	20.0
0.595500	42.30	---	56.00	13.70	L1	ON	20.0
0.631500	---	28.13	46.00	17.87	L1	ON	20.0
0.631500	40.27	---	56.00	15.73	L1	ON	20.0
0.694500	---	24.42	46.00	21.58	L1	ON	20.0
0.694500	35.72	---	56.00	20.28	L1	ON	20.0
0.741750	---	23.39	46.00	22.61	L1	ON	20.0

0.741750	36.85	---	56.00	19.15	L1	ON	20.0
0.791250	---	23.61	46.00	22.39	L1	ON	20.0
0.791250	37.19	---	56.00	18.81	L1	ON	20.0
0.865500	---	27.32	46.00	18.68	L1	ON	20.0
0.865500	38.58	---	56.00	17.42	L1	ON	20.0
0.971250	---	29.13	46.00	16.87	L1	ON	20.0
0.971250	39.03	---	56.00	16.97	L1	ON	20.0
1.079250	---	25.81	46.00	20.19	L1	ON	20.0
1.079250	37.46	---	56.00	18.54	L1	ON	20.0
1.187250	---	27.11	46.00	18.89	L1	ON	20.0
1.187250	38.13	---	56.00	17.87	L1	ON	20.0
1.279500	---	29.15	46.00	16.85	L1	ON	20.0
1.279500	38.37	---	56.00	17.63	L1	ON	20.0
1.414500	---	28.17	46.00	17.83	L1	ON	20.1
1.414500	37.82	---	56.00	18.18	L1	ON	20.1
1.547250	---	27.51	46.00	18.49	L1	ON	20.1
1.547250	37.42	---	56.00	18.58	L1	ON	20.1
1.729500	---	29.88	46.00	16.12	L1	ON	20.1
1.729500	38.07	---	56.00	17.93	L1	ON	20.1
1.862250	---	27.84	46.00	18.16	L1	ON	20.1
1.862250	37.54	---	56.00	18.46	L1	ON	20.1
2.022000	---	30.48	46.00	15.52	L1	ON	20.1
2.022000	38.51	---	56.00	17.49	L1	ON	20.1
2.150250	---	29.48	46.00	16.52	L1	ON	20.1
2.150250	38.16	---	56.00	17.84	L1	ON	20.1
2.359500	---	30.67	46.00	15.33	L1	ON	20.1
2.359500	38.84	---	56.00	17.16	L1	ON	20.1
2.510250	---	29.86	46.00	16.14	L1	ON	20.1
2.510250	38.30	---	56.00	17.70	L1	ON	20.1
2.629500	---	29.75	46.00	16.25	L1	ON	20.1
2.629500	38.17	---	56.00	17.83	L1	ON	20.1
2.825250	---	30.69	46.00	15.31	L1	ON	20.1
2.825250	38.81	---	56.00	17.19	L1	ON	20.1
2.964750	---	29.85	46.00	16.15	L1	ON	20.1
2.964750	38.12	---	56.00	17.88	L1	ON	20.1
3.234750	---	30.26	46.00	15.74	L1	ON	20.1
3.234750	38.03	---	56.00	17.97	L1	ON	20.1
3.572250	---	30.27	46.00	15.73	L1	ON	20.1
3.572250	37.82	---	56.00	18.18	L1	ON	20.1
3.842250	---	29.93	46.00	16.07	L1	ON	20.1
3.842250	37.41	---	56.00	18.59	L1	ON	20.1
4.152750	---	28.24	46.00	17.76	L1	ON	20.2
4.152750	36.19	---	56.00	19.81	L1	ON	20.2
4.443000	---	25.86	46.00	20.14	L1	ON	20.2
4.443000	34.17	---	56.00	21.83	L1	ON	20.2
5.000000	---	29.00	46.00	17.00	L1	ON	20.2
5.000000	36.23	---	60.00	23.77	L1	ON	20.2
5.318250	---	31.56	50.00	18.44	L1	ON	20.2
5.318250	38.74	---	60.00	21.26	L1	ON	20.2

EUT Information

Report NO : 651604
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.348000	---	18.24	49.01	30.77	N	ON	20.0
0.348000	32.65	---	59.01	26.36	N	ON	20.0
0.386250	---	17.72	48.14	30.42	N	ON	20.0
0.386250	33.45	---	58.14	24.69	N	ON	20.0
0.415500	---	23.77	47.54	23.77	N	ON	20.0
0.415500	37.85	---	57.54	19.69	N	ON	20.0
0.451500	---	27.46	46.85	19.39	N	ON	20.0
0.451500	41.34	---	56.85	15.51	N	ON	20.0
0.487500	---	25.80	46.21	20.41	N	ON	20.0
0.487500	42.76	---	56.21	13.45	N	ON	20.0
0.532500	---	32.28	46.00	13.72	N	ON	20.0
0.532500	46.28	---	56.00	9.72	N	ON	20.0
0.588750	---	29.02	46.00	16.98	N	ON	20.0
0.588750	43.25	---	56.00	12.75	N	ON	20.0
0.658500	---	24.88	46.00	21.12	N	ON	20.0
0.658500	39.31	---	56.00	16.69	N	ON	20.0
0.721500	---	22.05	46.00	23.95	N	ON	20.0
0.721500	36.22	---	56.00	19.78	N	ON	20.0
0.773250	---	24.02	46.00	21.98	N	ON	20.0

0.773250	37.62	---	56.00	18.38	N	ON	20.0
0.845250	---	27.29	46.00	18.71	N	ON	20.0
0.845250	40.09	---	56.00	15.91	N	ON	20.0
0.926250	---	27.73	46.00	18.27	N	ON	20.0
0.926250	39.85	---	56.00	16.15	N	ON	20.0
0.987000	---	27.60	46.00	18.40	N	ON	20.0
0.987000	39.53	---	56.00	16.47	N	ON	20.0
1.070250	---	25.16	46.00	20.84	N	ON	20.1
1.070250	37.84	---	56.00	18.16	N	ON	20.1
1.144500	---	24.70	46.00	21.30	N	ON	20.1
1.144500	38.15	---	56.00	17.85	N	ON	20.1
1.234500	---	27.87	46.00	18.13	N	ON	20.1
1.234500	39.61	---	56.00	16.39	N	ON	20.1
1.331250	---	28.96	46.00	17.04	N	ON	20.1
1.331250	39.50	---	56.00	16.50	N	ON	20.1
1.450500	---	26.02	46.00	19.98	N	ON	20.1
1.450500	38.29	---	56.00	17.71	N	ON	20.1
1.558500	---	27.55	46.00	18.45	N	ON	20.1
1.558500	38.56	---	56.00	17.44	N	ON	20.1
1.648500	---	29.16	46.00	16.84	N	ON	20.1
1.648500	39.38	---	56.00	16.62	N	ON	20.1
1.740750	---	28.71	46.00	17.29	N	ON	20.1
1.740750	39.10	---	56.00	16.90	N	ON	20.1
1.884750	---	26.85	46.00	19.15	N	ON	20.1
1.884750	38.18	---	56.00	17.82	N	ON	20.1
1.995000	---	29.25	46.00	16.75	N	ON	20.1
1.995000	39.54	---	56.00	16.46	N	ON	20.1
2.091750	---	29.09	46.00	16.91	N	ON	20.1
2.091750	39.22	---	56.00	16.78	N	ON	20.1
2.262750	---	28.15	46.00	17.85	N	ON	20.1
2.262750	38.77	---	56.00	17.23	N	ON	20.1
2.429250	---	29.50	46.00	16.50	N	ON	20.1
2.429250	39.89	---	56.00	16.11	N	ON	20.1
2.593500	---	28.33	46.00	17.67	N	ON	20.1
2.593500	38.94	---	56.00	17.06	N	ON	20.1
2.861250	---	28.95	46.00	17.05	N	ON	20.1
2.861250	39.21	---	56.00	16.79	N	ON	20.1
3.194250	---	29.21	46.00	16.79	N	ON	20.1
3.194250	38.89	---	56.00	17.11	N	ON	20.1
3.459750	---	29.26	46.00	16.74	N	ON	20.1
3.459750	39.14	---	56.00	16.86	N	ON	20.1
3.792750	---	28.68	46.00	17.32	N	ON	20.1
3.792750	38.75	---	56.00	17.25	N	ON	20.1
4.058250	---	27.35	46.00	18.65	N	ON	20.2
4.058250	37.33	---	56.00	18.67	N	ON	20.2
4.391250	---	25.15	46.00	20.85	N	ON	20.2
4.391250	34.86	---	56.00	21.14	N	ON	20.2
5.000000	---	27.93	46.00	18.07	N	ON	20.2
5.000000	37.20	---	60.00	22.80	N	ON	20.2
5.309250	---	30.13	50.00	19.87	N	ON	20.2
5.309250	39.44	---	60.00	20.56	N	ON	20.2
5.867250	---	28.83	50.00	21.17	N	ON	20.2
5.867250	38.05	---	60.00	21.95	N	ON	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Rain Lee	Temperature :	18~23°C
		Relative Humidity :	50~65%

Note symbol

-L	Low channel location
-R	High channel location

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-6	6.425-6.525	1	802.11a	97	6435	6Mbps	-	-
Mode 2	U-NII-6	6.425-6.525	1	802.11a	105	6475	6Mbps	-	-
Mode 3	U-NII-6	6.425-6.525	1	802.11a	113	6515	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	1	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 5	U-NII-6	6.425-6.525	1	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 6	U-NII-6	6.425-6.525	1	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 7	U-NII-6	6.425-6.525	1	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 8	U-NII-6	6.425-6.525	1	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 9	U-NII-6	6.425-6.525	1	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 10	U-NII-6	6.425-6.525	1	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 11	U-NII-6	6.425-6.525	1	802.11be EHT80	119	6545	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-6	6.425-6.525	1	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 13	U-NII-7	6.525-6.875	1	802.11a	185	6875	6Mbps	-	-
Mode 14	U-NII-7	6.525-6.875	1	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 15	U-NII-7	6.525-6.875	1	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 16	U-NII-7	6.525-6.875	1	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 17	U-NII-7	6.525-6.875	1	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	1	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	1	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 20	U-NII-8	6.875-7.125	1	802.11a	189	6895	6Mbps	-	-
Mode 21	U-NII-8	6.875-7.125	1	802.11a	209	6995	6Mbps	-	-
Mode 22	U-NII-8	6.875-7.125	1	802.11a	229	7095	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-8	6.875-7.125	1	802.11a	233	7115	6Mbps	-	-
Mode 24	U-NII-8	6.875-7.125	1	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 25	U-NII-8	6.875-7.125	1	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 26	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 27	U-NII-8	6.875-7.125	1	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 28	U-NII-8	6.875-7.125	1	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 29	U-NII-8	6.875-7.125	1	802.11be EHT40	211	7005	MCS0	Full RU	-
Mode 30	U-NII-8	6.875-7.125	1	802.11be EHT40	219	7045	MCS0	Full RU	-
Mode 31	U-NII-8	6.875-7.125	1	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 32	U-NII-8	6.875-7.125	1	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 33	U-NII-8	6.875-7.125	1	802.11be EHT80	215	7025	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-8	6.875-7.125	1	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 37	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	Partial_26/8/RU	-
Mode 38	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	Partial_52/40RU	-
Mode 39	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	Partial_106/54RU	-
Mode 40	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	MRU 106+26	-
Mode 41	U-NII-8	6.875-7.125	1	802.11be EHT20	229	7095	MCS0	MRU 52+26	-
Mode 42	U-NII-7	6.525-6.875	1	802.11be EHT320	191	6905	MCS0	Full RU	LF



C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	12870.00	39.47	68.20	-28.73	H	Avg.	Pass	-	Harmonic
2	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	12950.00	38.78	68.20	-29.42	V	Avg.	Pass	-	Harmonic
3	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	13030.00	38.87	68.20	-29.33	V	Avg.	Pass	-	Harmonic
4	802.11be EHT20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	97	12870.00	39.47	68.20	-28.73	H	Avg.	Pass	Full RU	Harmonic
5	802.11be EHT20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	105	12950.00	38.94	68.20	-29.26	V	Avg.	Pass	Full RU	Harmonic
6	802.11be EHT20	113	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11be EHT20	113	13030.00	38.74	68.20	-29.46	V	Avg.	Pass	Full RU	Harmonic
7	802.11be EHT40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	99	12890.00	39.53	68.20	-28.67	H	Avg.	Pass	Full RU	Harmonic
8	802.11be EHT40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	107	12970.00	38.77	68.20	-29.43	H	Avg.	Pass	Full RU	Harmonic
9	802.11be EHT80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	103	12930.00	39.20	68.20	-29.00	H	Avg.	Pass	Full RU	Harmonic
10	802.11be EHT40	115	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	115	13050.00	38.62	68.20	-29.58	V	Avg.	Pass	Full RU	Harmonic
11	802.11be EHT80	119	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	119	13090.00	40.51	68.20	-27.69	V	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	111	13010.00	38.90	68.20	-29.30	H	Avg.	Pass	Full RU	Harmonic
13	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	40.72	68.20	-27.48	V	Avg.	Pass	-	Harmonic
14	802.11be EHT20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	185	13750.00	40.55	68.20	-27.65	V	Avg.	Pass	Full RU	Harmonic
15	802.11be EHT40	187	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	187	13770.00	40.39	68.20	-27.81	H	Avg.	Pass	Full RU	Harmonic
16	802.11be EHT80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	183	13730.00	40.73	68.20	-27.47	H	Avg.	Pass	Full RU	Harmonic
17	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT160	175	13650.00	40.40	68.20	-27.80	H	Avg.	Pass	Full RU	Harmonic
18	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	95	12850.00	38.79	68.20	-29.41	V	Avg.	Pass	Full RU	Harmonic
19	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	127	13170.00	39.01	68.20	-29.19	V	Avg.	Pass	Full RU	Harmonic
20	802.11a	189	7244.65	40.18	68.20	-28.02	H	Avg.	Pass	-	Band Edge
	802.11a	189	13790.00	40.50	68.20	-27.70	H	Avg.	Pass	-	Harmonic
21	802.11a	209	7234.00	40.15	68.20	-28.05	V	Avg.	Pass	-	Band Edge
	802.11a	209	13990.00	40.91	68.20	-27.29	V	Avg.	Pass	-	Harmonic
22	802.11a	229	7125.60	40.28	68.20	-27.92	H	Avg.	Pass	-	Band Edge
	802.11a	229	14190.00	41.12	68.20	-27.08	V	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11a	233	7125.01	61.41	68.20	-6.79	H	Avg.	Pass	-	Band Edge
	802.11a	233	-	-	-	-	-	-	-	-	Harmonic
24	802.11be EHT20	189	7240.10	40.19	68.20	-28.01	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	189	13790.00	40.93	68.20	-27.27	H	Avg.	Pass	Full RU	Harmonic
25	802.11be EHT20	209	7185.75	40.22	68.20	-27.98	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	209	13990.00	40.60	68.20	-27.60	H	Avg.	Pass	Full RU	Harmonic
26	802.11be EHT20	229	7125.15	40.46	68.20	-27.74	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	229	14190.00	41.25	68.20	-26.95	V	Avg.	Pass	Full RU	Harmonic
27	802.11be EHT20	233	7126.00	57.71	68.20	-10.49	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	Full RU	Harmonic
28	802.11be EHT40	195	7244.36	40.24	68.20	-27.96	H	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11be EHT40	195	13850.00	41.76	68.20	-26.44	V	Avg.	Pass	Full RU	Harmonic
29	802.11be EHT40	211	7143.72	40.24	68.20	-27.96	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	211	14010.00	41.38	68.20	-26.82	V	Avg.	Pass	Full RU	Harmonic
30	802.11be EHT40	219	7127.80	40.75	68.20	-27.45	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	219	14090.00	42.43	68.20	-25.77	H	Avg.	Pass	Full RU	Harmonic
31	802.11be EHT40	227	7125.16	40.61	68.20	-27.59	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	-	-	-	-	-	-	-	Full RU	Harmonic
32	802.11be EHT80	199	7177.20	40.41	68.20	-27.79	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	199	13890.00	40.23	68.20	-27.97	H	Avg.	Pass	Full RU	Harmonic
33	802.11be EHT80	215	7125.10	44.63	68.20	-23.57	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	14050.00	41.72	68.20	-26.48	V	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11be EHT160	207	7250.93	40.86	54.00	-13.14	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	13970.00	40.83	68.20	-27.37	H	Avg.	Pass	Full RU	Harmonic
35	802.11be EHT320	159	7250.77	41.05	54.00	-12.95	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	159	13490.00	40.74	68.20	-27.46	V	Avg.	Pass	Full RU	Harmonic
36	802.11be EHT320	191	7253.21	47.35	54.00	-6.65	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	191	13810.00	40.80	68.20	-27.40	V	Avg.	Pass	Full RU	Harmonic
37	802.11be EHT20	229	7238.70	40.30	68.20	-27.90	H	Avg.	Pass	Partial_26/8/RU	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Partial_26/8/RU	Harmonic
38	802.11be EHT20	229	7244.55	40.37	68.20	-27.83	V	Avg.	Pass	Partial_52/40RU	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Partial_52/40RU	Harmonic
39	802.11be EHT20	229	7238.85	40.37	68.20	-27.83	H	Avg.	Pass	Partial_106/54RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11be EHT20	229	-	-	-	-	-	-	-	Partial_106/54RU	Harmonic
40	802.11be EHT20	229	7207.50	41.15	68.20	-27.05	V	Avg.	Pass	MRU 106+26	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	MRU 106+26	Harmonic
41	802.11be EHT20	229	7144.35	40.57	68.20	-27.63	H	Avg.	Pass	MRU 52+26	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	MRU 52+26	Harmonic
42	LF	191	550.89	38.80	46.00	-7.20	H	Peak	Pass	-	LF



Mode	1																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.57</td><td>88.20</td><td>-38.63</td><td>34.32</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>100</td><td>244</td><td>Peak</td></tr><tr><td>2</td><td>12870.00</td><td>39.47</td><td>68.20</td><td>-28.73</td><td>24.22</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>100</td><td>244</td><td>Average</td></tr><tr><td>3</td><td>19305.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>38.35</td><td>38.61</td><td>22.65</td><td>51.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	49.57	88.20	-38.63	34.32	39.94	18.48	43.58	0.41	100	244	Peak	2	12870.00	39.47	68.20	-28.73	24.22	39.94	18.48	43.58	0.41	100	244	Average	3	19305.00	38.93	74.00	-35.07	38.35	38.61	22.65	51.14	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>33.05</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>188</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>12870.00</td><td>38.36</td><td>68.20</td><td>-29.84</td><td>23.11</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>188</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>19305.00</td><td>38.47</td><td>74.00</td><td>-35.53</td><td>37.89</td><td>38.61</td><td>22.65</td><td>51.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.30	88.20	-39.90	33.05	39.94	18.48	43.58	0.41	188	360	Peak	2	12870.00	38.36	68.20	-29.84	23.11	39.94	18.48	43.58	0.41	188	360	Average	3	19305.00	38.47	74.00	-35.53	37.89	38.61	22.65	51.14	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12870.00	49.57	88.20	-38.63	34.32	39.94	18.48	43.58	0.41	100	244	Peak																																																																																																																																		
2	12870.00	39.47	68.20	-28.73	24.22	39.94	18.48	43.58	0.41	100	244	Average																																																																																																																																		
3	19305.00	38.93	74.00	-35.07	38.35	38.61	22.65	51.14	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12870.00	48.30	88.20	-39.90	33.05	39.94	18.48	43.58	0.41	188	360	Peak																																																																																																																																		
2	12870.00	38.36	68.20	-29.84	23.11	39.94	18.48	43.58	0.41	188	360	Average																																																																																																																																		
3	19305.00	38.47	74.00	-35.53	37.89	38.61	22.65	51.14	-9.54	--	--	Peak																																																																																																																																		



Mode	1	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		2																																																																																																																																																					
Mode		Harmonic																																																																																																																																																					
		U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																																																					
ANT		1																																																																																																																																																					
Pol.		Horizontal					Vertical																																																																																																																																																
Peak Avg		Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.28</td><td>88.20</td><td>-39.92</td><td>32.97</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200</td><td>112</td><td>Peak</td></tr><tr><td>2</td><td>12950.00</td><td>38.18</td><td>68.20</td><td>-30.02</td><td>22.87</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200</td><td>112</td><td>Average</td></tr><tr><td>3</td><td>19425.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>38.15</td><td>38.65</td><td>22.75</td><td>51.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.89</td><td>88.20</td><td>-39.31</td><td>33.58</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200</td><td>209</td><td>Peak</td></tr><tr><td>2</td><td>12950.00</td><td>38.78</td><td>68.20</td><td>-29.42</td><td>23.47</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200</td><td>209</td><td>Average</td></tr><tr><td>3</td><td>19425.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>38.20</td><td>38.65</td><td>22.75</td><td>51.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.28	88.20	-39.92	32.97	40.00	18.55	43.65	0.41	200	112	Peak	2	12950.00	38.18	68.20	-30.02	22.87	40.00	18.55	43.65	0.41	200	112	Average	3	19425.00	38.90	74.00	-35.10	38.15	38.65	22.75	51.11	-9.54	--	--	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.89	88.20	-39.31	33.58	40.00	18.55	43.65	0.41	200	209	Peak	2	12950.00	38.78	68.20	-29.42	23.47	40.00	18.55	43.65	0.41	200	209	Average	3	19425.00	38.95	74.00	-35.05	38.20	38.65	22.75	51.11	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12950.00	48.28	88.20	-39.92	32.97	40.00	18.55	43.65	0.41	200	112	Peak																																																																																																																																											
2	12950.00	38.18	68.20	-30.02	22.87	40.00	18.55	43.65	0.41	200	112	Average																																																																																																																																											
3	19425.00	38.90	74.00	-35.10	38.15	38.65	22.75	51.11	-9.54	--	--	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12950.00	48.89	88.20	-39.31	33.58	40.00	18.55	43.65	0.41	200	209	Peak																																																																																																																																											
2	12950.00	38.78	68.20	-29.42	23.47	40.00	18.55	43.65	0.41	200	209	Average																																																																																																																																											
3	19425.00	38.95	74.00	-35.05	38.20	38.65	22.75	51.11	-9.54	--	--	Peak																																																																																																																																											







Mode	2	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>48.46</td><td>88.20</td><td>-39.74</td><td>33.22</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>100 78 Peak</td></tr><tr><td>2 13030.00</td><td>38.35</td><td>68.20</td><td>-29.85</td><td>23.11</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>100 78 Average</td></tr><tr><td>3 19545.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>39.00</td><td>38.60</td><td>22.84</td><td>51.08</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	48.46	88.20	-39.74	33.22	39.94	18.61	43.71	0.40	100 78 Peak	2 13030.00	38.35	68.20	-29.85	23.11	39.94	18.61	43.71	0.40	100 78 Average	3 19545.00	39.82	74.00	-34.18	39.00	38.60	22.84	51.08	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>48.87</td><td>88.20</td><td>-39.33</td><td>33.63</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>159 360 Peak</td></tr><tr><td>2 13030.00</td><td>38.87</td><td>68.20</td><td>-29.33</td><td>23.63</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>159 360 Average</td></tr><tr><td>3 19545.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>37.98</td><td>38.60</td><td>22.84</td><td>51.08</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	48.87	88.20	-39.33	33.63	39.94	18.61	43.71	0.40	159 360 Peak	2 13030.00	38.87	68.20	-29.33	23.63	39.94	18.61	43.71	0.40	159 360 Average	3 19545.00	38.80	74.00	-35.20	37.98	38.60	22.84	51.08	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13030.00	48.46	88.20	-39.74	33.22	39.94	18.61	43.71	0.40	100 78 Peak																																																																																																																	
2 13030.00	38.35	68.20	-29.85	23.11	39.94	18.61	43.71	0.40	100 78 Average																																																																																																																	
3 19545.00	39.82	74.00	-34.18	39.00	38.60	22.84	51.08	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13030.00	48.87	88.20	-39.33	33.63	39.94	18.61	43.71	0.40	159 360 Peak																																																																																																																	
2 13030.00	38.87	68.20	-29.33	23.63	39.94	18.61	43.71	0.40	159 360 Average																																																																																																																	
3 19545.00	38.80	74.00	-35.20	37.98	38.60	22.84	51.08	-9.54	-- -- Peak																																																																																																																	







Mode	3	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	4																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>49.40</td><td>88.20</td><td>-38.80</td><td>34.15</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>100</td><td>348</td><td>Peak</td></tr><tr><td>2 12870.00</td><td>39.47</td><td>68.20</td><td>-28.73</td><td>24.22</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>100</td><td>348</td><td>Average</td></tr><tr><td>3 19305.00</td><td>38.50</td><td>74.00</td><td>-35.50</td><td>37.92</td><td>38.61</td><td>22.65</td><td>51.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	49.40	88.20	-38.80	34.15	39.94	18.48	43.58	0.41	100	348	Peak	2 12870.00	39.47	68.20	-28.73	24.22	39.94	18.48	43.58	0.41	100	348	Average	3 19305.00	38.50	74.00	-35.50	37.92	38.61	22.65	51.14	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>33.26</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>200</td><td>191</td><td>Peak</td></tr><tr><td>2 12870.00</td><td>38.50</td><td>68.20</td><td>-29.70</td><td>23.25</td><td>39.94</td><td>18.48</td><td>43.58</td><td>0.41</td><td>200</td><td>191</td><td>Average</td></tr><tr><td>3 19305.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>38.73</td><td>38.61</td><td>22.65</td><td>51.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	48.51	88.20	-39.69	33.26	39.94	18.48	43.58	0.41	200	191	Peak	2 12870.00	38.50	68.20	-29.70	23.25	39.94	18.48	43.58	0.41	200	191	Average	3 19305.00	39.31	74.00	-34.69	38.73	38.61	22.65	51.14	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12870.00	49.40	88.20	-38.80	34.15	39.94	18.48	43.58	0.41	100	348	Peak																																																																																																																													
2 12870.00	39.47	68.20	-28.73	24.22	39.94	18.48	43.58	0.41	100	348	Average																																																																																																																													
3 19305.00	38.50	74.00	-35.50	37.92	38.61	22.65	51.14	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12870.00	48.51	88.20	-39.69	33.26	39.94	18.48	43.58	0.41	200	191	Peak																																																																																																																													
2 12870.00	38.50	68.20	-29.70	23.25	39.94	18.48	43.58	0.41	200	191	Average																																																																																																																													
3 19305.00	39.31	74.00	-34.69	38.73	38.61	22.65	51.14	-9.54	--	--	Peak																																																																																																																													







Mode	4	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12950.00</td><td>48.72</td><td>88.20</td><td>-39.48</td><td>33.41</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200 317 Peak</td></tr><tr><td>2 12950.00</td><td>38.75</td><td>68.20</td><td>-29.45</td><td>23.44</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>200 317 Average</td></tr><tr><td>3 19425.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>38.03</td><td>38.65</td><td>22.75</td><td>51.11</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12950.00	48.72	88.20	-39.48	33.41	40.00	18.55	43.65	0.41	200 317 Peak	2 12950.00	38.75	68.20	-29.45	23.44	40.00	18.55	43.65	0.41	200 317 Average	3 19425.00	38.78	74.00	-35.22	38.03	38.65	22.75	51.11	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12950.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>33.94</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>300 244 Peak</td></tr><tr><td>2 12950.00</td><td>38.94</td><td>68.20</td><td>-29.26</td><td>23.63</td><td>40.00</td><td>18.55</td><td>43.65</td><td>0.41</td><td>300 244 Average</td></tr><tr><td>3 19425.00</td><td>39.37</td><td>74.00</td><td>-34.63</td><td>38.62</td><td>38.65</td><td>22.75</td><td>51.11</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12950.00	49.25	88.20	-38.95	33.94	40.00	18.55	43.65	0.41	300 244 Peak	2 12950.00	38.94	68.20	-29.26	23.63	40.00	18.55	43.65	0.41	300 244 Average	3 19425.00	39.37	74.00	-34.63	38.62	38.65	22.75	51.11	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12950.00	48.72	88.20	-39.48	33.41	40.00	18.55	43.65	0.41	200 317 Peak																																																																																																																	
2 12950.00	38.75	68.20	-29.45	23.44	40.00	18.55	43.65	0.41	200 317 Average																																																																																																																	
3 19425.00	38.78	74.00	-35.22	38.03	38.65	22.75	51.11	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12950.00	49.25	88.20	-38.95	33.94	40.00	18.55	43.65	0.41	300 244 Peak																																																																																																																	
2 12950.00	38.94	68.20	-29.26	23.63	40.00	18.55	43.65	0.41	300 244 Average																																																																																																																	
3 19425.00	39.37	74.00	-34.63	38.62	38.65	22.75	51.11	-9.54	-- -- Peak																																																																																																																	







Mode	5	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	6																																																																																																																																																
Mode	Harmonic																																																																																																																																																
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>48.42</td><td>88.20</td><td>-39.78</td><td>33.18</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>378</td><td>360</td><td>Peak</td></tr><tr><td>2 13030.00</td><td>38.41</td><td>68.20</td><td>-29.79</td><td>23.17</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>378</td><td>360</td><td>Average</td></tr><tr><td>3 19545.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>37.62</td><td>38.60</td><td>22.84</td><td>51.08</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13030.00	48.42	88.20	-39.78	33.18	39.94	18.61	43.71	0.40	378	360	Peak	2 13030.00	38.41	68.20	-29.79	23.17	39.94	18.61	43.71	0.40	378	360	Average	3 19545.00	38.44	74.00	-35.56	37.62	38.60	22.84	51.08	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>48.00</td><td>88.20</td><td>-39.40</td><td>33.56</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>400</td><td>316</td><td>Peak</td></tr><tr><td>2 13030.00</td><td>38.74</td><td>68.20</td><td>-29.46</td><td>23.50</td><td>39.94</td><td>18.61</td><td>43.71</td><td>0.40</td><td>400</td><td>316</td><td>Average</td></tr><tr><td>3 19545.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>38.52</td><td>38.60</td><td>22.84</td><td>51.08</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13030.00	48.00	88.20	-39.40	33.56	39.94	18.61	43.71	0.40	400	316	Peak	2 13030.00	38.74	68.20	-29.46	23.50	39.94	18.61	43.71	0.40	400	316	Average	3 19545.00	39.34	74.00	-34.66	38.52	38.60	22.84	51.08	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13030.00	48.42	88.20	-39.78	33.18	39.94	18.61	43.71	0.40	378	360	Peak																																																																																																																																						
2 13030.00	38.41	68.20	-29.79	23.17	39.94	18.61	43.71	0.40	378	360	Average																																																																																																																																						
3 19545.00	38.44	74.00	-35.56	37.62	38.60	22.84	51.08	-9.54	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13030.00	48.00	88.20	-39.40	33.56	39.94	18.61	43.71	0.40	400	316	Peak																																																																																																																																						
2 13030.00	38.74	68.20	-29.46	23.50	39.94	18.61	43.71	0.40	400	316	Average																																																																																																																																						
3 19545.00	39.34	74.00	-34.66	38.52	38.60	22.84	51.08	-9.54	--	--	Peak																																																																																																																																						







Mode	6	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	7																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12890.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>34.33</td><td>39.98</td><td>18.50</td><td>43.60</td><td>0.41</td><td>229</td><td>0</td><td>Peak</td></tr><tr><td>2 12890.00</td><td>39.53</td><td>68.20</td><td>-28.67</td><td>24.24</td><td>39.98</td><td>18.50</td><td>43.60</td><td>0.41</td><td>229</td><td>0</td><td>Average</td></tr><tr><td>3 19335.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>38.42</td><td>38.67</td><td>22.67</td><td>51.13</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12890.00	49.62	88.20	-38.58	34.33	39.98	18.50	43.60	0.41	229	0	Peak	2 12890.00	39.53	68.20	-28.67	24.24	39.98	18.50	43.60	0.41	229	0	Average	3 19335.00	39.09	74.00	-34.91	38.42	38.67	22.67	51.13	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12890.00</td><td>49.07</td><td>88.20</td><td>-39.13</td><td>33.78</td><td>39.98</td><td>18.50</td><td>43.60</td><td>0.41</td><td>300</td><td>130</td><td>Peak</td></tr><tr><td>2 12890.00</td><td>38.92</td><td>68.20</td><td>-29.28</td><td>23.63</td><td>39.98</td><td>18.50</td><td>43.60</td><td>0.41</td><td>300</td><td>130</td><td>Average</td></tr><tr><td>3 19335.00</td><td>38.92</td><td>74.00</td><td>-35.08</td><td>38.25</td><td>38.67</td><td>22.67</td><td>51.13</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12890.00	49.07	88.20	-39.13	33.78	39.98	18.50	43.60	0.41	300	130	Peak	2 12890.00	38.92	68.20	-29.28	23.63	39.98	18.50	43.60	0.41	300	130	Average	3 19335.00	38.92	74.00	-35.08	38.25	38.67	22.67	51.13	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12890.00	49.62	88.20	-38.58	34.33	39.98	18.50	43.60	0.41	229	0	Peak																																																																																																																													
2 12890.00	39.53	68.20	-28.67	24.24	39.98	18.50	43.60	0.41	229	0	Average																																																																																																																													
3 19335.00	39.09	74.00	-34.91	38.42	38.67	22.67	51.13	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12890.00	49.07	88.20	-39.13	33.78	39.98	18.50	43.60	0.41	300	130	Peak																																																																																																																													
2 12890.00	38.92	68.20	-29.28	23.63	39.98	18.50	43.60	0.41	300	130	Average																																																																																																																													
3 19335.00	38.92	74.00	-35.08	38.25	38.67	22.67	51.13	-9.54	--	--	Peak																																																																																																																													







Mode	7	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	8																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.89</td><td>88.20</td><td>-39.31</td><td>33.57</td><td>40.00</td><td>18.57</td><td>43.66</td><td>0.41</td><td>300</td><td>175</td><td>Peak</td></tr><tr><td>2</td><td>12970.00</td><td>38.77</td><td>68.20</td><td>-29.43</td><td>23.45</td><td>40.00</td><td>18.57</td><td>43.66</td><td>0.41</td><td>300</td><td>175</td><td>Average</td></tr><tr><td>3</td><td>19455.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>38.49</td><td>38.51</td><td>22.77</td><td>51.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.89	88.20	-39.31	33.57	40.00	18.57	43.66	0.41	300	175	Peak	2	12970.00	38.77	68.20	-29.43	23.45	40.00	18.57	43.66	0.41	300	175	Average	3	19455.00	39.12	74.00	-34.88	38.49	38.51	22.77	51.11	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>33.25</td><td>40.00</td><td>18.57</td><td>43.66</td><td>0.41</td><td>200</td><td>107</td><td>Peak</td></tr><tr><td>2</td><td>12970.00</td><td>38.47</td><td>68.20</td><td>-29.73</td><td>23.15</td><td>40.00</td><td>18.57</td><td>43.66</td><td>0.41</td><td>200</td><td>107</td><td>Average</td></tr><tr><td>3</td><td>19455.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>38.46</td><td>38.51</td><td>22.77</td><td>51.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.57	88.20	-39.63	33.25	40.00	18.57	43.66	0.41	200	107	Peak	2	12970.00	38.47	68.20	-29.73	23.15	40.00	18.57	43.66	0.41	200	107	Average	3	19455.00	39.09	74.00	-34.91	38.46	38.51	22.77	51.11	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12970.00	48.89	88.20	-39.31	33.57	40.00	18.57	43.66	0.41	300	175	Peak																																																																																																																																		
2	12970.00	38.77	68.20	-29.43	23.45	40.00	18.57	43.66	0.41	300	175	Average																																																																																																																																		
3	19455.00	39.12	74.00	-34.88	38.49	38.51	22.77	51.11	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12970.00	48.57	88.20	-39.63	33.25	40.00	18.57	43.66	0.41	200	107	Peak																																																																																																																																		
2	12970.00	38.47	68.20	-29.73	23.15	40.00	18.57	43.66	0.41	200	107	Average																																																																																																																																		
3	19455.00	39.09	74.00	-34.91	38.46	38.51	22.77	51.11	-9.54	--	--	Peak																																																																																																																																		







Mode	8	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	9																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12930.00</td><td>49.21</td><td>88.20</td><td>-38.99</td><td>33.90</td><td>40.00</td><td>18.53</td><td>43.63</td><td>0.41</td><td>265</td><td>0 Peak</td></tr><tr><td>2</td><td>12930.00</td><td>39.20</td><td>68.20</td><td>-29.00</td><td>23.09</td><td>40.00</td><td>18.53</td><td>43.63</td><td>0.41</td><td>265</td><td>0 Average</td></tr><tr><td>3</td><td>19395.00</td><td>38.89</td><td>74.00</td><td>-35.11</td><td>38.04</td><td>38.79</td><td>22.72</td><td>51.12</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	49.21	88.20	-38.99	33.90	40.00	18.53	43.63	0.41	265	0 Peak	2	12930.00	39.20	68.20	-29.00	23.09	40.00	18.53	43.63	0.41	265	0 Average	3	19395.00	38.89	74.00	-35.11	38.04	38.79	22.72	51.12	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-08-22 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12930.00</td><td>48.95</td><td>88.20</td><td>-39.25</td><td>33.64</td><td>40.00</td><td>18.53</td><td>43.63</td><td>0.41</td><td>400</td><td>360 Peak</td></tr><tr><td>2</td><td>12930.00</td><td>38.06</td><td>68.20</td><td>-29.34</td><td>23.55</td><td>40.00</td><td>18.53</td><td>43.63</td><td>0.41</td><td>400</td><td>360 Average</td></tr><tr><td>3</td><td>19395.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>38.08</td><td>38.79</td><td>22.72</td><td>51.12</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	48.95	88.20	-39.25	33.64	40.00	18.53	43.63	0.41	400	360 Peak	2	12930.00	38.06	68.20	-29.34	23.55	40.00	18.53	43.63	0.41	400	360 Average	3	19395.00	38.93	74.00	-35.07	38.08	38.79	22.72	51.12	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	12930.00	49.21	88.20	-38.99	33.90	40.00	18.53	43.63	0.41	265	0 Peak																																																																																																																																						
2	12930.00	39.20	68.20	-29.00	23.09	40.00	18.53	43.63	0.41	265	0 Average																																																																																																																																						
3	19395.00	38.89	74.00	-35.11	38.04	38.79	22.72	51.12	-9.54	--	-- Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	12930.00	48.95	88.20	-39.25	33.64	40.00	18.53	43.63	0.41	400	360 Peak																																																																																																																																						
2	12930.00	38.06	68.20	-29.34	23.55	40.00	18.53	43.63	0.41	400	360 Average																																																																																																																																						
3	19395.00	38.93	74.00	-35.07	38.08	38.79	22.72	51.12	-9.54	--	-- Peak																																																																																																																																						



Mode	9	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-22  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	10																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13050.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>33.36</td><td>39.90</td><td>18.62</td><td>43.72</td><td>0.40</td><td>200</td><td>135</td><td>Peak</td></tr><tr><td>2 13050.00</td><td>38.57</td><td>68.20</td><td>-29.63</td><td>23.37</td><td>39.90</td><td>18.62</td><td>43.72</td><td>0.40</td><td>200</td><td>135</td><td>Average</td></tr><tr><td>3 19575.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>37.87</td><td>38.55</td><td>22.86</td><td>51.07</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13050.00	48.56	88.20	-39.64	33.36	39.90	18.62	43.72	0.40	200	135	Peak	2 13050.00	38.57	68.20	-29.63	23.37	39.90	18.62	43.72	0.40	200	135	Average	3 19575.00	38.67	74.00	-35.33	37.87	38.55	22.86	51.07	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13050.00</td><td>48.54</td><td>88.20</td><td>-39.66</td><td>33.34</td><td>39.90</td><td>18.62</td><td>43.72</td><td>0.40</td><td>200</td><td>344</td><td>Peak</td></tr><tr><td>2 13050.00</td><td>38.62</td><td>68.20</td><td>-29.58</td><td>23.42</td><td>39.90</td><td>18.62</td><td>43.72</td><td>0.40</td><td>200</td><td>344</td><td>Average</td></tr><tr><td>3 19575.00</td><td>38.87</td><td>74.00</td><td>-35.13</td><td>38.07</td><td>38.55</td><td>22.86</td><td>51.07</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13050.00	48.54	88.20	-39.66	33.34	39.90	18.62	43.72	0.40	200	344	Peak	2 13050.00	38.62	68.20	-29.58	23.42	39.90	18.62	43.72	0.40	200	344	Average	3 19575.00	38.87	74.00	-35.13	38.07	38.55	22.86	51.07	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13050.00	48.56	88.20	-39.64	33.36	39.90	18.62	43.72	0.40	200	135	Peak																																																																																																																																						
2 13050.00	38.57	68.20	-29.63	23.37	39.90	18.62	43.72	0.40	200	135	Average																																																																																																																																						
3 19575.00	38.67	74.00	-35.33	37.87	38.55	22.86	51.07	-9.54	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13050.00	48.54	88.20	-39.66	33.34	39.90	18.62	43.72	0.40	200	344	Peak																																																																																																																																						
2 13050.00	38.62	68.20	-29.58	23.42	39.90	18.62	43.72	0.40	200	344	Average																																																																																																																																						
3 19575.00	38.87	74.00	-35.13	38.07	38.55	22.86	51.07	-9.54	--	--	Peak																																																																																																																																						







Mode	10	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		11																																																																																
Mode		Harmonic																																																																																
		U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz																																																																																
ANT		1																																																																																
Pol.		Horizontal																																																																																
Peak	Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>48.58</td><td>88.20</td><td>-39.62</td><td>33.29</td><td>39.98</td><td>18.65</td><td>43.74</td><td>0.40</td><td>111</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>38.64</td><td>68.20</td><td>-29.56</td><td>23.35</td><td>39.98</td><td>18.65</td><td>43.74</td><td>0.40</td><td>111</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>19635.00</td><td>39.59</td><td>74.00</td><td>-34.41</td><td>38.77</td><td>38.50</td><td>22.91</td><td>51.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.58	88.20	-39.62	33.29	39.98	18.65	43.74	0.40	111	360	Peak	2	13090.00	38.64	68.20	-29.56	23.35	39.98	18.65	43.74	0.40	111	360	Average	3	19635.00	39.59	74.00	-34.41	38.77	38.50	22.91	51.05	-9.54	--	--	Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	13090.00	48.58	88.20	-39.62	33.29	39.98	18.65	43.74	0.40	111	360	Peak																																																																						
2	13090.00	38.64	68.20	-29.56	23.35	39.98	18.65	43.74	0.40	111	360	Average																																																																						
3	19635.00	39.59	74.00	-34.41	38.77	38.50	22.91	51.05	-9.54	--	--	Peak																																																																						
Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>50.57</td><td>88.20</td><td>-37.63</td><td>35.28</td><td>39.98</td><td>18.65</td><td>43.74</td><td>0.40</td><td>200</td><td>3</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>40.51</td><td>68.20</td><td>-27.69</td><td>25.22</td><td>39.98</td><td>18.65</td><td>43.74</td><td>0.40</td><td>200</td><td>3</td><td>Average</td></tr><tr><td>3</td><td>19635.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>39.00</td><td>38.50</td><td>22.91</td><td>51.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	50.57	88.20	-37.63	35.28	39.98	18.65	43.74	0.40	200	3	Peak	2	13090.00	40.51	68.20	-27.69	25.22	39.98	18.65	43.74	0.40	200	3	Average	3	19635.00	39.82	74.00	-34.18	39.00	38.50	22.91	51.05	-9.54	--	--	Peak		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	13090.00	50.57	88.20	-37.63	35.28	39.98	18.65	43.74	0.40	200	3	Peak																																																																						
2	13090.00	40.51	68.20	-27.69	25.22	39.98	18.65	43.74	0.40	200	3	Average																																																																						
3	19635.00	39.82	74.00	-34.18	39.00	38.50	22.91	51.05	-9.54	--	--	Peak																																																																						



Mode	11	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	12																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.96</td><td>88.20</td><td>-39.24</td><td>33.68</td><td>39.98</td><td>18.60</td><td>43.70</td><td>0.40</td><td>200</td><td>146</td><td>Peak</td></tr><tr><td>2</td><td>13010.00</td><td>38.90</td><td>68.20</td><td>-29.30</td><td>23.62</td><td>39.98</td><td>18.60</td><td>43.70</td><td>0.40</td><td>200</td><td>146</td><td>Average</td></tr><tr><td>3</td><td>19515.00</td><td>39.30</td><td>74.00</td><td>-34.70</td><td>38.51</td><td>38.60</td><td>22.82</td><td>51.09</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.96	88.20	-39.24	33.68	39.98	18.60	43.70	0.40	200	146	Peak	2	13010.00	38.90	68.20	-29.30	23.62	39.98	18.60	43.70	0.40	200	146	Average	3	19515.00	39.30	74.00	-34.70	38.51	38.60	22.82	51.09	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.20</td><td>88.20</td><td>-40.00</td><td>32.92</td><td>39.98</td><td>18.60</td><td>43.70</td><td>0.40</td><td>200</td><td>117</td><td>Peak</td></tr><tr><td>2</td><td>13010.00</td><td>38.27</td><td>68.20</td><td>-29.93</td><td>22.99</td><td>39.98</td><td>18.60</td><td>43.70</td><td>0.40</td><td>200</td><td>117</td><td>Average</td></tr><tr><td>3</td><td>19515.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td>39.01</td><td>38.60</td><td>22.82</td><td>51.09</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.20	88.20	-40.00	32.92	39.98	18.60	43.70	0.40	200	117	Peak	2	13010.00	38.27	68.20	-29.93	22.99	39.98	18.60	43.70	0.40	200	117	Average	3	19515.00	39.80	74.00	-34.20	39.01	38.60	22.82	51.09	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13010.00	48.96	88.20	-39.24	33.68	39.98	18.60	43.70	0.40	200	146	Peak																																																																																																																																												
2	13010.00	38.90	68.20	-29.30	23.62	39.98	18.60	43.70	0.40	200	146	Average																																																																																																																																												
3	19515.00	39.30	74.00	-34.70	38.51	38.60	22.82	51.09	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13010.00	48.20	88.20	-40.00	32.92	39.98	18.60	43.70	0.40	200	117	Peak																																																																																																																																												
2	13010.00	38.27	68.20	-29.93	22.99	39.98	18.60	43.70	0.40	200	117	Average																																																																																																																																												
3	19515.00	39.80	74.00	-34.20	39.01	38.60	22.82	51.09	-9.54	--	--	Peak																																																																																																																																												



Mode	12	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	13																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.51</td><td>88.20</td><td>-38.69</td><td>33.73</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>369</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13750.00</td><td>39.48</td><td>68.20</td><td>-28.72</td><td>23.70</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>369</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20625.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>36.00</td><td>38.65</td><td>23.44</td><td>50.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	49.51	88.20	-38.69	33.73	40.30	19.06	43.97	0.39	369	360	Peak	2	13750.00	39.48	68.20	-28.72	23.70	40.30	19.06	43.97	0.39	369	360	Average	3	20625.00	38.77	74.00	-35.23	36.00	38.65	23.44	50.58	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13750.00	49.51	88.20	-38.69	33.73	40.30	19.06	43.97	0.39	369	360	Peak																																																																							
2	13750.00	39.48	68.20	-28.72	23.70	40.30	19.06	43.97	0.39	369	360	Average																																																																							
3	20625.00	38.77	74.00	-35.23	36.00	38.65	23.44	50.58	-9.54	--	--	Peak																																																																							
Vertical	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>34.86</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>300</td><td>203</td><td>Peak</td></tr><tr><td>2</td><td>13750.00</td><td>40.72</td><td>68.20</td><td>-27.48</td><td>24.94</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>300</td><td>203</td><td>Average</td></tr><tr><td>3</td><td>20625.00</td><td>38.57</td><td>74.00</td><td>-35.43</td><td>36.60</td><td>38.65</td><td>23.44</td><td>50.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	50.64	88.20	-37.56	34.86	40.30	19.06	43.97	0.39	300	203	Peak	2	13750.00	40.72	68.20	-27.48	24.94	40.30	19.06	43.97	0.39	300	203	Average	3	20625.00	38.57	74.00	-35.43	36.60	38.65	23.44	50.58	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13750.00	50.64	88.20	-37.56	34.86	40.30	19.06	43.97	0.39	300	203	Peak																																																																							
2	13750.00	40.72	68.20	-27.48	24.94	40.30	19.06	43.97	0.39	300	203	Average																																																																							
3	20625.00	38.57	74.00	-35.43	36.60	38.65	23.44	50.58	-9.54	--	--	Peak																																																																							



Mode	13	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	14																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>50.50</td><td>88.20</td><td>-37.70</td><td>34.72</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>300</td><td>89</td><td>Peak</td></tr><tr><td>2 13750.00</td><td>39.88</td><td>68.20</td><td>-28.32</td><td>24.10</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>300</td><td>89</td><td>Average</td></tr><tr><td>3 20625.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>36.97</td><td>38.65</td><td>23.44</td><td>50.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13750.00	50.50	88.20	-37.70	34.72	40.30	19.06	43.97	0.39	300	89	Peak	2 13750.00	39.88	68.20	-28.32	24.10	40.30	19.06	43.97	0.39	300	89	Average	3 20625.00	38.94	74.00	-35.06	36.97	38.65	23.44	50.58	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>50.53</td><td>88.20</td><td>-37.67</td><td>34.75</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>400</td><td>185</td><td>Peak</td></tr><tr><td>2 13750.00</td><td>40.55</td><td>68.20</td><td>-27.65</td><td>24.77</td><td>40.30</td><td>19.06</td><td>43.97</td><td>0.39</td><td>400</td><td>185</td><td>Average</td></tr><tr><td>3 20625.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>37.13</td><td>38.65</td><td>23.44</td><td>50.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13750.00	50.53	88.20	-37.67	34.75	40.30	19.06	43.97	0.39	400	185	Peak	2 13750.00	40.55	68.20	-27.65	24.77	40.30	19.06	43.97	0.39	400	185	Average	3 20625.00	39.10	74.00	-34.90	37.13	38.65	23.44	50.58	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13750.00	50.50	88.20	-37.70	34.72	40.30	19.06	43.97	0.39	300	89	Peak																																																																																																																													
2 13750.00	39.88	68.20	-28.32	24.10	40.30	19.06	43.97	0.39	300	89	Average																																																																																																																													
3 20625.00	38.94	74.00	-35.06	36.97	38.65	23.44	50.58	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13750.00	50.53	88.20	-37.67	34.75	40.30	19.06	43.97	0.39	400	185	Peak																																																																																																																													
2 13750.00	40.55	68.20	-27.65	24.77	40.30	19.06	43.97	0.39	400	185	Average																																																																																																																													
3 20625.00	39.10	74.00	-34.90	37.13	38.65	23.44	50.58	-9.54	--	--	Peak																																																																																																																													



Mode	14	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL