







Mode	15																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>50.27</td><td>88.20</td><td>-37.93</td><td>34.46</td><td>40.30</td><td>19.08</td><td>43.96</td><td>0.39</td><td>300</td><td>350</td><td>Peak</td></tr><tr><td>2</td><td>13770.00</td><td>40.39</td><td>68.20</td><td>-27.81</td><td>24.58</td><td>40.30</td><td>19.08</td><td>43.96</td><td>0.39</td><td>300</td><td>350</td><td>Average</td></tr><tr><td>3</td><td>20655.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>37.33</td><td>38.69</td><td>23.46</td><td>50.55</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	50.27	88.20	-37.93	34.46	40.30	19.08	43.96	0.39	300	350	Peak	2	13770.00	40.39	68.20	-27.81	24.58	40.30	19.08	43.96	0.39	300	350	Average	3	20655.00	39.39	74.00	-34.61	37.33	38.69	23.46	50.55	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>50.02</td><td>88.20</td><td>-38.18</td><td>34.21</td><td>40.30</td><td>19.08</td><td>43.96</td><td>0.39</td><td>352</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13770.00</td><td>39.98</td><td>68.20</td><td>-28.22</td><td>24.17</td><td>40.30</td><td>19.08</td><td>43.96</td><td>0.39</td><td>352</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20655.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>37.48</td><td>38.69</td><td>23.46</td><td>50.55</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	50.02	88.20	-38.18	34.21	40.30	19.08	43.96	0.39	352	360	Peak	2	13770.00	39.98	68.20	-28.22	24.17	40.30	19.08	43.96	0.39	352	360	Average	3	20655.00	39.54	74.00	-34.46	37.48	38.69	23.46	50.55	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13770.00	50.27	88.20	-37.93	34.46	40.30	19.08	43.96	0.39	300	350	Peak																																																																																																																																		
2	13770.00	40.39	68.20	-27.81	24.58	40.30	19.08	43.96	0.39	300	350	Average																																																																																																																																		
3	20655.00	39.39	74.00	-34.61	37.33	38.69	23.46	50.55	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13770.00	50.02	88.20	-38.18	34.21	40.30	19.08	43.96	0.39	352	360	Peak																																																																																																																																		
2	13770.00	39.98	68.20	-28.22	24.17	40.30	19.08	43.96	0.39	352	360	Average																																																																																																																																		
3	20655.00	39.54	74.00	-34.46	37.48	38.69	23.46	50.55	-9.54	--	--	Peak																																																																																																																																		







Mode	15	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	16																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13730.00</td><td>50.73</td><td>88.20</td><td>-37.47</td><td>35.00</td><td>40.26</td><td>19.05</td><td>43.97</td><td>0.39</td><td>100</td><td>152</td><td>Peak</td></tr><tr><td>2 13730.00</td><td>40.73</td><td>68.20</td><td>-27.47</td><td>25.00</td><td>40.26</td><td>19.05</td><td>43.97</td><td>0.39</td><td>100</td><td>152</td><td>Average</td></tr><tr><td>3 20595.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>38.05</td><td>38.59</td><td>23.43</td><td>50.60</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13730.00	50.73	88.20	-37.47	35.00	40.26	19.05	43.97	0.39	100	152	Peak	2 13730.00	40.73	68.20	-27.47	25.00	40.26	19.05	43.97	0.39	100	152	Average	3 20595.00	40.73	74.00	-33.27	38.05	38.59	23.43	50.60	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13730.00</td><td>49.87</td><td>88.20</td><td>-38.33</td><td>34.14</td><td>40.26</td><td>19.05</td><td>43.97</td><td>0.39</td><td>300</td><td>360</td><td>Peak</td></tr><tr><td>2 13730.00</td><td>39.79</td><td>68.20</td><td>-28.41</td><td>24.06</td><td>40.26</td><td>19.05</td><td>43.97</td><td>0.39</td><td>300</td><td>360</td><td>Average</td></tr><tr><td>3 20595.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>38.09</td><td>38.59</td><td>23.43</td><td>50.60</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13730.00	49.87	88.20	-38.33	34.14	40.26	19.05	43.97	0.39	300	360	Peak	2 13730.00	39.79	68.20	-28.41	24.06	40.26	19.05	43.97	0.39	300	360	Average	3 20595.00	39.97	74.00	-34.03	38.09	38.59	23.43	50.60	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13730.00	50.73	88.20	-37.47	35.00	40.26	19.05	43.97	0.39	100	152	Peak																																																																																																																													
2 13730.00	40.73	68.20	-27.47	25.00	40.26	19.05	43.97	0.39	100	152	Average																																																																																																																													
3 20595.00	40.73	74.00	-33.27	38.05	38.59	23.43	50.60	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13730.00	49.87	88.20	-38.33	34.14	40.26	19.05	43.97	0.39	300	360	Peak																																																																																																																													
2 13730.00	39.79	68.20	-28.41	24.06	40.26	19.05	43.97	0.39	300	360	Average																																																																																																																													
3 20595.00	39.97	74.00	-34.03	38.09	38.59	23.43	50.60	-9.54	--	--	Peak																																																																																																																													







Mode	16	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	17																																																																																																																																							
Mode	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13650.00</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>34.99</td><td>40.10</td><td>19.00</td><td>43.97</td><td>0.40</td><td>300</td><td>226</td><td>Peak</td></tr><tr><td>2 13650.00</td><td>40.40</td><td>68.20</td><td>-27.80</td><td>24.87</td><td>40.10</td><td>19.00</td><td>43.97</td><td>0.40</td><td>300</td><td>226</td><td>Average</td></tr><tr><td>3 20475.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>38.65</td><td>38.60</td><td>23.39</td><td>50.71</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13650.00	50.52	88.20	-37.68	34.99	40.10	19.00	43.97	0.40	300	226	Peak	2 13650.00	40.40	68.20	-27.80	24.87	40.10	19.00	43.97	0.40	300	226	Average	3 20475.00	40.39	74.00	-33.61	38.65	38.60	23.39	50.71	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13650.00</td><td>50.23</td><td>88.20</td><td>-37.97</td><td>34.70</td><td>40.10</td><td>19.00</td><td>43.97</td><td>0.40</td><td>400</td><td>360</td><td>Peak</td></tr><tr><td>2 13650.00</td><td>40.35</td><td>68.20</td><td>-27.85</td><td>24.82</td><td>40.10</td><td>19.00</td><td>43.97</td><td>0.40</td><td>400</td><td>360</td><td>Average</td></tr><tr><td>3 20475.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>38.43</td><td>38.60</td><td>23.39</td><td>50.71</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13650.00	50.23	88.20	-37.97	34.70	40.10	19.00	43.97	0.40	400	360	Peak	2 13650.00	40.35	68.20	-27.85	24.82	40.10	19.00	43.97	0.40	400	360	Average	3 20475.00	40.17	74.00	-33.83	38.43	38.60	23.39	50.71	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13650.00	50.52	88.20	-37.68	34.99	40.10	19.00	43.97	0.40	300	226	Peak																																																																																																																													
2 13650.00	40.40	68.20	-27.80	24.87	40.10	19.00	43.97	0.40	300	226	Average																																																																																																																													
3 20475.00	40.39	74.00	-33.61	38.65	38.60	23.39	50.71	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13650.00	50.23	88.20	-37.97	34.70	40.10	19.00	43.97	0.40	400	360	Peak																																																																																																																													
2 13650.00	40.35	68.20	-27.85	24.82	40.10	19.00	43.97	0.40	400	360	Average																																																																																																																													
3 20475.00	40.17	74.00	-33.83	38.43	38.60	23.39	50.71	-9.54	--	--	Peak																																																																																																																													







Mode	17	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	18																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>33.59</td><td>39.90</td><td>18.47</td><td>43.56</td><td>0.41</td><td>200 230 Peak</td></tr><tr><td>2 12850.00</td><td>38.73</td><td>68.20</td><td>-29.47</td><td>23.51</td><td>39.90</td><td>18.47</td><td>43.56</td><td>0.41</td><td>200 230 Average</td></tr><tr><td>3 19275.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>39.36</td><td>38.75</td><td>22.63</td><td>51.15</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	48.81	88.20	-39.39	33.59	39.90	18.47	43.56	0.41	200 230 Peak	2 12850.00	38.73	68.20	-29.47	23.51	39.90	18.47	43.56	0.41	200 230 Average	3 19275.00	40.05	74.00	-33.95	39.36	38.75	22.63	51.15	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>48.89</td><td>88.20</td><td>-39.31</td><td>33.67</td><td>39.90</td><td>18.47</td><td>43.56</td><td>0.41</td><td>400 198 Peak</td></tr><tr><td>2 12850.00</td><td>38.79</td><td>68.20</td><td>-29.41</td><td>23.57</td><td>39.90</td><td>18.47</td><td>43.56</td><td>0.41</td><td>400 198 Average</td></tr><tr><td>3 19275.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>39.19</td><td>38.75</td><td>22.63</td><td>51.15</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	48.89	88.20	-39.31	33.67	39.90	18.47	43.56	0.41	400 198 Peak	2 12850.00	38.79	68.20	-29.41	23.57	39.90	18.47	43.56	0.41	400 198 Average	3 19275.00	39.88	74.00	-34.12	39.19	38.75	22.63	51.15	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12850.00	48.81	88.20	-39.39	33.59	39.90	18.47	43.56	0.41	200 230 Peak																																																																																																																	
2 12850.00	38.73	68.20	-29.47	23.51	39.90	18.47	43.56	0.41	200 230 Average																																																																																																																	
3 19275.00	40.05	74.00	-33.95	39.36	38.75	22.63	51.15	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12850.00	48.89	88.20	-39.31	33.67	39.90	18.47	43.56	0.41	400 198 Peak																																																																																																																	
2 12850.00	38.79	68.20	-29.41	23.57	39.90	18.47	43.56	0.41	400 198 Average																																																																																																																	
3 19275.00	39.88	74.00	-34.12	39.19	38.75	22.63	51.15	-9.54	-- -- Peak																																																																																																																	



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	19																																																																																																																																													
Mode	Harmonic																																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>48.84</td><td>88.20</td><td>-39.36</td><td>33.49</td><td>40.04</td><td>18.70</td><td>43.79</td><td>0.40</td><td>160</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13170.00</td><td>38.82</td><td>68.20</td><td>-29.38</td><td>23.47</td><td>40.04</td><td>18.70</td><td>43.79</td><td>0.40</td><td>160</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>19755.00</td><td>40.12</td><td>74.00</td><td>-33.88</td><td>39.24</td><td>38.41</td><td>23.01</td><td>51.00</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	48.84	88.20	-39.36	33.49	40.04	18.70	43.79	0.40	160	360	Peak	2	13170.00	38.82	68.20	-29.38	23.47	40.04	18.70	43.79	0.40	160	360	Average	3	19755.00	40.12	74.00	-33.88	39.24	38.41	23.01	51.00	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>33.79</td><td>40.04</td><td>18.70</td><td>43.79</td><td>0.40</td><td>300</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>13170.00</td><td>39.01</td><td>68.20</td><td>-29.19</td><td>23.66</td><td>40.04</td><td>18.70</td><td>43.79</td><td>0.40</td><td>300</td><td>294</td><td>Average</td></tr><tr><td>3</td><td>19755.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>38.87</td><td>38.41</td><td>23.01</td><td>51.00</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	49.14	88.20	-39.06	33.79	40.04	18.70	43.79	0.40	300	294	Peak	2	13170.00	39.01	68.20	-29.19	23.66	40.04	18.70	43.79	0.40	300	294	Average	3	19755.00	39.75	74.00	-34.25	38.87	38.41	23.01	51.00	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13170.00	48.84	88.20	-39.36	33.49	40.04	18.70	43.79	0.40	160	360	Peak																																																																																																																																		
2	13170.00	38.82	68.20	-29.38	23.47	40.04	18.70	43.79	0.40	160	360	Average																																																																																																																																		
3	19755.00	40.12	74.00	-33.88	39.24	38.41	23.01	51.00	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13170.00	49.14	88.20	-39.06	33.79	40.04	18.70	43.79	0.40	300	294	Peak																																																																																																																																		
2	13170.00	39.01	68.20	-29.19	23.66	40.04	18.70	43.79	0.40	300	294	Average																																																																																																																																		
3	19755.00	39.75	74.00	-34.25	38.87	38.41	23.01	51.00	-9.54	--	--	Peak																																																																																																																																		



Mode	19	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-16 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	20																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7233.00</td><td>49.93</td><td>88.20 -38.27</td><td>37.95</td><td>36.94</td><td>13.69</td><td>38.65</td><td>0.00</td><td>200</td><td>29 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7233.00	49.93	88.20 -38.27	37.95	36.94	13.69	38.65	0.00	200	29 Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>100.45</td><td>-----</td><td>88.00</td><td>36.57</td><td>13.39</td><td>38.31</td><td>0.00</td><td>200</td><td>29 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6895.00	100.45	-----	88.00	36.57	13.39	38.31	0.00	200	29 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7233.00	49.93	88.20 -38.27	37.95	36.94	13.69	38.65	0.00	200	29 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6895.00	100.45	-----	88.00	36.57	13.39	38.31	0.00	200	29 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7244.65</td><td>40.18</td><td>68.20 -28.02</td><td>28.16</td><td>36.98</td><td>13.70</td><td>38.66</td><td>0.00</td><td>200</td><td>29 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7244.65	40.18	68.20 -28.02	28.16	36.98	13.70	38.66	0.00	200	29 Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>93.02</td><td>-----</td><td>81.37</td><td>36.57</td><td>13.39</td><td>38.31</td><td>0.00</td><td>200</td><td>29 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6895.00	93.02	-----	81.37	36.57	13.39	38.31	0.00	200	29 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7244.65	40.18	68.20 -28.02	28.16	36.98	13.70	38.66	0.00	200	29 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6895.00	93.02	-----	81.37	36.57	13.39	38.31	0.00	200	29 Average																																																																																	







Mode	20																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7185.05</td><td>50.20</td><td>88.20</td><td>-38.00</td><td>38.40</td><td>36.77</td><td>13.63</td><td>38.60</td><td>0.00</td><td>200</td><td>139 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7185.05	50.20	88.20	-38.00	38.40	36.77	13.63	38.60	0.00	200	139 Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6895.00</td><td>95.93</td><td>-----</td><td>-----</td><td>84.28</td><td>36.57</td><td>13.39</td><td>38.31</td><td>0.00</td><td>200</td><td>139 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6895.00	95.93	-----	-----	84.28	36.57	13.39	38.31	0.00	200	139 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7185.05	50.20	88.20	-38.00	38.40	36.77	13.63	38.60	0.00	200	139 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6895.00	95.93	-----	-----	84.28	36.57	13.39	38.31	0.00	200	139 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.15</td><td>40.09</td><td>68.20</td><td>-28.11</td><td>28.08</td><td>36.96</td><td>13.70</td><td>38.65</td><td>0.00</td><td>200</td><td>139 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7241.15	40.09	68.20	-28.11	28.08	36.96	13.70	38.65	0.00	200	139 Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6895.00</td><td>89.14</td><td>-----</td><td>-----</td><td>77.46</td><td>36.60</td><td>13.40</td><td>38.32</td><td>0.00</td><td>200</td><td>139 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6895.00	89.14	-----	-----	77.46	36.60	13.40	38.32	0.00	200	139 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7241.15	40.09	68.20	-28.11	28.08	36.96	13.70	38.65	0.00	200	139 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6895.00	89.14	-----	-----	77.46	36.60	13.40	38.32	0.00	200	139 Average																																																																																						



Mode	20																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>51.26</td><td>88.20</td><td>-36.94</td><td>35.44</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>300</td><td>313</td><td>Peak</td></tr><tr><td>2</td><td>13790.00</td><td>40.50</td><td>68.20</td><td>-27.70</td><td>24.68</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>300</td><td>313</td><td>Average</td></tr><tr><td>3</td><td>20685.00</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>36.91</td><td>38.63</td><td>23.47</td><td>50.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	51.26	88.20	-36.94	35.44	40.30	19.09	43.96	0.39	300	313	Peak	2	13790.00	40.50	68.20	-27.70	24.68	40.30	19.09	43.96	0.39	300	313	Average	3	20685.00	38.96	74.00	-35.04	36.91	38.63	23.47	50.51	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>34.46</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>350</td><td>302</td><td>Peak</td></tr><tr><td>2</td><td>13790.00</td><td>40.49</td><td>68.20</td><td>-27.71</td><td>24.67</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>350</td><td>302</td><td>Average</td></tr><tr><td>3</td><td>20685.00</td><td>38.88</td><td>74.00</td><td>-35.12</td><td>36.83</td><td>38.63</td><td>23.47</td><td>50.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	50.28	88.20	-37.92	34.46	40.30	19.09	43.96	0.39	350	302	Peak	2	13790.00	40.49	68.20	-27.71	24.67	40.30	19.09	43.96	0.39	350	302	Average	3	20685.00	38.88	74.00	-35.12	36.83	38.63	23.47	50.51	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13790.00	51.26	88.20	-36.94	35.44	40.30	19.09	43.96	0.39	300	313	Peak																																																																																																																																		
2	13790.00	40.50	68.20	-27.70	24.68	40.30	19.09	43.96	0.39	300	313	Average																																																																																																																																		
3	20685.00	38.96	74.00	-35.04	36.91	38.63	23.47	50.51	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13790.00	50.28	88.20	-37.92	34.46	40.30	19.09	43.96	0.39	350	302	Peak																																																																																																																																		
2	13790.00	40.49	68.20	-27.71	24.67	40.30	19.09	43.96	0.39	350	302	Average																																																																																																																																		
3	20685.00	38.88	74.00	-35.12	36.83	38.63	23.47	50.51	-9.54	--	--	Peak																																																																																																																																		



Mode	20	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	21																																																																																	
Mode	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7171.75 50.10 88.20 -38.10 38.33 36.74 13.62 38.59 0.00 200 34 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7171.75 50.10 88.20 -38.10 38.33 36.74 13.62 38.59 0.00 200 34 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6995.00 100.75 ----- 89.19 36.50 13.49 38.43 0.00 200 34 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6995.00 100.75 ----- 89.19 36.50 13.49 38.43 0.00 200 34 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7171.75 50.10 88.20 -38.10 38.33 36.74 13.62 38.59 0.00 200 34 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6995.00 100.75 ----- 89.19 36.50 13.49 38.43 0.00 200 34 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7219.50 40.15 68.20 -28.05 28.23 36.88 13.67 38.63 0.00 200 34 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7219.50 40.15 68.20 -28.05 28.23 36.88 13.67 38.63 0.00 200 34 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6995.00 93.51 ----- 81.95 36.50 13.48 38.42 0.00 200 34 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6995.00 93.51 ----- 81.95 36.50 13.48 38.42 0.00 200 34 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7219.50 40.15 68.20 -28.05 28.23 36.88 13.67 38.63 0.00 200 34 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6995.00 93.51 ----- 81.95 36.50 13.48 38.42 0.00 200 34 Average																																																																																		







	21																																																																																																
Mode	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7240.00</td><td>50.29</td><td>88.20</td><td>-37.91</td><td>38.28</td><td>36.96</td><td>13.70</td><td>38.65</td><td>0.00</td><td>220</td><td>138 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7240.00	50.29	88.20	-37.91	38.28	36.96	13.70	38.65	0.00	220	138 Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6995.00</td><td>102.00</td><td>-----</td><td>-----</td><td>90.44</td><td>36.50</td><td>13.49</td><td>38.43</td><td>0.00</td><td>220</td><td>138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6995.00	102.00	-----	-----	90.44	36.50	13.49	38.43	0.00	220	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7240.00	50.29	88.20	-37.91	38.28	36.96	13.70	38.65	0.00	220	138 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6995.00	102.00	-----	-----	90.44	36.50	13.49	38.43	0.00	220	138 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7234.00</td><td>40.15</td><td>68.20</td><td>-28.05</td><td>28.17</td><td>36.94</td><td>13.69</td><td>38.65</td><td>0.00</td><td>220</td><td>138 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7234.00	40.15	68.20	-28.05	28.17	36.94	13.69	38.65	0.00	220	138 Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6995.00</td><td>94.98</td><td>-----</td><td>-----</td><td>83.42</td><td>36.50</td><td>13.48</td><td>38.42</td><td>0.00</td><td>220</td><td>138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6995.00	94.98	-----	-----	83.42	36.50	13.48	38.42	0.00	220	138 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7234.00	40.15	68.20	-28.05	28.17	36.94	13.69	38.65	0.00	220	138 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6995.00	94.98	-----	-----	83.42	36.50	13.48	38.42	0.00	220	138 Average																																																																																						



Mode	21																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>50.22</td><td>88.20</td><td>-37.98</td><td>33.84</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>200</td><td>30</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>40.88</td><td>68.20</td><td>-27.32</td><td>24.50</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>200</td><td>30</td><td>Average</td></tr><tr><td>3</td><td>20985.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>37.25</td><td>38.74</td><td>23.58</td><td>50.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	50.22	88.20	-37.98	33.84	40.74	19.21	43.96	0.39	200	30	Peak	2	13990.00	40.88	68.20	-27.32	24.50	40.74	19.21	43.96	0.39	200	30	Average	3	20985.00	39.81	74.00	-34.19	37.25	38.74	23.58	50.22	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>51.16</td><td>88.20</td><td>-37.04</td><td>34.78</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>100</td><td>131</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>40.91</td><td>68.20</td><td>-27.29</td><td>24.53</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>100</td><td>131</td><td>Average</td></tr><tr><td>3</td><td>20985.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>36.77</td><td>38.74</td><td>23.58</td><td>50.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	51.16	88.20	-37.04	34.78	40.74	19.21	43.96	0.39	100	131	Peak	2	13990.00	40.91	68.20	-27.29	24.53	40.74	19.21	43.96	0.39	100	131	Average	3	20985.00	39.33	74.00	-34.67	36.77	38.74	23.58	50.22	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13990.00	50.22	88.20	-37.98	33.84	40.74	19.21	43.96	0.39	200	30	Peak																																																																																																																																		
2	13990.00	40.88	68.20	-27.32	24.50	40.74	19.21	43.96	0.39	200	30	Average																																																																																																																																		
3	20985.00	39.81	74.00	-34.19	37.25	38.74	23.58	50.22	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13990.00	51.16	88.20	-37.04	34.78	40.74	19.21	43.96	0.39	100	131	Peak																																																																																																																																		
2	13990.00	40.91	68.20	-27.29	24.53	40.74	19.21	43.96	0.39	100	131	Average																																																																																																																																		
3	20985.00	39.33	74.00	-34.67	36.77	38.74	23.58	50.22	-9.54	--	--	Peak																																																																																																																																		



Mode	21	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	22																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7234.95 50.61 88.20 -37.59 38.63 36.94 13.69 38.65 0.00 200 136 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7234.95 50.61 88.20 -37.59 38.63 36.94 13.69 38.65 0.00 200 136 Peak									Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 101.01 ----- 89.29 36.68 13.56 38.52 0.00 200 136 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7095.00 101.01 ----- 89.29 36.68 13.56 38.52 0.00 200 136 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7234.95 50.61 88.20 -37.59 38.63 36.94 13.69 38.65 0.00 200 136 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7095.00 101.01 ----- 89.29 36.68 13.56 38.52 0.00 200 136 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.60 40.28 68.20 -27.92 28.54 36.70 13.59 38.55 0.00 200 136 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.60 40.28 68.20 -27.92 28.54 36.70 13.59 38.55 0.00 200 136 Average									Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 93.82 ----- 82.10 36.68 13.56 38.52 0.00 200 136 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7095.00 93.82 ----- 82.10 36.68 13.56 38.52 0.00 200 136 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7125.60 40.28 68.20 -27.92 28.54 36.70 13.59 38.55 0.00 200 136 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7095.00 93.82 ----- 82.10 36.68 13.56 38.52 0.00 200 136 Average																																																																										







	22																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7201.05</td><td>50.43</td><td>88.20 -37.77</td><td>38.61</td><td>36.00</td><td>13.64</td><td>38.62</td><td>0.00</td><td>200</td><td>143</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7201.05	50.43	88.20 -37.77	38.61	36.00	13.64	38.62	0.00	200	143	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>89.98</td><td>-----</td><td>78.26</td><td>36.68</td><td>13.56</td><td>38.52</td><td>0.00</td><td>200</td><td>143</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	89.98	-----	78.26	36.68	13.56	38.52	0.00	200	143	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7201.05	50.43	88.20 -37.77	38.61	36.00	13.64	38.62	0.00	200	143	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7095.00	89.98	-----	78.26	36.68	13.56	38.52	0.00	200	143	Peak																																																																																									
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7236.45</td><td>40.19</td><td>68.20 -28.01</td><td>28.20</td><td>36.95</td><td>13.69</td><td>38.65</td><td>0.00</td><td>200</td><td>143</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7236.45	40.19	68.20 -28.01	28.20	36.95	13.69	38.65	0.00	200	143	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>83.10</td><td>-----</td><td>71.38</td><td>36.68</td><td>13.56</td><td>38.52</td><td>0.00</td><td>200</td><td>143</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	83.10	-----	71.38	36.68	13.56	38.52	0.00	200	143	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7236.45	40.19	68.20 -28.01	28.20	36.95	13.69	38.65	0.00	200	143	Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7095.00	83.10	-----	71.38	36.68	13.56	38.52	0.00	200	143	Average																																																																																									



Mode	22																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14190.00</td><td>50.61</td><td>88.20</td><td>-37.59</td><td>33.84</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>200 271 Peak</td></tr><tr><td>2 14190.00</td><td>40.54</td><td>68.20</td><td>-27.66</td><td>23.77</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>200 271 Average</td></tr><tr><td>3 21285.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>36.63</td><td>38.80</td><td>23.83</td><td>49.97</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14190.00	50.61	88.20	-37.59	33.84	40.98	19.34	43.96	0.41	200 271 Peak	2 14190.00	40.54	68.20	-27.66	23.77	40.98	19.34	43.96	0.41	200 271 Average	3 21285.00	39.75	74.00	-34.25	36.63	38.80	23.83	49.97	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14190.00</td><td>51.11</td><td>88.20</td><td>-37.09</td><td>34.34</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>100 333 Peak</td></tr><tr><td>2 14190.00</td><td>41.12</td><td>68.20</td><td>-27.08</td><td>24.35</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>100 333 Average</td></tr><tr><td>3 21285.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>36.70</td><td>38.80</td><td>23.83</td><td>49.97</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14190.00	51.11	88.20	-37.09	34.34	40.98	19.34	43.96	0.41	100 333 Peak	2 14190.00	41.12	68.20	-27.08	24.35	40.98	19.34	43.96	0.41	100 333 Average	3 21285.00	39.82	74.00	-34.18	36.70	38.80	23.83	49.97	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14190.00	50.61	88.20	-37.59	33.84	40.98	19.34	43.96	0.41	200 271 Peak																																																																																																																	
2 14190.00	40.54	68.20	-27.66	23.77	40.98	19.34	43.96	0.41	200 271 Average																																																																																																																	
3 21285.00	39.75	74.00	-34.25	36.63	38.80	23.83	49.97	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14190.00	51.11	88.20	-37.09	34.34	40.98	19.34	43.96	0.41	100 333 Peak																																																																																																																	
2 14190.00	41.12	68.20	-27.08	24.35	40.98	19.34	43.96	0.41	100 333 Average																																																																																																																	
3 21285.00	39.82	74.00	-34.18	36.70	38.80	23.83	49.97	-9.54	-- -- Peak																																																																																																																	



Mode	22	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	23																																																																																	
Mode	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 70.78 88.20 -17.42 59.04 36.70 13.59 38.55 0.00 200 137 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.01 70.78 88.20 -17.42 59.04 36.70 13.59 38.55 0.00 200 137 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 94.76 ----- 83.02 36.70 13.58 38.54 0.00 200 137 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7115.00 94.76 ----- 83.02 36.70 13.58 38.54 0.00 200 137 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7125.01 70.78 88.20 -17.42 59.04 36.70 13.59 38.55 0.00 200 137 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7115.00 94.76 ----- 83.02 36.70 13.58 38.54 0.00 200 137 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 61.41 68.20 -6.79 49.67 36.70 13.59 38.55 0.00 200 137 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.01 61.41 68.20 -6.79 49.67 36.70 13.59 38.55 0.00 200 137 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 87.30 ----- 75.56 36.70 13.58 38.54 0.00 200 137 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7115.00 87.30 ----- 75.56 36.70 13.58 38.54 0.00 200 137 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7125.01 61.41 68.20 -6.79 49.67 36.70 13.59 38.55 0.00 200 137 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7115.00 87.30 ----- 75.56 36.70 13.58 38.54 0.00 200 137 Average																																																																																		



Mode	23																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.27</td><td>70.94</td><td>88.20</td><td>-17.26</td><td>59.20</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>204 136 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.27	70.94	88.20	-17.26	59.20	36.70	13.59	38.55	0.00	204 136 Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>93.62</td><td>-----</td><td>-----</td><td>81.88</td><td>36.70</td><td>13.58</td><td>38.54</td><td>0.00</td><td>204 136 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	93.62	-----	-----	81.88	36.70	13.58	38.54	0.00	204 136 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.27	70.94	88.20	-17.26	59.20	36.70	13.59	38.55	0.00	204 136 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7115.00	93.62	-----	-----	81.88	36.70	13.58	38.54	0.00	204 136 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>60.87</td><td>68.20</td><td>-7.33</td><td>49.13</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>204 136 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	60.87	68.20	-7.33	49.13	36.70	13.59	38.55	0.00	204 136 Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>86.80</td><td>-----</td><td>-----</td><td>75.06</td><td>36.70</td><td>13.58</td><td>38.54</td><td>0.00</td><td>204 136 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	86.80	-----	-----	75.06	36.70	13.58	38.54	0.00	204 136 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.01	60.87	68.20	-7.33	49.13	36.70	13.59	38.55	0.00	204 136 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7115.00	86.80	-----	-----	75.06	36.70	13.58	38.54	0.00	204 136 Average																																																																																	



	24																																																																									
Mode	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7203.70 51.06 88.20 -37.14 39.22 36.81 13.65 38.62 0.00 184 32 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7203.70 51.06 88.20 -37.14 39.22 36.81 13.65 38.62 0.00 184 32 Peak									Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6895.00 101.29 ----- 89.61 36.60 13.40 38.32 0.00 184 32 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6895.00 101.29 ----- 89.61 36.60 13.40 38.32 0.00 184 32 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																										
1 7203.70 51.06 88.20 -37.14 39.22 36.81 13.65 38.62 0.00 184 32 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																										
1 6895.00 101.29 ----- 89.61 36.60 13.40 38.32 0.00 184 32 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7242.90 40.17 68.20 -28.03 28.15 36.97 13.70 38.65 0.00 184 32 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7242.90 40.17 68.20 -28.03 28.15 36.97 13.70 38.65 0.00 184 32 Average									Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6895.00 93.02 ----- 81.37 36.57 13.39 38.31 0.00 184 32 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6895.00 93.02 ----- 81.37 36.57 13.39 38.31 0.00 184 32 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																										
1 7242.90 40.17 68.20 -28.03 28.15 36.97 13.70 38.65 0.00 184 32 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																										
1 6895.00 93.02 ----- 81.37 36.57 13.39 38.31 0.00 184 32 Average																																																																										



		24																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7210.35 50.53 88.20 -37.67</td><td>38.67</td><td>36.84</td><td>13.65</td><td>38.63</td><td>0.00</td><td>223</td><td>138</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7210.35 50.53 88.20 -37.67	38.67	36.84	13.65	38.63	0.00	223	138	Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6895.00 103.32 -----</td><td>91.65</td><td>36.59</td><td>13.39</td><td>38.31</td><td>0.00</td><td>223</td><td>138</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6895.00 103.32 -----	91.65	36.59	13.39	38.31	0.00	223	138	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7210.35 50.53 88.20 -37.67	38.67	36.84	13.65	38.63	0.00	223	138	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 6895.00 103.32 -----	91.65	36.59	13.39	38.31	0.00	223	138	Peak																																																																											
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7240.10 40.19 68.20 -28.01</td><td>28.18</td><td>36.96</td><td>13.70</td><td>38.65</td><td>0.00</td><td>223</td><td>138</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7240.10 40.19 68.20 -28.01	28.18	36.96	13.70	38.65	0.00	223	138	Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6895.00 93.99 -----</td><td>82.31</td><td>36.60</td><td>13.40</td><td>38.32</td><td>0.00</td><td>223</td><td>138</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6895.00 93.99 -----	82.31	36.60	13.40	38.32	0.00	223	138	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7240.10 40.19 68.20 -28.01	28.18	36.96	13.70	38.65	0.00	223	138	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 6895.00 93.99 -----	82.31	36.60	13.40	38.32	0.00	223	138	Average																																																																											



	24																																																																																																																																														
Mode	Harmonic																																																																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>50.85</td><td>88.20</td><td>-37.35</td><td>35.03</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>200</td><td>268</td><td>Peak</td></tr><tr><td>2 13790.00</td><td>40.93</td><td>68.20</td><td>-27.27</td><td>25.11</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>200</td><td>268</td><td>Average</td></tr><tr><td>3 20685.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>37.18</td><td>38.63</td><td>23.47</td><td>50.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	50.85	88.20	-37.35	35.03	40.30	19.09	43.96	0.39	200	268	Peak	2 13790.00	40.93	68.20	-27.27	25.11	40.30	19.09	43.96	0.39	200	268	Average	3 20685.00	39.23	74.00	-34.77	37.18	38.63	23.47	50.51	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>49.64</td><td>88.20</td><td>-38.56</td><td>33.82</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>100</td><td>299</td><td>Peak</td></tr><tr><td>2 13790.00</td><td>39.59</td><td>68.20</td><td>-28.61</td><td>23.77</td><td>40.30</td><td>19.09</td><td>43.96</td><td>0.39</td><td>100</td><td>299</td><td>Average</td></tr><tr><td>3 20685.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>37.47</td><td>38.63</td><td>23.47</td><td>50.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	49.64	88.20	-38.56	33.82	40.30	19.09	43.96	0.39	100	299	Peak	2 13790.00	39.59	68.20	-28.61	23.77	40.30	19.09	43.96	0.39	100	299	Average	3 20685.00	39.52	74.00	-34.48	37.47	38.63	23.47	50.51	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1 13790.00	50.85	88.20	-37.35	35.03	40.30	19.09	43.96	0.39	200	268	Peak																																																																																																																																				
2 13790.00	40.93	68.20	-27.27	25.11	40.30	19.09	43.96	0.39	200	268	Average																																																																																																																																				
3 20685.00	39.23	74.00	-34.77	37.18	38.63	23.47	50.51	-9.54	--	--	Peak																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1 13790.00	49.64	88.20	-38.56	33.82	40.30	19.09	43.96	0.39	100	299	Peak																																																																																																																																				
2 13790.00	39.59	68.20	-28.61	23.77	40.30	19.09	43.96	0.39	100	299	Average																																																																																																																																				
3 20685.00	39.52	74.00	-34.48	37.47	38.63	23.47	50.51	-9.54	--	--	Peak																																																																																																																																				



Mode	24	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	25																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7128.25</td><td>50.45</td><td>88.20</td><td>-37.75</td><td>38.71</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>197</td><td>135</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	7128.25	50.45	88.20	-37.75	38.71	36.70	13.59	38.55	0.00	197	135	Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>6995.00</td><td>101.02</td><td>-----</td><td>-----</td><td>89.46</td><td>36.50</td><td>13.49</td><td>38.43</td><td>0.00</td><td>197</td><td>135</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	6995.00	101.02	-----	-----	89.46	36.50	13.49	38.43	0.00	197	135	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	7128.25	50.45	88.20	-37.75	38.71	36.70	13.59	38.55	0.00	197	135	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	6995.00	101.02	-----	-----	89.46	36.50	13.49	38.43	0.00	197	135	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7185.75</td><td>40.22</td><td>68.20</td><td>-27.98</td><td>28.42</td><td>36.77</td><td>13.63</td><td>38.60</td><td>0.00</td><td>197</td><td>135</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	7185.75	40.22	68.20	-27.98	28.42	36.77	13.63	38.60	0.00	197	135	Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>6995.00</td><td>93.29</td><td>-----</td><td>-----</td><td>81.73</td><td>36.50</td><td>13.50</td><td>38.44</td><td>0.00</td><td>197</td><td>135</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	6995.00	93.29	-----	-----	81.73	36.50	13.50	38.44	0.00	197	135	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	7185.75	40.22	68.20	-27.98	28.42	36.77	13.63	38.60	0.00	197	135	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	6995.00	93.29	-----	-----	81.73	36.50	13.50	38.44	0.00	197	135	Average																																																																														







		25																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7206.25 50.33 88.20 -37.87 38.47 36.83 13.65 38.62 0.00 200 139 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7206.25 50.33 88.20 -37.87 38.47 36.83 13.65 38.62 0.00 200 139 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6995.00 101.96 ----- 90.40 36.50 13.50 38.44 0.00 200 139 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6995.00 101.96 ----- 90.40 36.50 13.50 38.44 0.00 200 139 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 7206.25 50.33 88.20 -37.87 38.47 36.83 13.65 38.62 0.00 200 139 Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 6995.00 101.96 ----- 90.40 36.50 13.50 38.44 0.00 200 139 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7233.50 40.13 68.20 -28.07 28.16 36.93 13.69 38.65 0.00 200 139 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7233.50 40.13 68.20 -28.07 28.16 36.93 13.69 38.65 0.00 200 139 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6995.00 93.41 ----- 81.85 36.51 13.50 38.45 0.00 200 139 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6995.00 93.41 ----- 81.85 36.51 13.50 38.45 0.00 200 139 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 7233.50 40.13 68.20 -28.07 28.16 36.93 13.69 38.65 0.00 200 139 Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 6995.00 93.41 ----- 81.85 36.51 13.50 38.45 0.00 200 139 Average																																																																																			



	25																																																																																																																																													
Mode	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>50.51</td><td>88.20</td><td>-37.69</td><td>34.13</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>101</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>40.60</td><td>68.20</td><td>-27.60</td><td>24.22</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>101</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20985.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>37.97</td><td>38.74</td><td>23.58</td><td>50.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	50.51	88.20	-37.69	34.13	40.74	19.21	43.96	0.39	101	360	Peak	2	13990.00	40.60	68.20	-27.60	24.22	40.74	19.21	43.96	0.39	101	360	Average	3	20985.00	40.53	74.00	-33.47	37.97	38.74	23.58	50.22	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>50.51</td><td>88.20</td><td>-37.69</td><td>34.13</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>200</td><td>134</td><td>Peak</td></tr><tr><td>2</td><td>13990.00</td><td>40.56</td><td>68.20</td><td>-27.64</td><td>24.18</td><td>40.74</td><td>19.21</td><td>43.96</td><td>0.39</td><td>200</td><td>134</td><td>Average</td></tr><tr><td>3</td><td>20985.00</td><td>39.13</td><td>74.00</td><td>-34.87</td><td>36.57</td><td>38.74</td><td>23.58</td><td>50.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	50.51	88.20	-37.69	34.13	40.74	19.21	43.96	0.39	200	134	Peak	2	13990.00	40.56	68.20	-27.64	24.18	40.74	19.21	43.96	0.39	200	134	Average	3	20985.00	39.13	74.00	-34.87	36.57	38.74	23.58	50.22	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13990.00	50.51	88.20	-37.69	34.13	40.74	19.21	43.96	0.39	101	360	Peak																																																																																																																																		
2	13990.00	40.60	68.20	-27.60	24.22	40.74	19.21	43.96	0.39	101	360	Average																																																																																																																																		
3	20985.00	40.53	74.00	-33.47	37.97	38.74	23.58	50.22	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13990.00	50.51	88.20	-37.69	34.13	40.74	19.21	43.96	0.39	200	134	Peak																																																																																																																																		
2	13990.00	40.56	68.20	-27.64	24.18	40.74	19.21	43.96	0.39	200	134	Average																																																																																																																																		
3	20985.00	39.13	74.00	-34.87	36.57	38.74	23.58	50.22	-9.54	--	--	Peak																																																																																																																																		



Mode	25	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	26											
	Band Edge											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2026-08-15											



Mode	26																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7217.10 49.86 88.20 -38.34 37.96 36.87 13.66 38.63 0.00 200 138 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7217.10 49.86 88.20 -38.34 37.96 36.87 13.66 38.63 0.00 200 138 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 93.76 ----- 82.04 36.67 13.56 38.51 0.00 200 138 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7095.00 93.76 ----- 82.04 36.67 13.56 38.51 0.00 200 138 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7217.10 49.86 88.20 -38.34 37.96 36.87 13.66 38.63 0.00 200 138 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 93.76 ----- 82.04 36.67 13.56 38.51 0.00 200 138 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7241.10 40.21 68.20 -27.99 28.20 36.96 13.70 38.65 0.00 200 138 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7241.10 40.21 68.20 -27.99 28.20 36.96 13.70 38.65 0.00 200 138 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 85.62 ----- 73.90 36.67 13.56 38.51 0.00 200 138 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7095.00 85.62 ----- 73.90 36.67 13.56 38.51 0.00 200 138 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7241.10 40.21 68.20 -27.99 28.20 36.96 13.70 38.65 0.00 200 138 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 85.62 ----- 73.90 36.67 13.56 38.51 0.00 200 138 Average																																																																																		



Mode	26																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>33.79</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>212</td><td>0 Peak</td></tr><tr><td>2</td><td>14190.00</td><td>40.45</td><td>68.20</td><td>-27.75</td><td>23.68</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>212</td><td>0 Average</td></tr><tr><td>3</td><td>21285.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>37.01</td><td>38.80</td><td>23.83</td><td>49.97</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	50.56	88.20	-37.64	33.79	40.98	19.34	43.96	0.41	212	0 Peak	2	14190.00	40.45	68.20	-27.75	23.68	40.98	19.34	43.96	0.41	212	0 Average	3	21285.00	40.13	74.00	-33.87	37.01	38.80	23.83	49.97	-9.54	--	-- Peak	Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>51.31</td><td>88.20</td><td>-36.89</td><td>34.54</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>233</td><td>0 Peak</td></tr><tr><td>2</td><td>14190.00</td><td>41.25</td><td>68.20</td><td>-26.95</td><td>24.48</td><td>40.98</td><td>19.34</td><td>43.96</td><td>0.41</td><td>233</td><td>0 Average</td></tr><tr><td>3</td><td>21285.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>37.26</td><td>38.80</td><td>23.83</td><td>49.97</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	51.31	88.20	-36.89	34.54	40.98	19.34	43.96	0.41	233	0 Peak	2	14190.00	41.25	68.20	-26.95	24.48	40.98	19.34	43.96	0.41	233	0 Average	3	21285.00	40.38	74.00	-33.62	37.26	38.80	23.83	49.97	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	14190.00	50.56	88.20	-37.64	33.79	40.98	19.34	43.96	0.41	212	0 Peak																																																																																																																													
2	14190.00	40.45	68.20	-27.75	23.68	40.98	19.34	43.96	0.41	212	0 Average																																																																																																																													
3	21285.00	40.13	74.00	-33.87	37.01	38.80	23.83	49.97	-9.54	--	-- Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	14190.00	51.31	88.20	-36.89	34.54	40.98	19.34	43.96	0.41	233	0 Peak																																																																																																																													
2	14190.00	41.25	68.20	-26.95	24.48	40.98	19.34	43.96	0.41	233	0 Average																																																																																																																													
3	21285.00	40.38	74.00	-33.62	37.26	38.80	23.83	49.97	-9.54	--	-- Peak																																																																																																																													



Mode	26	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		27																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>63.81</td><td>88.20</td><td>-24.39</td><td>52.07</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135</td><td>Peak</td></tr><tr><td>2</td><td>7126.00</td><td>74.05</td><td>88.20</td><td>-14.15</td><td>62.31</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	63.81	88.20	-24.39	52.07	36.70	13.59	38.55	0.00	192	135	Peak	2	7126.00	74.05	88.20	-14.15	62.31	36.70	13.59	38.55	0.00	192	135	Peak	Level (dBuV/m) Date: 2026-08-15 1 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>94.82</td><td>-----</td><td>-----</td><td>83.00</td><td>36.70</td><td>13.58</td><td>38.54</td><td>0.00</td><td>192</td><td>135</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.82	-----	-----	83.00	36.70	13.58	38.54	0.00	192	135	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.01	63.81	88.20	-24.39	52.07	36.70	13.59	38.55	0.00	192	135	Peak																																																																																																					
2	7126.00	74.05	88.20	-14.15	62.31	36.70	13.59	38.55	0.00	192	135	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	94.82	-----	-----	83.00	36.70	13.58	38.54	0.00	192	135	Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>42.20</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135</td><td>Average</td></tr><tr><td>2</td><td>7126.00</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>45.97</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	53.94	68.20	-14.26	42.20	36.70	13.59	38.55	0.00	192	135	Average	2	7126.00	57.71	68.20	-10.49	45.97	36.70	13.59	38.55	0.00	192	135	Average	Level (dBuV/m) Date: 2026-08-15 1 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.64</td><td>-----</td><td>-----</td><td>74.90</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.64	-----	-----	74.90	36.70	13.59	38.55	0.00	192	135	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.01	53.94	68.20	-14.26	42.20	36.70	13.59	38.55	0.00	192	135	Average																																																																																																					
2	7126.00	57.71	68.20	-10.49	45.97	36.70	13.59	38.55	0.00	192	135	Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	86.64	-----	-----	74.90	36.70	13.59	38.55	0.00	192	135	Average																																																																																																					



	27																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.01</td><td>54.58</td><td>88.20</td><td>-33.62</td><td>42.84</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200 132 Peak</td></tr><tr><td>2 7126.00</td><td>58.80</td><td>88.20</td><td>-29.40</td><td>47.06</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200 132 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	54.58	88.20	-33.62	42.84	36.70	13.59	38.55	0.00	200 132 Peak	2 7126.00	58.80	88.20	-29.40	47.06	36.70	13.59	38.55	0.00	200 132 Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>83.67</td><td>-----</td><td>-----</td><td>71.93</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200 132 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	83.67	-----	-----	71.93	36.70	13.57	38.53	0.00	200 132 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 7125.01	54.58	88.20	-33.62	42.84	36.70	13.59	38.55	0.00	200 132 Peak																																																																																											
2 7126.00	58.80	88.20	-29.40	47.06	36.70	13.59	38.55	0.00	200 132 Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 7115.00	83.67	-----	-----	71.93	36.70	13.57	38.53	0.00	200 132 Peak																																																																																											
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.01</td><td>45.09</td><td>68.20</td><td>-23.11</td><td>33.35</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200 132 Average</td></tr><tr><td>2 7126.00</td><td>43.72</td><td>68.20</td><td>-24.48</td><td>31.98</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200 132 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	45.09	68.20	-23.11	33.35	36.70	13.59	38.55	0.00	200 132 Average	2 7126.00	43.72	68.20	-24.48	31.98	36.70	13.59	38.55	0.00	200 132 Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>76.15</td><td>-----</td><td>-----</td><td>64.41</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200 132 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	76.15	-----	-----	64.41	36.70	13.57	38.53	0.00	200 132 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 7125.01	45.09	68.20	-23.11	33.35	36.70	13.59	38.55	0.00	200 132 Average																																																																																											
2 7126.00	43.72	68.20	-24.48	31.98	36.70	13.59	38.55	0.00	200 132 Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 7115.00	76.15	-----	-----	64.41	36.70	13.57	38.53	0.00	200 132 Average																																																																																											



Mode	28																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7219.40 49.87 88.20 -38.33 37.95 36.88 13.67 38.63 0.00 194 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7219.40 49.87 88.20 -38.33 37.95 36.88 13.67 38.63 0.00 194 33 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6925.00 100.82 ----- 89.21 36.53 13.44 38.36 0.00 194 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 6925.00 100.82 ----- 89.21 36.53 13.44 38.36 0.00 194 33 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7219.40 49.87 88.20 -38.33 37.95 36.88 13.67 38.63 0.00 194 33 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 6925.00 100.82 ----- 89.21 36.53 13.44 38.36 0.00 194 33 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7244.36 40.24 68.20 -27.96 28.22 36.98 13.70 38.66 0.00 194 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 7244.36 40.24 68.20 -27.96 28.22 36.98 13.70 38.66 0.00 194 33 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6925.00 92.34 ----- 80.71 36.56 13.42 38.35 0.00 194 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB dB cm deg									1 6925.00 92.34 ----- 80.71 36.56 13.42 38.35 0.00 194 33 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7244.36 40.24 68.20 -27.96 28.22 36.98 13.70 38.66 0.00 194 33 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 6925.00 92.34 ----- 80.71 36.56 13.42 38.35 0.00 194 33 Average																																																																										



		28																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7228.36 50.53 88.20 -37.67 38.58 36.91 13.68 38.64 0.00 200 140 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7228.36 50.53 88.20 -37.67 38.58 36.91 13.68 38.64 0.00 200 140 Peak									Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6925.00 93.71 ----- 82.10 36.54 13.43 38.36 0.00 200 140 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6925.00 93.71 ----- 82.10 36.54 13.43 38.36 0.00 200 140 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																												
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 7228.36 50.53 88.20 -37.67 38.58 36.91 13.68 38.64 0.00 200 140 Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																												
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 6925.00 93.71 ----- 82.10 36.54 13.43 38.36 0.00 200 140 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7225.16 40.16 68.20 -28.04 28.22 36.90 13.68 38.64 0.00 200 140 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7225.16 40.16 68.20 -28.04 28.22 36.90 13.68 38.64 0.00 200 140 Average									Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6925.00 85.16 ----- 73.58 36.51 13.44 38.37 0.00 200 140 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6925.00 85.16 ----- 73.58 36.51 13.44 38.37 0.00 200 140 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																												
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 7225.16 40.16 68.20 -28.04 28.22 36.90 13.68 38.64 0.00 200 140 Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																												
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																			
1 6925.00 85.16 ----- 73.58 36.51 13.44 38.37 0.00 200 140 Average																																																																																			



Mode	28																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>34.64</td><td>40.50</td><td>19.13</td><td>43.96</td><td>0.39</td><td>400</td><td>226</td><td>Peak</td></tr><tr><td>2</td><td>13850.00</td><td>40.64</td><td>68.20</td><td>-27.56</td><td>24.58</td><td>40.50</td><td>19.13</td><td>43.96</td><td>0.39</td><td>400</td><td>226</td><td>Average</td></tr><tr><td>3</td><td>20775.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>37.49</td><td>38.60</td><td>23.50</td><td>50.42</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	50.70	88.20	-37.50	34.64	40.50	19.13	43.96	0.39	400	226	Peak	2	13850.00	40.64	68.20	-27.56	24.58	40.50	19.13	43.96	0.39	400	226	Average	3	20775.00	39.63	74.00	-34.37	37.49	38.60	23.50	50.42	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>51.72</td><td>88.20</td><td>-36.48</td><td>35.66</td><td>40.50</td><td>19.13</td><td>43.96</td><td>0.39</td><td>100</td><td>60</td><td>Peak</td></tr><tr><td>2</td><td>13850.00</td><td>41.76</td><td>68.20</td><td>-26.44</td><td>25.70</td><td>40.50</td><td>19.13</td><td>43.96</td><td>0.39</td><td>100</td><td>60</td><td>Average</td></tr><tr><td>3</td><td>20775.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>36.98</td><td>38.60</td><td>23.50</td><td>50.42</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	51.72	88.20	-36.48	35.66	40.50	19.13	43.96	0.39	100	60	Peak	2	13850.00	41.76	68.20	-26.44	25.70	40.50	19.13	43.96	0.39	100	60	Average	3	20775.00	39.12	74.00	-34.88	36.98	38.60	23.50	50.42	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13850.00	50.70	88.20	-37.50	34.64	40.50	19.13	43.96	0.39	400	226	Peak																																																																																																																																											
2	13850.00	40.64	68.20	-27.56	24.58	40.50	19.13	43.96	0.39	400	226	Average																																																																																																																																											
3	20775.00	39.63	74.00	-34.37	37.49	38.60	23.50	50.42	-9.54	--	--	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13850.00	51.72	88.20	-36.48	35.66	40.50	19.13	43.96	0.39	100	60	Peak																																																																																																																																											
2	13850.00	41.76	68.20	-26.44	25.70	40.50	19.13	43.96	0.39	100	60	Average																																																																																																																																											
3	20775.00	39.12	74.00	-34.88	36.98	38.60	23.50	50.42	-9.54	--	--	Peak																																																																																																																																											



Mode	28	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		29																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7200.36</td><td>49.90</td><td>88.20</td><td>-38.30</td><td>38.00</td><td>36.00</td><td>13.64</td><td>38.62</td><td>0.00</td><td>200</td><td>135</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7200.36	49.90	88.20	-38.30	38.00	36.00	13.64	38.62	0.00	200	135	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7005.00</td><td>100.78</td><td>-----</td><td>-----</td><td>89.22</td><td>36.50</td><td>13.49</td><td>38.43</td><td>0.00</td><td>200</td><td>135</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7005.00	100.78	-----	-----	89.22	36.50	13.49	38.43	0.00	200	135	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7200.36	49.90	88.20	-38.30	38.00	36.00	13.64	38.62	0.00	200	135	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7005.00	100.78	-----	-----	89.22	36.50	13.49	38.43	0.00	200	135	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7194.12</td><td>40.04</td><td>68.20</td><td>-28.16</td><td>28.22</td><td>36.79</td><td>13.64</td><td>38.61</td><td>0.00</td><td>200</td><td>135</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7194.12	40.04	68.20	-28.16	28.22	36.79	13.64	38.61	0.00	200	135	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7005.00</td><td>92.24</td><td>-----</td><td>-----</td><td>80.68</td><td>36.50</td><td>13.50</td><td>38.44</td><td>0.00</td><td>200</td><td>135</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7005.00	92.24	-----	-----	80.68	36.50	13.50	38.44	0.00	200	135	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7194.12	40.04	68.20	-28.16	28.22	36.79	13.64	38.61	0.00	200	135	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7005.00	92.24	-----	-----	80.68	36.50	13.50	38.44	0.00	200	135	Average																																																																								







	29																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7178.52</td><td>50.60</td><td>88.20</td><td>-37.60</td><td>38.82</td><td>36.76</td><td>13.62</td><td>38.60</td><td>0.00</td><td>200</td><td>141</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7178.52	50.60	88.20	-37.60	38.82	36.76	13.62	38.60	0.00	200	141	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7005.00</td><td>93.66</td><td>-----</td><td>-----</td><td>82.07</td><td>36.54</td><td>13.51</td><td>38.46</td><td>0.00</td><td>200</td><td>141</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7005.00	93.66	-----	-----	82.07	36.54	13.51	38.46	0.00	200	141	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7178.52	50.60	88.20	-37.60	38.82	36.76	13.62	38.60	0.00	200	141	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7005.00	93.66	-----	-----	82.07	36.54	13.51	38.46	0.00	200	141	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7143.72</td><td>40.24</td><td>68.20</td><td>-27.96</td><td>28.51</td><td>36.70</td><td>13.60</td><td>38.57</td><td>0.00</td><td>200</td><td>141</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7143.72	40.24	68.20	-27.96	28.51	36.70	13.60	38.57	0.00	200	141	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7005.00</td><td>84.90</td><td>-----</td><td>-----</td><td>73.31</td><td>36.54</td><td>13.51</td><td>38.46</td><td>0.00</td><td>200</td><td>141</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7005.00	84.90	-----	-----	73.31	36.54	13.51	38.46	0.00	200	141	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7143.72	40.24	68.20	-27.96	28.51	36.70	13.60	38.57	0.00	200	141	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7005.00	84.90	-----	-----	73.31	36.54	13.51	38.46	0.00	200	141	Average																																																																									



Mode	29																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>50.94</td><td>88.20</td><td>-37.26</td><td>34.48</td><td>40.80</td><td>19.23</td><td>43.96</td><td>0.39</td><td>200</td><td>108</td><td>Peak</td></tr><tr><td>2</td><td>14010.00</td><td>40.89</td><td>68.20</td><td>-27.31</td><td>24.43</td><td>40.80</td><td>19.23</td><td>43.96</td><td>0.39</td><td>200</td><td>108</td><td>Average</td></tr><tr><td>3</td><td>21015.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>37.21</td><td>38.77</td><td>23.60</td><td>50.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	50.94	88.20	-37.26	34.48	40.80	19.23	43.96	0.39	200	108	Peak	2	14010.00	40.89	68.20	-27.31	24.43	40.80	19.23	43.96	0.39	200	108	Average	3	21015.00	39.85	74.00	-34.15	37.21	38.77	23.60	50.19	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>51.35</td><td>88.20</td><td>-36.85</td><td>34.89</td><td>40.80</td><td>19.23</td><td>43.96</td><td>0.39</td><td>148</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>14010.00</td><td>41.38</td><td>68.20</td><td>-26.82</td><td>24.92</td><td>40.80</td><td>19.23</td><td>43.96</td><td>0.39</td><td>148</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>21015.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>37.13</td><td>38.77</td><td>23.60</td><td>50.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	51.35	88.20	-36.85	34.89	40.80	19.23	43.96	0.39	148	360	Peak	2	14010.00	41.38	68.20	-26.82	24.92	40.80	19.23	43.96	0.39	148	360	Average	3	21015.00	39.77	74.00	-34.23	37.13	38.77	23.60	50.19	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	14010.00	50.94	88.20	-37.26	34.48	40.80	19.23	43.96	0.39	200	108	Peak																																																																																																																																		
2	14010.00	40.89	68.20	-27.31	24.43	40.80	19.23	43.96	0.39	200	108	Average																																																																																																																																		
3	21015.00	39.85	74.00	-34.15	37.21	38.77	23.60	50.19	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	14010.00	51.35	88.20	-36.85	34.89	40.80	19.23	43.96	0.39	148	360	Peak																																																																																																																																		
2	14010.00	41.38	68.20	-26.82	24.92	40.80	19.23	43.96	0.39	148	360	Average																																																																																																																																		
3	21015.00	39.77	74.00	-34.23	37.13	38.77	23.60	50.19	-9.54	--	--	Peak																																																																																																																																		



Mode	29	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	30																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH219_Full RU_7045MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7143.00</td><td>51.31</td><td>88.20 -36.89</td><td>39.58</td><td>36.70</td><td>13.60</td><td>38.57</td><td>0.00</td><td>192</td><td>135 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7143.00	51.31	88.20 -36.89	39.58	36.70	13.60	38.57	0.00	192	135 Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7045.00</td><td>100.01</td><td>-----</td><td>88.35</td><td>36.61</td><td>13.54</td><td>38.49</td><td>0.00</td><td>192</td><td>135 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7045.00	100.01	-----	88.35	36.61	13.54	38.49	0.00	192	135 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7143.00	51.31	88.20 -36.89	39.58	36.70	13.60	38.57	0.00	192	135 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7045.00	100.01	-----	88.35	36.61	13.54	38.49	0.00	192	135 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.00</td><td>40.75</td><td>68.20 -27.45</td><td>29.01</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>192</td><td>135 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.00	40.75	68.20 -27.45	29.01	36.70	13.59	38.55	0.00	192	135 Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7045.00</td><td>92.19</td><td>-----</td><td>80.52</td><td>36.62</td><td>13.54</td><td>38.49</td><td>0.00</td><td>192</td><td>135 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7045.00	92.19	-----	80.52	36.62	13.54	38.49	0.00	192	135 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7127.00	40.75	68.20 -27.45	29.01	36.70	13.59	38.55	0.00	192	135 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7045.00	92.19	-----	80.52	36.62	13.54	38.49	0.00	192	135 Average																																																																																	



		30																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH219_Full RU_7045MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7216.00</td><td>50.71</td><td>88.20</td><td>-37.49</td><td>38.82</td><td>36.86</td><td>13.66</td><td>38.63</td><td>0.00</td><td>223</td><td>139</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7216.00	50.71	88.20	-37.49	38.82	36.86	13.66	38.63	0.00	223	139	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7045.00</td><td>100.25</td><td>-----</td><td>-----</td><td>88.64</td><td>36.55</td><td>13.52</td><td>38.46</td><td>0.00</td><td>223</td><td>139</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7045.00	100.25	-----	-----	88.64	36.55	13.52	38.46	0.00	223	139	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7216.00	50.71	88.20	-37.49	38.82	36.86	13.66	38.63	0.00	223	139	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7045.00	100.25	-----	-----	88.64	36.55	13.52	38.46	0.00	223	139	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7244.00</td><td>40.09</td><td>68.20</td><td>-28.11</td><td>28.07</td><td>36.98</td><td>13.70</td><td>38.66</td><td>0.00</td><td>223</td><td>139</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7244.00	40.09	68.20	-28.11	28.07	36.98	13.70	38.66	0.00	223	139	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7045.00</td><td>92.48</td><td>-----</td><td>-----</td><td>80.87</td><td>36.55</td><td>13.52</td><td>38.46</td><td>0.00</td><td>223</td><td>139</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7045.00	92.48	-----	-----	80.87	36.55	13.52	38.46	0.00	223	139	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7244.00	40.09	68.20	-28.11	28.07	36.98	13.70	38.66	0.00	223	139	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7045.00	92.48	-----	-----	80.87	36.55	13.52	38.46	0.00	223	139	Average																																																																								



Mode	30																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH219_Full RU_7045MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14090.00</td><td>52.58</td><td>88.20</td><td>-35.62</td><td>35.98</td><td>40.88</td><td>19.28</td><td>43.96</td><td>0.40</td><td>300 253 Peak</td></tr><tr><td>2 14090.00</td><td>42.43</td><td>68.20</td><td>-25.77</td><td>25.83</td><td>40.88</td><td>19.28</td><td>43.96</td><td>0.40</td><td>300 253 Average</td></tr><tr><td>3 21135.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>36.80</td><td>38.84</td><td>23.70</td><td>50.09</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14090.00	52.58	88.20	-35.62	35.98	40.88	19.28	43.96	0.40	300 253 Peak	2 14090.00	42.43	68.20	-25.77	25.83	40.88	19.28	43.96	0.40	300 253 Average	3 21135.00	39.71	74.00	-34.29	36.80	38.84	23.70	50.09	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14090.00</td><td>51.20</td><td>88.20</td><td>-37.00</td><td>34.60</td><td>40.88</td><td>19.28</td><td>43.96</td><td>0.40</td><td>300 340 Peak</td></tr><tr><td>2 14090.00</td><td>41.18</td><td>68.20</td><td>-27.02</td><td>24.58</td><td>40.88</td><td>19.28</td><td>43.96</td><td>0.40</td><td>300 340 Average</td></tr><tr><td>3 21135.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>37.08</td><td>38.84</td><td>23.70</td><td>50.09</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14090.00	51.20	88.20	-37.00	34.60	40.88	19.28	43.96	0.40	300 340 Peak	2 14090.00	41.18	68.20	-27.02	24.58	40.88	19.28	43.96	0.40	300 340 Average	3 21135.00	39.99	74.00	-34.01	37.08	38.84	23.70	50.09	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 14090.00	52.58	88.20	-35.62	35.98	40.88	19.28	43.96	0.40	300 253 Peak																																																																																																																	
2 14090.00	42.43	68.20	-25.77	25.83	40.88	19.28	43.96	0.40	300 253 Average																																																																																																																	
3 21135.00	39.71	74.00	-34.29	36.80	38.84	23.70	50.09	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 14090.00	51.20	88.20	-37.00	34.60	40.88	19.28	43.96	0.40	300 340 Peak																																																																																																																	
2 14090.00	41.18	68.20	-27.02	24.58	40.88	19.28	43.96	0.40	300 340 Average																																																																																																																	
3 21135.00	39.99	74.00	-34.01	37.08	38.84	23.70	50.09	-9.54	-- -- Peak																																																																																																																	



Mode	30	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH219_Full RU_7045MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL







Mode	31																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7185.64</td><td>49.92</td><td>88.20 -38.28</td><td>38.12</td><td>36.77</td><td>13.63</td><td>38.60</td><td>0.00</td><td>204</td><td>138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	7185.64	49.92	88.20 -38.28	38.12	36.77	13.63	38.60	0.00	204	138 Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>93.87</td><td>-----</td><td>82.15</td><td>36.68</td><td>13.56</td><td>38.52</td><td>0.00</td><td>204</td><td>138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	7085.00	93.87	-----	82.15	36.68	13.56	38.52	0.00	204	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																			
1	7185.64	49.92	88.20 -38.28	38.12	36.77	13.63	38.60	0.00	204	138 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																			
1	7085.00	93.87	-----	82.15	36.68	13.56	38.52	0.00	204	138 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.16</td><td>40.61</td><td>68.20 -27.59</td><td>28.87</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>204</td><td>138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	7125.16	40.61	68.20 -27.59	28.87	36.70	13.59	38.55	0.00	204	138 Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>83.40</td><td>-----</td><td>71.67</td><td>36.69</td><td>13.57</td><td>38.53</td><td>0.00</td><td>204</td><td>138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	7085.00	83.40	-----	71.67	36.69	13.57	38.53	0.00	204	138 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																			
1	7125.16	40.61	68.20 -27.59	28.87	36.70	13.59	38.55	0.00	204	138 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																			
1	7085.00	83.40	-----	71.67	36.69	13.57	38.53	0.00	204	138 Average																																																																																		







	31																																																																																		
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7198.60</td><td>50.81</td><td>88.20</td><td>-37.39</td><td>39.01</td><td>36.78</td><td>13.63</td><td>38.61</td><td>0.00</td><td>200</td><td>139</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7198.60	50.81	88.20	-37.39	39.01	36.78	13.63	38.61	0.00	200	139	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>92.27</td><td>-----</td><td>-----</td><td>80.58</td><td>36.64</td><td>13.55</td><td>38.50</td><td>0.00</td><td>200</td><td>139</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	92.27	-----	-----	80.58	36.64	13.55	38.50	0.00	200	139	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7198.60	50.81	88.20	-37.39	39.01	36.78	13.63	38.61	0.00	200	139	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	92.27	-----	-----	80.58	36.64	13.55	38.50	0.00	200	139	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.16</td><td>39.99</td><td>68.20</td><td>-28.21</td><td>28.25</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200</td><td>139</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.16	39.99	68.20	-28.21	28.25	36.70	13.59	38.55	0.00	200	139	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>82.37</td><td>-----</td><td>-----</td><td>70.68</td><td>36.64</td><td>13.55</td><td>38.50</td><td>0.00</td><td>200</td><td>139</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	82.37	-----	-----	70.68	36.64	13.55	38.50	0.00	200	139	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.16	39.99	68.20	-28.21	28.25	36.70	13.59	38.55	0.00	200	139	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	82.37	-----	-----	70.68	36.64	13.55	38.50	0.00	200	139	Average																																																																								



		32																																																																																														
Mode	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	 Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.40</td><td>51.30</td><td>88.20</td><td>-36.90</td><td>39.38</td><td>36.88</td><td>13.67</td><td>38.63</td><td>0.00</td><td>192</td><td>32</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7220.40	51.30	88.20	-36.90	39.38	36.88	13.67	38.63	0.00	192	32	Peak	 Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>101.59</td><td>-----</td><td>89.96</td><td>36.56</td><td>13.42</td><td>38.35</td><td>0.00</td><td>192</td><td>32</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	101.59	-----	89.96	36.56	13.42	38.35	0.00	192	32	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7220.40	51.30	88.20	-36.90	39.38	36.88	13.67	38.63	0.00	192	32	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6945.00	101.59	-----	89.96	36.56	13.42	38.35	0.00	192	32	Peak																																																																																					
Avg	 Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7177.20</td><td>40.41</td><td>68.20</td><td>-27.79</td><td>28.64</td><td>36.75</td><td>13.62</td><td>38.60</td><td>0.00</td><td>192</td><td>32</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7177.20	40.41	68.20	-27.79	28.64	36.75	13.62	38.60	0.00	192	32	Average	 Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>92.31</td><td>-----</td><td>80.74</td><td>36.50</td><td>13.45</td><td>38.38</td><td>0.00</td><td>192</td><td>32</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	92.31	-----	80.74	36.50	13.45	38.38	0.00	192	32	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7177.20	40.41	68.20	-27.79	28.64	36.75	13.62	38.60	0.00	192	32	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6945.00	92.31	-----	80.74	36.50	13.45	38.38	0.00	192	32	Average																																																																																					



	32																																																																																						
Mode	Band Edge																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-08-15  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2026-08-15  PEAK(UNII)_6E																																																																																	
	Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7164.00</td><td>50.13</td><td>88.20</td><td>-38.07</td><td>38.36</td><td>36.73</td><td>13.62</td><td>38.58</td><td>0.00</td><td>219</td><td>138</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7164.00	50.13	88.20	-38.07	38.36	36.73	13.62	38.58	0.00	219	138	Peak	Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6945.00</td><td>102.95</td><td>-----</td><td>-----</td><td>91.37</td><td>36.51</td><td>13.44</td><td>38.37</td><td>0.00</td><td>219</td><td>138</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6945.00	102.95	-----	-----	91.37	36.51	13.44	38.37	0.00	219	138
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	7164.00	50.13	88.20	-38.07	38.36	36.73	13.62	38.58	0.00	219	138	Peak																																																																											
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	6945.00	102.95	-----	-----	91.37	36.51	13.44	38.37	0.00	219	138	Peak																																																																											
Avg	Level (dBuV/m) Date: 2026-08-15  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2026-08-15  AVG(UNII)_6E																																																																																	
	Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7243.50</td><td>40.22</td><td>68.20</td><td>-27.98</td><td>28.20</td><td>36.97</td><td>13.70</td><td>38.65</td><td>0.00</td><td>219</td><td>138</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7243.50	40.22	68.20	-27.98	28.20	36.97	13.70	38.65	0.00	219	138	Average	Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6945.00</td><td>93.93</td><td>-----</td><td>-----</td><td>82.36</td><td>36.50</td><td>13.48</td><td>38.41</td><td>0.00</td><td>219</td><td>138</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6945.00	93.93	-----	-----	82.36	36.50	13.48	38.41	0.00	219	138
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	7243.50	40.22	68.20	-27.98	28.20	36.97	13.70	38.65	0.00	219	138	Average																																																																											
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	6945.00	93.93	-----	-----	82.36	36.50	13.48	38.41	0.00	219	138	Average																																																																											







Mode	32																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>50.36</td><td>88.20</td><td>-37.84</td><td>34.28</td><td>40.50</td><td>19.15</td><td>43.96</td><td>0.39</td><td>400</td><td>112</td><td>Peak</td></tr><tr><td>2</td><td>13890.00</td><td>40.23</td><td>68.20</td><td>-27.97</td><td>24.15</td><td>40.50</td><td>19.15</td><td>43.96</td><td>0.39</td><td>400</td><td>112</td><td>Average</td></tr><tr><td>3</td><td>20835.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>37.67</td><td>38.60</td><td>23.53</td><td>50.37</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	50.36	88.20	-37.84	34.28	40.50	19.15	43.96	0.39	400	112	Peak	2	13890.00	40.23	68.20	-27.97	24.15	40.50	19.15	43.96	0.39	400	112	Average	3	20835.00	39.89	74.00	-34.11	37.67	38.60	23.53	50.37	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>50.09</td><td>88.20</td><td>-38.11</td><td>34.01</td><td>40.50</td><td>19.15</td><td>43.96</td><td>0.39</td><td>100</td><td>78</td><td>Peak</td></tr><tr><td>2</td><td>13890.00</td><td>40.19</td><td>68.20</td><td>-28.01</td><td>24.11</td><td>40.50</td><td>19.15</td><td>43.96</td><td>0.39</td><td>100</td><td>78</td><td>Average</td></tr><tr><td>3</td><td>20835.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>37.63</td><td>38.60</td><td>23.53</td><td>50.37</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	50.09	88.20	-38.11	34.01	40.50	19.15	43.96	0.39	100	78	Peak	2	13890.00	40.19	68.20	-28.01	24.11	40.50	19.15	43.96	0.39	100	78	Average	3	20835.00	39.85	74.00	-34.15	37.63	38.60	23.53	50.37	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13890.00	50.36	88.20	-37.84	34.28	40.50	19.15	43.96	0.39	400	112	Peak																																																																																																																																		
2	13890.00	40.23	68.20	-27.97	24.15	40.50	19.15	43.96	0.39	400	112	Average																																																																																																																																		
3	20835.00	39.89	74.00	-34.11	37.67	38.60	23.53	50.37	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13890.00	50.09	88.20	-38.11	34.01	40.50	19.15	43.96	0.39	100	78	Peak																																																																																																																																		
2	13890.00	40.19	68.20	-28.01	24.11	40.50	19.15	43.96	0.39	100	78	Average																																																																																																																																		
3	20835.00	39.85	74.00	-34.15	37.63	38.60	23.53	50.37	-9.54	--	--	Peak																																																																																																																																		



Mode	32	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
35.6G ~40G Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		33																																																																																																																												
Mode	Band Edge																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2026-08-15  PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.76</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>40.33</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>133 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7125.76	52.07	88.20	-36.13	40.33	36.70	13.59	38.55	0.00	200											133 Peak	Level (dBuV/m) Date: 2026-08-15  PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>94.48</td><td>-----</td><td>-----</td><td>82.92</td><td>36.50</td><td>13.49</td><td>38.43</td><td>0.00</td><td>200</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>133 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7025.00	94.48	-----	-----	82.92	36.50	13.49	38.43	0.00	200											133 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	7125.76	52.07	88.20	-36.13	40.33	36.70	13.59	38.55	0.00	200																																																																																																																				
										133 Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	7025.00	94.48	-----	-----	82.92	36.50	13.49	38.43	0.00	200																																																																																																																				
										133 Peak																																																																																																																				
Avg	Level (dBuV/m) Date: 2026-08-15  AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.10</td><td>42.48</td><td>68.20</td><td>-25.72</td><td>30.74</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>133 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7125.10	42.48	68.20	-25.72	30.74	36.70	13.59	38.55	0.00	200											133 Average	Level (dBuV/m) Date: 2026-08-15  AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>85.50</td><td>-----</td><td>-----</td><td>73.94</td><td>36.50</td><td>13.48</td><td>38.42</td><td>0.00</td><td>200</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>133 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7025.00	85.50	-----	-----	73.94	36.50	13.48	38.42	0.00	200											133 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	7125.10	42.48	68.20	-25.72	30.74	36.70	13.59	38.55	0.00	200																																																																																																																				
										133 Average																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	7025.00	85.50	-----	-----	73.94	36.50	13.48	38.42	0.00	200																																																																																																																				
										133 Average																																																																																																																				



		33																																																																																														
Mode	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical					Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.86</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>41.98</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>225</td><td>136</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.86	53.72	88.20	-34.48	41.98	36.70	13.59	38.55	0.00	225	136	Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>101.53</td><td>-----</td><td>-----</td><td>89.88</td><td>36.60</td><td>13.53</td><td>38.48</td><td>0.00</td><td>225</td><td>136</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.53	-----	-----	89.88	36.60	13.53	38.48	0.00	225	136	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.86	53.72	88.20	-34.48	41.98	36.70	13.59	38.55	0.00	225	136	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	101.53	-----	-----	89.88	36.60	13.53	38.48	0.00	225	136	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.10</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>32.89</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>225</td><td>136</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	44.63	68.20	-23.57	32.89	36.70	13.59	38.55	0.00	225	136	Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>91.75</td><td>-----</td><td>-----</td><td>80.08</td><td>36.62</td><td>13.54</td><td>38.49</td><td>0.00</td><td>225</td><td>136</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.75	-----	-----	80.08	36.62	13.54	38.49	0.00	225	136	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.10	44.63	68.20	-23.57	32.89	36.70	13.59	38.55	0.00	225	136	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	91.75	-----	-----	80.08	36.62	13.54	38.49	0.00	225	136	Average																																																																																				



Mode	33																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14050.00</td><td>51.45</td><td>88.20</td><td>-36.75</td><td>34.96</td><td>40.80</td><td>19.25</td><td>43.96</td><td>0.40</td><td>329 360 Peak</td></tr><tr><td>2 14050.00</td><td>41.38</td><td>68.20</td><td>-26.82</td><td>24.09</td><td>40.80</td><td>19.25</td><td>43.96</td><td>0.40</td><td>329 360 Average</td></tr><tr><td>3 21075.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>37.55</td><td>38.70</td><td>23.65</td><td>50.14</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14050.00	51.45	88.20	-36.75	34.96	40.80	19.25	43.96	0.40	329 360 Peak	2 14050.00	41.38	68.20	-26.82	24.09	40.80	19.25	43.96	0.40	329 360 Average	3 21075.00	40.22	74.00	-33.78	37.55	38.70	23.65	50.14	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14050.00</td><td>51.64</td><td>88.20</td><td>-36.56</td><td>35.15</td><td>40.80</td><td>19.25</td><td>43.96</td><td>0.40</td><td>200 185 Peak</td></tr><tr><td>2 14050.00</td><td>41.72</td><td>68.20</td><td>-26.48</td><td>25.23</td><td>40.80</td><td>19.25</td><td>43.96</td><td>0.40</td><td>200 185 Average</td></tr><tr><td>3 21075.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>37.00</td><td>38.70</td><td>23.65</td><td>50.14</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14050.00	51.64	88.20	-36.56	35.15	40.80	19.25	43.96	0.40	200 185 Peak	2 14050.00	41.72	68.20	-26.48	25.23	40.80	19.25	43.96	0.40	200 185 Average	3 21075.00	39.67	74.00	-34.33	37.00	38.70	23.65	50.14	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14050.00	51.45	88.20	-36.75	34.96	40.80	19.25	43.96	0.40	329 360 Peak																																																																																																																	
2 14050.00	41.38	68.20	-26.82	24.09	40.80	19.25	43.96	0.40	329 360 Average																																																																																																																	
3 21075.00	40.22	74.00	-33.78	37.55	38.70	23.65	50.14	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14050.00	51.64	88.20	-36.56	35.15	40.80	19.25	43.96	0.40	200 185 Peak																																																																																																																	
2 14050.00	41.72	68.20	-26.48	25.23	40.80	19.25	43.96	0.40	200 185 Average																																																																																																																	
3 21075.00	39.67	74.00	-34.33	37.00	38.70	23.65	50.14	-9.54	-- -- Peak																																																																																																																	



Mode	33	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



	34																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7181.91</td><td>51.74</td><td>88.20 -36.46</td><td>39.95</td><td>36.76</td><td>13.63</td><td>38.60</td><td>0.00</td><td>200 140 Peak</td></tr><tr><td>2</td><td>7301.68</td><td>51.15</td><td>74.00 -22.85</td><td>39.07</td><td>37.01</td><td>13.78</td><td>38.71</td><td>0.00</td><td>200 140 Peak</td></tr><tr><td>3</td><td>7868.95</td><td>50.99</td><td>88.20 -37.21</td><td>38.63</td><td>36.90</td><td>14.53</td><td>39.07</td><td>0.00</td><td>200 140 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7181.91	51.74	88.20 -36.46	39.95	36.76	13.63	38.60	0.00	200 140 Peak	2	7301.68	51.15	74.00 -22.85	39.07	37.01	13.78	38.71	0.00	200 140 Peak	3	7868.95	50.99	88.20 -37.21	38.63	36.90	14.53	39.07	0.00	200 140 Peak	Level (dBuV/m) Date: 2026-08-15 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.89</td><td>-----</td><td>86.26</td><td>36.56</td><td>13.42</td><td>38.35</td><td>0.00</td><td>200 140 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	97.89	-----	86.26	36.56	13.42	38.35	0.00	200 140 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																					
1	7181.91	51.74	88.20 -36.46	39.95	36.76	13.63	38.60	0.00	200 140 Peak																																																																																																					
2	7301.68	51.15	74.00 -22.85	39.07	37.01	13.78	38.71	0.00	200 140 Peak																																																																																																					
3	7868.95	50.99	88.20 -37.21	38.63	36.90	14.53	39.07	0.00	200 140 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																					
1	6985.00	97.89	-----	86.26	36.56	13.42	38.35	0.00	200 140 Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-08-15 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7167.70</td><td>41.67</td><td>68.20 -26.53</td><td>29.90</td><td>36.74</td><td>13.62</td><td>38.59</td><td>0.00</td><td>200 140 Average</td></tr><tr><td>2</td><td>7258.93</td><td>40.86</td><td>54.00 -13.14</td><td>28.81</td><td>37.00</td><td>13.71</td><td>38.66</td><td>0.00</td><td>200 140 Average</td></tr><tr><td>3</td><td>7996.96</td><td>40.56</td><td>68.20 -27.64</td><td>27.87</td><td>37.09</td><td>14.75</td><td>39.15</td><td>0.00</td><td>200 140 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7167.70	41.67	68.20 -26.53	29.90	36.74	13.62	38.59	0.00	200 140 Average	2	7258.93	40.86	54.00 -13.14	28.81	37.00	13.71	38.66	0.00	200 140 Average	3	7996.96	40.56	68.20 -27.64	27.87	37.09	14.75	39.15	0.00	200 140 Average	Level (dBuV/m) Date: 2026-08-15 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>88.12</td><td>-----</td><td>76.56</td><td>36.50</td><td>13.46</td><td>38.40</td><td>0.00</td><td>200 140 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	88.12	-----	76.56	36.50	13.46	38.40	0.00	200 140 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																					
1	7167.70	41.67	68.20 -26.53	29.90	36.74	13.62	38.59	0.00	200 140 Average																																																																																																					
2	7258.93	40.86	54.00 -13.14	28.81	37.00	13.71	38.66	0.00	200 140 Average																																																																																																					
3	7996.96	40.56	68.20 -27.64	27.87	37.09	14.75	39.15	0.00	200 140 Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																					
1	6985.00	88.12	-----	76.56	36.50	13.46	38.40	0.00	200 140 Average																																																																																																					







Mode	34																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7130.15</td><td>57.09</td><td>88.20</td><td>-31.11</td><td>45.35</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00 209 137 Peak</td></tr><tr><td>2</td><td>7405.40</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>39.04</td><td>37.10</td><td>14.07</td><td>38.87</td><td>0.00 209 137 Peak</td></tr><tr><td>3</td><td>7890.38</td><td>50.77</td><td>88.20</td><td>-37.43</td><td>38.39</td><td>36.90</td><td>14.57</td><td>39.09</td><td>0.00 209 137 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7130.15	57.09	88.20	-31.11	45.35	36.70	13.59	38.55	0.00 209 137 Peak	2	7405.40	51.34	74.00	-22.66	39.04	37.10	14.07	38.87	0.00 209 137 Peak	3	7890.38	50.77	88.20	-37.43	38.39	36.90	14.57	39.09	0.00 209 137 Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>98.98</td><td>-----</td><td>-----</td><td>87.32</td><td>36.61</td><td>13.54</td><td>38.49</td><td>0.00 209 137 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	98.98	-----	-----	87.32	36.61	13.54	38.49	0.00 209 137 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	7130.15	57.09	88.20	-31.11	45.35	36.70	13.59	38.55	0.00 209 137 Peak																																																																																													
2	7405.40	51.34	74.00	-22.66	39.04	37.10	14.07	38.87	0.00 209 137 Peak																																																																																													
3	7890.38	50.77	88.20	-37.43	38.39	36.90	14.57	39.09	0.00 209 137 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	6985.00	98.98	-----	-----	87.32	36.61	13.54	38.49	0.00 209 137 Peak																																																																																													
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.07</td><td>47.74</td><td>68.20</td><td>-20.46</td><td>36.00</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00 209 137 Average</td></tr><tr><td>2</td><td>7696.52</td><td>40.43</td><td>54.00</td><td>-13.57</td><td>28.17</td><td>36.90</td><td>14.35</td><td>38.99</td><td>0.00 209 137 Average</td></tr><tr><td>3</td><td>7998.99</td><td>40.59</td><td>68.20</td><td>-27.61</td><td>27.09</td><td>37.10</td><td>14.75</td><td>39.15</td><td>0.00 209 137 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.07	47.74	68.20	-20.46	36.00	36.70	13.59	38.55	0.00 209 137 Average	2	7696.52	40.43	54.00	-13.57	28.17	36.90	14.35	38.99	0.00 209 137 Average	3	7998.99	40.59	68.20	-27.61	27.09	37.10	14.75	39.15	0.00 209 137 Average	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>91.22</td><td>-----</td><td>-----</td><td>79.55</td><td>36.62</td><td>13.54</td><td>38.49</td><td>0.00 209 137 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	91.22	-----	-----	79.55	36.62	13.54	38.49	0.00 209 137 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	7125.07	47.74	68.20	-20.46	36.00	36.70	13.59	38.55	0.00 209 137 Average																																																																																													
2	7696.52	40.43	54.00	-13.57	28.17	36.90	14.35	38.99	0.00 209 137 Average																																																																																													
3	7998.99	40.59	68.20	-27.61	27.09	37.10	14.75	39.15	0.00 209 137 Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	6985.00	91.22	-----	-----	79.55	36.62	13.54	38.49	0.00 209 137 Average																																																																																													







Mode	34																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(U-NII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>50.71</td><td>88.20</td><td>-37.49</td><td>34.46</td><td>40.62</td><td>19.20</td><td>43.96</td><td>0.39</td><td>300</td><td>161</td><td>Peak</td></tr><tr><td>2</td><td>13970.00</td><td>40.83</td><td>68.20</td><td>-27.37</td><td>24.58</td><td>40.62</td><td>19.20</td><td>43.96</td><td>0.39</td><td>300</td><td>161</td><td>Average</td></tr><tr><td>3</td><td>20955.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>38.09</td><td>38.62</td><td>23.57</td><td>50.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	50.71	88.20	-37.49	34.46	40.62	19.20	43.96	0.39	300	161	Peak	2	13970.00	40.83	68.20	-27.37	24.58	40.62	19.20	43.96	0.39	300	161	Average	3	20955.00	40.50	74.00	-33.50	38.09	38.62	23.57	50.24	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(U-NII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>33.71</td><td>40.62</td><td>19.20</td><td>43.96</td><td>0.39</td><td>102</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13970.00</td><td>39.92</td><td>68.20</td><td>-28.28</td><td>23.67</td><td>40.62</td><td>19.20</td><td>43.96</td><td>0.39</td><td>102</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20955.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>38.08</td><td>38.62</td><td>23.57</td><td>50.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	49.96	88.20	-38.24	33.71	40.62	19.20	43.96	0.39	102	360	Peak	2	13970.00	39.92	68.20	-28.28	23.67	40.62	19.20	43.96	0.39	102	360	Average	3	20955.00	40.49	74.00	-33.51	38.08	38.62	23.57	50.24	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13970.00	50.71	88.20	-37.49	34.46	40.62	19.20	43.96	0.39	300	161	Peak																																																																																																																																												
2	13970.00	40.83	68.20	-27.37	24.58	40.62	19.20	43.96	0.39	300	161	Average																																																																																																																																												
3	20955.00	40.50	74.00	-33.50	38.09	38.62	23.57	50.24	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13970.00	49.96	88.20	-38.24	33.71	40.62	19.20	43.96	0.39	102	360	Peak																																																																																																																																												
2	13970.00	39.92	68.20	-28.28	23.67	40.62	19.20	43.96	0.39	102	360	Average																																																																																																																																												
3	20955.00	40.49	74.00	-33.51	38.08	38.62	23.57	50.24	-9.54	--	--	Peak																																																																																																																																												



Mode	34	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		35																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.54</td><td>55.89</td><td>88.20</td><td>-32.31</td><td>44.16</td><td>36.70</td><td>13.59</td><td>38.56</td><td>0.00</td><td>200</td><td>276 Peak</td></tr><tr><td>2</td><td>7618.48</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>39.54</td><td>36.90</td><td>14.28</td><td>38.94</td><td>0.00</td><td>200</td><td>276 Peak</td></tr><tr><td>3</td><td>7796.69</td><td>51.81</td><td>88.20</td><td>-36.39</td><td>39.62</td><td>36.80</td><td>14.43</td><td>39.04</td><td>0.00</td><td>200</td><td>276 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.54	55.89	88.20	-32.31	44.16	36.70	13.59	38.56	0.00	200	276 Peak	2	7618.48	51.78	74.00	-22.22	39.54	36.90	14.28	38.94	0.00	200	276 Peak	3	7796.69	51.81	88.20	-36.39	39.62	36.80	14.43	39.04	0.00	200	276 Peak	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6745.00</td><td>89.29</td><td>-----</td><td>-----</td><td>77.98</td><td>36.17</td><td>13.09</td><td>37.95</td><td>0.00</td><td>200</td><td>276 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6745.00	89.29	-----	-----	77.98	36.17	13.09	37.95	0.00	200	276 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7131.54	55.89	88.20	-32.31	44.16	36.70	13.59	38.56	0.00	200	276 Peak																																																																																																												
2	7618.48	51.78	74.00	-22.22	39.54	36.90	14.28	38.94	0.00	200	276 Peak																																																																																																												
3	7796.69	51.81	88.20	-36.39	39.62	36.80	14.43	39.04	0.00	200	276 Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	6745.00	89.29	-----	-----	77.98	36.17	13.09	37.95	0.00	200	276 Peak																																																																																																												
Avg	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.78</td><td>45.07</td><td>68.20</td><td>-23.13</td><td>33.33</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>200</td><td>276 Average</td></tr><tr><td>2</td><td>7258.77</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>29.00</td><td>37.00</td><td>13.71</td><td>38.66</td><td>0.00</td><td>200</td><td>276 Average</td></tr><tr><td>3</td><td>8000.00</td><td>40.73</td><td>68.20</td><td>-27.47</td><td>28.03</td><td>37.10</td><td>14.75</td><td>39.15</td><td>0.00</td><td>200</td><td>276 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.78	45.07	68.20	-23.13	33.33	36.70	13.59	38.55	0.00	200	276 Average	2	7258.77	41.05	54.00	-12.95	29.00	37.00	13.71	38.66	0.00	200	276 Average	3	8000.00	40.73	68.20	-27.47	28.03	37.10	14.75	39.15	0.00	200	276 Average	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6745.00</td><td>79.38</td><td>-----</td><td>-----</td><td>68.07</td><td>36.17</td><td>13.09</td><td>37.95</td><td>0.00</td><td>200</td><td>276 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6745.00	79.38	-----	-----	68.07	36.17	13.09	37.95	0.00	200	276 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7127.78	45.07	68.20	-23.13	33.33	36.70	13.59	38.55	0.00	200	276 Average																																																																																																												
2	7258.77	41.05	54.00	-12.95	29.00	37.00	13.71	38.66	0.00	200	276 Average																																																																																																												
3	8000.00	40.73	68.20	-27.47	28.03	37.10	14.75	39.15	0.00	200	276 Average																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	6745.00	79.38	-----	-----	68.07	36.17	13.09	37.95	0.00	200	276 Average																																																																																																												







		35																																																																																																						
Mode	Band Edge																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7183.00	51.44	88.20	-36.76	39.64	36.77	13.63	38.60	0.00 215 136 Peak	2	7668.68	50.94	74.00	-23.06	38.69	36.90	14.32	38.97	0.00 215 136 Peak	3	7987.45	50.87	88.20	-37.33	38.21	37.07	14.73	39.14	0.00 215 136 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6745.00	95.02	-----	-----	83.35	36.59	13.39	38.31	0.00 215 136 Peak				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																															
1	7183.00	51.44	88.20	-36.76	39.64	36.77	13.63	38.60	0.00 215 136 Peak																																																																																															
2	7668.68	50.94	74.00	-23.06	38.69	36.90	14.32	38.97	0.00 215 136 Peak																																																																																															
3	7987.45	50.87	88.20	-37.33	38.21	37.07	14.73	39.14	0.00 215 136 Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																															
1	6745.00	95.02	-----	-----	83.35	36.59	13.39	38.31	0.00 215 136 Peak																																																																																															
Avg	Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Level (dBuV/m) Date: 2026-08-15 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7195.55	40.74	68.20	-27.46	28.92	36.79	13.64	38.61	0.00 215 136 Average	2	7274.61	40.81	54.00	-13.19	28.75	37.00	13.74	38.68	0.00 215 136 Average	3	7994.98	40.72	68.20	-27.48	28.04	37.09	14.74	39.15	0.00 215 136 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6745.00	85.59	-----	-----	73.91	36.60	13.40	38.32	0.00 215 136 Average				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																															
1	7195.55	40.74	68.20	-27.46	28.92	36.79	13.64	38.61	0.00 215 136 Average																																																																																															
2	7274.61	40.81	54.00	-13.19	28.75	37.00	13.74	38.68	0.00 215 136 Average																																																																																															
3	7994.98	40.72	68.20	-27.48	28.04	37.09	14.74	39.15	0.00 215 136 Average																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																															
1	6745.00	85.59	-----	-----	73.91	36.60	13.40	38.32	0.00 215 136 Average																																																																																															







	35																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13490.00</td><td>50.11</td><td>88.20 -38.09</td><td>34.67</td><td>40.10</td><td>18.90</td><td>43.96</td><td>0.40</td><td>100</td><td>112 Peak</td></tr><tr><td>2 13490.00</td><td>40.02</td><td>68.20 -28.18</td><td>24.58</td><td>40.10</td><td>18.90</td><td>43.96</td><td>0.40</td><td>100</td><td>112 Average</td></tr><tr><td>3 20235.00</td><td>40.27</td><td>74.00 -33.73</td><td>38.93</td><td>38.40</td><td>23.29</td><td>50.81</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13490.00	50.11	88.20 -38.09	34.67	40.10	18.90	43.96	0.40	100	112 Peak	2 13490.00	40.02	68.20 -28.18	24.58	40.10	18.90	43.96	0.40	100	112 Average	3 20235.00	40.27	74.00 -33.73	38.93	38.40	23.29	50.81	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13490.00</td><td>50.66</td><td>88.20 -37.54</td><td>35.22</td><td>40.10</td><td>18.90</td><td>43.96</td><td>0.40</td><td>400</td><td>56 Peak</td></tr><tr><td>2 13490.00</td><td>40.74</td><td>68.20 -27.46</td><td>25.30</td><td>40.10</td><td>18.90</td><td>43.96</td><td>0.40</td><td>400</td><td>56 Average</td></tr><tr><td>3 20235.00</td><td>40.36</td><td>74.00 -33.64</td><td>39.02</td><td>38.40</td><td>23.29</td><td>50.81</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13490.00	50.66	88.20 -37.54	35.22	40.10	18.90	43.96	0.40	400	56 Peak	2 13490.00	40.74	68.20 -27.46	25.30	40.10	18.90	43.96	0.40	400	56 Average	3 20235.00	40.36	74.00 -33.64	39.02	38.40	23.29	50.81	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13490.00	50.11	88.20 -38.09	34.67	40.10	18.90	43.96	0.40	100	112 Peak																																																																																																																	
2 13490.00	40.02	68.20 -28.18	24.58	40.10	18.90	43.96	0.40	100	112 Average																																																																																																																	
3 20235.00	40.27	74.00 -33.73	38.93	38.40	23.29	50.81	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13490.00	50.66	88.20 -37.54	35.22	40.10	18.90	43.96	0.40	400	56 Peak																																																																																																																	
2 13490.00	40.74	68.20 -27.46	25.30	40.10	18.90	43.96	0.40	400	56 Average																																																																																																																	
3 20235.00	40.36	74.00 -33.64	39.02	38.40	23.29	50.81	-9.54	--	-- Peak																																																																																																																	







Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
35.6G ~40G Avg	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21  Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



		36																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15  PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7100.94</td><td>60.33</td><td>88.20 -27.87</td><td>48.54</td><td>36.76</td><td>13.63</td><td>38.60</td><td>0.00</td><td>200 138 Peak</td></tr><tr><td>2</td><td>7258.69</td><td>55.73</td><td>74.00 -18.27</td><td>43.68</td><td>37.00</td><td>13.72</td><td>38.67</td><td>0.00</td><td>200 138 Peak</td></tr><tr><td>3</td><td>7877.36</td><td>50.90</td><td>88.20 -37.30</td><td>38.53</td><td>36.90</td><td>14.55</td><td>39.08</td><td>0.00</td><td>200 138 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7100.94	60.33	88.20 -27.87	48.54	36.76	13.63	38.60	0.00	200 138 Peak	2	7258.69	55.73	74.00 -18.27	43.68	37.00	13.72	38.67	0.00	200 138 Peak	3	7877.36	50.90	88.20 -37.30	38.53	36.90	14.55	39.08	0.00	200 138 Peak	Level (dBuV/m) Date: 2026-08-15  PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6905.00</td><td>96.15</td><td>-----</td><td>84.48</td><td>36.62</td><td>13.54</td><td>38.49</td><td>0.00</td><td>200 138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6905.00	96.15	-----	84.48	36.62	13.54	38.49	0.00	200 138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																						
1	7100.94	60.33	88.20 -27.87	48.54	36.76	13.63	38.60	0.00	200 138 Peak																																																																																																						
2	7258.69	55.73	74.00 -18.27	43.68	37.00	13.72	38.67	0.00	200 138 Peak																																																																																																						
3	7877.36	50.90	88.20 -37.30	38.53	36.90	14.55	39.08	0.00	200 138 Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																						
1	6905.00	96.15	-----	84.48	36.62	13.54	38.49	0.00	200 138 Peak																																																																																																						
Avg	Level (dBuV/m) Date: 2026-08-15  AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7141.52</td><td>50.26</td><td>68.20 -17.94</td><td>38.52</td><td>36.70</td><td>13.60</td><td>38.56</td><td>0.00</td><td>200 138 Average</td></tr><tr><td>2</td><td>7253.21</td><td>47.35</td><td>54.00 -6.65</td><td>35.30</td><td>37.00</td><td>13.71</td><td>38.66</td><td>0.00</td><td>200 138 Average</td></tr><tr><td>3</td><td>7993.43</td><td>40.53</td><td>68.20 -27.67</td><td>27.85</td><td>37.09</td><td>14.74</td><td>39.15</td><td>0.00</td><td>200 138 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7141.52	50.26	68.20 -17.94	38.52	36.70	13.60	38.56	0.00	200 138 Average	2	7253.21	47.35	54.00 -6.65	35.30	37.00	13.71	38.66	0.00	200 138 Average	3	7993.43	40.53	68.20 -27.67	27.85	37.09	14.74	39.15	0.00	200 138 Average	Level (dBuV/m) Date: 2026-08-15  AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6905.00</td><td>85.66</td><td>-----</td><td>73.99</td><td>36.62</td><td>13.54</td><td>38.49</td><td>0.00</td><td>200 138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6905.00	85.66	-----	73.99	36.62	13.54	38.49	0.00	200 138 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																						
1	7141.52	50.26	68.20 -17.94	38.52	36.70	13.60	38.56	0.00	200 138 Average																																																																																																						
2	7253.21	47.35	54.00 -6.65	35.30	37.00	13.71	38.66	0.00	200 138 Average																																																																																																						
3	7993.43	40.53	68.20 -27.67	27.85	37.09	14.74	39.15	0.00	200 138 Average																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																						
1	6905.00	85.66	-----	73.99	36.62	13.54	38.49	0.00	200 138 Average																																																																																																						



Mode	36																																																																																																													
	Band Edge																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical					Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7100.94</td><td>59.74</td><td>88.20 -28.46</td><td>47.95</td><td>36.76</td><td>13.63</td><td>38.60</td><td>0.00</td><td>204</td><td>138 Peak</td></tr><tr><td>2 7266.35</td><td>56.15</td><td>74.00 -17.85</td><td>44.09</td><td>37.00</td><td>13.73</td><td>38.67</td><td>0.00</td><td>204</td><td>138 Peak</td></tr><tr><td>3 7951.82</td><td>50.91</td><td>88.20 -37.29</td><td>38.36</td><td>37.00</td><td>14.67</td><td>39.12</td><td>0.00</td><td>204</td><td>138 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7100.94	59.74	88.20 -28.46	47.95	36.76	13.63	38.60	0.00	204	138 Peak	2 7266.35	56.15	74.00 -17.85	44.09	37.00	13.73	38.67	0.00	204	138 Peak	3 7951.82	50.91	88.20 -37.29	38.36	37.00	14.67	39.12	0.00	204	138 Peak	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>90.60</td><td>-----</td><td>86.94</td><td>36.58</td><td>13.41</td><td>38.33</td><td>0.00</td><td>204</td><td>138 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6905.00	90.60	-----	86.94	36.58	13.41	38.33	0.00	204	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 7100.94	59.74	88.20 -28.46	47.95	36.76	13.63	38.60	0.00	204	138 Peak																																																																																																					
2 7266.35	56.15	74.00 -17.85	44.09	37.00	13.73	38.67	0.00	204	138 Peak																																																																																																					
3 7951.82	50.91	88.20 -37.29	38.36	37.00	14.67	39.12	0.00	204	138 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 6905.00	90.60	-----	86.94	36.58	13.41	38.33	0.00	204	138 Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7211.00</td><td>48.35</td><td>68.20 -19.85</td><td>36.47</td><td>36.85</td><td>13.66</td><td>38.63</td><td>0.00</td><td>204</td><td>138 Average</td></tr><tr><td>2 7251.02</td><td>47.31</td><td>54.00 -6.69</td><td>35.26</td><td>37.00</td><td>13.71</td><td>38.66</td><td>0.00</td><td>204</td><td>138 Average</td></tr><tr><td>3 8000.00</td><td>40.55</td><td>68.20 -27.65</td><td>27.85</td><td>37.10</td><td>14.75</td><td>39.15</td><td>0.00</td><td>204</td><td>138 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7211.00	48.35	68.20 -19.85	36.47	36.85	13.66	38.63	0.00	204	138 Average	2 7251.02	47.31	54.00 -6.69	35.26	37.00	13.71	38.66	0.00	204	138 Average	3 8000.00	40.55	68.20 -27.65	27.85	37.10	14.75	39.15	0.00	204	138 Average	Level (dBuV/m) Date: 2026-08-15  Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>89.42</td><td>-----</td><td>77.78</td><td>36.56</td><td>13.38</td><td>38.30</td><td>0.00</td><td>204</td><td>138 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6905.00	89.42	-----	77.78	36.56	13.38	38.30	0.00	204	138 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 7211.00	48.35	68.20 -19.85	36.47	36.85	13.66	38.63	0.00	204	138 Average																																																																																																					
2 7251.02	47.31	54.00 -6.69	35.26	37.00	13.71	38.66	0.00	204	138 Average																																																																																																					
3 8000.00	40.55	68.20 -27.65	27.85	37.10	14.75	39.15	0.00	204	138 Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 6905.00	89.42	-----	77.78	36.56	13.38	38.30	0.00	204	138 Average																																																																																																					



Mode	36																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13810.00</td><td>50.63</td><td>88.20</td><td>-37.57</td><td>34.76</td><td>40.34</td><td>19.10</td><td>43.96</td><td>0.39</td><td>200</td><td>10</td><td>Peak</td></tr><tr><td>2 13810.00</td><td>40.53</td><td>68.20</td><td>-27.67</td><td>24.66</td><td>40.34</td><td>19.10</td><td>43.96</td><td>0.39</td><td>200</td><td>10</td><td>Average</td></tr><tr><td>3 20715.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>38.20</td><td>38.60</td><td>23.48</td><td>50.49</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13810.00	50.63	88.20	-37.57	34.76	40.34	19.10	43.96	0.39	200	10	Peak	2 13810.00	40.53	68.20	-27.67	24.66	40.34	19.10	43.96	0.39	200	10	Average	3 20715.00	40.25	74.00	-33.75	38.20	38.60	23.48	50.49	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: PEAK(UNII)_6E 1m SHF_1450_260528 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13810.00</td><td>50.77</td><td>88.20</td><td>-37.43</td><td>34.90</td><td>40.34</td><td>19.10</td><td>43.96</td><td>0.39</td><td>100</td><td>106</td><td>Peak</td></tr><tr><td>2 13810.00</td><td>40.00</td><td>68.20</td><td>-27.40</td><td>24.93</td><td>40.34</td><td>19.10</td><td>43.96</td><td>0.39</td><td>100</td><td>106</td><td>Average</td></tr><tr><td>3 20715.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>37.90</td><td>38.60</td><td>23.48</td><td>50.49</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13810.00	50.77	88.20	-37.43	34.90	40.34	19.10	43.96	0.39	100	106	Peak	2 13810.00	40.00	68.20	-27.40	24.93	40.34	19.10	43.96	0.39	100	106	Average	3 20715.00	39.95	74.00	-34.05	37.90	38.60	23.48	50.49	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13810.00	50.63	88.20	-37.57	34.76	40.34	19.10	43.96	0.39	200	10	Peak																																																																																																																																						
2 13810.00	40.53	68.20	-27.67	24.66	40.34	19.10	43.96	0.39	200	10	Average																																																																																																																																						
3 20715.00	40.25	74.00	-33.75	38.20	38.60	23.48	50.49	-9.54	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13810.00	50.77	88.20	-37.43	34.90	40.34	19.10	43.96	0.39	100	106	Peak																																																																																																																																						
2 13810.00	40.00	68.20	-27.40	24.93	40.34	19.10	43.96	0.39	100	106	Average																																																																																																																																						
3 20715.00	39.95	74.00	-34.05	37.90	38.60	23.48	50.49	-9.54	--	--	Peak																																																																																																																																						



Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL
	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 HORIZONTAL	Level (dBuV/m) Date: 2026-08-21 Site : 03CH28-HY Condition: AVG(UNII)_6E 1m SHF_1450_260528 VERTICAL



Mode	37																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_26/8/RU_7095MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7179.75</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>38.40</td><td>36.76</td><td>13.63</td><td>38.60</td><td>0.00</td><td>400</td><td>12</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7179.75	50.19	88.20	-38.01	38.40	36.76	13.63	38.60	0.00	400	12	Peak	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>98.78</td><td>-----</td><td>-----</td><td>87.04</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>400</td><td>12</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	98.78	-----	-----	87.04	36.70	13.57	38.53	0.00	400	12	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7179.75	50.19	88.20	-38.01	38.40	36.76	13.63	38.60	0.00	400	12	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	98.78	-----	-----	87.04	36.70	13.57	38.53	0.00	400	12	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7238.70</td><td>40.30</td><td>68.20</td><td>-27.90</td><td>28.31</td><td>36.95</td><td>13.69</td><td>38.65</td><td>0.00</td><td>400</td><td>12</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7238.70	40.30	68.20	-27.90	28.31	36.95	13.69	38.65	0.00	400	12	Average	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>92.05</td><td>-----</td><td>-----</td><td>80.31</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>400</td><td>12</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	92.05	-----	-----	80.31	36.70	13.57	38.53	0.00	400	12	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7238.70	40.30	68.20	-27.90	28.31	36.95	13.69	38.65	0.00	400	12	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	92.05	-----	-----	80.31	36.70	13.57	38.53	0.00	400	12	Average																																																																									



Mode	37																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_26/8/RU_7095MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-08-17 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7203.00 50.95 88.20 -37.25 39.12 36.81 13.64 38.62 0.00 185 132 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7203.00 50.95 88.20 -37.25 39.12 36.81 13.64 38.62 0.00 185 132 Peak									Level (dBuV/m) Date: 2026-08-17 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 94.48 ----- 82.74 36.70 13.57 38.53 0.00 185 132 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7095.00 94.48 ----- 82.74 36.70 13.57 38.53 0.00 185 132 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7203.00 50.95 88.20 -37.25 39.12 36.81 13.64 38.62 0.00 185 132 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7095.00 94.48 ----- 82.74 36.70 13.57 38.53 0.00 185 132 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-08-17 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7239.75 40.29 68.20 -27.91 28.28 36.96 13.70 38.65 0.00 185 132 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7239.75 40.29 68.20 -27.91 28.28 36.96 13.70 38.65 0.00 185 132 Average									Level (dBuV/m) Date: 2026-08-17 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 87.98 ----- 76.24 36.70 13.57 38.53 0.00 185 132 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7095.00 87.98 ----- 76.24 36.70 13.57 38.53 0.00 185 132 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7239.75 40.29 68.20 -27.91 28.28 36.96 13.70 38.65 0.00 185 132 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7095.00 87.98 ----- 76.24 36.70 13.57 38.53 0.00 185 132 Average																																																																										



		38																																																																																										
Mode		Band Edge																																																																																										
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_52/40RU_7095MHz																																																																																										
ANT		1																																																																																										
Pol.	Horizontal										Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-08-17 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7195.50</td><td>50.29</td><td>88.20</td><td>-37.91</td><td>38.47</td><td>36.79</td><td>13.64</td><td>38.61</td><td>0.00</td><td>382</td><td>10</td><td>Peak</td></tr></table>										Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7195.50	50.29	88.20	-37.91	38.47	36.79	13.64	38.61	0.00	382	10	Peak	Level (dBuV/m) Date: 2026-08-17 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>98.81</td><td>-----</td><td>-----</td><td>87.07</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>382</td><td>10</td><td>Peak</td></tr></table>										Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	98.81	-----	-----	87.07	36.70	13.57	38.53	0.00	382	10	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 7195.50	50.29	88.20	-37.91	38.47	36.79	13.64	38.61	0.00	382	10	Peak																																																																																	
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 7095.00	98.81	-----	-----	87.07	36.70	13.57	38.53	0.00	382	10	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-08-17 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7229.85</td><td>40.32</td><td>68.20</td><td>-27.88</td><td>28.36</td><td>36.92</td><td>13.68</td><td>38.64</td><td>0.00</td><td>382</td><td>10</td><td>Average</td></tr></table>										Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7229.85	40.32	68.20	-27.88	28.36	36.92	13.68	38.64	0.00	382	10	Average	Level (dBuV/m) Date: 2026-08-17 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>90.52</td><td>-----</td><td>-----</td><td>78.78</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>382</td><td>10</td><td>Average</td></tr></table>										Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	90.52	-----	-----	78.78	36.70	13.57	38.53	0.00	382	10	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 7229.85	40.32	68.20	-27.88	28.36	36.92	13.68	38.64	0.00	382	10	Average																																																																																	
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 7095.00	90.52	-----	-----	78.78	36.70	13.57	38.53	0.00	382	10	Average																																																																																	



Mode	38																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_52/40RU_7095MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7215.75</td><td>49.98</td><td>88.20 -38.22</td><td>38.09</td><td>36.86</td><td>13.66</td><td>38.63</td><td>0.00</td><td>200</td><td>134 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7215.75	49.98	88.20 -38.22	38.09	36.86	13.66	38.63	0.00	200	134 Peak	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>96.17</td><td>-----</td><td>84.43</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200</td><td>134 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	96.17	-----	84.43	36.70	13.57	38.53	0.00	200	134 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7215.75	49.98	88.20 -38.22	38.09	36.86	13.66	38.63	0.00	200	134 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7095.00	96.17	-----	84.43	36.70	13.57	38.53	0.00	200	134 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7244.55</td><td>40.37</td><td>68.20 -27.83</td><td>28.35</td><td>36.98</td><td>13.70</td><td>38.66</td><td>0.00</td><td>200</td><td>134 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7244.55	40.37	68.20 -27.83	28.35	36.98	13.70	38.66	0.00	200	134 Average	Level (dBuV/m) Date: 2026-08-17 Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E_DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>86.36</td><td>-----</td><td>74.62</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200</td><td>134 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	86.36	-----	74.62	36.70	13.57	38.53	0.00	200	134 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7244.55	40.37	68.20 -27.83	28.35	36.98	13.70	38.66	0.00	200	134 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7095.00	86.36	-----	74.62	36.70	13.57	38.53	0.00	200	134 Average																																																																																	



Mode	39																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_106/54RU_7095MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-08-17 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7129.35</td><td>50.40</td><td>88.20</td><td>-37.80</td><td>38.66</td><td>36.70</td><td>13.59</td><td>38.55</td><td>0.00</td><td>191</td><td>136</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7129.35	50.40	88.20	-37.80	38.66	36.70	13.59	38.55	0.00	191	136	Peak	Level (dBuV/m) Date: 2026-08-17 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7095.00</td><td>99.09</td><td>-----</td><td>-----</td><td>87.36</td><td>36.69</td><td>13.57</td><td>38.53</td><td>0.00</td><td>191</td><td>136</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7095.00	99.09	-----	-----	87.36	36.69	13.57	38.53	0.00	191	136	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7129.35	50.40	88.20	-37.80	38.66	36.70	13.59	38.55	0.00	191	136	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7095.00	99.09	-----	-----	87.36	36.69	13.57	38.53	0.00	191	136	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-08-17 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7238.85</td><td>40.37</td><td>68.20</td><td>-27.83</td><td>28.37</td><td>36.96</td><td>13.69</td><td>38.65</td><td>0.00</td><td>191</td><td>136</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7238.85	40.37	68.20	-27.83	28.37	36.96	13.69	38.65	0.00	191	136	Average	Level (dBuV/m) Date: 2026-08-17 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7095.00</td><td>91.04</td><td>-----</td><td>-----</td><td>79.30</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>191</td><td>136</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7095.00	91.04	-----	-----	79.30	36.70	13.57	38.53	0.00	191	136	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7238.85	40.37	68.20	-27.83	28.37	36.96	13.69	38.65	0.00	191	136	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7095.00	91.04	-----	-----	79.30	36.70	13.57	38.53	0.00	191	136	Average																																																																														



Mode	39																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial_106/54RU_7095MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-08-17 PEAK_BE(UNII)_6E Site : 03CH28-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7217.25</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>38.29</td><td>36.87</td><td>13.66</td><td>38.63</td><td>0.00</td><td>200</td><td>146</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7217.25	50.19	88.20	-38.01	38.29	36.87	13.66	38.63	0.00	200	146	Peak	Level (dBuV/m) Date: 2026-08-17 PEAK(UNII)_6E Site : 03CH28-HY Condition: PEAK(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>88.73</td><td>-----</td><td>-----</td><td>77.00</td><td>36.69</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200</td><td>146</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	88.73	-----	-----	77.00	36.69	13.57	38.53	0.00	200	146	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7217.25	50.19	88.20	-38.01	38.29	36.87	13.66	38.63	0.00	200	146	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	88.73	-----	-----	77.00	36.69	13.57	38.53	0.00	200	146	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-08-17 AVG_BE(UNII)_6E Site : 03CH28-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7231.50</td><td>40.33</td><td>68.20</td><td>-27.87</td><td>28.36</td><td>36.93</td><td>13.68</td><td>38.64</td><td>0.00</td><td>200</td><td>146</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7231.50	40.33	68.20	-27.87	28.36	36.93	13.68	38.64	0.00	200	146	Average	Level (dBuV/m) Date: 2026-08-17 AVG(UNII)_6E Site : 03CH28-HY Condition: AVG(UNII)_6E 3m DRH18-E DU2F12A18ES VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>81.12</td><td>-----</td><td>-----</td><td>69.38</td><td>36.70</td><td>13.57</td><td>38.53</td><td>0.00</td><td>200</td><td>146</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	81.12	-----	-----	69.38	36.70	13.57	38.53	0.00	200	146	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7231.50	40.33	68.20	-27.87	28.36	36.93	13.68	38.64	0.00	200	146	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	81.12	-----	-----	69.38	36.70	13.57	38.53	0.00	200	146	Average																																																																									