


TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.63	41.96	-18.67	82.25	40.34	PK	Horizontal	PASS
2	419.94	59.67	44.49	-15.18	82.25	37.81	PK	Horizontal	PASS
3	480.08	54.88	41.38	-13.50	82.25	40.92	PK	Horizontal	PASS
4	720.64	56.92	47.88	-9.04	82.25	34.42	PK	Horizontal	PASS
5	900.09	54.33	49.07	-5.26	82.25	33.23	PK	Horizontal	PASS
6	960.23	53.13	48.75	-4.38	82.25	33.55	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	55.61	40.43	-15.18	82.25	41.87	PK	Vertical	PASS
2	600.36	62.70	51.91	-10.79	82.25	30.39	PK	Vertical	PASS
3	660.50	59.06	49.19	-9.87	82.25	33.11	PK	Vertical	PASS
4	720.64	59.44	50.40	-9.04	82.25	31.90	PK	Vertical	PASS
5	840.92	53.14	46.66	-6.48	82.25	35.64	PK	Vertical	PASS
6	900.09	46.76	41.50	-5.26	82.25	40.80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.85	42.18	-18.67	82.25	40.12	PK	Horizontal	PASS
2	419.94	59.55	44.37	-15.18	82.25	37.93	PK	Horizontal	PASS
3	480.08	55.01	41.51	-13.50	82.25	40.79	PK	Horizontal	PASS
4	720.64	56.69	47.65	-9.04	82.25	34.65	PK	Horizontal	PASS
5	900.09	54.20	48.94	-5.26	82.25	33.36	PK	Horizontal	PASS
6	960.23	53.56	49.18	-4.38	82.25	33.12	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	480.08	54.09	40.59	-13.50	70.25	31.66	PK	Vertical	PASS
2	600.36	62.39	51.60	-10.79	70.25	20.65	PK	Vertical	PASS
3	660.50	59.05	49.18	-9.87	70.25	23.07	PK	Vertical	PASS
4	720.64	59.13	50.09	-9.04	70.25	22.16	PK	Vertical	PASS
5	840.92	53.20	46.72	-6.48	70.25	25.53	PK	Vertical	PASS
6	900.09	47.01	41.75	-5.26	70.25	30.50	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.43	41.76	-18.67	70.25	30.49	PK	Horizontal	PASS
2	419.94	59.36	44.18	-15.18	70.25	28.07	PK	Horizontal	PASS
3	480.08	55.18	41.68	-13.50	70.25	30.57	PK	Horizontal	PASS
4	720.64	56.80	47.76	-9.04	70.25	24.49	PK	Horizontal	PASS
5	900.09	54.59	49.33	-5.26	70.25	22.92	PK	Horizontal	PASS
6	960.23	53.23	48.85	-4.38	70.25	23.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	55.25	40.07	-15.18	70.25	32.18	PK	Vertical	PASS
2	540.22	51.75	39.48	-12.27	70.25	32.77	PK	Vertical	PASS
3	600.36	62.30	51.51	-10.79	70.25	20.74	PK	Vertical	PASS
4	660.50	59.21	49.34	-9.87	70.25	22.91	PK	Vertical	PASS
5	720.64	59.47	50.43	-9.04	70.25	21.82	PK	Vertical	PASS
6	840.92	52.98	46.50	-6.48	70.25	25.75	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	61.74	43.07	-18.67	70.25	29.18	PK	Horizontal	PASS
2	419.94	59.65	44.47	-15.18	70.25	27.78	PK	Horizontal	PASS
3	480.08	55.28	41.78	-13.50	70.25	30.47	PK	Horizontal	PASS
4	720.64	57.03	47.99	-9.04	70.25	24.26	PK	Horizontal	PASS
5	900.09	54.07	48.81	-5.26	70.25	23.44	PK	Horizontal	PASS
6	960.23	53.05	48.67	-4.38	70.25	23.58	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	55.52	40.34	-15.18	70.25	31.91	PK	Vertical	PASS
2	480.08	53.84	40.34	-13.50	70.25	31.91	PK	Vertical	PASS
3	600.36	62.92	52.13	-10.79	70.25	20.12	PK	Vertical	PASS
4	660.50	58.94	49.07	-9.87	70.25	23.18	PK	Vertical	PASS
5	720.64	58.00	48.96	-9.04	70.25	23.29	PK	Vertical	PASS
6	840.92	52.42	45.94	-6.48	70.25	26.31	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.74	42.07	-18.67	70.25	30.18	PK	Horizontal	PASS
2	419.94	59.86	44.68	-15.18	70.25	27.57	PK	Horizontal	PASS
3	480.08	54.87	41.37	-13.50	70.25	30.88	PK	Horizontal	PASS
4	720.64	57.39	48.35	-9.04	70.25	23.90	PK	Horizontal	PASS
5	900.09	54.38	49.12	-5.26	70.25	23.13	PK	Horizontal	PASS
6	960.23	53.52	49.14	-4.38	70.25	23.11	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	54.81	39.63	-15.18	70.25	32.62	PK	Vertical	PASS
2	540.22	51.67	39.40	-12.27	70.25	32.85	PK	Vertical	PASS
3	600.36	62.84	52.05	-10.79	70.25	20.20	PK	Vertical	PASS
4	660.50	57.87	48.00	-9.87	70.25	24.25	PK	Vertical	PASS
5	720.64	59.16	50.12	-9.04	70.25	22.13	PK	Vertical	PASS
6	840.92	53.32	46.84	-6.48	70.25	25.41	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.70	42.03	-18.67	70.25	30.22	PK	Horizontal	PASS
2	419.94	59.79	44.61	-15.18	70.25	27.64	PK	Horizontal	PASS
3	720.64	56.72	47.68	-9.04	70.25	24.57	PK	Horizontal	PASS
4	840.92	53.19	46.71	-6.48	70.25	25.54	PK	Horizontal	PASS
5	900.09	54.45	49.19	-5.26	70.25	23.06	PK	Horizontal	PASS
6	960.23	53.77	49.39	-4.38	70.25	22.86	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	56.08	40.90	-15.18	70.25	31.35	PK	Vertical	PASS
2	480.08	54.25	40.75	-13.50	70.25	31.50	PK	Vertical	PASS
3	600.36	62.54	51.75	-10.79	70.25	20.50	PK	Vertical	PASS
4	660.50	58.95	49.08	-9.87	70.25	23.17	PK	Vertical	PASS
5	720.64	58.98	49.94	-9.04	70.25	22.31	PK	Vertical	PASS
6	840.92	52.78	46.30	-6.48	70.25	25.95	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.50	41.83	-18.67	70.25	30.42	PK	Horizontal	PASS
2	419.94	59.42	44.24	-15.18	70.25	28.01	PK	Horizontal	PASS
3	720.64	56.98	47.94	-9.04	70.25	24.31	PK	Horizontal	PASS
4	840.92	53.24	46.76	-6.48	70.25	25.49	PK	Horizontal	PASS
5	900.09	54.59	49.33	-5.26	70.25	22.92	PK	Horizontal	PASS
6	960.23	53.54	49.16	-4.38	70.25	23.09	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	56.28	41.10	-15.18	70.25	31.15	PK	Vertical	PASS
2	480.08	53.98	40.48	-13.50	70.25	31.77	PK	Vertical	PASS
3	600.36	62.68	51.89	-10.79	70.25	20.36	PK	Vertical	PASS
4	660.50	58.98	49.11	-9.87	70.25	23.14	PK	Vertical	PASS
5	720.64	58.51	49.47	-9.04	70.25	22.78	PK	Vertical	PASS
6	840.92	52.77	46.29	-6.48	70.25	25.96	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.69	42.02	-18.67	70.25	30.23	PK	Horizontal	PASS
2	419.94	59.31	44.13	-15.18	70.25	28.12	PK	Horizontal	PASS
3	480.08	55.05	41.55	-13.50	70.25	30.70	PK	Horizontal	PASS
4	720.64	56.04	47.00	-9.04	70.25	25.25	PK	Horizontal	PASS
5	900.09	54.76	49.50	-5.26	70.25	22.75	PK	Horizontal	PASS
6	960.23	54.07	49.69	-4.38	70.25	22.56	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	55.81	40.63	-15.18	82.25	41.67	PK	Vertical	PASS
2	480.08	53.18	39.68	-13.50	82.25	42.62	PK	Vertical	PASS
3	600.36	62.41	51.62	-10.79	82.25	30.68	PK	Vertical	PASS
4	660.50	58.53	48.66	-9.87	82.25	33.64	PK	Vertical	PASS
5	720.64	59.41	50.37	-9.04	82.25	31.93	PK	Vertical	PASS
6	840.92	52.81	46.33	-6.48	82.25	35.97	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.63	41.96	-18.67	82.25	40.34	PK	Horizontal	PASS
2	419.94	59.83	44.65	-15.18	82.25	37.65	PK	Horizontal	PASS
3	480.08	54.70	41.20	-13.50	82.25	41.10	PK	Horizontal	PASS
4	720.64	57.07	48.03	-9.04	82.25	34.27	PK	Horizontal	PASS
5	900.09	54.66	49.40	-5.26	82.25	32.90	PK	Horizontal	PASS
6	960.23	53.31	48.93	-4.38	82.25	33.37	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	419.94	55.53	40.35	-15.18	82.25	41.95	PK	Vertical	PASS
2	600.36	62.79	52.00	-10.79	82.25	30.30	PK	Vertical	PASS
3	660.50	58.72	48.85	-9.87	82.25	33.45	PK	Vertical	PASS
4	720.64	59.08	50.04	-9.04	82.25	32.26	PK	Vertical	PASS
5	840.92	52.61	46.13	-6.48	82.25	36.17	PK	Vertical	PASS
6	900.09	46.95	41.69	-5.26	82.25	40.61	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	60.65	41.98	-18.67	82.25	40.32	PK	Horizontal	PASS
2	419.94	59.61	44.43	-15.18	82.25	37.87	PK	Horizontal	PASS
3	480.08	54.73	41.23	-13.50	82.25	41.07	PK	Horizontal	PASS
4	720.64	56.99	47.95	-9.04	82.25	34.35	PK	Horizontal	PASS
5	900.09	54.46	49.20	-5.26	82.25	33.10	PK	Horizontal	PASS
6	960.23	53.78	49.40	-4.38	82.25	32.90	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	480.08	54.25	40.75	-13.50	82.25	41.55	PK	Vertical	PASS
2	600.36	62.54	51.75	-10.79	82.25	30.55	PK	Vertical	PASS
3	660.50	58.30	48.43	-9.87	82.25	33.87	PK	Vertical	PASS
4	720.64	59.31	50.27	-9.04	82.25	32.03	PK	Vertical	PASS
5	840.92	52.56	46.08	-6.48	82.25	36.22	PK	Vertical	PASS
6	900.09	46.52	41.26	-5.26	82.25	41.04	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	299.66	61.18	42.51	-18.67	82.25	39.79	PK	Horizontal	PASS
2	419.94	59.40	44.22	-15.18	82.25	38.08	PK	Horizontal	PASS
3	480.08	55.21	41.71	-13.50	82.25	40.59	PK	Horizontal	PASS
4	720.64	57.19	48.15	-9.04	82.25	34.15	PK	Horizontal	PASS
5	900.09	54.17	48.91	-5.26	82.25	33.39	PK	Horizontal	PASS
6	960.23	53.57	49.19	-4.38	82.25	33.11	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

Undesirable radiated Spurious Emission Above 1GHz (1GHz to 40GHz)

All modes have been tested and the worst result as bellow:

TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1287.43	69.12	54.95	-14.17	82.25	27.35	PK	Vertical	PASS
2	1421.47	81.23	67.25	-13.98	82.25	15.05	PK	Vertical	PASS
3	2359.79	70.79	62.41	-8.38	82.25	19.89	PK	Vertical	PASS
4	3750.25	74.81	61.31	-13.50	82.25	20.99	PK	Vertical	PASS
5	5625.88	64.87	55.65	-9.22	82.25	26.65	PK	Vertical	PASS
6	7501.50	61.88	53.73	-8.15	82.25	28.57	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

04-E001-0B

TRF No.: Global Testing , Great Quality.

TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1421.47	80.29	66.31	-13.98	82.25	15.99	PK	Horizontal	PASS
2	2359.79	70.73	62.35	-8.38	82.25	19.95	PK	Horizontal	PASS
3	3750.25	71.75	58.25	-13.50	82.25	24.05	PK	Horizontal	PASS
4	5625.88	67.34	58.12	-9.22	82.25	24.18	PK	Horizontal	PASS
5	7501.50	60.80	52.65	-8.15	82.25	29.65	PK	Horizontal	PASS
6	17674.89	45.97	46.29	0.32	82.25	36.01	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result

Project Information

Test Mode	LTE-BAND2	Channel	L
Environment	Temp:24.9°C;Humi:53%	Test Date	2026-07-25
Note	/	Engineer	Berny

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1282.76	69.19	55.01	-14.18	82.25	27.29	PK	Vertical	PASS
2	1408.14	78.61	64.49	-14.12	82.25	17.81	PK	Vertical	PASS
3	2343.78	70.49	61.94	-8.55	82.25	20.36	PK	Vertical	PASS
4	3740.25	72.82	59.25	-13.57	82.25	23.05	PK	Vertical	PASS
5	5610.87	67.55	58.29	-9.26	82.25	24.01	PK	Vertical	PASS
6	7481.49	65.69	57.49	-8.20	82.25	24.81	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1408.14	81.34	67.22	-14.12	82.25	15.08	PK	Horizontal	PASS
2	2343.78	70.97	62.42	-8.55	82.25	19.88	PK	Horizontal	PASS
3	3740.25	70.15	56.58	-13.57	82.25	25.72	PK	Horizontal	PASS
4	5610.87	69.65	60.39	-9.26	82.25	21.91	PK	Horizontal	PASS
5	7481.49	63.87	55.67	-8.20	82.25	26.63	PK	Horizontal	PASS
6	17684.89	46.00	46.26	0.26	82.25	36.04	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1468.16	82.13	68.28	-13.85	82.25	14.02	PK	Vertical	PASS
2	2088.36	73.25	63.83	-9.42	82.25	18.47	PK	Vertical	PASS
3	2413.80	72.59	64.08	-8.51	82.25	18.22	PK	Vertical	PASS
4	3780.26	77.98	64.54	-13.44	82.25	17.76	PK	Vertical	PASS
5	5670.89	67.42	58.24	-9.18	82.25	24.06	PK	Vertical	PASS
6	7561.52	64.26	56.35	-7.91	82.25	25.95	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result

Project Information

Test Mode	LTE-BAND2	Channel	H
Environment	Temp:24.9°C;Humi:53%	Test Date	2026-07-25
Note	/	Engineer	Berny

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1468.16	82.06	68.21	-13.85	82.25	14.09	PK	Horizontal	PASS
2	2088.36	72.17	62.75	-9.42	82.25	19.55	PK	Horizontal	PASS
3	2413.80	72.01	63.50	-8.51	82.25	18.80	PK	Horizontal	PASS
4	3780.26	74.43	60.99	-13.44	82.25	21.31	PK	Horizontal	PASS
5	5670.89	69.91	60.73	-9.18	82.25	21.57	PK	Horizontal	PASS
6	7561.52	63.67	55.76	-7.91	82.25	26.54	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1130.71	82.89	67.85	-15.04	82.25	14.45	PK	Vertical	PASS
2	1783.59	75.97	64.84	-11.13	82.25	17.46	PK	Vertical	PASS
3	2639.21	70.71	62.05	-8.66	82.25	20.25	PK	Vertical	PASS
4	2924.64	74.19	66.61	-7.58	82.25	15.69	PK	Vertical	PASS
5	3420.14	69.09	54.78	-14.31	82.25	27.52	PK	Vertical	PASS
6	6841.28	60.06	51.91	-8.15	82.25	30.39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1130.71	83.03	67.99	-15.04	82.25	14.31	PK	Horizontal	PASS
2	1262.09	76.96	62.47	-14.49	82.25	19.83	PK	Horizontal	PASS
3	1783.59	75.66	64.53	-11.13	82.25	17.77	PK	Horizontal	PASS
4	2924.64	74.20	66.62	-7.58	82.25	15.68	PK	Horizontal	PASS
5	3420.14	68.18	53.87	-14.31	82.25	28.43	PK	Horizontal	PASS
6	6841.28	58.02	49.87	-8.15	82.25	32.43	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1156.72	74.88	59.95	-14.93	82.25	22.35	PK	Vertical	PASS
2	2123.71	65.12	56.03	-9.09	82.25	26.27	PK	Vertical	PASS
3	2689.90	67.24	58.86	-8.38	82.25	23.44	PK	Vertical	PASS
4	2966.66	60.54	53.32	-7.22	82.25	28.98	PK	Vertical	PASS
5	3445.15	68.64	54.42	-14.22	82.25	27.88	PK	Vertical	PASS
6	8616.87	59.06	50.93	-8.13	82.25	31.37	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1154.72	82.15	67.22	-14.93	82.25	15.08	PK	Horizontal	PASS
2	1827.61	74.17	63.32	-10.85	82.25	18.98	PK	Horizontal	PASS
3	2967.32	74.13	66.92	-7.21	82.25	15.38	PK	Horizontal	PASS
4	6891.30	57.43	49.31	-8.12	82.25	32.99	PK	Horizontal	PASS
5	8616.87	56.63	48.50	-8.13	82.25	33.80	PK	Horizontal	PASS
6	17719.91	46.23	45.98	-0.25	82.25	36.32	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1180.06	76.92	62.11	-14.81	82.25	20.19	PK	Vertical	PASS
2	1871.62	68.26	57.90	-10.36	82.25	24.40	PK	Vertical	PASS
3	2739.25	67.84	59.50	-8.34	82.25	22.80	PK	Vertical	PASS
4	3470.16	69.72	55.52	-14.20	82.25	26.78	PK	Vertical	PASS
5	6941.31	62.10	54.04	-8.06	82.25	28.26	PK	Vertical	PASS
6	8681.89	58.88	50.60	-8.28	82.25	31.70	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1179.39	79.35	64.53	-14.82	82.25	17.77	PK	Horizontal	PASS
2	1871.62	73.34	62.98	-10.36	82.25	19.32	PK	Horizontal	PASS
3	2739.25	67.27	58.93	-8.34	82.25	23.37	PK	Horizontal	PASS
4	5205.74	58.90	48.46	-10.44	82.25	33.84	PK	Horizontal	PASS
5	6941.31	60.07	52.01	-8.06	82.25	30.29	PK	Horizontal	PASS
6	16654.55	46.76	46.01	-0.75	82.25	36.29	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	70.74	47.74	-23.00	82.25	34.56	PK	Vertical	PASS
2	1634.88	86.64	65.19	-21.45	82.25	17.11	PK	Vertical	PASS
3	2456.82	81.28	63.98	-17.30	82.25	18.32	PK	Vertical	PASS
4	4916.97	56.95	45.72	-11.23	82.25	36.58	PK	Vertical	PASS
5	6997.33	57.36	49.74	-7.62	82.25	32.56	PK	Vertical	PASS
6	16186.06	45.62	45.50	-0.12	82.25	36.80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1634.88	83.60	62.15	-21.45	82.25	20.15	PK	Horizontal	PASS
2	2456.82	80.12	62.82	-17.30	82.25	19.48	PK	Horizontal	PASS
3	3278.76	64.76	49.88	-14.88	82.25	32.42	PK	Horizontal	PASS
4	4100.70	62.30	49.34	-12.96	82.25	32.96	PK	Horizontal	PASS
5	6997.33	54.74	47.12	-7.62	82.25	35.18	PK	Horizontal	PASS
6	17716.57	45.63	45.99	0.36	82.25	36.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	70.37	47.37	-23.00	82.25	34.93	PK	Vertical	PASS
2	1651.88	80.90	59.65	-21.25	82.25	22.65	PK	Vertical	PASS
3	2479.49	73.87	56.66	-17.21	82.25	25.64	PK	Vertical	PASS
4	4996.33	56.07	44.97	-11.10	82.25	37.33	PK	Vertical	PASS
5	6997.33	54.70	47.08	-7.62	82.25	35.22	PK	Vertical	PASS
6	17812.94	46.94	46.46	-0.48	82.25	35.84	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	68.68	45.68	-23.00	82.25	36.62	PK	Horizontal	PASS
2	1651.88	82.01	60.76	-21.25	82.25	21.54	PK	Horizontal	PASS
3	2479.49	69.47	52.26	-17.21	82.25	30.04	PK	Horizontal	PASS
4	3307.10	60.70	46.02	-14.68	82.25	36.28	PK	Horizontal	PASS
5	4134.71	58.77	46.15	-12.62	82.25	36.15	PK	Horizontal	PASS
6	17744.91	45.29	45.83	0.54	82.25	36.47	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1255.09	68.88	46.14	-22.74	82.25	36.16	PK	Vertical	PASS
2	1799.27	65.45	45.35	-20.10	82.25	36.95	PK	Vertical	PASS
3	4996.33	59.03	47.93	-11.10	82.25	34.37	PK	Vertical	PASS
4	6997.33	57.05	49.43	-7.62	82.25	32.87	PK	Vertical	PASS
5	11078.69	48.52	44.04	-4.48	82.25	38.26	PK	Vertical	PASS
6	17750.58	45.55	46.07	0.52	82.25	36.23	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	68.78	45.78	-23.00	82.25	36.52	PK	Horizontal	PASS
2	1317.44	67.44	44.58	-22.86	82.25	37.72	PK	Horizontal	PASS
3	5999.67	55.44	46.45	-8.99	82.25	35.85	PK	Horizontal	PASS
4	6997.33	57.22	49.60	-7.62	82.25	32.70	PK	Horizontal	PASS
5	13000.33	49.07	44.51	-4.56	82.25	37.79	PK	Horizontal	PASS
6	16004.67	48.19	46.32	-1.87	82.25	35.98	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	64.84	49.84	-15.00	70.25	20.41	PK	Vertical	PASS
2	1979.66	60.20	51.06	-9.14	70.25	19.19	PK	Vertical	PASS
3	2703.90	53.01	44.56	-8.45	70.25	25.69	PK	Vertical	PASS
4	5000.67	58.53	47.35	-11.18	70.25	22.90	PK	Vertical	PASS
5	7001.33	56.63	48.82	-7.81	70.25	21.43	PK	Vertical	PASS
6	16674.56	45.89	45.40	-0.49	70.25	24.85	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	64.01	49.01	-15.00	70.25	21.24	PK	Horizontal	PASS
2	1980.33	73.36	64.22	-9.14	70.25	6.03	PK	Horizontal	PASS
3	5996.00	54.95	46.04	-8.91	70.25	24.21	PK	Horizontal	PASS
4	7001.33	55.62	47.81	-7.81	70.25	22.44	PK	Horizontal	PASS
5	11998.00	49.15	44.84	-4.31	70.25	25.41	PK	Horizontal	PASS
6	16259.42	46.93	46.10	-0.83	70.25	24.15	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1800.27	60.34	49.29	-11.05	70.25	20.96	PK	Vertical	PASS
2	1979.66	60.96	51.82	-9.14	70.25	18.43	PK	Vertical	PASS
3	5000.67	58.17	46.99	-11.18	70.25	23.26	PK	Vertical	PASS
4	7001.33	55.80	47.99	-7.81	70.25	22.26	PK	Vertical	PASS
5	13003.33	48.35	43.86	-4.49	70.25	26.39	PK	Vertical	PASS
6	17779.93	46.33	45.82	-0.51	70.25	24.43	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	63.09	48.09	-15.00	70.25	22.16	PK	Horizontal	PASS
2	1980.33	73.18	64.04	-9.14	70.25	6.21	PK	Horizontal	PASS
3	5996.00	56.02	47.11	-8.91	70.25	23.14	PK	Horizontal	PASS
4	7001.33	55.89	48.08	-7.81	70.25	22.17	PK	Horizontal	PASS
5	9997.33	50.36	44.22	-6.14	70.25	26.03	PK	Horizontal	PASS
6	17694.90	46.08	46.29	0.21	70.25	23.96	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	64.46	49.46	-15.00	70.25	20.79	PK	Vertical	PASS
2	1799.60	60.64	49.59	-11.05	70.25	20.66	PK	Vertical	PASS
3	1979.66	59.65	50.51	-9.14	70.25	19.74	PK	Vertical	PASS
4	5000.67	58.70	47.52	-11.18	70.25	22.73	PK	Vertical	PASS
5	7001.33	56.38	48.57	-7.81	70.25	21.68	PK	Vertical	PASS
6	17694.90	45.60	45.81	0.21	70.25	24.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	62.76	47.76	-15.00	70.25	22.49	PK	Horizontal	PASS
2	1979.66	72.76	63.62	-9.14	70.25	6.63	PK	Horizontal	PASS
3	2974.66	52.20	45.11	-7.09	70.25	25.14	PK	Horizontal	PASS
4	5996.00	54.54	45.63	-8.91	70.25	24.62	PK	Horizontal	PASS
5	7001.33	56.06	48.25	-7.81	70.25	22.00	PK	Horizontal	PASS
6	17689.90	47.04	47.27	0.23	70.25	22.98	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	70.69	47.69	-23.00	82.25	34.61	PK	Vertical	PASS
2	1255.09	68.49	45.75	-22.74	82.25	36.55	PK	Vertical	PASS
3	1799.27	68.19	48.09	-20.10	82.25	34.21	PK	Vertical	PASS
4	4996.33	57.91	46.81	-11.10	82.25	35.49	PK	Vertical	PASS
5	6997.33	56.53	48.91	-7.62	82.25	33.39	PK	Vertical	PASS
6	17744.91	45.79	46.33	0.54	82.25	35.97	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	66.99	43.99	-23.00	82.25	38.31	PK	Horizontal	PASS
2	1317.44	66.02	43.16	-22.86	82.25	39.14	PK	Horizontal	PASS
3	1680.23	64.91	43.89	-21.02	82.25	38.41	PK	Horizontal	PASS
4	5999.67	55.88	46.89	-8.99	82.25	35.41	PK	Horizontal	PASS
5	6997.33	58.16	50.54	-7.62	82.25	31.76	PK	Horizontal	PASS
6	17710.90	46.30	46.55	0.25	82.25	35.75	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	70.39	47.39	-23.00	82.25	34.91	PK	Vertical	PASS
2	1255.09	69.97	47.23	-22.74	82.25	35.07	PK	Vertical	PASS
3	1799.27	68.20	48.10	-20.10	82.25	34.20	PK	Vertical	PASS
4	4996.33	58.93	47.83	-11.10	82.25	34.47	PK	Vertical	PASS
5	6997.33	56.66	49.04	-7.62	82.25	33.26	PK	Vertical	PASS
6	17716.57	46.22	46.58	0.36	82.25	35.72	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	67.56	44.56	-23.00	82.25	37.74	PK	Horizontal	PASS
2	1680.23	65.46	44.44	-21.02	82.25	37.86	PK	Horizontal	PASS
3	5999.67	54.75	45.76	-8.99	82.25	36.54	PK	Horizontal	PASS
4	6997.33	56.93	49.31	-7.62	82.25	32.99	PK	Horizontal	PASS
5	15749.58	47.33	45.35	-1.98	82.25	36.95	PK	Horizontal	PASS
6	17722.24	45.51	45.97	0.46	82.25	36.33	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.82	48.82	-23.00	82.25	33.48	PK	Vertical	PASS
2	1680.23	64.92	43.90	-21.02	82.25	38.40	PK	Vertical	PASS
3	1799.27	68.85	48.75	-20.10	82.25	33.55	PK	Vertical	PASS
4	4996.33	59.06	47.96	-11.10	82.25	34.34	PK	Vertical	PASS
5	6997.33	56.36	48.74	-7.62	82.25	33.56	PK	Vertical	PASS
6	16214.40	46.34	45.96	-0.38	82.25	36.34	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.28	48.28	-23.00	82.25	34.02	PK	Horizontal	PASS
2	1680.23	65.32	44.30	-21.02	82.25	38.00	PK	Horizontal	PASS
3	5999.67	55.08	46.09	-8.99	82.25	36.21	PK	Horizontal	PASS
4	6997.33	56.84	49.22	-7.62	82.25	33.08	PK	Horizontal	PASS
5	13000.33	48.59	44.03	-4.56	82.25	38.27	PK	Horizontal	PASS
6	17710.90	46.31	46.56	0.25	82.25	35.74	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1017.01	68.55	46.56	-21.99	82.25	35.74	PK	Vertical	PASS
2	1136.05	71.81	48.81	-23.00	82.25	33.49	PK	Vertical	PASS
3	1255.09	68.60	45.86	-22.74	82.25	36.44	PK	Vertical	PASS
4	1799.27	68.60	48.50	-20.10	82.25	33.80	PK	Vertical	PASS
5	4996.33	58.20	47.10	-11.10	82.25	35.20	PK	Vertical	PASS
6	6997.33	56.48	48.86	-7.62	82.25	33.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.14	48.14	-23.00	82.25	34.16	PK	Horizontal	PASS
2	1317.44	65.53	42.67	-22.86	82.25	39.63	PK	Horizontal	PASS
3	1680.23	65.10	44.08	-21.02	82.25	38.22	PK	Horizontal	PASS
4	5999.67	55.47	46.48	-8.99	82.25	35.82	PK	Horizontal	PASS
5	6997.33	57.05	49.43	-7.62	82.25	32.87	PK	Horizontal	PASS
6	17693.90	46.80	46.73	-0.07	82.25	35.57	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result

Project Information

Test Mode	LTE-BAND13	Channel	M
Environment	Temp:24.9°C;Humi:53%	Test Date	2026-07-25
Note	/	Engineer	Berny

Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1017.01	69.02	47.03	-21.99	82.25	35.27	PK	Vertical	PASS
2	1255.09	70.01	47.27	-22.74	82.25	35.03	PK	Vertical	PASS
3	1799.27	67.95	47.85	-20.10	82.25	34.45	PK	Vertical	PASS
4	4996.33	59.34	48.24	-11.10	82.25	34.06	PK	Vertical	PASS
5	6997.33	57.24	49.62	-7.62	82.25	32.68	PK	Vertical	PASS
6	17727.91	45.35	45.86	0.51	82.25	36.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

04-E001-0B

TRF No.: Global Testing , Great Quality.


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.06	49.06	-23.00	82.25	33.24	PK	Horizontal	PASS
2	1680.23	65.69	44.67	-21.02	82.25	37.63	PK	Horizontal	PASS
3	5999.67	55.76	46.77	-8.99	82.25	35.53	PK	Horizontal	PASS
4	6997.33	57.55	49.93	-7.62	82.25	32.37	PK	Horizontal	PASS
5	16231.41	46.26	45.61	-0.65	82.25	36.69	PK	Horizontal	PASS
6	17733.58	46.55	47.07	0.52	82.25	35.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1017.01	69.14	47.15	-21.99	82.25	35.15	PK	Vertical	PASS
2	1255.09	69.34	46.60	-22.74	82.25	35.70	PK	Vertical	PASS
3	1799.27	69.27	49.17	-20.10	82.25	33.13	PK	Vertical	PASS
4	4996.33	57.70	46.60	-11.10	82.25	35.70	PK	Vertical	PASS
5	6997.33	56.96	49.34	-7.62	82.25	32.96	PK	Vertical	PASS
6	17710.90	46.18	46.43	0.25	82.25	35.87	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.47	48.47	-23.00	82.25	33.83	PK	Horizontal	PASS
2	1680.23	65.44	44.42	-21.02	82.25	37.88	PK	Horizontal	PASS
3	5999.67	56.12	47.13	-8.99	82.25	35.17	PK	Horizontal	PASS
4	6997.33	57.52	49.90	-7.62	82.25	32.40	PK	Horizontal	PASS
5	16004.67	48.43	46.56	-1.87	82.25	35.74	PK	Horizontal	PASS
6	17699.57	47.07	47.09	0.02	82.25	35.21	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1255.09	69.12	46.38	-22.74	82.25	35.92	PK	Vertical	PASS
2	1799.27	68.85	48.75	-20.10	82.25	33.55	PK	Vertical	PASS
3	4996.33	58.29	47.19	-11.10	82.25	35.11	PK	Vertical	PASS
4	6997.33	56.25	48.63	-7.62	82.25	33.67	PK	Vertical	PASS
5	15999.00	47.58	45.66	-1.92	82.25	36.64	PK	Vertical	PASS
6	17710.90	45.68	45.93	0.25	82.25	36.37	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.47	48.47	-23.00	82.25	33.83	PK	Horizontal	PASS
2	1674.56	65.97	44.91	-21.06	82.25	37.39	PK	Horizontal	PASS
3	5999.67	56.70	47.71	-8.99	82.25	34.59	PK	Horizontal	PASS
4	6997.33	56.56	48.94	-7.62	82.25	33.36	PK	Horizontal	PASS
5	13000.33	49.16	44.60	-4.56	82.25	37.70	PK	Horizontal	PASS
6	17716.57	45.52	45.88	0.36	82.25	36.42	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.24	49.24	-23.00	82.25	33.06	PK	Vertical	PASS
2	1799.27	69.15	49.05	-20.10	82.25	33.25	PK	Vertical	PASS
3	3188.06	60.40	45.27	-15.13	82.25	37.03	PK	Vertical	PASS
4	4996.33	58.53	47.43	-11.10	82.25	34.87	PK	Vertical	PASS
5	6997.33	56.21	48.59	-7.62	82.25	33.71	PK	Vertical	PASS
6	17557.85	46.36	46.08	-0.28	82.25	36.22	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.56	48.56	-23.00	82.25	33.74	PK	Horizontal	PASS
2	1680.23	64.77	43.75	-21.02	82.25	38.55	PK	Horizontal	PASS
3	5999.67	56.81	47.82	-8.99	82.25	34.48	PK	Horizontal	PASS
4	6997.33	56.23	48.61	-7.62	82.25	33.69	PK	Horizontal	PASS
5	13000.33	49.14	44.58	-4.56	82.25	37.72	PK	Horizontal	PASS
6	17699.57	47.15	47.17	0.02	82.25	35.13	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1017.01	69.57	47.58	-21.99	82.25	34.72	PK	Vertical	PASS
2	1136.05	70.32	47.32	-23.00	82.25	34.98	PK	Vertical	PASS
3	1799.27	68.56	48.46	-20.10	82.25	33.84	PK	Vertical	PASS
4	4996.33	57.79	46.69	-11.10	82.25	35.61	PK	Vertical	PASS
5	6997.33	56.19	48.57	-7.62	82.25	33.73	PK	Vertical	PASS
6	17705.24	46.98	47.12	0.14	82.25	35.18	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.14	49.14	-23.00	82.25	33.16	PK	Horizontal	PASS
2	1680.23	64.96	43.94	-21.02	82.25	38.36	PK	Horizontal	PASS
3	5999.67	55.36	46.37	-8.99	82.25	35.93	PK	Horizontal	PASS
4	6997.33	57.11	49.49	-7.62	82.25	32.81	PK	Horizontal	PASS
5	16004.67	47.45	45.58	-1.87	82.25	36.72	PK	Horizontal	PASS
6	17710.90	45.85	46.10	0.25	82.25	36.20	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.88	48.88	-23.00	82.25	33.42	PK	Vertical	PASS
2	1566.86	75.87	53.92	-21.95	82.25	28.38	PK	Vertical	PASS
3	2360.45	64.79	47.36	-17.43	82.25	34.94	PK	Vertical	PASS
4	3188.06	59.26	44.13	-15.13	82.25	38.17	PK	Vertical	PASS
5	6997.33	53.13	45.51	-7.62	82.25	36.79	PK	Vertical	PASS
6	17727.91	45.82	46.33	0.51	82.25	35.97	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.77	48.77	-23.00	82.25	33.53	PK	Horizontal	PASS
2	1680.23	67.49	46.47	-21.02	82.25	35.83	PK	Horizontal	PASS
3	2326.44	59.16	41.47	-17.69	82.25	40.83	PK	Horizontal	PASS
4	3125.71	58.61	43.17	-15.44	82.25	39.13	PK	Horizontal	PASS
5	3907.97	58.98	45.64	-13.34	82.25	36.66	PK	Horizontal	PASS
6	5999.67	55.28	46.29	-8.99	82.25	36.01	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.24	49.24	-23.00	82.25	33.06	PK	Vertical	PASS
2	1566.86	74.40	52.45	-21.95	82.25	29.85	PK	Vertical	PASS
3	1799.27	68.81	48.71	-20.10	82.25	33.59	PK	Vertical	PASS
4	3125.71	61.06	45.62	-15.44	82.25	36.68	PK	Vertical	PASS
5	7014.34	51.77	44.27	-7.50	82.25	38.03	PK	Vertical	PASS
6	17733.58	45.46	45.98	0.52	82.25	36.32	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.40	48.40	-23.00	82.25	33.90	PK	Horizontal	PASS
2	1680.23	65.96	44.94	-21.02	82.25	37.36	PK	Horizontal	PASS
3	2366.12	58.87	41.44	-17.43	82.25	40.86	PK	Horizontal	PASS
4	3125.71	59.21	43.77	-15.44	82.25	38.53	PK	Horizontal	PASS
5	3913.64	58.22	44.84	-13.38	82.25	37.46	PK	Horizontal	PASS
6	17710.90	45.88	46.13	0.25	82.25	36.17	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1141.71	73.26	50.23	-23.03	82.25	32.07	PK	Vertical	PASS
2	1561.19	73.85	51.85	-22.00	82.25	30.45	PK	Vertical	PASS
3	1799.27	68.67	48.57	-20.10	82.25	33.73	PK	Vertical	PASS
4	4996.33	59.15	48.05	-11.10	82.25	34.25	PK	Vertical	PASS
5	6997.33	54.07	46.45	-7.62	82.25	35.85	PK	Vertical	PASS
6	16214.40	46.10	45.72	-0.38	82.25	36.58	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.65	48.65	-23.00	82.25	33.65	PK	Horizontal	PASS
2	1680.23	66.47	45.45	-21.02	82.25	36.85	PK	Horizontal	PASS
3	3125.71	57.86	42.42	-15.44	82.25	39.88	PK	Horizontal	PASS
4	3913.64	56.90	43.52	-13.38	82.25	38.78	PK	Horizontal	PASS
5	6997.33	53.95	46.33	-7.62	82.25	35.97	PK	Horizontal	PASS
6	17699.57	46.20	46.22	0.02	82.25	36.08	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1442.15	70.80	57.00	-13.80	82.25	25.30	PK	Vertical	PASS
2	2391.80	62.22	53.69	-8.53	82.25	28.61	PK	Vertical	PASS
3	2805.27	55.58	47.21	-8.37	82.25	35.09	PK	Vertical	PASS
4	3760.25	63.30	49.84	-13.46	82.25	32.46	PK	Vertical	PASS
5	7536.51	53.89	45.84	-8.05	82.25	36.46	PK	Vertical	PASS
6	17699.90	45.80	45.97	0.17	82.25	36.33	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1680.23	56.77	44.67	-12.10	82.25	37.63	PK	Horizontal	PASS
2	2598.53	52.32	44.18	-8.14	82.25	38.12	PK	Horizontal	PASS
3	3770.26	58.65	45.21	-13.44	82.25	37.09	PK	Horizontal	PASS
4	5645.88	56.61	47.45	-9.16	82.25	34.85	PK	Horizontal	PASS
5	10002.33	51.81	45.63	-6.18	82.25	36.67	PK	Horizontal	PASS
6	16679.56	46.29	45.80	-0.49	82.25	36.50	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1320.11	61.44	47.20	-14.24	82.25	35.10	PK	Vertical	PASS
2	1939.65	64.08	54.30	-9.78	82.25	28.00	PK	Vertical	PASS
3	5000.67	54.61	43.43	-11.18	82.25	38.87	PK	Vertical	PASS
4	6001.00	57.61	48.75	-8.86	82.25	33.55	PK	Vertical	PASS
5	13003.33	48.93	44.44	-4.49	82.25	37.86	PK	Vertical	PASS
6	17704.90	45.76	45.83	0.07	82.25	36.47	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1940.31	60.36	50.59	-9.77	82.25	31.71	PK	Horizontal	PASS
2	6001.00	57.45	48.59	-8.86	82.25	33.71	PK	Horizontal	PASS
3	8001.67	54.21	46.15	-8.06	82.25	36.15	PK	Horizontal	PASS
4	9997.33	54.52	48.38	-6.14	82.25	33.92	PK	Horizontal	PASS
5	12003.00	54.33	49.89	-4.44	82.25	32.41	PK	Horizontal	PASS
6	17704.90	46.05	46.12	0.07	82.25	36.18	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result

Project Information

Test Mode	LTE-BAND25	Channel	H
Environment	Temp:24.9°C;Humi:53%	Test Date	2026-07-25
Note	/	Engineer	Berny

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1319.44	61.56	47.32	-14.24	82.25	34.98	PK	Vertical	PASS
2	1940.31	64.33	54.56	-9.77	82.25	27.74	PK	Vertical	PASS
3	4750.58	53.93	42.48	-11.45	82.25	39.82	PK	Vertical	PASS
4	6001.00	56.81	47.95	-8.86	82.25	34.35	PK	Vertical	PASS
5	12553.18	48.87	44.59	-4.28	82.25	37.71	PK	Vertical	PASS
6	17674.89	45.62	45.94	0.32	82.25	36.36	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1940.31	61.81	52.04	-9.77	82.25	30.26	PK	Horizontal	PASS
2	6001.00	56.55	47.69	-8.86	82.25	34.61	PK	Horizontal	PASS
3	8001.67	53.47	45.41	-8.06	82.25	36.89	PK	Horizontal	PASS
4	10002.33	55.51	49.33	-6.18	82.25	32.97	PK	Horizontal	PASS
5	11998.00	54.44	50.13	-4.31	82.25	32.17	PK	Horizontal	PASS
6	17689.90	47.12	47.35	0.23	82.25	34.95	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.43	49.43	-23.00	82.25	32.87	PK	Vertical	PASS
2	1317.44	69.75	46.89	-22.86	82.25	35.41	PK	Vertical	PASS
3	1799.27	65.28	45.18	-20.10	82.25	37.12	PK	Vertical	PASS
4	5999.67	55.76	46.77	-8.99	82.25	35.53	PK	Vertical	PASS
5	11220.41	47.20	43.65	-3.55	82.25	38.65	PK	Vertical	PASS
6	17750.58	45.09	45.61	0.52	82.25	36.69	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	71.75	48.75	-23.00	82.25	33.55	PK	Vertical	PASS
2	1317.44	70.10	47.24	-22.86	82.25	35.06	PK	Vertical	PASS
3	1799.27	66.68	46.58	-20.10	82.25	35.72	PK	Vertical	PASS
4	4996.33	54.22	43.12	-11.10	82.25	39.18	PK	Vertical	PASS
5	11214.74	46.79	43.46	-3.33	82.25	38.84	PK	Vertical	PASS
6	17739.25	45.23	45.76	0.53	82.25	36.54	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	66.07	43.55	-22.52	82.25	38.75	PK	Horizontal	PASS
2	2037.35	61.67	43.38	-18.29	82.25	38.92	PK	Horizontal	PASS
3	5999.67	51.84	42.85	-8.99	82.25	39.45	PK	Horizontal	PASS
4	10001.67	55.34	49.28	-6.06	82.25	33.02	PK	Horizontal	PASS
5	12501.50	49.45	45.08	-4.37	82.25	37.22	PK	Horizontal	PASS
6	17710.90	46.52	46.77	0.25	82.25	35.53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1136.05	72.56	49.56	-23.00	82.25	32.74	PK	Vertical	PASS
2	1317.44	69.51	46.65	-22.86	82.25	35.65	PK	Vertical	PASS
3	1799.27	65.71	45.61	-20.10	82.25	36.69	PK	Vertical	PASS
4	5999.67	57.47	48.48	-8.99	82.25	33.82	PK	Vertical	PASS
5	11084.36	48.17	43.70	-4.47	82.25	38.60	PK	Vertical	PASS
6	17733.58	45.92	46.44	0.52	82.25	35.86	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	66.23	43.71	-22.52	82.25	38.59	PK	Horizontal	PASS
2	1555.52	62.87	40.83	-22.04	82.25	41.47	PK	Horizontal	PASS
3	5999.67	55.36	46.37	-8.99	82.25	35.93	PK	Horizontal	PASS
4	10001.67	54.40	48.34	-6.06	82.25	33.96	PK	Horizontal	PASS
5	12002.67	53.51	49.48	-4.03	82.25	32.82	PK	Horizontal	PASS
6	17716.57	46.34	46.70	0.36	82.25	35.60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result

Project Information

Test Mode	LTE-BAND38	Channel	L
Environment	Temp:24.9°C;Humi:53%	Test Date	2026-07-25
Note	/	Engineer	Berny

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	64.94	49.94	-15.00	70.25	22.31	PK	Vertical	PASS
2	1320.11	61.39	47.15	-14.24	70.25	25.10	PK	Vertical	PASS
3	1800.27	58.51	47.46	-11.05	70.25	24.79	PK	Vertical	PASS
4	6001.00	54.79	45.93	-8.86	70.25	26.32	PK	Vertical	PASS
5	12998.33	49.39	44.85	-4.54	70.25	27.40	PK	Vertical	PASS
6	17674.89	46.31	46.63	0.32	70.25	25.62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	59.51	44.63	-14.88	70.25	27.62	PK	Horizontal	PASS
2	1560.19	56.77	43.57	-13.20	70.25	28.68	PK	Horizontal	PASS
3	2040.35	53.05	43.94	-9.11	70.25	28.31	PK	Horizontal	PASS
4	6001.00	55.11	46.25	-8.86	70.25	26.00	PK	Horizontal	PASS
5	7996.67	53.43	45.38	-8.05	70.25	26.87	PK	Horizontal	PASS
6	9997.33	55.08	48.94	-6.14	70.25	23.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	65.31	50.31	-15.00	70.25	21.94	PK	Vertical	PASS
2	1320.11	61.15	46.91	-14.24	70.25	25.34	PK	Vertical	PASS
3	1855.62	58.80	48.35	-10.45	70.25	23.90	PK	Vertical	PASS
4	6001.00	53.28	44.42	-8.86	70.25	27.83	PK	Vertical	PASS
5	9982.33	48.14	41.98	-6.16	70.25	30.27	PK	Vertical	PASS
6	17734.91	46.29	45.89	-0.40	70.25	26.36	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	60.24	45.36	-14.88	70.25	26.89	PK	Horizontal	PASS
2	2040.35	53.86	44.75	-9.11	70.25	27.50	PK	Horizontal	PASS
3	2983.99	51.81	44.85	-6.96	70.25	27.40	PK	Horizontal	PASS
4	6001.00	55.74	46.88	-8.86	70.25	25.37	PK	Horizontal	PASS
5	10002.33	54.48	48.30	-6.18	70.25	23.95	PK	Horizontal	PASS
6	11998.00	53.30	48.99	-4.31	70.25	23.26	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	64.91	49.91	-15.00	70.25	22.34	PK	Vertical	PASS
2	1857.62	58.03	47.60	-10.43	70.25	24.65	PK	Vertical	PASS
3	2503.17	52.68	44.27	-8.41	70.25	27.98	PK	Vertical	PASS
4	6001.00	53.73	44.87	-8.86	70.25	27.38	PK	Vertical	PASS
5	11902.97	47.33	42.99	-4.34	70.25	29.26	PK	Vertical	PASS
6	17684.89	45.50	45.76	0.26	70.25	26.49	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.03	59.89	45.00	-14.89	70.25	27.25	PK	Horizontal	PASS
2	2039.68	53.12	44.02	-9.10	70.25	28.23	PK	Horizontal	PASS
3	5500.83	51.21	41.53	-9.68	70.25	30.72	PK	Horizontal	PASS
4	10002.33	54.59	48.41	-6.18	70.25	23.84	PK	Horizontal	PASS
5	11998.00	53.68	49.37	-4.31	70.25	22.88	PK	Horizontal	PASS
6	17684.89	45.73	45.99	0.26	70.25	26.26	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	65.08	50.08	-15.00	70.25	22.17	PK	Vertical	PASS
2	1800.27	58.18	47.13	-11.05	70.25	25.12	PK	Vertical	PASS
3	2816.61	52.29	44.18	-8.11	70.25	28.07	PK	Vertical	PASS
4	6001.00	56.82	47.96	-8.86	70.25	24.29	PK	Vertical	PASS
5	11122.71	46.98	42.63	-4.35	70.25	29.62	PK	Vertical	PASS
6	17699.90	45.97	46.14	0.17	70.25	26.11	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.03	60.13	45.24	-14.89	70.25	27.01	PK	Horizontal	PASS
2	2040.35	53.73	44.62	-9.11	70.25	27.63	PK	Horizontal	PASS
3	3995.33	55.92	42.61	-13.31	70.25	29.64	PK	Horizontal	PASS
4	10002.33	55.56	49.38	-6.18	70.25	22.87	PK	Horizontal	PASS
5	12003.00	52.74	48.30	-4.44	70.25	23.95	PK	Horizontal	PASS
6	17714.90	46.73	46.59	-0.14	70.25	25.66	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	65.31	50.31	-15.00	70.25	21.94	PK	Vertical	PASS
2	1319.44	61.29	47.05	-14.24	70.25	25.20	PK	Vertical	PASS
3	1800.27	58.57	47.52	-11.05	70.25	24.73	PK	Vertical	PASS
4	2980.66	51.54	44.56	-6.98	70.25	27.69	PK	Vertical	PASS
5	5500.83	51.79	42.11	-9.68	70.25	30.14	PK	Vertical	PASS
6	17679.89	45.91	46.20	0.29	70.25	26.05	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	60.34	45.46	-14.88	70.25	26.79	PK	Horizontal	PASS
2	1559.52	55.74	42.52	-13.22	70.25	29.73	PK	Horizontal	PASS
3	2040.35	54.33	45.22	-9.11	70.25	27.03	PK	Horizontal	PASS
4	6001.00	54.39	45.53	-8.86	70.25	26.72	PK	Horizontal	PASS
5	8001.67	54.33	46.27	-8.06	70.25	25.98	PK	Horizontal	PASS
6	10002.33	54.46	48.28	-6.18	70.25	23.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	65.02	50.02	-15.00	70.25	22.23	PK	Vertical	PASS
2	1319.44	61.04	46.80	-14.24	70.25	25.45	PK	Vertical	PASS
3	1800.27	57.88	46.83	-11.05	70.25	25.42	PK	Vertical	PASS
4	6001.00	54.78	45.92	-8.86	70.25	26.33	PK	Vertical	PASS
5	11392.80	47.44	43.20	-4.24	70.25	29.05	PK	Vertical	PASS
6	17669.89	46.03	46.29	0.26	70.25	25.96	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-25dBm+95.25=70.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	59.65	44.77	-14.88	70.25	27.48	PK	Horizontal	PASS
2	2040.35	53.42	44.31	-9.11	70.25	27.94	PK	Horizontal	PASS
3	5500.83	51.02	41.34	-9.68	70.25	30.91	PK	Horizontal	PASS
4	10002.33	55.08	48.90	-6.18	70.25	23.35	PK	Horizontal	PASS
5	12003.00	51.10	46.66	-4.44	70.25	25.59	PK	Horizontal	PASS
6	17669.89	46.62	46.88	0.26	70.25	25.37	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-25dBm+95.25=70.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	64.69	49.69	-15.00	82.25	32.61	PK	Vertical	PASS
2	1319.44	61.83	47.59	-14.24	82.25	34.71	PK	Vertical	PASS
3	1800.27	57.62	46.57	-11.05	82.25	35.73	PK	Vertical	PASS
4	5000.67	54.03	42.85	-11.18	82.25	39.45	PK	Vertical	PASS
5	7156.39	50.18	42.23	-7.95	82.25	40.07	PK	Vertical	PASS
6	17709.90	46.91	46.88	-0.03	82.25	35.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1859.62	53.64	43.21	-10.43	82.25	39.09	PK	Horizontal	PASS
2	2902.63	51.37	43.57	-7.80	82.25	38.73	PK	Horizontal	PASS
3	6001.00	55.85	46.99	-8.86	82.25	35.31	PK	Horizontal	PASS
4	10002.33	55.16	48.98	-6.18	82.25	33.32	PK	Horizontal	PASS
5	11998.00	52.26	47.95	-4.31	82.25	34.35	PK	Horizontal	PASS
6	17679.89	46.22	46.51	0.29	82.25	35.79	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1139.38	64.82	49.82	-15.00	82.25	32.48	PK	Vertical	PASS
2	1800.27	58.75	47.70	-11.05	82.25	34.60	PK	Vertical	PASS
3	2973.32	52.06	44.95	-7.11	82.25	37.35	PK	Vertical	PASS
4	7001.33	51.20	43.39	-7.81	82.25	38.91	PK	Vertical	PASS
5	10612.54	48.84	43.62	-5.22	82.25	38.68	PK	Vertical	PASS
6	17679.89	45.57	45.86	0.29	82.25	36.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1080.03	59.69	44.80	-14.89	82.25	37.50	PK	Horizontal	PASS
2	2040.35	53.85	44.74	-9.11	82.25	37.56	PK	Horizontal	PASS
3	5500.83	52.09	42.41	-9.68	82.25	39.89	PK	Horizontal	PASS
4	8001.67	52.53	44.47	-8.06	82.25	37.83	PK	Horizontal	PASS
5	10002.33	55.56	49.38	-6.18	82.25	32.92	PK	Horizontal	PASS
6	13003.33	49.99	45.50	-4.49	82.25	36.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)Limit=-13dBm+95.25=82.25 dBuV/m


TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1140.05	64.43	49.43	-15.00	82.25	32.87	PK	Vertical	PASS
2	1800.27	57.86	46.81	-11.05	82.25	35.49	PK	Vertical	PASS
3	6001.00	55.29	46.43	-8.86	82.25	35.87	PK	Vertical	PASS
4	10027.34	49.12	42.79	-6.33	82.25	39.51	PK	Vertical	PASS
5	14893.96	47.50	44.72	-2.78	82.25	37.58	PK	Vertical	PASS
6	17889.96	45.43	45.64	0.21	82.25	36.66	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

TX Radiated Test Result



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1079.36	59.70	44.82	-14.88	82.25	37.48	PK	Horizontal	PASS
2	1559.52	56.03	42.81	-13.22	82.25	39.49	PK	Horizontal	PASS
3	2039.68	53.62	44.52	-9.10	82.25	37.78	PK	Horizontal	PASS
4	5500.83	51.48	41.80	-9.68	82.25	40.50	PK	Horizontal	PASS
5	10002.33	54.56	48.38	-6.18	82.25	33.92	PK	Horizontal	PASS
6	17709.90	46.02	45.99	-0.03	82.25	36.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level
 (3)Limit=-13dBm+95.25=82.25 dBuV/m

For 9KHz to 30MHz and above 18 GHz, a pre-scan was performed, and the result was 20 dB lower than the limit line, the test data was not shown in the report.

END OF REPORT