





Test Graphs







Appendix H: Emissions in Restricted Bands




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.16	39.83	2.67	74.00	34.17	150	145	PK	Vertical	PASS
2	2321.8300	39.15	42.04	2.89	74.00	31.96	150	163	PK	Vertical	PASS
3	2331.3200	38.68	41.46	2.78	74.00	32.54	150	174	PK	Vertical	PASS
4	2347.5700	39.11	42.04	2.93	74.00	31.96	150	271	PK	Vertical	PASS
5	2364.0800	38.43	41.38	2.95	74.00	32.62	150	161	PK	Vertical	PASS
6	2390.0000	37.90	40.85	2.95	74.00	33.15	150	193	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.28	39.95	2.67	74.00	34.05	150	46	PK	Horizontal	PASS
2	2324.3000	39.33	42.19	2.86	74.00	31.81	150	4	PK	Horizontal	PASS
3	2339.5100	39.20	42.04	2.84	74.00	31.96	150	114	PK	Horizontal	PASS
4	2355.5000	39.08	42.05	2.97	74.00	31.95	150	49	PK	Horizontal	PASS
5	2372.6600	39.51	42.52	3.01	74.00	31.48	150	140	PK	Horizontal	PASS
6	2390.0000	40.16	43.11	2.95	74.00	30.89	150	151	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.69	41.15	3.46	74.00	32.85	150	340	PK	Vertical	PASS
2	2485.2500	39.01	42.53	3.52	74.00	31.47	150	11	PK	Vertical	PASS
3	2491.1500	39.16	42.71	3.55	74.00	31.29	150	95	PK	Vertical	PASS
4	2492.8000	38.67	42.24	3.57	74.00	31.76	150	225	PK	Vertical	PASS
5	2496.4500	39.02	42.59	3.57	74.00	31.41	150	266	PK	Vertical	PASS
6	2500.0000	37.58	41.08	3.50	74.00	32.92	150	225	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.10	41.56	3.46	74.00	32.44	150	251	PK	Horizontal	PASS
2	2486.0000	39.65	43.12	3.47	74.00	30.88	150	251	PK	Horizontal	PASS
3	2488.8000	39.35	42.89	3.54	74.00	31.11	150	48	PK	Horizontal	PASS
4	2491.9000	39.53	43.09	3.56	74.00	30.91	150	179	PK	Horizontal	PASS
5	2494.5000	39.08	42.65	3.57	74.00	31.35	150	352	PK	Horizontal	PASS
6	2500.0000	37.66	41.16	3.50	74.00	32.84	150	67	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	38.06	40.73	2.67	74.00	33.27	150	242	PK	Vertical	PASS
2	2324.9500	38.90	41.75	2.85	74.00	32.25	150	43	PK	Vertical	PASS
3	2332.1000	39.33	42.09	2.76	74.00	31.91	150	77	PK	Vertical	PASS
4	2361.3500	39.44	42.36	2.92	74.00	31.64	150	91	PK	Vertical	PASS
5	2374.3500	39.55	42.55	3.00	74.00	31.45	150	316	PK	Vertical	PASS
6	2390.0000	37.67	40.62	2.95	74.00	33.38	150	53	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.94	39.61	2.67	74.00	34.39	150	314	PK	Horizontal	PASS
2	2322.7400	38.68	41.55	2.87	74.00	32.45	150	99	PK	Horizontal	PASS
3	2339.5100	39.03	41.87	2.84	74.00	32.13	150	118	PK	Horizontal	PASS
4	2347.5700	39.80	42.73	2.93	74.00	31.27	150	144	PK	Horizontal	PASS
5	2374.8700	38.90	41.89	2.99	74.00	32.11	150	195	PK	Horizontal	PASS
6	2390.0000	38.39	41.34	2.95	74.00	32.66	150	162	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.40	40.86	3.46	74.00	33.14	150	114	PK	Vertical	PASS
2	2488.0500	39.84	43.30	3.46	74.00	30.70	150	127	PK	Vertical	PASS
3	2492.2000	39.79	43.35	3.56	74.00	30.65	150	24	PK	Vertical	PASS
4	2494.0000	40.12	43.71	3.59	74.00	30.29	150	0	PK	Vertical	PASS
5	2498.1000	38.95	42.52	3.57	74.00	31.48	150	236	PK	Vertical	PASS
6	2500.0000	37.65	41.15	3.50	74.00	32.85	150	269	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.20	41.66	3.46	74.00	32.34	150	310	PK	Horizontal	PASS
2	2485.4500	39.07	42.58	3.51	74.00	31.42	150	338	PK	Horizontal	PASS
3	2489.8500	39.25	42.82	3.57	74.00	31.18	150	62	PK	Horizontal	PASS
4	2491.2500	39.84	43.39	3.55	74.00	30.61	150	224	PK	Horizontal	PASS
5	2495.0500	39.30	42.86	3.56	74.00	31.14	150	4	PK	Horizontal	PASS
6	2500.0000	37.77	41.27	3.50	74.00	32.73	150	310	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix I: Spurious emissions

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	36.9112	38.12	22.03	-16.09	40.00	17.97	100	180	PK	Vertical	PASS
2	68.3150	37.60	19.59	-18.01	40.00	20.41	100	220	PK	Vertical	PASS
3	104.3262	40.84	21.60	-19.24	43.50	21.90	100	190	PK	Vertical	PASS
4	148.5825	35.52	19.54	-15.98	43.50	23.96	100	100	PK	Vertical	PASS
5	298.3262	32.28	16.47	-15.81	46.00	29.53	100	300	PK	Vertical	PASS
6	526.5188	36.23	25.52	-10.71	46.00	20.48	100	300	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	38.6088	34.36	18.37	-15.99	40.00	21.63	100	100	PK	Horizontal	PASS
2	63.9500	39.98	22.70	-17.28	40.00	17.30	100	320	PK	Horizontal	PASS
3	94.8688	40.74	20.74	-20.00	43.50	22.76	100	350	PK	Horizontal	PASS
4	151.9775	38.01	22.06	-15.95	43.50	21.44	100	310	PK	Horizontal	PASS
5	366.2262	35.51	21.04	-14.47	46.00	24.96	100	240	PK	Horizontal	PASS
6	514.2725	36.92	25.72	-11.20	46.00	20.28	100	130	PK	Horizontal	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1398.6000	39.88	39.56	-0.32	74.00	34.44	150	238	PK	Vertical	PASS
2	2013.8000	38.95	40.78	1.83	74.00	33.22	150	260	PK	Vertical	PASS
3	3285.0000	59.86	39.54	-20.32	74.00	34.46	150	119	PK	Vertical	PASS
4	3936.5000	59.89	41.96	-17.93	74.00	32.04	150	151	PK	Vertical	PASS
5	4803.5000	55.25	40.69	-14.56	74.00	33.31	150	59	PK	Vertical	PASS
6	7871.5000	52.74	44.38	-8.36	74.00	29.62	150	151	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1472.2000	39.36	39.29	-0.07	74.00	34.71	150	164	PK	Horizontal	PASS
2	2095.0000	39.32	41.45	2.13	74.00	32.55	150	220	PK	Horizontal	PASS
3	4246.5000	55.99	39.04	-16.95	74.00	34.96	150	4	PK	Horizontal	PASS
4	4803.5000	58.46	43.90	-14.56	74.00	30.10	150	60	PK	Horizontal	PASS
5	7205.0000	54.61	45.13	-9.48	74.00	28.87	150	348	PK	Horizontal	PASS
6	8434.5000	51.85	44.84	-7.01	74.00	29.16	150	115	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.6000	40.29	40.03	-0.26	74.00	33.97	150	135	PK	Vertical	PASS
2	1744.8000	38.89	39.68	0.79	74.00	34.32	150	47	PK	Vertical	PASS
3	5250.5000	57.27	43.71	-13.56	74.00	30.29	150	276	PK	Vertical	PASS
4	6576.5000	54.65	44.60	-10.05	74.00	29.40	150	112	PK	Vertical	PASS
5	7753.0000	52.06	43.72	-8.34	74.00	30.28	150	190	PK	Vertical	PASS
6	9678.5000	50.85	46.19	-4.66	74.00	27.81	150	284	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.8000	39.24	38.99	-0.25	74.00	35.01	150	93	PK	Horizontal	PASS
2	1723.4000	44.62	45.27	0.65	74.00	28.73	150	356	PK	Horizontal	PASS
3	4248.5000	54.32	37.35	-16.97	74.00	36.65	150	208	PK	Horizontal	PASS
4	4880.0000	55.71	41.64	-14.07	74.00	32.36	150	28	PK	Horizontal	PASS
5	6949.5000	52.77	43.04	-9.73	74.00	30.96	150	200	PK	Horizontal	PASS
6	7319.0000	54.05	44.86	-9.19	74.00	29.14	150	12	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1097.2000	39.36	38.86	-0.50	74.00	35.14	150	288	PK	Vertical	PASS
2	1316.0000	39.36	39.10	-0.26	74.00	34.90	150	256	PK	Vertical	PASS
3	3938.5000	56.18	38.26	-17.92	74.00	35.74	150	328	PK	Vertical	PASS
4	5264.0000	55.52	42.13	-13.39	74.00	31.87	150	266	PK	Vertical	PASS
5	7440.5000	53.55	44.65	-8.90	74.00	29.35	150	104	PK	Vertical	PASS
6	9676.5000	50.77	46.10	-4.67	74.00	27.90	150	158	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1291.2000	39.47	39.06	-0.41	74.00	34.94	150	54	PK	Horizontal	PASS
2	1869.0000	39.42	40.83	1.41	74.00	33.17	150	72	PK	Horizontal	PASS
3	3406.5000	55.94	36.38	-19.56	74.00	37.62	150	90	PK	Horizontal	PASS
4	4904.0000	54.84	41.48	-13.36	74.00	32.52	150	66	PK	Horizontal	PASS
5	6235.5000	52.95	42.74	-10.21	74.00	31.26	150	315	PK	Horizontal	PASS
6	9250.0000	51.31	46.60	-4.71	74.00	27.40	150	360	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1176.8000	39.47	39.30	-0.17	74.00	34.70	150	199	PK	Vertical	PASS
2	2027.4000	40.33	42.11	1.78	74.00	31.89	150	140	PK	Vertical	PASS
3	3949.5000	57.25	39.98	-17.27	74.00	34.02	150	50	PK	Vertical	PASS
4	5249.5000	56.92	43.34	-13.58	74.00	30.66	150	127	PK	Vertical	PASS
5	6405.5000	53.25	42.67	-10.58	74.00	31.33	150	180	PK	Vertical	PASS
6	8404.5000	51.82	44.33	-7.49	74.00	29.67	150	328	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1460.6000	39.90	39.83	-0.07	74.00	34.17	150	2	PK	Horizontal	PASS
2	2062.8000	39.90	41.76	1.86	74.00	32.24	150	346	PK	Horizontal	PASS
3	4320.5000	54.11	37.88	-16.23	74.00	36.12	150	107	PK	Horizontal	PASS
4	4802.5000	57.36	42.75	-14.61	74.00	31.25	150	27	PK	Horizontal	PASS
5	7204.5000	55.00	45.48	-9.52	74.00	28.52	150	20	PK	Horizontal	PASS
6	9082.0000	50.84	44.74	-6.10	74.00	29.26	150	279	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1363.8000	39.38	38.91	-0.47	74.00	35.09	150	205	PK	Vertical	PASS
2	1806.4000	39.92	40.93	1.01	74.00	33.07	150	273	PK	Vertical	PASS
3	3953.0000	56.29	38.85	-17.44	74.00	35.15	150	151	PK	Vertical	PASS
4	5651.5000	54.34	41.84	-12.50	74.00	32.16	150	51	PK	Vertical	PASS
5	6570.0000	55.25	45.12	-10.13	74.00	28.88	150	306	PK	Vertical	PASS
6	9339.5000	50.97	45.91	-5.06	74.00	28.09	150	299	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1449.2000	39.12	39.04	-0.08	74.00	34.96	150	130	PK	Horizontal	PASS
2	1954.4000	39.20	40.81	1.61	74.00	33.19	150	202	PK	Horizontal	PASS
3	4880.5000	55.78	41.73	-14.05	74.00	32.27	150	27	PK	Horizontal	PASS
4	6147.0000	52.61	41.93	-10.68	74.00	32.07	150	89	PK	Horizontal	PASS
5	7319.0000	54.60	45.41	-9.19	74.00	28.59	150	12	PK	Horizontal	PASS
6	9693.5000	50.14	45.59	-4.55	74.00	28.41	150	235	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1247.4000	39.94	39.42	-0.52	74.00	34.58	150	119	PK	Vertical	PASS
2	1680.4000	39.92	40.40	0.48	74.00	33.60	150	161	PK	Vertical	PASS
3	4292.5000	55.12	38.97	-16.15	74.00	35.03	150	67	PK	Vertical	PASS
4	4907.0000	54.49	41.25	-13.24	74.00	32.75	150	277	PK	Vertical	PASS
5	6571.5000	54.22	44.11	-10.11	74.00	29.89	150	107	PK	Vertical	PASS
6	7989.0000	51.34	44.02	-7.32	74.00	29.98	150	107	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ✱ AV Detector


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1412.4000	39.86	39.56	-0.30	74.00	34.44	150	120	PK	Horizontal	PASS
2	1827.2000	39.49	40.70	1.21	74.00	33.30	150	356	PK	Horizontal	PASS
3	4227.0000	54.66	37.46	-17.20	74.00	36.54	150	316	PK	Horizontal	PASS
4	4881.5000	55.18	41.16	-14.02	74.00	32.84	150	340	PK	Horizontal	PASS
5	6467.0000	53.05	42.92	-10.13	74.00	31.08	150	316	PK	Horizontal	PASS
6	9173.0000	50.99	45.26	-5.73	74.00	28.74	150	309	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1593	10.27	27.24	65.50	38.26	17.36	55.50	38.14	L1	PASS
2	0.2970	10.32	29.28	60.33	31.05	28.52	50.33	21.81	L1	PASS
3	0.8923	10.26	26.10	56.00	29.90	25.35	46.00	20.65	L1	PASS
4	2.3796	10.28	27.55	56.00	28.45	26.43	46.00	19.57	L1	PASS
5	5.4683	10.41	21.59	60.00	38.41	18.36	50.00	31.64	L1	PASS
6	13.4795	10.62	24.62	60.00	35.38	20.23	50.00	29.77	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2990	10.35	31.52	60.27	28.75	30.81	50.27	19.46	N	PASS
2	0.8927	10.36	30.17	56.00	25.83	29.34	46.00	16.66	N	PASS
3	2.3821	10.48	27.30	56.00	28.70	25.91	46.00	20.09	N	PASS
4	4.1593	10.50	22.76	56.00	33.24	20.84	46.00	25.16	N	PASS
5	10.0564	10.44	22.03	60.00	37.97	17.54	50.00	32.46	N	PASS
6	23.9647	10.74	17.19	60.00	42.81	15.53	50.00	34.47	N	PASS