


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC		
Model Name	2.4G ANT		
Center Frequency	2300MHz	2440MHz	2540MHz
	-1.42	-1.0	-1.70
MAX. Gain	-1.0 dBi		
Polarization	Horizontal and Vertical		
Azimuth Beam Pattern	Omni-directional		
Impedance	50 Ohm		
Antenna Length	12mm		
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD		
Address	333 Kexing Road, Xiangzhou, Zhuhai, Guangdong 519000, China		


Antenna Photo & Length (mm)




Gian and Efficiency

Frequency (MHz)	Efficiency(%)	Gain(dBi)
2300	43.36	-1.42
2320	47.26	-1.58
2340	45.70	-1.38
2360	46.13	-1.92
2380	44.94	-1.24
2400	47.46	-1.20
2420	53.66	-1.83
2440	54.07	-1.0
2460	49.87	-1.0
2480	46.80	-1.73
2500	46.67	-1.44
2520	41.75	-1.24
2540	39.78	-1.7


3D and 1D Radiation Patterns



Max: -1
Min: -22
Scale: 2/div



Max: -2
Min: -14
Scale: 2/div



ANT Test Labs: Attestation of Global Compliance Co., Ltd.