




BLE 2M Ant1_High_2480





Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-2.28	-2.28	---	PASS
			30~1000	-2.28	-59.83	≤ -32.28	PASS
			1000~26500	-2.28	-40.95	≤ -32.28	PASS
		2440	Reference	-2.31	-2.31	---	PASS
			30~1000	-2.31	-59.73	≤ -32.31	PASS
			1000~26500	-2.31	-48.9	≤ -32.31	PASS
		2480	Reference	-0.18	-0.18	---	PASS
			30~1000	-0.18	-59.52	≤ -30.18	PASS
			1000~26500	-0.18	-49.45	≤ -30.18	PASS
BLE_2M	Ant1	2402	Reference	-5.42	-5.42	---	PASS
			30~1000	-5.42	-59.53	≤ -35.42	PASS
			1000~26500	-5.42	-49.35	≤ -35.42	PASS
		2440	Reference	-4.94	-4.94	---	PASS
			30~1000	-4.94	-59.37	≤ -34.94	PASS
			1000~26500	-4.94	-49.35	≤ -34.94	PASS
		2480	Reference	-1.40	-1.40	---	PASS
			30~1000	-1.40	-59.6	≤ -31.4	PASS
			1000~26500	-1.40	-49.81	≤ -31.4	PASS




Test Graphs


BLE 1M Ant1 2402 0~Reference



BLE 1M Ant1 2402 30~1000




BLE 1M Ant1 2402 1000~26500







BLE 1M Ant1 2440 0~Reference



BLE 1M Ant1 2440 30~1000




BLE 1M Ant1 2440 1000~26500







BLE 1M Ant1 2480 0~Reference



BLE 1M Ant1 2480 30~1000




BLE 1M Ant1 2480 1000~26500







BLE 2M Ant1 2402 0~Reference



BLE 2M Ant1 2402 30~1000




BLE 2M Ant1 2402 1000~26500







BLE 2M Ant1 2440 0~Reference



BLE 2M Ant1 2440 30~1000




BLE 2M Ant1 2440 1000~26500







BLE 2M Ant1 2480 0~Reference



BLE 2M Ant1 2480 30~1000



BLE 2M Ant1 2480 1000~26500



The End Report

Guangdong DN Testing Co., Ltd.

Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China

Web: www.dn-testing.com

Tel: +86-769-88087383

E-mail: service@dn-testing.com