





2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.91	3.74	77.81	1.09	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.76	77.66	1.10	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.18	4.21	1.10	40.33	≤54	PASS
				AV	2334.860	-57.58	4.21	1.10	42.93	≤54	PASS
				AV	2390.000	-58.59	4.21	1.10	41.92	≤54	PASS
				Peak	2310.000	-51.93	4.21	0.00	47.48	≤74	PASS
				Peak	2334.650	-48.48	4.21	0.00	50.93	≤74	PASS
				Peak	2390.000	-52.19	4.21	0.00	47.22	≤74	PASS
		High	2480	AV	2483.500	-57.22	4.21	1.10	43.29	≤54	PASS
				AV	2484.720	-57.15	4.21	1.10	43.36	≤54	PASS
				AV	2500.000	-59.17	4.21	1.10	41.34	≤54	PASS
				Peak	2483.500	-49.25	4.21	0.00	50.16	≤74	PASS
				Peak	2499.520	-48.26	4.21	0.00	51.15	≤74	PASS
				Peak	2500.000	-49.91	4.21	0.00	49.5	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-59.69	4.21	1.09	40.81	≤54	PASS
				AV	2374.655	-58.55	4.21	1.09	41.95	≤54	PASS
				AV	2390.000	-59.55	4.21	1.09	40.95	≤54	PASS
				Peak	2310.000	-49.95	4.21	0.00	49.46	≤74	PASS
				Peak	2367.620	-48.47	4.21	0.00	50.94	≤74	PASS
				Peak	2390.000	-50.9	4.21	0.00	48.51	≤74	PASS
		High	2480	AV	2483.500	-58.5	4.21	1.09	42	≤54	PASS
				AV	2484.000	-57.82	4.21	1.09	42.68	≤54	PASS
				AV	2500.000	-58.78	4.21	1.09	41.72	≤54	PASS
				Peak	2483.500	-50.22	4.21	0.00	49.19	≤74	PASS
				Peak	2492.160	-48.46	4.21	0.00	50.95	≤74	PASS
				Peak	2500.000	-49.7	4.21	0.00	49.71	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.98	4.21	1.09	40.52	≤54	PASS
				AV	2363.210	-58.23	4.21	1.09	42.27	≤54	PASS
				AV	2390.000	-59.39	4.21	1.09	41.11	≤54	PASS
				Peak	2310.000	-50.98	4.21	0.00	48.43	≤74	PASS
				Peak	2335.490	-48.07	4.21	0.00	51.34	≤74	PASS
				Peak	2390.000	-51.91	4.21	0.00	47.5	≤74	PASS
		High	2480	AV	2483.500	-58.47	4.21	1.10	42.04	≤54	PASS
				AV	2483.920	-57.72	4.21	1.10	42.79	≤54	PASS
				AV	2500.000	-58.58	4.21	1.10	41.93	≤54	PASS
				Peak	2483.500	-50.34	4.21	0.00	49.07	≤74	PASS
				Peak	2492.640	-47.77	4.21	0.00	51.64	≤74	PASS
				Peak	2500.000	-50.32	4.21	0.00	49.09	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

