




Test Graphs







2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMode	Antenna	Channel Name	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-59.61	2.00	1.09	38.68	≤54	PASS
				AV	2381.375	-58.99	2.00	1.09	39.30	≤54	PASS
				AV	2390.000	-59.17	2.00	1.09	39.12	≤54	PASS
				Peak	2310.000	-51.98	2.00	0.00	45.22	≤74	PASS
				Peak	2363.735	-48.65	2.00	0.00	48.55	≤74	PASS
				Peak	2390.000	-51.99	2.00	0.00	45.21	≤74	PASS
		High	2480	AV	2483.500	-57.83	2.00	1.10	40.47	≤54	PASS
				AV	2483.920	-57.38	2.00	1.10	40.92	≤54	PASS
				AV	2500.000	-59.14	2.00	1.10	39.16	≤54	PASS
				Peak	2483.500	-49.28	2.00	0.00	47.92	≤74	PASS
				Peak	2483.680	-48.18	2.00	0.00	49.02	≤74	PASS
				Peak	2500.000	-52.08	2.00	0.00	45.12	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-59.85	2.00	1.09	38.44	≤54	PASS
				AV	2377.070	-59.05	2.00	1.09	39.24	≤54	PASS
				AV	2390.000	-59.28	2.00	1.09	39.01	≤54	PASS
				Peak	2310.000	-52.08	2.00	0.00	45.12	≤74	PASS
				Peak	2319.845	-48.46	2.00	0.00	48.74	≤74	PASS
				Peak	2390.000	-51.02	2.00	0.00	46.18	≤74	PASS
		High	2480	AV	2483.500	-57.72	2.00	1.09	40.57	≤54	PASS
				AV	2483.760	-57.52	2.00	1.09	40.77	≤54	PASS
				AV	2500.000	-59.25	2.00	1.09	39.04	≤54	PASS
				Peak	2483.500	-50.33	2.00	0.00	46.87	≤74	PASS
				Peak	2490.560	-47.84	2.00	0.00	49.36	≤74	PASS
				Peak	2500.000	-51.85	2.00	0.00	45.35	≤74	PASS

Note:


- The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

