

GQ-JBD-8851S-Antenna Specification

Supplier Name: Shanghai Guoqin Electronic Technology Co., Ltd.

Model: GQ-JBD-8851S

Product: Bluetooth Transparent Transmission Module

Wireless Operating Frequency: 2.4GHz


Channel Spacing: 2MHz

Antenna Gain: 1.05 dBi

Channel list: 0~39, On-board Antenna


Antenna Trace Layout Diagram (Unit: mm)

2D:




Antenna Gain and Efficiency Test Results

Model	Test Item	Test State	Frequency (MHz)	Efficiency(%)	Gain(dBi)
GQ-JBD-8851S	Gain	FS	2402	42.76	0.46
			2407	44.18	0.72
			2412	45.27	0.81
			2417	45.59	0.71
			2422	47.55	1.05
			2427	46.68	0.97
			2432	47.14	0.82
			2437	46.32	0.70
			2442	45.07	0.58
			2447	43.52	0.69
			2452	42.72	0.43
			2457	42.32	0.51
			2462	41.40	0.52
			2467	40.46	0.21
			2472	40.61	0.42
			2477	40.91	0.16
			2482	40.55	0.32
			2487	40.96	0.32
			2492	40.62	0.28




(MHz)	2400	2450	2500
VSWR	5.0860	4.9664	3.9395

Max: 2
Min: -10
Scale: 2/div




2402 MHz	2452 MHz
2407 MHz	2457 MHz
2412 MHz	2462 MHz
2417 MHz	2467 MHz
2422 MHz	2472 MHz
2427 MHz	2477 MHz
2432 MHz	2482 MHz
2437 MHz	2487 MHz
2442 MHz	2492 MHz
2447 MHz	

Max: 5
Min: -30
Scale: 5/div



2402 MHz	2452 MHz
2407 MHz	2457 MHz
2412 MHz	2462 MHz
2417 MHz	2467 MHz
2422 MHz	2472 MHz
2427 MHz	2477 MHz
2432 MHz	2482 MHz
2437 MHz	2487 MHz
2442 MHz	2492 MHz
2447 MHz	



Max: 5
Min: -30
Scale: 5/div



2402 MHz	2452 MHz
2407 MHz	2457 MHz
2412 MHz	2462 MHz
2417 MHz	2467 MHz
2422 MHz	2472 MHz
2427 MHz	2477 MHz
2432 MHz	2482 MHz
2437 MHz	2487 MHz
2442 MHz	2492 MHz
2447 MHz	

Y-Z 2D

Azimuth = 0.0
Elevation = 0.0
Roll = 0.0



2.4GHz 3D