

1. Bandwidth

1.1 Test Result

1.1.1 OBW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.858	/	Pass
		2441	DH5	1	0.858	/	Pass
		2480	DH5	1	0.860	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.175	/	Pass
		2441	2DH5	1	1.173	/	Pass
		2480	2DH5	1	1.172	/	Pass
8DPSK	SISO	2402	3DH5	1	1.190	/	Pass
		2441	3DH5	1	1.181	/	Pass
		2480	3DH5	1	1.179	/	Pass

1.1.2 20dB BW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.883	/	Pass
		2441	DH5	1	0.884	/	Pass
		2480	DH5	1	0.882	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.261	/	Pass
		2441	2DH5	1	1.301	/	Pass
		2480	2DH5	1	1.305	/	Pass
8DPSK	SISO	2402	3DH5	1	1.263	/	Pass
		2441	3DH5	1	1.269	/	Pass
		2480	3DH5	1	1.262	/	Pass


1.2 Test Graph

1.2.1 OBW



Cable Test


Report No.: 纳木智联科技




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技




1.2.2 20dB BW



Cable Test


Report No.: 纳木智联科技




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



Cable Test

Report No.: 纳木智联科技



2. Maximum Conducted Output Power


2.1 Test Result

2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	1.44	<=30	Pass
		2441	DH5	1.06	<=30	Pass
		2480	DH5	0.19	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	2.34	<=20.97	Pass
		2441	2DH5	1.95	<=20.97	Pass
		2480	2DH5	0.97	<=20.97	Pass
8DPSK	SISO	2402	3DH5	2.76	<=20.97	Pass
		2441	3DH5	2.37	<=20.97	Pass
		2480	3DH5	1.41	<=20.97	Pass
Note1: Antenna Gain: Ant1: 2.00dBi;						


2.2 Test Graph

2.2.1 Power



Cable Test


Report No.: 纳木智联科技




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Cable Test


Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





3. Carrier Frequency Separation


3.1 Test Result

3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	0.998	0.884	≥ 0.884	Pass
PI/4DQPSK	SISO	HOPP	2DH5	1.003	1.305	≥ 0.87	Pass
8DPSK	SISO	HOPP	3DH5	1.001	1.269	≥ 0.846	Pass


3.2 Test Graph

3.2.1 Ant1




Cable Test

Report No.: 纳木智联科技



Cable Test

Report No.: 纳木智联科技



4. Number of Hopping Frequencies


4.1 Test Result

4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass


4.2 Test Graph


4.2.1 HoppNum



Cable Test

Report No.: 纳木智联科技





5. Time of Occupancy (Dwell Time)

5.1 Test Result

5.1.1 Ant1


Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.392	31.600	319	125.048	<=400	Pass
			DH3	1.650	31.600	162	267.300	<=400	Pass
			DH5	2.892	31.600	109	315.228	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.396	31.600	320	126.720	<=400	Pass
			2DH3	1.648	31.600	166	273.568	<=400	Pass
			2DH5	2.896	31.600	104	301.184	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.396	31.600	320	126.720	<=400	Pass
			3DH3	1.648	31.600	164	270.272	<=400	Pass
			3DH5	2.898	31.600	116	336.168	<=400	Pass

5.1.2 DwellTime_Ant1

Ant1						
Mode	Tx Type	Frequency (MHz)	Packet Type	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH5	2.896	/	Pass


5.2 Test Graph

5.2.1 Ant1




Cable Test


Report No.: 纳木智联科技



GFSK_DH3_HOPP_Ant1_NTNV




GFSK_DH3_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技


Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技


8DPSK_3DH1_HOPP_Ant1_NTNV




8DPSK_3DH1_HOPP_Ant1_NTNV



8DPSK_3DH3_HOPP_Ant1_NTNV




8DPSK_3DH3_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技


8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



5.2.2 DwellTime_Ant1



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	1.06
		2441	DH5	1	0.69
		2480	DH5	1	-0.29
Pi/4DQPSK	SISO	2402	2DH5	1	1.19
		2441	2DH5	1	0.71
		2480	2DH5	1	-0.24
8DPSK	SISO	2402	3DH5	1	1.10
		2441	3DH5	1	0.73
		2480	3DH5	1	-0.23

6.1.2 CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	1.06	-18.94	Pass
		2441	DH5	1	1.06	-18.94	Pass
		2480	DH5	1	1.06	-18.94	Pass
		HOPP	DH5	1	1.06	-18.94	Pass
					1.06	-18.94	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.19	-18.81	Pass
		2441	2DH5	1	1.19	-18.81	Pass
		2480	2DH5	1	1.19	-18.81	Pass
		HOPP	2DH5	1	1.19	-18.81	Pass
					1.19	-18.81	Pass
8DPSK	SISO	2402	3DH5	1	1.10	-18.90	Pass
		2441	3DH5	1	1.10	-18.90	Pass
		2480	3DH5	1	1.10	-18.90	Pass
		HOPP	3DH5	1	1.10	-18.90	Pass
					1.10	-18.90	Pass


6.2 Test Graph

6.2.1 Ref




Cable Test


Report No.: 纳木智联科技



GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技




6.2.2 CSE



Cable Test


Report No.: 纳木智联科技




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HOPP_2410MHz_Ant1_NTNV



Cable Test


Report No.: 纳木智联科技




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳本智联科技

Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




Cable Test

Report No.: 纳木智联科技

8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




8DPSK_3DH5_HOPP_Ant1_NTNV



Cable Test

Report No.: 纳木智联科技



7. Unwanted Emissions In Restricted Frequency Bands


7.1 Test Result

7.1.1 RSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Unwanted Emissions (dBm)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	Refer To Test Graph		Pass
		2441	DH5	1	Refer To Test Graph		Pass
		2480	DH5	1	Refer To Test Graph		Pass
Pi/4DQPSK	SISO	2402	2DH5	1	Refer To Test Graph		Pass
		2441	2DH5	1	Refer To Test Graph		Pass
		2480	2DH5	1	Refer To Test Graph		Pass
8DPSK	SISO	2402	3DH5	1	Refer To Test Graph		Pass
		2441	3DH5	1	Refer To Test Graph		Pass
		2480	3DH5	1	Refer To Test Graph		Pass


7.2 Test Graph

7.2.1 RSE



Cable Test

Report No.: 纳木智联科技




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2388.8	-46.58	-21.20	25.38	Pass	Peak	7	2388.8	/	-41.20	/	/	AVG
2	2362.4	-47.55	-21.20	26.35	Pass	Peak	8	2362.4	/	-41.20	/	/	AVG
3	2358.5	-47.56	-21.20	26.36	Pass	Peak	9	2358.5	/	-41.20	/	/	AVG
4	2377.4	-48.13	-21.20	26.93	Pass	Peak	10	2377.4	/	-41.20	/	/	AVG
5	2368	-48.32	-21.20	27.12	Pass	Peak	11	2368	/	-41.20	/	/	AVG
6	2373.5	-48.32	-21.20	27.12	Pass	Peak	12	2373.5	/	-41.20	/	/	AVG


Cable Test

Report No.: 纳木智联科技


GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2484.964	-43.09	-21.20	21.89	Pass	Peak	7	2484.964	/	-41.20	/	/	AVG
2	2485.832	-44.47	-21.20	23.27	Pass	Peak	8	2485.832	/	-41.20	/	/	AVG
3	2483.704	-45.46	-21.20	24.26	Pass	Peak	9	2483.704	/	-41.20	/	/	AVG
4	2489.36	-47.28	-21.20	26.08	Pass	Peak	10	2489.36	/	-41.20	/	/	AVG
5	2486.728	-48.35	-21.20	27.15	Pass	Peak	11	2486.728	/	-41.20	/	/	AVG
6	2490.256	-48.59	-21.20	27.39	Pass	Peak	12	2490.256	/	-41.20	/	/	AVG

Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2210.4	-45.71	-21.20	24.51	Pass	Peak	4	2210.4	/	-41.20	/	/	AVG
2	21049.6	-47.36	-21.20	26.16	Pass	Peak	5	21049.6	/	-41.20	/	/	AVG
3	23808	-45.72	-21.20	24.52	Pass	Peak	6	23808	/	-41.20	/	/	AVG

Cable Test


Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2365.5	-46.66	-21.20	25.46	Pass	Peak	7	2365.5	/	-41.20	/	/	AVG
2	2361.6	-47.56	-21.20	26.36	Pass	Peak	8	2361.6	/	-41.20	/	/	AVG
3	2371.7	-47.73	-21.20	26.53	Pass	Peak	9	2371.7	/	-41.20	/	/	AVG
4	2356.6	-47.99	-21.20	26.79	Pass	Peak	10	2356.6	/	-41.20	/	/	AVG
5	2388.8	-48.24	-21.20	27.04	Pass	Peak	11	2388.8	/	-41.20	/	/	AVG
6	2353.3	-48.50	-21.20	27.30	Pass	Peak	12	2353.3	/	-41.20	/	/	AVG

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2249.6	-44.95	-21.20	23.75	Pass	Peak	4	2249.6	/	-41.20	/	/	AVG
2	20512.8	-47.79	-21.20	26.59	Pass	Peak	5	20512.8	/	-41.20	/	/	AVG
3	23797.6	-45.73	-21.20	24.53	Pass	Peak	6	23797.6	/	-41.20	/	/	AVG

Cable Test


Report No.: 纳木智联科技

Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2288.8	-43.65	-21.20	22.45	Pass	Peak	4	2288.8	/	-41.20	/	/	AVG
2	21067.2	-47.44	-21.20	26.24	Pass	Peak	5	21067.2	/	-41.20	/	/	AVG
3	23833.6	-45.57	-21.20	24.37	Pass	Peak	6	23833.6	/	-41.20	/	/	AVG

Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2485.524	-42.29	-21.20	21.09	Pass	Peak	7	2485.524	/	-41.20	/	/	AVG
2	2484.292	-43.78	-21.20	22.58	Pass	Peak	8	2484.292	/	-41.20	/	/	AVG
3	2486.392	-45.90	-21.20	24.70	Pass	Peak	9	2486.392	/	-41.20	/	/	AVG
4	2489.612	-47.40	-21.20	26.20	Pass	Peak	10	2489.612	/	-41.20	/	/	AVG
5	2498.6	-49.59	-21.20	28.39	Pass	Peak	11	2498.6	/	-41.20	/	/	AVG
6	2487.344	-49.87	-21.20	28.67	Pass	Peak	12	2487.344	/	-41.20	/	/	AVG

Cable Test


Report No.: 纳木智联科技

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2210.4	-45.63	-21.20	24.43	Pass	Peak	4	2210.4	/	-41.20	/	/	AVG
2	21013.6	-47.12	-21.20	25.92	Pass	Peak	5	21013.6	/	-41.20	/	/	AVG
3	23762.4	-45.37	-21.20	24.17	Pass	Peak	6	23762.4	/	-41.20	/	/	AVG

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2369.2	-47.23	-21.20	26.03	Pass	Peak	7	2369.2	/	-41.20	/	/	AVG
2	2359.2	-47.62	-21.20	26.42	Pass	Peak	8	2359.2	/	-41.20	/	/	AVG
3	2362.8	-48.12	-21.20	26.92	Pass	Peak	9	2362.8	/	-41.20	/	/	AVG
4	2373.5	-48.31	-21.20	27.11	Pass	Peak	10	2373.5	/	-41.20	/	/	AVG
5	2353	-48.57	-21.20	27.37	Pass	Peak	11	2353	/	-41.20	/	/	AVG
6	2383.6	-49.05	-21.20	27.85	Pass	Peak	12	2383.6	/	-41.20	/	/	AVG


Cable Test


Report No.: 纳木智联科技

8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV





8. Form731

8.1 Test Result

8.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0019	2.76