

1. Bandwidth

1.1 Test Result

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	12.928	/	Pass
		2437	1	12.934	/	Pass
		2462	1	12.938	/	Pass
802.11g	SISO	2412	1	16.601	/	Pass
		2437	1	16.566	/	Pass
		2462	1	16.563	/	Pass
802.11n (HT20)	SISO	2412	1	17.784	/	Pass
		2437	1	17.825	/	Pass
		2462	1	17.761	/	Pass


1.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	9.410	≥ 0.5	Pass
		2437	1	9.412	≥ 0.5	Pass
		2462	1	9.397	≥ 0.5	Pass
802.11g	SISO	2412	1	17.223	≥ 0.5	Pass
		2437	1	17.220	≥ 0.5	Pass
		2462	1	17.177	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	18.197	≥ 0.5	Pass
		2437	1	18.168	≥ 0.5	Pass
		2462	1	18.032	≥ 0.5	Pass




1.2 Test Graph

1.2.1 OBW






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV






1.2.2 6dB BW






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV





2. Maximum Conducted Output Power

2.1 Test Result

2.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	6.14	<=30	Pass
		2437	6.00	<=30	Pass
		2462	5.96	<=30	Pass
802.11g	SISO	2412	6.07	<=30	Pass
		2437	6.00	<=30	Pass
		2462	6.08	<=30	Pass
802.11n (HT20)	SISO	2412	5.51	<=30	Pass
		2437	5.98	<=30	Pass
		2462	6.04	<=30	Pass

Note1: Antenna Gain: Ant1: 3.00dBi;




2.2 Test Graph

2.2.1 Power






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



3. Maximum Power Spectral Density

3.1 Test Result

3.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-4.84	<=8	Pass
		2437	-4.83	<=8	Pass
		2462	-4.88	<=8	Pass
802.11g	SISO	2412	-12.91	<=8	Pass
		2437	-12.40	<=8	Pass
		2462	-12.63	<=8	Pass
802.11n (HT20)	SISO	2412	-14.06	<=8	Pass
		2437	-12.94	<=8	Pass
		2462	-13.35	<=8	Pass

Note1: Antenna Gain: Ant1: 3.00dBi;




3.2 Test Graph

3.2.1 PSD






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



4. Unwanted Emissions In Non-restricted Frequency Bands

4.1 Test Result

4.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	-4.71
		2437	1	-4.92
		2462	1	-4.86
802.11g	SISO	2412	1	-12.74
		2437	1	-12.38
		2462	1	-12.73
802.11n (HT20)	SISO	2412	1	-14.47
		2437	1	-12.79
		2462	1	-12.98


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	-4.71	-24.71	Pass
		2437	1	-4.71	-24.71	Pass
		2462	1	-4.71	-24.71	Pass
802.11g	SISO	2412	1	-12.38	-32.38	Pass
		2437	1	-12.38	-32.38	Pass
		2462	1	-12.38	-32.38	Pass
802.11n (HT20)	SISO	2412	1	-12.79	-32.79	Pass
		2437	1	-12.79	-32.79	Pass
		2462	1	-12.79	-32.79	Pass




4.2 Test Graph

4.2.1 Ref






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV






4.2.2 CSE






802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV






802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result


5.1.1 RSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11g	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass




5.2 Test Graph

5.2.1 RSE






802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19018.4	-45.31	-21.20	24.11	Pass	Peak	7	19018.4	-54.87	-41.20	13.67	Pass	AVG
2	20074.4	-45.75	-21.20	24.55	Pass	Peak	8	20074.4	-54.27	-41.20	13.07	Pass	AVG
3	21064	-43.11	-21.20	21.91	Pass	Peak	9	21064	-51.51	-41.20	10.31	Pass	AVG
4	22077.6	-45.21	-21.20	24.01	Pass	Peak	10	22077.6	-54.27	-41.20	13.07	Pass	AVG
5	22978.4	-43.39	-21.20	22.19	Pass	Peak	11	22978.4	-53.12	-41.20	11.92	Pass	AVG
6	23822.4	-40.41	-21.20	19.21	Pass	Peak	12	23822.4	-49.63	-41.20	8.43	Pass	AVG


802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15676	-46.71	-21.20	25.51	Pass	Peak	7	15676	-57.73	-41.20	16.53	Pass	AVG
2	19572.8	-45.03	-21.20	23.83	Pass	Peak	8	19572.8	-55.05	-41.20	13.85	Pass	AVG
3	21035.2	-42.51	-21.20	21.31	Pass	Peak	9	21035.2	-51.77	-41.20	10.57	Pass	AVG
4	22200.8	-44.51	-21.20	23.31	Pass	Peak	10	22200.8	-54.30	-41.20	13.10	Pass	AVG
5	23008	-43.98	-21.20	22.78	Pass	Peak	11	23008	-53.30	-41.20	12.10	Pass	AVG
6	23788.8	-40.61	-21.20	19.41	Pass	Peak	12	23788.8	-49.98	-41.20	8.78	Pass	AVG




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.760	-52.91	-21.20	31.71	Pass	Peak	7	2483.760	-61.83	-41.20	20.63	Pass	AVG
2	2486.892	-53.86	-21.20	32.66	Pass	Peak	8	2486.892	-61.86	-41.20	20.66	Pass	AVG
3	2489.792	-50.66	-21.20	29.46	Pass	Peak	9	2489.792	-62.27	-41.20	21.07	Pass	AVG
4	2492.808	-53.11	-21.20	31.91	Pass	Peak	10	2492.808	-62.30	-41.20	21.10	Pass	AVG
5	2495.766	-53.77	-21.20	32.57	Pass	Peak	11	2495.766	-61.91	-41.20	20.71	Pass	AVG
6	2498.956	-53.73	-21.20	32.53	Pass	Peak	12	2498.956	-62.07	-41.20	20.87	Pass	AVG


802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19097.6	-49.07	-21.20	27.87	Pass	Peak	7	19097.6	-58.36	-41.20	17.16	Pass	AVG
2	20088.8	-48.67	-21.20	27.47	Pass	Peak	8	20088.8	-57.87	-41.20	16.67	Pass	AVG
3	21098.4	-46.15	-21.20	24.95	Pass	Peak	9	21098.4	-55.11	-41.20	13.91	Pass	AVG
4	22132	-48.41	-21.20	27.21	Pass	Peak	10	22132	-57.55	-41.20	16.35	Pass	AVG
5	22980.8	-48.46	-21.20	27.26	Pass	Peak	11	22980.8	-56.48	-41.20	15.28	Pass	AVG
6	23736.8	-44.25	-21.20	23.05	Pass	Peak	12	23736.8	-52.90	-41.20	11.70	Pass	AVG




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2340.256	-56.85	-21.20	35.65	Pass	Peak	7	2340.256	-64.88	-41.20	23.68	Pass	AVG
2	2351.480	-58.77	-21.20	37.57	Pass	Peak	8	2351.480	-65.83	-41.20	24.63	Pass	AVG
3	2364.168	-57.51	-21.20	36.31	Pass	Peak	9	2364.168	-65.99	-41.20	24.79	Pass	AVG
4	2380.272	-52.92	-21.20	31.72	Pass	Peak	10	2380.272	-65.67	-41.20	24.47	Pass	AVG
5	2384.542	-52.80	-21.20	31.60	Pass	Peak	11	2384.542	-65.91	-41.20	24.71	Pass	AVG
6	2389.666	-48.10	-21.20	26.90	Pass	Peak	12	2389.666	-64.02	-41.20	22.82	Pass	AVG


802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19056.8	-48.24	-21.20	27.04	Pass	Peak	7	19056.8	-58.47	-41.20	17.27	Pass	AVG
2	19904	-48.55	-21.20	27.35	Pass	Peak	8	19904	-58.19	-41.20	16.99	Pass	AVG
3	21061.6	-45.71	-21.20	24.51	Pass	Peak	9	21061.6	-54.78	-41.20	13.58	Pass	AVG
4	22216	-47.74	-21.20	26.54	Pass	Peak	10	22216	-57.29	-41.20	16.09	Pass	AVG
5	23012	-48.77	-21.20	27.57	Pass	Peak	11	23012	-56.45	-41.20	15.25	Pass	AVG
6	23764.8	-42.44	-21.20	21.24	Pass	Peak	12	23764.8	-52.86	-41.20	11.66	Pass	AVG




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19563.2	-48.37	-21.20	27.17	Pass	Peak	7	19563.2	-58.45	-41.20	17.25	Pass	AVG
2	20306.4	-49.94	-21.20	28.74	Pass	Peak	8	20306.4	-58.87	-41.20	17.67	Pass	AVG
3	21065.6	-46.77	-21.20	25.57	Pass	Peak	9	21065.6	-55.27	-41.20	14.07	Pass	AVG
4	22205.6	-48.81	-21.20	27.61	Pass	Peak	10	22205.6	-57.33	-41.20	16.13	Pass	AVG
5	22936	-47.57	-21.20	26.37	Pass	Peak	11	22936	-56.91	-41.20	15.71	Pass	AVG
6	23780	-44.07	-21.20	22.87	Pass	Peak	12	23780	-53.26	-41.20	12.06	Pass	AVG


802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.586	-47.19	-21.20	25.99	Pass	Peak	7	2483.586	-61.22	-41.20	20.02	Pass	AVG
2	2485.442	-48.61	-21.20	27.41	Pass	Peak	8	2485.442	-63.74	-41.20	22.54	Pass	AVG
3	2488.458	-52.12	-21.20	30.92	Pass	Peak	9	2488.458	-64.96	-41.20	23.76	Pass	AVG
4	2491.474	-52.77	-21.20	31.57	Pass	Peak	10	2491.474	-65.34	-41.20	24.14	Pass	AVG
5	2493.910	-56.10	-21.20	34.90	Pass	Peak	11	2493.910	-65.31	-41.20	24.11	Pass	AVG
6	2496.172	-53.03	-21.20	31.83	Pass	Peak	12	2496.172	-65.67	-41.20	24.47	Pass	AVG




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16189.6	-50.67	-21.20	29.47	Pass	Peak	7	16189.6	-60.30	-41.20	19.10	Pass	AVG
2	18948	-49.87	-21.20	28.67	Pass	Peak	8	18948	-59.30	-41.20	18.10	Pass	AVG
3	19696.8	-49.12	-21.20	27.92	Pass	Peak	9	19696.8	-59.08	-41.20	17.88	Pass	AVG
4	21096	-45.89	-21.20	24.69	Pass	Peak	10	21096	-55.75	-41.20	14.55	Pass	AVG
5	22715.2	-47.22	-21.20	26.02	Pass	Peak	11	22715.2	-57.77	-41.20	16.57	Pass	AVG
6	23773.6	-44.15	-21.20	22.95	Pass	Peak	12	23773.6	-53.51	-41.20	12.31	Pass	AVG


802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2339.768	-56.03	-21.20	34.83	Pass	Peak	7	2339.768	-65.40	-41.20	24.20	Pass	AVG
2	2351.724	-57.55	-21.20	36.35	Pass	Peak	8	2351.724	-66.44	-41.20	25.24	Pass	AVG
3	2374.660	-57.48	-21.20	36.28	Pass	Peak	9	2374.660	-66.27	-41.20	25.07	Pass	AVG
4	2378.442	-57.37	-21.20	36.17	Pass	Peak	10	2378.442	-66.09	-41.20	24.89	Pass	AVG
5	2384.054	-56.34	-21.20	35.14	Pass	Peak	11	2384.054	-65.58	-41.20	24.38	Pass	AVG
6	2389.544	-50.15	-21.20	28.95	Pass	Peak	12	2389.544	-61.10	-41.20	19.90	Pass	AVG




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19062.4	-45.87	-21.20	24.67	Pass	Peak	7	19062.4	-54.98	-41.20	13.78	Pass	AVG
2	19924	-44.41	-21.20	23.21	Pass	Peak	8	19924	-54.94	-41.20	13.74	Pass	AVG
3	20994.4	-42.80	-21.20	21.60	Pass	Peak	9	20994.4	-52.31	-41.20	11.11	Pass	AVG
4	22141.6	-45.54	-21.20	24.34	Pass	Peak	10	22141.6	-54.38	-41.20	13.18	Pass	AVG
5	22904	-43.94	-21.20	22.74	Pass	Peak	11	22904	-53.60	-41.20	12.40	Pass	AVG
6	23760.8	-40.70	-21.20	19.50	Pass	Peak	12	23760.8	-49.58	-41.20	8.38	Pass	AVG


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19103.2	-49.00	-21.20	27.80	Pass	Peak	7	19103.2	-58.52	-41.20	17.32	Pass	AVG
2	20045.6	-49.28	-21.20	28.08	Pass	Peak	8	20045.6	-58.12	-41.20	16.92	Pass	AVG
3	21078.4	-46.11	-21.20	24.91	Pass	Peak	9	21078.4	-55.24	-41.20	14.04	Pass	AVG
4	22064	-49.11	-21.20	27.91	Pass	Peak	10	22064	-58.05	-41.20	16.85	Pass	AVG
5	22840	-47.46	-21.20	26.26	Pass	Peak	11	22840	-57.27	-41.20	16.07	Pass	AVG
6	23741.6	-43.84	-21.20	22.64	Pass	Peak	12	23741.6	-53.06	-41.20	11.86	Pass	AVG



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.586	-52.04	-21.20	30.84	Pass	Peak	7	2483.586	-63.33	-41.20	22.13	Pass	AVG
2	2485.500	-55.22	-21.20	34.02	Pass	Peak	8	2485.500	-64.21	-41.20	23.01	Pass	AVG
3	2488.284	-56.45	-21.20	35.25	Pass	Peak	9	2488.284	-64.74	-41.20	23.54	Pass	AVG
4	2491.706	-56.54	-21.20	35.34	Pass	Peak	10	2491.706	-64.87	-41.20	23.67	Pass	AVG
5	2495.302	-56.57	-21.20	35.37	Pass	Peak	11	2495.302	-64.88	-41.20	23.68	Pass	AVG
6	2498.840	-55.47	-21.20	34.27	Pass	Peak	12	2498.840	-64.91	-41.20	23.71	Pass	AVG



6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2412	2462	0.0041	6.14