




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




VHT-20 MHz LOW CHANNEL, CARRIER LEVEL




VHT-20 MHz LOW CHANNEL, BAND EDGE




VHT-20 MHz HIGH CHANNEL, CARRIER LEVEL



VHT-20 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE



802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.168	47.81	9.76	65.06	17.25	Peak	L	Pass
1**	0.168	28.01	9.76	55.06	27.05	AV	L	Pass
2	0.212	44.87	9.75	63.13	18.26	Peak	L	Pass
2**	0.212	27.90	9.75	53.13	25.23	AV	L	Pass
3	0.280	44.23	9.74	60.82	16.59	Peak	L	Pass
3**	0.280	25.78	9.74	50.82	25.04	AV	L	Pass
4	0.368	43.13	10.66	58.55	15.42	Peak	L	Pass
4**	0.368	27.12	10.66	48.55	21.43	AV	L	Pass
5	10.084	41.20	10.53	60.00	18.80	Peak	L	Pass
5**	10.084	25.85	10.53	50.00	24.15	AV	L	Pass
6	19.874	43.51	10.81	60.00	16.49	Peak	L	Pass
6**	19.874	29.16	10.81	50.00	20.84	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.166	45.77	9.76	65.16	19.39	Peak	N	Pass
1**	0.166	29.17	9.76	55.16	25.99	AV	N	Pass
2	0.234	42.20	9.75	62.31	20.11	Peak	N	Pass
2**	0.234	26.50	9.75	52.31	25.81	AV	N	Pass
3	0.364	39.98	10.68	58.64	18.66	Peak	N	Pass
3**	0.364	27.83	10.68	48.64	20.81	AV	N	Pass
4	0.440	39.38	10.11	57.06	17.68	Peak	N	Pass
4**	0.440	29.24	10.11	47.06	17.82	AV	N	Pass
5	10.110	41.74	10.32	60.00	18.26	Peak	N	Pass
5**	10.110	26.64	10.32	50.00	23.36	AV	N	Pass
6	19.480	41.91	10.93	60.00	18.09	Peak	N	Pass
6**	19.480	29.69	10.93	50.00	20.31	AV	N	Pass

A.6 Radiated Emission

Note¹: The symbol of “--” in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	129.328	27.82	-25.86	43.5	15.68	Peak	182.00	200	Horizontal	Pass
2	189.322	28.63	-26.30	43.5	14.87	Peak	248.00	100	Horizontal	Pass
3	259.405	28.48	-24.03	46.0	17.52	Peak	279.00	100	Horizontal	Pass
4	371.974	32.96	-19.98	46.0	13.04	Peak	335.00	100	Horizontal	Pass
5	395.932	34.09	-19.10	46.0	11.91	Peak	350.00	100	Horizontal	Pass
6	799.792	35.96	-9.10	46.0	10.04	Peak	119.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	169.438	26.77	-24.29	43.5	16.73	Peak	177.00	100	Vertical	Pass
2	193.784	27.98	-26.59	43.5	15.52	Peak	169.00	100	Vertical	Pass
3	256.931	25.75	-24.21	46.0	20.25	Peak	150.00	200	Vertical	Pass
4	423.626	32.20	-18.06	46.0	13.80	Peak	320.00	100	Vertical	Pass
5	799.695	38.28	-9.10	46.0	7.72	Peak	192.00	100	Vertical	Pass
6	902.758	35.30	-8.16	46.0	10.70	Peak	360.00	200	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious above 18G is noise only, do not show on the report.


Note³: All the configurations were pre tested, only the worst configuration has been reported in this report.

1 GHz to 18 GHz, ANT H 802.11b Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.400	42.59	74.0	31.41	Peak	20.00	200	Horizontal	Pass
1**	1306.400	31.83	54.0	22.17	AV	20.00	200	Horizontal	Pass
2	2413.200	103.97	--	--	Peak	90.00	150	Horizontal	N/A
2**	2413.200	101.15	--	--	AV	90.00	150	Horizontal	N/A
3	4987.200	48.55	74.0	25.45	Peak	145.00	200	Horizontal	Pass
3**	4987.200	39.44	54.0	14.56	AV	145.00	200	Horizontal	Pass
4	7554.013	45.57	74.0	28.43	Peak	85.00	300	Horizontal	Pass
4**	7554.013	36.01	54.0	17.99	AV	85.00	300	Horizontal	Pass
5	12662.313	47.16	74.0	26.84	Peak	67.00	100	Horizontal	Pass
5**	12662.313	37.70	54.0	16.30	AV	67.00	100	Horizontal	Pass
6	15812.062	51.07	74.0	22.93	Peak	325.00	100	Horizontal	Pass
6**	15812.062	41.70	54.0	12.30	AV	325.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	41.78	74.0	32.22	Peak	340.00	400	Vertical	Pass
1**	1330.000	34.04	54.0	19.96	AV	340.00	400	Vertical	Pass
2	2413.100	99.15	--	--	Peak	294.00	200	Vertical	N/A
2**	2413.100	96.40	--	--	AV	294.00	200	Vertical	N/A
3	4826.000	49.10	74.0	24.90	Peak	307.00	150	Vertical	Pass
3**	4826.000	39.60	54.0	14.40	AV	307.00	150	Vertical	Pass
4	7542.800	45.18	74.0	28.82	Peak	67.00	100	Vertical	Pass
4**	7542.800	35.75	54.0	18.25	AV	67.00	100	Vertical	Pass
5	12459.912	48.33	74.0	25.67	Peak	67.00	200	Vertical	Pass
5**	12459.912	37.88	54.0	16.12	AV	67.00	200	Vertical	Pass
6	15800.776	51.82	74.0	22.18	Peak	129.00	200	Vertical	Pass
6**	15800.776	42.31	54.0	11.69	AV	129.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.400	41.46	74.0	32.54	Peak	53.00	150	Horizontal	Pass
1**	1482.400	32.35	54.0	21.65	AV	53.00	150	Horizontal	Pass
2	2435.800	104.17	--	--	Peak	91.00	100	Horizontal	N/A
2**	2435.800	101.24	--	--	AV	91.00	100	Horizontal	N/A
3	4988.000	48.16	74.0	25.84	Peak	294.00	100	Horizontal	Pass
3**	4988.000	38.77	54.0	15.23	AV	294.00	100	Horizontal	Pass
4	7538.200	45.29	74.0	28.71	Peak	292.00	100	Horizontal	Pass
4**	7538.200	36.26	54.0	17.74	AV	292.00	100	Horizontal	Pass
5	11461.425	47.68	74.0	26.32	Peak	171.00	100	Horizontal	Pass
5**	11461.425	37.73	54.0	16.27	AV	171.00	100	Horizontal	Pass
6	15801.037	50.72	74.0	23.28	Peak	74.00	400	Horizontal	Pass
6**	15801.037	43.43	54.0	10.57	AV	74.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	43.16	74.0	30.84	Peak	123.00	200	Vertical	Pass
1**	1327.100	32.24	54.0	21.76	AV	123.00	200	Vertical	Pass
2	2435.800	99.18	--	--	Peak	345.00	200	Vertical	N/A
2**	2435.800	96.26	--	--	AV	345.00	200	Vertical	N/A
3	4938.800	48.66	74.0	25.34	Peak	10.00	100	Vertical	Pass
3**	4938.800	39.55	54.0	14.45	AV	10.00	100	Vertical	Pass
4	7311.075	45.32	74.0	28.68	Peak	84.00	400	Vertical	Pass
4**	7311.075	36.59	54.0	17.41	AV	84.00	400	Vertical	Pass
5	12450.138	47.35	74.0	26.65	Peak	67.00	100	Vertical	Pass
5**	12450.138	38.73	54.0	15.27	AV	67.00	100	Vertical	Pass
6	15791.849	50.78	74.0	23.22	Peak	360.00	300	Vertical	Pass
6**	15791.849	42.51	54.0	11.49	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.700	41.25	74.0	32.75	Peak	0.00	150	Horizontal	Pass
1**	1557.700	32.83	54.0	21.17	AV	0.00	150	Horizontal	Pass
2	2460.800	105.03	--	--	Peak	46.00	200	Horizontal	N/A
2**	2460.800	102.13	--	--	AV	46.00	200	Horizontal	N/A
3	4921.200	48.59	74.0	25.41	Peak	181.00	100	Horizontal	Pass
3**	4921.200	39.26	54.0	14.74	AV	181.00	100	Horizontal	Pass
4	7501.975	45.42	74.0	28.58	Peak	188.00	300	Horizontal	Pass
4**	7501.975	36.14	54.0	17.86	AV	188.00	300	Horizontal	Pass
5	12591.588	47.46	74.0	26.54	Peak	188.00	200	Horizontal	Pass
5**	12591.588	37.78	54.0	16.22	AV	188.00	200	Horizontal	Pass
6	15855.375	51.40	74.0	22.60	Peak	0.00	100	Horizontal	Pass
6**	15855.375	41.72	54.0	12.28	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	42.52	74.0	31.48	Peak	236.00	400	Vertical	Pass
1**	1327.400	32.42	54.0	21.58	AV	236.00	400	Vertical	Pass
2	2463.100	98.75	--	--	Peak	217.00	150	Vertical	N/A
2**	2463.100	95.91	--	--	AV	217.00	150	Vertical	N/A
3	4943.600	48.27	74.0	25.73	Peak	77.00	100	Vertical	Pass
3**	4943.600	38.90	54.0	15.10	AV	77.00	100	Vertical	Pass
4	7551.425	45.09	74.0	28.91	Peak	310.00	400	Vertical	Pass
4**	7551.425	36.50	54.0	17.50	AV	310.00	400	Vertical	Pass
5	12236.237	47.54	74.0	26.46	Peak	345.00	100	Vertical	Pass
5**	12236.237	37.23	54.0	16.77	AV	345.00	100	Vertical	Pass
6	15897.638	51.08	74.0	22.92	Peak	132.00	200	Vertical	Pass
6**	15897.638	41.40	54.0	12.60	AV	132.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.300	41.89	74.0	32.11	Peak	0.00	100	Horizontal	Pass
1**	1538.300	32.12	54.0	21.88	AV	0.00	100	Horizontal	Pass
2	2415.200	105.78	--	--	Peak	91.00	100	Horizontal	N/A
2**	2415.200	98.38	--	--	AV	91.00	100	Horizontal	N/A
3	4830.600	48.32	74.0	25.68	Peak	192.00	200	Horizontal	Pass
3**	4830.600	39.17	54.0	14.83	AV	192.00	200	Horizontal	Pass
4	7549.412	45.95	74.0	28.05	Peak	310.00	100	Horizontal	Pass
4**	7549.412	36.93	54.0	17.07	AV	310.00	100	Horizontal	Pass
5	12435.763	48.35	74.0	25.65	Peak	293.00	200	Horizontal	Pass
5**	12435.763	37.95	54.0	16.05	AV	293.00	200	Horizontal	Pass
6	15977.175	51.16	74.0	22.84	Peak	287.00	400	Horizontal	Pass
6**	15977.175	41.09	54.0	12.91	AV	287.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1325.100	44.09	74.0	29.91	Peak	174.00	400	Vertical	Pass
1**	1325.100	31.95	54.0	22.05	AV	174.00	400	Vertical	Pass
2	2415.300	100.74	--	--	Peak	295.00	100	Vertical	N/A
2**	2415.300	93.60	--	--	AV	295.00	100	Vertical	N/A
3	4682.600	49.00	74.0	25.00	Peak	81.00	150	Vertical	Pass
3**	4682.600	39.07	54.0	14.93	AV	81.00	150	Vertical	Pass
4	7547.112	45.89	74.0	28.11	Peak	154.00	400	Vertical	Pass
4**	7547.112	36.15	54.0	17.85	AV	154.00	400	Vertical	Pass
5	12484.924	47.97	74.0	26.03	Peak	206.00	100	Vertical	Pass
5**	12484.924	38.40	54.0	15.60	AV	206.00	100	Vertical	Pass
6	15812.325	51.08	74.0	22.92	Peak	132.00	300	Vertical	Pass
6**	15812.325	41.72	54.0	12.28	AV	132.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1043.200	41.95	74.0	32.05	Peak	123.00	400	Horizontal	Pass
1**	1043.200	31.73	54.0	22.27	AV	123.00	400	Horizontal	Pass
2	2435.200	106.54	--	--	Peak	85.00	150	Horizontal	N/A
2**	2435.200	99.48	--	--	AV	85.00	150	Horizontal	N/A
3	4962.600	49.02	74.0	24.98	Peak	20.00	200	Horizontal	Pass
3**	4962.600	39.68	54.0	14.32	AV	20.00	200	Horizontal	Pass
4	7550.275	45.30	74.0	28.70	Peak	292.00	200	Horizontal	Pass
4**	7550.275	36.40	54.0	17.60	AV	292.00	200	Horizontal	Pass
5	12354.113	47.37	74.0	26.63	Peak	100.00	150	Horizontal	Pass
5**	12354.113	37.40	54.0	16.60	AV	100.00	150	Horizontal	Pass
6	15448.762	50.85	74.0	23.15	Peak	206.00	200	Horizontal	Pass
6**	15448.762	41.81	54.0	12.19	AV	206.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	43.86	74.0	30.14	Peak	130.00	100	Vertical	Pass
1**	1332.800	33.14	54.0	20.86	AV	130.00	100	Vertical	Pass
2	2434.900	101.03	--	--	Peak	296.00	100	Vertical	N/A
2**	2434.900	93.79	--	--	AV	296.00	100	Vertical	N/A
3	4643.400	48.79	74.0	25.21	Peak	159.00	150	Vertical	Pass
3**	4643.400	38.35	54.0	15.65	AV	159.00	150	Vertical	Pass
4	7310.788	46.53	74.0	27.47	Peak	84.00	200	Vertical	Pass
4**	7310.788	36.97	54.0	17.03	AV	84.00	200	Vertical	Pass
5	11715.287	47.34	74.0	26.66	Peak	32.00	200	Vertical	Pass
5**	11715.287	39.03	54.0	14.97	AV	32.00	200	Vertical	Pass
6	15781.349	51.60	74.0	22.40	Peak	189.00	200	Vertical	Pass
6**	15781.349	41.27	54.0	12.73	AV	189.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	42.47	74.0	31.53	Peak	186.00	400	Horizontal	Pass
1**	1328.400	32.31	54.0	21.69	AV	186.00	400	Horizontal	Pass
2	2460.500	107.20	--	--	Peak	54.00	200	Horizontal	N/A
2**	2460.500	100.15	--	--	AV	54.00	200	Horizontal	N/A
3	4913.400	48.74	74.0	25.26	Peak	140.00	100	Horizontal	Pass
3**	4913.400	38.87	54.0	15.13	AV	140.00	100	Horizontal	Pass
4	7304.750	45.30	74.0	28.70	Peak	314.00	300	Horizontal	Pass
4**	7304.750	35.71	54.0	18.29	AV	314.00	300	Horizontal	Pass
5	12595.613	47.35	74.0	26.65	Peak	15.00	150	Horizontal	Pass
5**	12595.613	38.67	54.0	15.33	AV	15.00	150	Horizontal	Pass
6	15796.050	50.61	74.0	23.39	Peak	121.00	300	Horizontal	Pass
6**	15796.050	42.77	54.0	11.23	AV	121.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.400	43.90	74.0	30.10	Peak	161.00	100	Vertical	Pass
1**	1333.400	37.10	54.0	16.90	AV	161.00	100	Vertical	Pass
2	2460.900	102.35	--	--	Peak	116.00	200	Vertical	N/A
2**	2460.900	95.36	--	--	AV	116.00	200	Vertical	N/A
3	4876.200	49.77	74.0	24.23	Peak	120.00	100	Vertical	Pass
3**	4876.200	38.32	54.0	15.68	AV	120.00	100	Vertical	Pass
4	7384.675	44.58	74.0	29.42	Peak	259.00	150	Vertical	Pass
4**	7384.675	39.97	54.0	14.03	AV	259.00	150	Vertical	Pass
5	11543.075	47.52	74.0	26.48	Peak	119.00	100	Vertical	Pass
5**	11543.075	37.07	54.0	16.93	AV	119.00	100	Vertical	Pass
6	15800.513	51.31	74.0	22.69	Peak	36.00	400	Vertical	Pass
6**	15800.513	42.73	54.0	11.27	AV	36.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	42.29	74.0	31.71	Peak	0.00	300	Horizontal	Pass
1**	1328.000	32.29	54.0	21.71	AV	0.00	300	Horizontal	Pass
2	2414.600	106.46	--	--	Peak	103.00	200	Horizontal	N/A
2**	2414.600	98.27	--	--	AV	103.00	200	Horizontal	N/A
3	4955.200	48.97	74.0	25.03	Peak	317.00	100	Horizontal	Pass
3**	4955.200	39.44	54.0	14.56	AV	317.00	100	Horizontal	Pass
4	7496.513	45.39	74.0	28.61	Peak	323.00	100	Horizontal	Pass
4**	7496.513	35.25	54.0	18.75	AV	323.00	100	Horizontal	Pass
5	11566.650	47.57	74.0	26.43	Peak	82.00	150	Horizontal	Pass
5**	11566.650	37.85	54.0	16.15	AV	82.00	150	Horizontal	Pass
6	15804.450	52.42	74.0	21.58	Peak	19.00	300	Horizontal	Pass
6**	15804.450	42.13	54.0	11.87	AV	19.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	43.23	74.0	30.77	Peak	128.00	400	Vertical	Pass
1**	1328.500	35.75	54.0	18.25	AV	128.00	400	Vertical	Pass
2	2410.300	101.26	--	--	Peak	277.00	150	Vertical	N/A
2**	2410.300	93.31	--	--	AV	277.00	150	Vertical	N/A
3	4751.800	48.78	74.0	25.22	Peak	161.00	200	Vertical	Pass
3**	4751.800	38.58	54.0	15.42	AV	161.00	200	Vertical	Pass
4	7547.400	44.86	74.0	29.14	Peak	323.00	200	Vertical	Pass
4**	7547.400	36.69	54.0	17.31	AV	323.00	200	Vertical	Pass
5	12319.901	47.58	74.0	26.42	Peak	360.00	150	Vertical	Pass
5**	12319.901	37.82	54.0	16.18	AV	360.00	150	Vertical	Pass
6	15802.613	51.09	74.0	22.91	Peak	360.00	100	Vertical	Pass
6**	15802.613	43.17	54.0	10.83	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1392.200	40.81	74.0	33.19	Peak	298.00	150	Horizontal	Pass
1**	1392.200	31.21	54.0	22.79	AV	298.00	150	Horizontal	Pass
2	2439.600	106.34	--	--	Peak	35.00	100	Horizontal	N/A
2**	2439.600	98.53	--	--	AV	35.00	100	Horizontal	N/A
3	4960.200	48.75	74.0	25.25	Peak	0.00	100	Horizontal	Pass
3**	4960.200	39.40	54.0	14.60	AV	0.00	100	Horizontal	Pass
4	7549.412	45.44	74.0	28.56	Peak	239.00	100	Horizontal	Pass
4**	7549.412	37.15	54.0	16.85	AV	239.00	100	Horizontal	Pass
5	12597.913	48.08	74.0	25.92	Peak	31.00	100	Horizontal	Pass
5**	12597.913	38.51	54.0	15.49	AV	31.00	100	Horizontal	Pass
6	15812.850	50.88	74.0	23.12	Peak	306.00	400	Horizontal	Pass
6**	15812.850	41.81	54.0	12.19	AV	306.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	44.35	74.0	29.65	Peak	155.00	200	Vertical	Pass
1**	1331.700	32.72	54.0	21.28	AV	155.00	200	Vertical	Pass
2	2439.500	101.27	--	--	Peak	350.00	150	Vertical	N/A
2**	2439.500	94.02	--	--	AV	350.00	150	Vertical	N/A
3	4870.600	48.70	74.0	25.30	Peak	225.00	100	Vertical	Pass
3**	4870.600	38.24	54.0	15.76	AV	225.00	100	Vertical	Pass
4	7549.412	45.95	74.0	28.05	Peak	256.00	300	Vertical	Pass
4**	7549.412	37.81	54.0	16.19	AV	256.00	300	Vertical	Pass
5	12441.800	47.80	74.0	26.20	Peak	273.00	200	Vertical	Pass
5**	12441.800	38.57	54.0	15.43	AV	273.00	200	Vertical	Pass
6	15802.613	51.63	74.0	22.37	Peak	247.00	100	Vertical	Pass
6**	15802.613	42.72	54.0	11.28	AV	247.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1071.800	42.08	74.0	31.92	Peak	114.00	100	Horizontal	Pass
1**	1071.800	30.51	54.0	23.49	AV	114.00	100	Horizontal	Pass
2	2464.600	107.86	--	--	Peak	59.00	150	Horizontal	N/A
2**	2464.600	100.08	--	--	AV	59.00	150	Horizontal	N/A
3	4947.000	49.10	74.0	24.90	Peak	58.00	150	Horizontal	Pass
3**	4947.000	39.64	54.0	14.36	AV	58.00	150	Horizontal	Pass
4	7555.163	44.96	74.0	29.04	Peak	254.00	100	Horizontal	Pass
4**	7555.163	36.63	54.0	17.37	AV	254.00	100	Horizontal	Pass
5	12442.087	48.28	74.0	25.72	Peak	152.00	100	Horizontal	Pass
5**	12442.087	37.84	54.0	16.16	AV	152.00	100	Horizontal	Pass
6	15806.287	50.53	74.0	23.47	Peak	92.00	200	Horizontal	Pass
6**	15806.287	42.25	54.0	11.75	AV	92.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.500	42.04	74.0	31.96	Peak	77.00	400	Vertical	Pass
1**	1164.500	31.10	54.0	22.90	AV	77.00	400	Vertical	Pass
2	2460.600	102.35	--	--	Peak	216.00	150	Vertical	N/A
2**	2460.600	95.35	--	--	AV	216.00	150	Vertical	N/A
3	4959.000	48.53	74.0	25.47	Peak	261.00	150	Vertical	Pass
3**	4959.000	39.72	54.0	14.28	AV	261.00	150	Vertical	Pass
4	7386.687	47.67	74.0	26.33	Peak	296.00	100	Vertical	Pass
4**	7386.687	37.34	54.0	16.66	AV	296.00	100	Vertical	Pass
5	11891.526	47.69	74.0	26.31	Peak	67.00	150	Vertical	Pass
5**	11891.526	38.17	54.0	15.83	AV	67.00	150	Vertical	Pass
6	16175.625	51.23	74.0	22.77	Peak	12.00	100	Vertical	Pass
6**	16175.625	41.80	54.0	12.20	AV	12.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1311.900	41.89	74.0	32.11	Peak	224.00	400	Horizontal	Pass
1**	1311.900	31.76	54.0	22.24	AV	224.00	400	Horizontal	Pass
2	2412.900	107.94	--	--	Peak	83.00	200	Horizontal	N/A
2**	2412.900	98.91	--	--	AV	83.00	200	Horizontal	N/A
3	4948.800	48.17	74.0	25.83	Peak	0.00	100	Horizontal	Pass
3**	4948.800	39.66	54.0	14.34	AV	0.00	100	Horizontal	Pass
4	7503.125	45.21	74.0	28.79	Peak	151.00	400	Horizontal	Pass
4**	7503.125	36.17	54.0	17.83	AV	151.00	400	Horizontal	Pass
5	11046.275	47.08	74.0	26.92	Peak	100.00	100	Horizontal	Pass
5**	11046.275	37.45	54.0	16.55	AV	100.00	100	Horizontal	Pass
6	15794.475	50.40	74.0	23.60	Peak	324.00	300	Horizontal	Pass
6**	15794.475	41.69	54.0	12.31	AV	324.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	42.95	74.0	31.05	Peak	129.00	200	Vertical	Pass
1**	1327.300	32.99	54.0	21.01	AV	129.00	200	Vertical	Pass
2	2409.500	102.35	--	--	Peak	287.00	150	Vertical	N/A
2**	2409.500	93.43	--	--	AV	287.00	150	Vertical	N/A
3	4822.200	47.92	74.0	26.08	Peak	360.00	100	Vertical	Pass
3**	4822.200	38.57	54.0	15.43	AV	360.00	100	Vertical	Pass
4	7250.700	45.25	74.0	28.75	Peak	83.00	200	Vertical	Pass
4**	7250.700	34.60	54.0	19.40	AV	83.00	200	Vertical	Pass
5	12214.674	47.53	74.0	26.47	Peak	83.00	100	Vertical	Pass
5**	12214.674	38.07	54.0	15.93	AV	83.00	100	Vertical	Pass
6	15806.812	50.80	74.0	23.20	Peak	324.00	100	Vertical	Pass
6**	15806.812	42.42	54.0	11.58	AV	324.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.300	42.14	74.0	31.86	Peak	360.00	400	Horizontal	Pass
1**	1410.300	31.36	54.0	22.64	AV	360.00	400	Horizontal	Pass
2	2437.700	107.52	--	--	Peak	84.00	150	Horizontal	N/A
2**	2437.700	98.24	--	--	AV	84.00	150	Horizontal	N/A
3	4949.400	48.32	74.0	25.68	Peak	294.00	200	Horizontal	Pass
3**	4949.400	39.26	54.0	14.74	AV	294.00	200	Horizontal	Pass
4	7549.987	45.18	74.0	28.82	Peak	275.00	100	Horizontal	Pass
4**	7549.987	36.36	54.0	17.64	AV	275.00	100	Horizontal	Pass
5	12297.475	47.51	74.0	26.49	Peak	292.00	200	Horizontal	Pass
5**	12297.475	38.45	54.0	15.55	AV	292.00	200	Horizontal	Pass
6	15805.500	51.09	74.0	22.91	Peak	0.00	400	Horizontal	Pass
6**	15805.500	42.89	54.0	11.11	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	42.48	74.0	31.52	Peak	129.00	400	Vertical	Pass
1**	1331.800	34.06	54.0	19.94	AV	129.00	400	Vertical	Pass
2	2435.800	95.58	--	--	Peak	0.00	200	Vertical	N/A
2**	2435.800	87.28	--	--	AV	0.00	200	Vertical	N/A
3	4950.400	48.73	74.0	25.27	Peak	74.00	100	Vertical	Pass
3**	4950.400	39.51	54.0	14.49	AV	74.00	100	Vertical	Pass
4	7469.200	45.28	74.0	28.72	Peak	118.00	200	Vertical	Pass
4**	7469.200	35.84	54.0	18.16	AV	118.00	200	Vertical	Pass
5	12320.474	47.44	74.0	26.56	Peak	66.00	200	Vertical	Pass
5**	12320.474	37.91	54.0	16.09	AV	66.00	200	Vertical	Pass
6	15809.175	50.93	74.0	23.07	Peak	324.00	100	Vertical	Pass
6**	15809.175	42.23	54.0	11.77	AV	324.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.900	41.76	74.0	32.24	Peak	297.00	300	Horizontal	Pass
1**	1305.900	32.43	54.0	21.57	AV	297.00	300	Horizontal	Pass
2	2463.000	107.41	--	--	Peak	245.00	150	Horizontal	N/A
2**	2463.000	99.44	--	--	AV	245.00	150	Horizontal	N/A
3	4979.400	48.82	74.0	25.18	Peak	191.00	200	Horizontal	Pass
3**	4979.400	38.91	54.0	15.09	AV	191.00	200	Horizontal	Pass
4	7537.913	45.22	74.0	28.78	Peak	310.00	100	Horizontal	Pass
4**	7537.913	36.14	54.0	17.86	AV	310.00	100	Horizontal	Pass
5	12285.112	47.81	74.0	26.19	Peak	258.00	200	Horizontal	Pass
5**	12285.112	38.01	54.0	15.99	AV	258.00	200	Horizontal	Pass
6	15805.763	51.00	74.0	23.00	Peak	94.00	100	Horizontal	Pass
6**	15805.763	41.68	54.0	12.32	AV	94.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	43.07	74.0	30.93	Peak	172.00	200	Vertical	Pass
1**	1329.300	32.36	54.0	21.64	AV	172.00	200	Vertical	Pass
2	2465.700	103.10	--	--	Peak	217.00	100	Vertical	N/A
2**	2465.700	94.41	--	--	AV	217.00	100	Vertical	N/A
3	4906.600	48.69	74.0	25.31	Peak	146.00	200	Vertical	Pass
3**	4906.600	40.14	54.0	13.86	AV	146.00	200	Vertical	Pass
4	7383.237	46.64	74.0	27.36	Peak	65.00	400	Vertical	Pass
4**	7383.237	36.61	54.0	17.39	AV	65.00	400	Vertical	Pass
5	12227.325	47.40	74.0	26.60	Peak	135.00	150	Vertical	Pass
5**	12227.325	38.11	54.0	15.89	AV	135.00	150	Vertical	Pass
6	15849.862	51.39	74.0	22.61	Peak	306.00	200	Vertical	Pass
6**	15849.862	41.79	54.0	12.21	AV	306.00	200	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.000	60.18	74.0	13.82	Peak	38.00	200	Horizontal	Pass
1**	2387.000	47.78	54.0	6.22	AV	38.00	200	Horizontal	Pass
2	2389.833	56.63	74.0	17.37	Peak	46.00	100	Horizontal	Pass
2**	2389.833	47.38	54.0	6.62	AV	46.00	100	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.43	74.0	14.57	Peak	100.00	150	Horizontal	Pass
1**	2483.500	48.87	54.0	5.13	AV	100.00	150	Horizontal	Pass
2	2484.750	59.86	74.0	14.14	Peak	235.00	200	Horizontal	Pass
2**	2484.750	48.79	54.0	5.21	AV	235.00	200	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	64.19	74.0	9.81	Peak	28.00	200	Horizontal	Pass
1**	2389.667	50.05	54.0	3.95	AV	28.00	200	Horizontal	Pass
2	2389.833	66.08	74.0	7.92	Peak	48.00	150	Horizontal	Pass
2**	2389.833	50.10	54.0	3.90	AV	48.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	63.32	74.0	10.68	Peak	90.00	100	Horizontal	Pass
1**	2483.550	49.79	54.0	4.21	AV	90.00	100	Horizontal	Pass
2	2483.800	62.21	74.0	11.79	Peak	99.00	200	Horizontal	Pass
2**	2483.800	50.07	54.0	3.93	AV	99.00	200	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	62.39	74.0	11.61	Peak	80.00	200	Horizontal	Pass
1**	2389.500	49.69	54.0	4.31	AV	80.00	200	Horizontal	Pass
2	2389.833	61.56	74.0	12.44	Peak	24.00	100	Horizontal	Pass
2**	2389.833	50.30	54.0	3.70	AV	24.00	100	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	64.86	74.0	9.14	Peak	73.00	200	Horizontal	Pass
1**	2483.550	50.94	54.0	3.06	AV	73.00	200	Horizontal	Pass
2	2484.050	63.38	74.0	10.62	Peak	83.00	150	Horizontal	Pass
2**	2484.050	50.54	54.0	3.46	AV	83.00	150	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.333	64.44	74.0	9.56	Peak	71.00	150	Horizontal	Pass
1**	2389.333	50.46	54.0	3.54	AV	71.00	150	Horizontal	Pass
2	2389.833	62.88	74.0	11.12	Peak	18.00	150	Horizontal	Pass
2**	2389.833	50.96	54.0	3.04	AV	18.00	150	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	63.15	74.0	10.85	Peak	78.00	200	Horizontal	Pass
1**	2483.550	50.06	54.0	3.94	AV	78.00	200	Horizontal	Pass
2	2483.850	63.95	74.0	10.05	Peak	71.00	150	Horizontal	Pass
2**	2483.850	50.50	54.0	3.50	AV	71.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Measured Spectral Power Density (dBm/3kHz)	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-12.392	-12.01	8	Pass
Middle	-12.293	-11.91	8	Pass
High	-12.452	-12.07	8	Pass

802.11g Mode:

Channel	Measured Spectral Power Density (dBm/3kHz)	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.386	-14.03	8	Pass
Middle	-14.246	-13.89	8	Pass
High	-12.956	-12.60	8	Pass

802.11n-20 MHz Mode:

Channel	Measured Spectral Power Density (dBm/3kHz)	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.618	-14.23	8	Pass
Middle	-12.776	-12.39	8	Pass
High	-13.671	-13.28	8	Pass

VHT-20 MHz Mode:


Channel	Measured Spectral Power Density (dBm/3kHz)	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-13.590	-13.22	8	Pass
Middle	-13.729	-13.36	8	Pass
High	-13.739	-13.37	8	Pass

802.11ax-20 MHz(SU) Mode:


Channel	Measured Spectral Power Density (dBm/3kHz)	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.339	-14.00	8	Pass
Middle	-14.872	-14.53	8	Pass
High	-14.100	-13.76	8	Pass

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




VHT-20 MHz LOW CHANNEL




VHT-20 MHz MIDDLE CHANNEL




VHT-20 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL



802.11ax-20 MHz(SU) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26050015-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26050015-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26050015-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--