



Test Plots

GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE




GFSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




GFSK LOW CHANNEL, SPURIOUS


3 GHz ~ 25 GHz




GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz



8DPSK LOW CHANNEL, CARRIER LEVEL




8DPSK LOW CHANNEL, BAND EDGE




8DPSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8DPSK LOW CHANNEL, SPURIOUS


3 GHz ~ 25 GHz




8DPSK MIDDLE CHANNEL, CARRIER LEVEL




8DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8DPSK HIGH CHANNEL, CARRIER LEVEL




8DPSK HIGH CHANNEL, BAND EDGE




8DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detect or	Line	Verdict
1	0.170	55.65	9.76	64.96	9.31	Peak	L	Pass
1**	0.170	36.98	9.76	54.96	17.98	AV	L	Pass
2	0.320	51.58	10.14	59.71	8.13	Peak	L	Pass
2**	0.320	24.58	10.14	49.71	25.13	AV	L	Pass
3	0.380	50.03	10.61	58.28	8.25	Peak	L	Pass
3**	0.380	30.45	10.61	48.28	17.83	AV	L	Pass
4	0.474	45.53	9.99	56.44	10.91	Peak	L	Pass
4**	0.474	24.90	9.99	46.44	21.54	AV	L	Pass
5	10.520	40.38	10.16	60.00	19.62	Peak	L	Pass
5**	10.520	26.48	10.16	50.00	23.52	AV	L	Pass
6	20.786	45.46	11.02	60.00	14.54	Peak	L	Pass
6**	20.786	30.52	11.02	50.00	19.48	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.158	46.66	9.77	65.57	18.91	Peak	N	Pass
1**	0.158	31.93	9.77	55.57	23.64	AV	N	Pass
2	0.214	45.09	9.75	63.05	17.96	Peak	N	Pass
2**	0.214	28.53	9.75	53.05	24.52	AV	N	Pass
3	0.280	44.11	9.74	60.82	16.71	Peak	N	Pass
3**	0.280	26.20	9.74	50.82	24.62	AV	N	Pass
4	0.336	42.38	10.46	59.30	16.92	Peak	N	Pass
4**	0.336	27.76	10.46	49.30	21.54	AV	N	Pass
5	9.982	42.57	10.45	60.00	17.43	Peak	N	Pass
5**	9.982	32.23	10.45	50.00	17.77	AV	N	Pass
6	18.584	42.21	10.86	60.00	17.79	Peak	N	Pass
6**	18.584	29.98	10.86	50.00	20.02	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	111.286	19.47	-27.53	43.5	24.03	Peak	338.00	200	Horizontal	Pass
2	136.943	27.85	-24.82	43.5	15.65	Peak	152.00	200	Horizontal	Pass
3	143.150	29.19	-24.20	43.5	14.31	Peak	185.00	200	Horizontal	Pass
4	159.107	27.70	-23.72	43.5	15.80	Peak	160.00	200	Horizontal	Pass
5	304.413	22.32	-22.00	46.0	23.68	Peak	145.00	100	Horizontal	Pass
6	798.482	31.74	-9.07	46.0	14.26	Peak	0.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.503	24.41	-26.79	40.0	15.59	Peak	106.00	100	Vertical	Pass
2	48.187	23.48	-24.79	40.0	16.52	Peak	140.00	100	Vertical	Pass
3	111.335	24.25	-27.53	43.5	19.25	Peak	280.00	100	Vertical	Pass
4	137.137	27.59	-24.81	43.5	15.91	Peak	264.00	100	Vertical	Pass
5	143.975	28.38	-24.13	43.5	15.12	Peak	226.00	100	Vertical	Pass
6	921.915	32.66	-7.84	46.0	13.34	Peak	132.00	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	41.69	74.0	32.31	Peak	345.00	400	Horizontal	Pass
1**	1575.000	31.64	54.0	22.36	AV	345.00	400	Horizontal	Pass
2	2402.100	107.78	--	--	Peak	84.00	150	Horizontal	N/A
2**	2402.100	107.43	--	--	AV	84.00	150	Horizontal	N/A
3	4799.200	47.97	74.0	26.03	Peak	180.00	200	Horizontal	Pass
3**	4799.200	37.77	54.0	16.23	AV	180.00	200	Horizontal	Pass
4	7420.325	44.62	74.0	29.38	Peak	224.00	200	Horizontal	Pass
4**	7420.325	35.72	54.0	18.28	AV	224.00	200	Horizontal	Pass
5	10917.474	47.35	74.0	26.65	Peak	360.00	150	Horizontal	Pass
5**	10917.474	38.08	54.0	15.92	AV	360.00	150	Horizontal	Pass
6	15809.963	50.93	74.0	23.07	Peak	345.00	200	Horizontal	Pass
6**	15809.963	42.01	54.0	11.99	AV	345.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	43.35	74.0	30.65	Peak	0.00	200	Vertical	Pass
1**	1000.000	34.59	54.0	19.41	AV	0.00	200	Vertical	Pass
2	2402.100	103.40	--	--	Peak	301.00	150	Vertical	N/A
2**	2402.100	103.03	--	--	AV	301.00	150	Vertical	N/A
3	4722.400	47.75	74.0	26.25	Peak	360.00	150	Vertical	Pass
3**	4722.400	37.56	54.0	16.44	AV	360.00	150	Vertical	Pass
4	7554.300	44.70	74.0	29.30	Peak	138.00	200	Vertical	Pass
4**	7554.300	36.68	54.0	17.32	AV	138.00	200	Vertical	Pass
5	10960.888	47.10	74.0	26.90	Peak	260.00	150	Vertical	Pass
5**	10960.888	37.64	54.0	16.36	AV	260.00	150	Vertical	Pass
6	15850.387	51.66	74.0	22.34	Peak	36.00	100	Vertical	Pass
6**	15850.387	41.54	54.0	12.46	AV	36.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1021.200	42.16	74.0	31.84	Peak	72.00	300	Horizontal	Pass
1**	1021.200	31.31	54.0	22.69	AV	72.00	300	Horizontal	Pass
2	2440.800	108.12	--	--	Peak	41.00	150	Horizontal	N/A
2**	2440.800	107.21	--	--	AV	41.00	150	Horizontal	N/A
3	4944.200	47.81	74.0	26.19	Peak	248.00	150	Horizontal	Pass
3**	4944.200	38.50	54.0	15.50	AV	248.00	150	Horizontal	Pass
4	7504.850	44.94	74.0	29.06	Peak	329.00	300	Horizontal	Pass
4**	7504.850	36.15	54.0	17.85	AV	329.00	300	Horizontal	Pass
5	12561.112	47.44	74.0	26.56	Peak	69.00	150	Horizontal	Pass
5**	12561.112	37.84	54.0	16.16	AV	69.00	150	Horizontal	Pass
6	15912.600	50.97	74.0	23.03	Peak	228.00	100	Horizontal	Pass
6**	15912.600	41.12	54.0	12.88	AV	228.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.300	43.46	74.0	30.54	Peak	116.00	300	Vertical	Pass
1**	1332.300	32.85	54.0	21.15	AV	116.00	300	Vertical	Pass
2	2440.900	101.88	--	--	Peak	294.00	100	Vertical	N/A
2**	2440.900	101.22	--	--	AV	294.00	100	Vertical	N/A
3	4745.200	48.55	74.0	25.45	Peak	160.00	200	Vertical	Pass
3**	4745.200	37.62	54.0	16.38	AV	160.00	200	Vertical	Pass
4	7323.150	45.15	74.0	28.85	Peak	86.00	150	Vertical	Pass
4**	7323.150	41.90	54.0	12.10	AV	86.00	150	Vertical	Pass
5	12214.674	46.95	74.0	27.05	Peak	138.00	100	Vertical	Pass
5**	12214.674	38.45	54.0	15.55	AV	138.00	100	Vertical	Pass
6	15890.288	51.45	74.0	22.55	Peak	230.00	300	Vertical	Pass
6**	15890.288	40.64	54.0	13.36	AV	230.00	300	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1031.700	41.31	74.0	32.69	Peak	65.00	400	Horizontal	Pass
1**	1031.700	33.19	54.0	20.81	AV	65.00	400	Horizontal	Pass
2	2479.900	108.55	--	--	Peak	339.00	150	Horizontal	N/A
2**	2479.900	108.19	--	--	AV	339.00	150	Horizontal	N/A
3	4546.200	48.76	74.0	25.24	Peak	327.00	150	Horizontal	Pass
3**	4546.200	37.53	54.0	16.47	AV	327.00	150	Horizontal	Pass
4	7440.163	45.22	74.0	28.78	Peak	84.00	400	Horizontal	Pass
4**	7440.163	36.91	54.0	17.09	AV	84.00	400	Horizontal	Pass
5	12240.263	46.86	74.0	27.14	Peak	154.00	200	Horizontal	Pass
5**	12240.263	37.08	54.0	16.92	AV	154.00	200	Horizontal	Pass
6	15802.613	50.62	74.0	23.38	Peak	131.00	200	Horizontal	Pass
6**	15802.613	42.35	54.0	11.65	AV	131.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.75	74.0	29.25	Peak	136.00	100	Vertical	Pass
1**	1332.400	38.13	54.0	15.87	AV	136.00	100	Vertical	Pass
2	2479.800	101.97	--	--	Peak	351.00	150	Vertical	N/A
2**	2479.800	101.30	--	--	AV	351.00	150	Vertical	N/A
3	3993.800	48.50	74.0	25.50	Peak	304.00	200	Vertical	Pass
3**	3993.800	36.66	54.0	17.34	AV	304.00	200	Vertical	Pass
4	7440.450	47.37	74.0	26.63	Peak	67.00	150	Vertical	Pass
4**	7440.450	43.47	54.0	10.53	AV	67.00	150	Vertical	Pass
5	12310.125	47.78	74.0	26.22	Peak	224.00	150	Vertical	Pass
5**	12310.125	38.54	54.0	15.46	AV	224.00	150	Vertical	Pass
6	15801.825	50.55	74.0	23.45	Peak	248.00	200	Vertical	Pass
6**	15801.825	42.43	54.0	11.57	AV	248.00	200	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	41.85	74.0	32.15	Peak	360.00	200	Horizontal	Pass
1**	1332.400	31.64	54.0	22.36	AV	360.00	200	Horizontal	Pass
2	2401.800	105.32	--	--	Peak	85.00	100	Horizontal	N/A
2**	2401.800	101.11	--	--	AV	85.00	100	Horizontal	N/A
3	4977.800	47.92	74.0	26.08	Peak	318.00	150	Horizontal	Pass
3**	4977.800	38.68	54.0	15.32	AV	318.00	150	Horizontal	Pass
4	7422.050	44.42	74.0	29.58	Peak	0.00	300	Horizontal	Pass
4**	7422.050	35.73	54.0	18.27	AV	0.00	300	Horizontal	Pass
5	12605.100	47.02	74.0	26.98	Peak	120.00	100	Horizontal	Pass
5**	12605.100	38.91	54.0	15.09	AV	120.00	100	Horizontal	Pass
6	15800.776	50.91	74.0	23.09	Peak	230.00	100	Horizontal	Pass
6**	15800.776	41.89	54.0	12.11	AV	230.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	44.47	74.0	29.53	Peak	133.00	100	Vertical	Pass
1**	1328.000	32.50	54.0	21.50	AV	133.00	100	Vertical	Pass
2	2401.800	100.57	--	--	Peak	304.00	100	Vertical	N/A
2**	2401.800	96.85	--	--	AV	304.00	100	Vertical	N/A
3	4759.800	47.68	74.0	26.32	Peak	65.00	200	Vertical	Pass
3**	4759.800	38.13	54.0	15.87	AV	65.00	200	Vertical	Pass
4	7419.750	44.98	74.0	29.02	Peak	155.00	300	Vertical	Pass
4**	7419.750	35.59	54.0	18.41	AV	155.00	300	Vertical	Pass
5	12553.349	47.45	74.0	26.55	Peak	347.00	200	Vertical	Pass
5**	12553.349	37.17	54.0	16.83	AV	347.00	200	Vertical	Pass
6	15797.625	50.20	74.0	23.80	Peak	325.00	400	Vertical	Pass
6**	15797.625	42.16	54.0	11.84	AV	325.00	400	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.300	42.87	74.0	31.13	Peak	91.00	300	Horizontal	Pass
1**	1000.300	35.33	54.0	18.67	AV	91.00	300	Horizontal	Pass
2	2441.000	105.63	--	--	Peak	41.00	100	Horizontal	N/A
2**	2441.000	102.36	--	--	AV	41.00	100	Horizontal	N/A
3	4958.400	47.74	74.0	26.26	Peak	43.00	200	Horizontal	Pass
3**	4958.400	38.24	54.0	15.76	AV	43.00	200	Horizontal	Pass
4	7543.088	44.55	74.0	29.45	Peak	120.00	300	Horizontal	Pass
4**	7543.088	34.81	54.0	19.19	AV	120.00	300	Horizontal	Pass
5	12307.826	47.20	74.0	26.80	Peak	190.00	150	Horizontal	Pass
5**	12307.826	38.26	54.0	15.74	AV	190.00	150	Horizontal	Pass
6	15802.350	50.86	74.0	23.14	Peak	286.00	200	Horizontal	Pass
6**	15802.350	41.93	54.0	12.07	AV	286.00	200	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	43.26	74.0	30.74	Peak	353.00	100	Vertical	Pass
1**	1000.000	33.08	54.0	20.92	AV	353.00	100	Vertical	Pass
2	2441.000	100.34	--	--	Peak	303.00	200	Vertical	N/A
2**	2441.000	96.83	--	--	AV	303.00	200	Vertical	N/A
3	3786.800	48.06	74.0	25.94	Peak	212.00	200	Vertical	Pass
3**	3786.800	36.20	54.0	17.80	AV	212.00	200	Vertical	Pass
4	7431.825	44.75	74.0	29.25	Peak	258.00	200	Vertical	Pass
4**	7431.825	36.46	54.0	17.54	AV	258.00	200	Vertical	Pass
5	12200.300	46.89	74.0	27.11	Peak	15.00	150	Vertical	Pass
5**	12200.300	37.14	54.0	16.86	AV	15.00	150	Vertical	Pass
6	15801.825	50.56	74.0	23.44	Peak	77.00	200	Vertical	Pass
6**	15801.825	42.80	54.0	11.20	AV	77.00	200	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	41.61	74.0	32.39	Peak	69.00	100	Horizontal	Pass
1**	1063.700	30.58	54.0	23.42	AV	69.00	100	Horizontal	Pass
2	2479.900	106.29	--	--	Peak	335.00	200	Horizontal	N/A
2**	2479.900	102.93	--	--	AV	335.00	200	Horizontal	N/A
3	4727.400	47.97	74.0	26.03	Peak	305.00	100	Horizontal	Pass
3**	4727.400	38.90	54.0	15.10	AV	305.00	100	Horizontal	Pass
4	7429.813	44.08	74.0	29.92	Peak	207.00	400	Horizontal	Pass
4**	7429.813	35.63	54.0	18.37	AV	207.00	400	Horizontal	Pass
5	12204.613	47.27	74.0	26.73	Peak	66.00	100	Horizontal	Pass
5**	12204.613	37.10	54.0	16.90	AV	66.00	100	Horizontal	Pass
6	15798.150	50.89	74.0	23.11	Peak	208.00	400	Horizontal	Pass
6**	15798.150	42.65	54.0	11.35	AV	208.00	400	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	42.28	74.0	31.72	Peak	360.00	100	Vertical	Pass
1**	1000.000	34.01	54.0	19.99	AV	360.00	100	Vertical	Pass
2	2480.100	100.31	--	--	Peak	354.00	200	Vertical	N/A
2**	2480.100	97.06	--	--	AV	354.00	200	Vertical	N/A
3	4878.200	48.34	74.0	25.66	Peak	236.00	150	Vertical	Pass
3**	4878.200	37.81	54.0	16.19	AV	236.00	150	Vertical	Pass
4	7451.950	44.69	74.0	29.31	Peak	224.00	200	Vertical	Pass
4**	7451.950	35.03	54.0	18.97	AV	224.00	200	Vertical	Pass
5	12308.975	46.69	74.0	27.31	Peak	224.00	200	Vertical	Pass
5**	12308.975	37.44	54.0	16.56	AV	224.00	200	Vertical	Pass
6	15801.825	50.46	74.0	23.54	Peak	190.00	100	Vertical	Pass
6**	15801.825	42.10	54.0	11.90	AV	190.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note⁴: The Level (dBuV/m) has been corrected by factor.

Note⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2375.667	56.53	74.0	17.47	Peak	93.00	100	Horizontal	Pass
1**	2375.667	44.40	54.0	9.60	AV	93.00	100	Horizontal	Pass
2	2389.833	54.18	74.0	19.82	Peak	333.00	200	Horizontal	Pass
2**	2389.833	44.37	54.0	9.63	AV	333.00	200	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.50	74.0	17.50	Peak	337.00	100	Horizontal	Pass
1**	2483.500	46.57	54.0	7.43	AV	337.00	100	Horizontal	Pass
2	2491.600	56.09	74.0	17.91	Peak	237.00	150	Horizontal	Pass
2**	2491.600	44.06	54.0	9.94	AV	237.00	150	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2375.500	60.32	74.0	13.68	Peak	353.00	150	Horizontal	Pass
1**	2375.500	44.42	54.0	9.58	AV	353.00	150	Horizontal	Pass
2	2389.833	55.15	74.0	18.85	Peak	342.00	200	Horizontal	Pass
2**	2389.833	44.38	54.0	9.62	AV	342.00	200	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.41	74.0	18.59	Peak	89.00	200	Horizontal	Pass
1**	2483.500	45.35	54.0	8.65	AV	89.00	200	Horizontal	Pass
2	2487.850	55.59	74.0	18.41	Peak	43.00	150	Horizontal	Pass
2**	2487.850	44.04	54.0	9.96	AV	43.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26050015-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26050015-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26050015-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--