

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-2.06	1.92	-0.09	-0.22	30	Pass
NVNT	ANT2	802.11a	5745.00	0.80	1.92	-0.09	2.63	30	Pass
NVNT	ANT1	802.11a	5785.00	-2.28	1.92	-0.09	-0.44	30	Pass
NVNT	ANT2	802.11a	5785.00	1.24	1.92	-0.09	3.08	30	Pass
NVNT	ANT1	802.11a	5825.00	-2.96	2.11	-0.09	-0.94	30	Pass
NVNT	ANT2	802.11a	5825.00	0.96	2.11	-0.09	2.98	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-9.29	2.63	-0.09	-6.75	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	-6.22	2.63	-0.09	-3.67	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-9.72	3.01	-0.09	-6.79	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	-6.57	3.01	-0.09	-3.65	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-9.67	2.63	-0.09	-7.12	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	-4.86	3.01	-0.09	-1.94	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-2.93	0.00	-0.09	-3.02	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	0.28	0.00	-0.09	0.20	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-3.22	0.00	-0.09	-3.30	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	0.83	0.00	-0.09	0.74	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-3.38	0.00	-0.09	-3.47	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	0.54	0.00	-0.09	0.45	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-11.97	3.01	-0.09	-9.05	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	-8.67	3.52	-0.09	-5.24	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-11.64	3.52	-0.09	-8.20	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	-9.21	3.01	-0.09	-6.28	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-13.97	0.00	-0.09	-14.05	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	-11.15	0.00	-0.09	-11.24	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-15.22	0.00	-0.09	-15.31	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	-10.42	0.00	-0.09	-10.50	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-15.60	0.00	-0.09	-15.68	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	-12.60	0.00	-0.09	-12.68	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-31.10	3.01	-0.09	-28.18	30	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	-23.76	3.01	-0.09	-20.84	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-32.58	3.01	-0.09	-29.66	30	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	-25.85	2.55	-0.09	-23.39	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-28.90	3.01	-0.09	-25.97	30	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	-24.71	3.01	-0.09	-21.79	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-30.20	3.52	-0.09	-26.76	30	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	-29.32	3.52	-0.09	-25.88	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-30.52	3.52	-0.09	-27.08	30	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	-26.98	3.52	-0.09	-23.55	30	Pass

NVNT	ANT1	802.11ax(HE80)	5775.00	-38.97	4.26	-0.09	-34.80	30	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	-33.55	3.52	-0.09	-30.11	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT2_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT2_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT2_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5785




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT80)_5775



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5745



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5785



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5825



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5795



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE80)_5775




Power_Spectral_Density_NVNT_ANT2_802_11ax(HE80)_5775





Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD(dBm/500kHz)	Limit(dBm/500kHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	5745.00	-2.11	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5785.00	-2.30	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5825.00	-0.95	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5745.00	1.60	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5785.00	2.05	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5825.00	1.48	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	5755.00	-3.99	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	5795.00	-4.79	30	Pass


NVNT	MIMO_TX	802.11ac(VHT40)	5755.00	-10.34	30	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5795.00	-9.88	30	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5775.00	-11.61	30	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5745.00	-20.28	30	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5785.00	-22.94	30	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5825.00	-21.38	30	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5755.00	-24.59	30	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5795.00	-22.95	30	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5775.00	-29.10	30	Pass

NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5785



**NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5825****NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5745**




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5825


**NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5755****NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5795**




NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5795




NVNT_MIMO_TX_802_11ac(VHT80)_Power_Spectral_Density_5775





NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5825

**NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5755****NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5795**



NVNT_MIMO_TX_802_11ax(HE80)_Power_Spectral_Density_5775




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5592.360	-43.02	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5671.380	-43.33	-13.53	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5709.680	-42.15	12.71	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5722.930	-39.41	22.28	Pass
NVNT	ANT2	802.11a	LCH	5565-5655	5614.860	-40.27	-27.00	Pass
NVNT	ANT2	802.11a	LCH	5655-5700	5664.810	-40.29	-18.93	Pass
NVNT	ANT2	802.11a	LCH	5700-5720	5718.640	-36.64	15.22	Pass
NVNT	ANT2	802.11a	LCH	5720-5725	5724.615	-30.31	26.12	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5853.170	-40.91	19.77	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5868.760	-41.84	11.75	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5911.540	-42.39	-20.04	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5928.075	-37.11	-27.00	Pass
NVNT	ANT2	802.11a	HCH	5850-5855	5854.910	-36.46	15.81	Pass
NVNT	ANT2	802.11a	HCH	5855-5875	5872.320	-38.71	10.75	Pass
NVNT	ANT2	802.11a	HCH	5875-5920	5910.640	-39.74	-19.30	Pass
NVNT	ANT2	802.11a	HCH	5920-6005	5989.530	-36.46	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5622.780	-43.20	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5669.805	-42.98	-14.83	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5717.560	-39.40	14.92	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5721.645	-37.95	19.35	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5565-5655	5636.730	-40.17	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5655-5700	5655.180	-40.50	-26.85	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5700-5720	5719.600	-37.39	15.49	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5720-5725	5723.420	-31.16	23.40	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.660	-41.14	16.38	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5867.780	-40.64	12.02	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5919.415	-42.51	-26.52	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5975.250	-38.79	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5850-5855	5853.670	-34.20	18.63	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5855-5875	5866.120	-38.64	12.49	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5875-5920	5917.750	-39.88	-25.15	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5920-6005	5948.560	-35.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5649.780	-42.96	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5669.670	-42.90	-14.94	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5717.340	-40.55	14.86	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5723.095	-35.79	22.66	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5565-5655	5627.640	-40.29	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5655-5700	5659.545	-40.02	-23.26	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5700-5720	5701.860	-39.43	10.52	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5720-5725	5723.305	-35.30	23.14	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5853.875	-40.63	18.16	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5871.440	-41.45	11.00	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5909.965	-42.03	-18.75	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5928.415	-38.64	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5850-5855	5852.380	-36.99	21.57	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5855-5875	5871.100	-38.99	11.09	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5875-5920	5915.545	-39.39	-23.34	Pass


NVNT	ANT2	802.11ac(VHT20)	HCH	5920-6005	5957.485	-34.33	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5615.580	-43.58	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5673.945	-42.91	-11.42	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5716.680	-40.99	14.67	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5722.805	-37.05	22.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5595-5655	5638.920	-39.97	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5655-5700	5661.930	-39.63	-21.30	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5700-5720	5718.100	-34.26	15.07	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5720-5725	5721.245	-33.29	18.44	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.050	-42.83	17.77	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5873.780	-42.71	10.34	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5917.165	-42.84	-24.67	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5941.910	-38.16	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5850-5855	5854.470	-39.73	16.81	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5855-5875	5872.980	-39.56	10.57	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5875-5920	5914.420	-39.76	-22.41	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5920-5955	5929.065	-35.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5597.580	-43.26	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5688.930	-42.39	0.90	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5717.500	-32.97	14.90	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.170	-29.08	15.99	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5595-5655	5625.420	-39.69	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5655-5700	5655.360	-39.95	-26.70	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5700-5720	5715.480	-35.22	14.33	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5720-5725	5720.260	-31.19	16.19	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.975	-42.19	15.66	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5871.860	-42.15	10.88	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5913.655	-42.69	-21.78	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5934.105	-38.68	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5850-5855	5853.305	-39.67	19.46	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5855-5875	5873.700	-39.36	10.36	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5875-5920	5904.970	-39.70	-14.64	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5920-5955	5922.345	-34.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5653.180	-42.69	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5693.160	-41.22	4.38	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5717.700	-36.75	14.96	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5722.455	-35.64	21.20	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5853.380	-41.35	19.29	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5867.040	-40.67	12.23	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5909.110	-42.64	-18.05	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5922.515	-39.07	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5650-5655	5650.900	-39.39	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5655-5700	5685.195	-36.95	-2.17	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5700-5720	5706.800	-34.77	11.90	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5720-5725	5720.050	-33.05	15.71	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5850-5855	5853.700	-37.81	18.56	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5855-5875	5867.100	-37.87	12.21	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5875-5920	5913.340	-39.55	-21.52	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5920-5925	5922.075	-34.94	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5653.920	-47.39	-27.00	Pass

NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5657.610	-47.60	-24.85	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5718.000	-43.11	15.04	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5723.335	-37.73	23.20	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5565-5655	5641.770	-44.49	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5655-5700	5655.630	-44.74	-26.48	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5700-5720	5717.260	-40.60	14.83	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5720-5725	5721.340	-34.54	18.66	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5850.910	-40.66	24.93	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5855.820	-43.82	15.37	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5918.020	-47.02	-25.37	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5976.355	-42.48	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5850-5855	5851.820	-41.20	22.85	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5855-5875	5874.220	-43.35	10.22	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5875-5920	5919.730	-43.91	-26.78	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5920-6005	5966.325	-39.86	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5640.780	-47.56	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5678.670	-47.36	-7.54	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5717.120	-36.14	14.79	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.070	-34.99	18.04	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5595-5655	5644.380	-44.45	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5655-5700	5673.045	-44.27	-12.16	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5700-5720	5718.120	-36.92	15.07	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5720-5725	5720.960	-37.62	17.79	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.000	-46.41	17.88	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5873.460	-46.94	10.43	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5912.935	-47.36	-21.19	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5920.875	-42.04	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5850-5855	5854.455	-43.90	16.84	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5855-5875	5873.060	-43.95	10.54	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5875-5920	5915.050	-44.29	-22.93	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5920-5955	5928.365	-40.20	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5650.820	-47.40	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5677.365	-43.66	-8.61	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5711.100	-39.71	13.11	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.820	-38.15	17.47	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5854.550	-43.85	16.63	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5872.800	-44.46	10.62	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5917.075	-47.01	-24.59	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5922.810	-42.34	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5650-5655	5651.435	-43.39	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5655-5700	5680.875	-43.18	-5.73	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5700-5720	5716.760	-39.23	14.69	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5720-5725	5720.825	-39.52	17.48	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5850-5855	5853.675	-42.35	18.62	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5855-5875	5868.080	-43.20	11.94	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5875-5920	5912.350	-44.22	-20.71	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5920-5925	5922.690	-39.58	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT2_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT2_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT2_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825



Bandedge_NVNT_ANT2_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT2_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT2_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT2_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT2_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_up



Bandedge_NVNT_ANT1_802_11ax(HE20)_5745



Bandedge_NVNT_ANT2_802_11ax(HE20)_5745



Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT2_802_11ax(HE20)_5825



Bandedge_NVNT_ANT1_802_11ax(HE40)_5755



Bandedge_NVNT_ANT2_802_11ax(HE40)_5755



Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Bandedge_NVNT_ANT2_802_11ax(HE40)_5795




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_low



Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_up



Bandedge_NVNT_ANT2_802_11ax(HE80)_5775_low




Bandedge_NVNT_ANT2_802_11ax(HE80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25007.09	-32.75	-27	Pass
NVNT	ANT2	802.11a	5745.00	25099.74	-29.28	-27	Pass
NVNT	ANT1	802.11a	5785.00	25075.91	-31.65	-27	Pass
NVNT	ANT2	802.11a	5785.00	25007.09	-29.25	-27	Pass
NVNT	ANT1	802.11a	5825.00	826.75	-31.24	-27	Pass
NVNT	ANT2	802.11a	5825.00	25022.97	-29.29	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25107.68	-31.71	-27	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	24967.39	-28.88	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25073.27	-31.91	-27	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	24975.33	-29.11	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25073.27	-32.27	-27	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	25062.68	-29.70	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24951.51	-32.09	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	24983.27	-29.23	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25110.33	-32.08	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	25015.03	-29.42	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25046.80	-32.39	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	25038.86	-29.01	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25075.91	-32.32	-27	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	25097.09	-29.34	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25102.38	-32.55	-27	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	26216.77	-29.59	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	24972.68	-31.54	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	24988.56	-28.66	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	24972.68	-32.29	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	25091.80	-28.46	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	24956.80	-32.26	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	24485.63	-27.90	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	25015.03	-36.45	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	24954.15	-33.81	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	25060.03	-36.47	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	25001.80	-33.47	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	25028.27	-37.51	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	25094.44	-33.96	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	25054.74	-36.61	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	24962.09	-33.88	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25075.91	-36.21	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	25052.09	-33.67	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	25123.56	-37.06	-27	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	25007.09	-32.57	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT2_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT2_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT2_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775




Spurious_Emission_NVNT_ANT2_802_11ac(VHT80)_5775




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5755




Spurious_Emission_NVNT_ANT2_802_11ax(HE40)_5755




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795




Spurious_Emission_NVNT_ANT2_802_11ax(HE40)_5795



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5775



Spurious_Emission_NVNT_ANT2_802_11ax(HE80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5744.952	5736.208	5753.696	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.952	5736.564	5753.340	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.964	5736.708	5753.220	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.954	5736.784	5753.124	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.960	5736.840	5753.080	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.954	5736.884	5753.024	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.960	5736.936	5752.984	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.962	5736.984	5752.940	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.964	5737.020	5752.908	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.932	5737.064	5752.800	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.936	5737.096	5752.776	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.924	5737.124	5752.724	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5745.00	5745.052	5736.236	5753.868	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5745.00	5744.978	5736.564	5753.392	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5745.00	5744.972	5736.680	5753.264	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5745.00	5744.966	5736.768	5753.164	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5745.00	5744.954	5736.808	5753.100	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5745.00	5744.944	5736.856	5753.032	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5745.00	5744.946	5736.904	5752.988	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5745.00	5744.952	5736.960	5752.944	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5745.00	5744.952	5737.012	5752.892	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5745.00	5744.972	5737.068	5752.876	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5745.00	5744.958	5737.116	5752.800	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11a	5745.00	5744.948	5737.160	5752.736	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5784.902	5776.196	5793.608	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.940	5776.540	5793.340	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.676	5793.236	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.954	5776.744	5793.164	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.950	5776.808	5793.092	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.928	5776.844	5793.012	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.932	5776.888	5792.976	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.926	5776.940	5792.912	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.928	5776.988	5792.868	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.920	5777.024	5792.816	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.930	5777.080	5792.780	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.924	5777.116	5792.732	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5785.00	5784.974	5776.228	5793.720	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5785.00	5784.946	5776.556	5793.336	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5785.00	5784.958	5776.676	5793.240	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5785.00	5784.958	5776.756	5793.160	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5785.00	5784.946	5776.828	5793.064	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5785.00	5784.942	5776.880	5793.004	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5785.00	5784.962	5776.936	5792.988	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5785.00	5784.952	5776.980	5792.924	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5785.00	5784.936	5777.024	5792.848	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5785.00	5784.952	5777.076	5792.828	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5785.00	5784.974	5777.132	5792.816	5725~5850	Pass

25degrees C&&3.23V	ANT2	802.11a	5785.00	5784.946	5777.176	5792.716	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.204	5833.700	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.974	5816.588	5833.360	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.980	5816.708	5833.252	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.954	5816.760	5833.148	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.962	5816.816	5833.108	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5816.876	5833.040	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.938	5816.912	5832.964	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.942	5816.964	5832.920	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5817.016	5832.888	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.972	5817.080	5832.864	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5825.006	5817.140	5832.872	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.980	5817.192	5832.768	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5825.00	5824.974	5816.152	5833.796	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5825.00	5824.954	5816.540	5833.368	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5825.00	5824.960	5816.684	5833.236	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5825.00	5824.960	5816.764	5833.156	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5825.00	5824.962	5816.820	5833.104	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5825.00	5824.964	5816.872	5833.056	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5825.00	5824.960	5816.920	5833.000	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5825.00	5824.956	5816.968	5832.944	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5825.00	5824.978	5817.012	5832.944	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5825.00	5824.964	5817.052	5832.876	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5825.00	5824.948	5817.100	5832.796	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11a	5825.00	5824.956	5817.152	5832.760	5725~5850	Pass

***** End of Report *****