

ANNEX TEST DATA EDR

FCC ID: 2BWT7-CLIP5

Applicant: chanjiekejiguangzhouyouxiangongsi

Address: tian he qu tian hui lu 12 hao B314 shi Guang Zhou Guang Dong

Manufacturer: DongGuan Kemi Electronics Technology Co., Ltd

Address: Room 201, Floor 2, Building 4, Taixing Science Park, No.3, Taixing Road, Shigu, Tangxia Town, Dongguan city, China

Product Name: Clip On Earbuds

Trade Mark: Rhyfell

Model Number: Rhyfell Clip 5, Rhyfell Clip 1, Rhyfell Clip 2, Rhyfell Clip 3, Rhyfell Clip 4, Rhyfell Clip 6, Rhyfell Clip 7

Date of Receipt: Jun. 25, 2026

Test Date: Jun. 25, 2026 - Jul. 10, 2026

Date of Report: Jul. 10, 2026

Prepared By: Shenzhen DL Testing Technology Co., Ltd.

Address: 101-201, Comprehensive Building, Tongzhou Electronics Longgang Factory Area, No.1 Baolong Fifth Road, Baolong Community, Baolong Street, Longgang District, Shenzhen, China

Applicable Standards: FCC PART 15 C 15.247
ANSI C63.10-2020 + Cor. 1-2023+C63.10a-2024 + Errata to C63.10a-2024

Test Result: Pass

Report Number: DLE-260625012R

1. Bandwidth


1.1 Test Result

1.1.1 20dB BW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	1.021	/	Pass
		2441	DH5	1	1.030	/	Pass
		2480	DH5	1	1.024	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.318	/	Pass
		2441	2DH5	1	1.318	/	Pass
		2480	2DH5	1	1.319	/	Pass

1.2 Test Graph


1.2.1 20dB BW




GFSK DH5 HCH 2480MHz Ant1 NTNV




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTNV



Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTNV



Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTNV



2. Maximum Conducted Output Power


2.1 Test Result

2.1.1 Power


Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	1.94	≤ 20.97	Pass
		2441	DH5	0.89	≤ 20.97	Pass
		2480	DH5	-0.37	≤ 20.97	Pass
Pi/4DQPSK	SISO	2402	2DH5	2.74	≤ 20.97	Pass
		2441	2DH5	1.74	≤ 20.97	Pass
		2480	2DH5	0.49	≤ 20.97	Pass

2.2 Test Graph


2.2.1 Power




GFSK DH5 HCH 2480MHz Ant1 NTNV




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTNV



Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTNV



Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTNV



3. Carrier Frequency Separation


3.1 Test Result

3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	1.030	≥ 0.687	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	0.984	1.319	≥ 0.879	Pass

3.2 Test Graph

3.2.1 Ant1



4. Number of Hopping Frequencies


4.1 Test Result

4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass

4.2 Test Graph

4.2.1 HoppNum



5. Time of Occupancy (Dwell Time)


5.1 Test Result

5.1.1 Ant1


Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.390	31.600	320	124.800	<=400	Pass
			DH3	1.648	31.600	163	268.624	<=400	Pass
			DH5	2.894	31.600	99	286.506	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.396	31.600	319	126.324	<=400	Pass
			2DH3	1.648	31.600	150	247.200	<=400	Pass
			2DH5	2.900	31.600	104	301.600	<=400	Pass

5.2 Test Graph


5.2.1 Ant1




GFSK DH3 HOPP Ant1 NTN




GFSK DH3 HOPP Ant1 NTN




GFSK DH5 HOPP Ant1 NTN




GFSK DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK 2DH3 HOPP Ant1 NTN




Pi/4DQPSK 2DH3 HOPP Ant1 NTN



Pi/4DQPSK 2DH5 HOPP Ant1 NTN



Pi/4DQPSK 2DH5 HOPP Ant1 NTN



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	1.65
		2441	DH5	1	0.58
		2480	DH5	1	-0.57
		HOPP	DH5	1	1.65
					1.65
Pi/4DQPSK	SISO	2402	2DH5	1	1.71
		2441	2DH5	1	0.67
		2480	2DH5	1	-0.58
		HOPP	2DH5	1	1.56
					1.56

6.1.2 CSE


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	1.65	-18.35	Pass
		2441	DH5	1	0.58	-19.42	Pass
		2480	DH5	1	-0.57	-20.57	Pass
		HOPP	DH5	1	1.65	-18.35	Pass
					1.65	-18.35	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.71	-18.29	Pass
		2441	2DH5	1	0.67	-19.33	Pass
		2480	2DH5	1	-0.58	-20.58	Pass
		HOPP	2DH5	1	1.56	-18.44	Pass
					1.56	-18.44	Pass

6.2 Test Graph


6.2.1 Ref




GFSK DH5 HCH 2480MHz Ant1 NTV




GFSK DH5 HOPP Ant1 NTV




GFSK DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTV




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTV




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




6.2.2 CSE




GFSK DH5 MCH 2441MHz Ant1 NTN




GFSK DH5 HCH 2480MHz Ant1 NTN




GFSK DH5 HCH 2480MHz Ant1 NTV




GFSK DH5 HOPP Ant1 NTV




GFSK DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTV



Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTV



Pi/4DQPSK 2DH5 HOPP Ant1 NTN



Pi/4DQPSK 2DH5 HOPP Ant1 NTN

