

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band25


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.185	-72.01	-13	59.01	Pass	5971
30	1000	0.1	RMS	848.55	-63.4	-13	50.4	Pass	19402
1000	1840	1	RMS	1839.5	-51.2	-13	38.2	Pass	1681
1840	1925	1	RMS	1850.2	22.44	60	37.56	Pass	401
1925	3000	1	RMS	2952.5	-48.77	-13	35.77	Pass	2151
3000	12000	1	RMS	11943.5	-39.98	-13	26.98	Pass	18003
12000	20000	1	RMS	19803.5	-29.98	-13	16.98	Pass	16002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.04	-13	55.04	Pass	401
0.15	30	0.01	RMS	0.155	-70.95	-13	57.95	Pass	5971
30	1000	0.1	RMS	829.05	-63.19	-13	50.19	Pass	19402
1000	1840	1	RMS	1839.5	-51.27	-13	38.27	Pass	1681
1840	1925	1	RMS	1850.2	21.52	60	38.48	Pass	401
1925	3000	1	RMS	2953.5	-48.72	-13	35.72	Pass	2151
3000	12000	1	RMS	11948	-39.94	-13	26.94	Pass	18003
12000	20000	1	RMS	19790.5	-29.99	-13	16.99	Pass	16002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.21	-71.36	-13	58.36	Pass	5971
30	1000	0.1	RMS	838.65	-63.19	-13	50.19	Pass	19402
1000	1840	1	RMS	1746.5	-52.22	-13	39.22	Pass	1681
1840	1925	1	RMS	1881.863	22.34	60	37.66	Pass	401
1925	3000	1	RMS	2954.5	-48.73	-13	35.73	Pass	2151
3000	12000	1	RMS	11941.5	-40.01	-13	27.01	Pass	18003
12000	20000	1	RMS	19792	-29.96	-13	16.96	Pass	16002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.225	-72.04	-13	59.04	Pass	5971
30	1000	0.1	RMS	837.5	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1838	-52.2	-13	39.2	Pass	1681
1840	1925	1	RMS	1881.863	21.38	60	38.62	Pass	401
1925	3000	1	RMS	2949	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11948.5	-39.96	-13	26.96	Pass	18003
12000	20000	1	RMS	19803	-30.04	-13	17.04	Pass	16002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	5971
30	1000	0.1	RMS	829.55	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1782.5	-52.19	-13	39.19	Pass	1681
1840	1925	1	RMS	1913.738	22.54	60	37.46	Pass	401
1925	3000	1	RMS	2959.5	-48.81	-13	35.81	Pass	2151
3000	12000	1	RMS	11960	-39.95	-13	26.95	Pass	18003
12000	20000	1	RMS	19794.5	-29.96	-13	16.96	Pass	16002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.265	-71.66	-13	58.66	Pass	5971
30	1000	0.1	RMS	858.103	-63.23	-13	50.23	Pass	19402
1000	1840	1	RMS	1838	-52.21	-13	39.21	Pass	1681
1840	1925	1	RMS	1913.738	21.59	60	38.41	Pass	401
1925	3000	1	RMS	2955	-48.73	-13	35.73	Pass	2151
3000	12000	1	RMS	11926.5	-40.08	-13	27.08	Pass	18003
12000	20000	1	RMS	19805.5	-30.04	-13	17.04	Pass	16002




**1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.185	-71.93	-13	58.93	Pass	5971
30	1000	0.1	RMS	846.1	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1839.5	-51.16	-13	38.16	Pass	1681
1840	1925	1	RMS	1850.2	22.52	60	37.48	Pass	401
1925	3000	1	RMS	2960	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11939.5	-40.03	-13	27.03	Pass	18003
12000	20000	1	RMS	19798.5	-30.04	-13	17.04	Pass	16002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.175	-71.94	-13	58.94	Pass	5971
30	1000	0.1	RMS	830.55	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1839.5	-51.24	-13	38.24	Pass	1681
1840	1925	1	RMS	1850.2	21.74	60	38.26	Pass	401
1925	3000	1	RMS	2947	-48.72	-13	35.72	Pass	2151
3000	12000	1	RMS	11952	-40.03	-13	27.03	Pass	18003
12000	20000	1	RMS	19754	-30.06	-13	17.06	Pass	16002




**1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.205	-72.45	-13	59.45	Pass	5971
30	1000	0.1	RMS	825.2	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1837.5	-52.21	-13	39.21	Pass	1681
1840	1925	1	RMS	1881.225	22.37	60	37.63	Pass	401
1925	3000	1	RMS	2943.5	-48.83	-13	35.83	Pass	2151
3000	12000	1	RMS	11963	-39.94	-13	26.94	Pass	18003
12000	20000	1	RMS	19802.5	-29.99	-13	16.99	Pass	16002




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	857.203	-63.4	-13	50.4	Pass	19402
1000	1840	1	RMS	1839	-52.21	-13	39.21	Pass	1681
1840	1925	1	RMS	1881.225	21.4	60	38.6	Pass	401
1925	3000	1	RMS	2942.5	-48.74	-13	35.74	Pass	2151
3000	12000	1	RMS	11966.5	-40.04	-13	27.04	Pass	18003
12000	20000	1	RMS	19803.5	-30.01	-13	17.01	Pass	16002




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.27	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	840.6	-63.52	-13	50.52	Pass	19402
1000	1840	1	RMS	1796.5	-52.24	-13	39.24	Pass	1681
1840	1925	1	RMS	1912.038	22.49	60	37.51	Pass	401
1925	3000	1	RMS	2945	-48.76	-13	35.76	Pass	2151
3000	12000	1	RMS	11942.5	-39.95	-13	26.95	Pass	18003
12000	20000	1	RMS	19803	-29.99	-13	16.99	Pass	16002




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.22	-13	54.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	5971
30	1000	0.1	RMS	858.103	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1837	-52.24	-13	39.24	Pass	1681
1840	1925	1	RMS	1912.25	21.59	60	38.41	Pass	401
1925	3000	1	RMS	2950	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11948.5	-39.91	-13	26.91	Pass	18003
12000	20000	1	RMS	19771	-29.95	-13	16.95	Pass	16002




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	58.83	Pass	5971
30	1000	0.1	RMS	857.953	-63.14	-13	50.14	Pass	19402
1000	1840	1	RMS	1840	-51.21	-13	38.21	Pass	1681
1840	1925	1	RMS	1850.2	22.45	60	37.55	Pass	401
1925	3000	1	RMS	2945.5	-48.78	-13	35.78	Pass	2151
3000	12000	1	RMS	11941.5	-40.03	-13	27.03	Pass	18003
12000	20000	1	RMS	19772.5	-30.04	-13	17.04	Pass	16002




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.08	-13	56.08	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	5971
30	1000	0.1	RMS	986.746	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1839.5	-51.47	-13	38.47	Pass	1681
1840	1925	1	RMS	1850.2	21.46	60	38.54	Pass	401
1925	3000	1	RMS	2963	-48.83	-13	35.83	Pass	2151
3000	12000	1	RMS	11953.5	-39.98	-13	26.98	Pass	18003
12000	20000	1	RMS	19810	-30.02	-13	17.02	Pass	16002




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	58.78	Pass	5971
30	1000	0.1	RMS	842.05	-63.36	-13	50.36	Pass	19402
1000	1840	1	RMS	1789.5	-52.18	-13	39.18	Pass	1681
1840	1925	1	RMS	1880.163	22.29	60	37.71	Pass	401
1925	3000	1	RMS	2940	-48.72	-13	35.72	Pass	2151
3000	12000	1	RMS	11954.5	-40.08	-13	27.08	Pass	18003
12000	20000	1	RMS	19802.5	-30.05	-13	17.05	Pass	16002




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	0.365	-72.31	-13	59.31	Pass	5971
30	1000	0.1	RMS	829.1	-63.34	-13	50.34	Pass	19402
1000	1840	1	RMS	1741	-52.18	-13	39.18	Pass	1681
1840	1925	1	RMS	1880.163	21.51	60	38.49	Pass	401
1925	3000	1	RMS	2948.5	-48.79	-13	35.79	Pass	2151
3000	12000	1	RMS	11947.5	-40.06	-13	27.06	Pass	18003
12000	20000	1	RMS	19799	-29.98	-13	16.98	Pass	16002




**1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	0.155	-71.74	-13	58.74	Pass	5971
30	1000	0.1	RMS	849.95	-63.28	-13	50.28	Pass	19402
1000	1840	1	RMS	1833.5	-52.14	-13	39.14	Pass	1681
1840	1925	1	RMS	1910.125	22.34	60	37.66	Pass	401
1925	3000	1	RMS	2945.5	-48.77	-13	35.77	Pass	2151
3000	12000	1	RMS	11951.5	-40	-13	27	Pass	18003
12000	20000	1	RMS	19803	-30.13	-13	17.13	Pass	16002




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	0.155	-71.64	-13	58.64	Pass	5971
30	1000	0.1	RMS	861.104	-63.41	-13	50.41	Pass	19402
1000	1840	1	RMS	1753.5	-52.23	-13	39.23	Pass	1681
1840	1925	1	RMS	1910.338	21.57	60	38.43	Pass	401
1925	3000	1	RMS	2943.5	-48.78	-13	35.78	Pass	2151
3000	12000	1	RMS	11954	-40.06	-13	27.06	Pass	18003
12000	20000	1	RMS	19804	-30.01	-13	17.01	Pass	16002




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.165	-71.33	-13	58.33	Pass	5971
30	1000	0.1	RMS	836.9	-63.26	-13	50.26	Pass	19402
1000	1840	1	RMS	1833	-49.59	-13	36.59	Pass	1681
1840	1925	1	RMS	1850.413	22.49	60	37.51	Pass	401
1925	3000	1	RMS	2938.5	-48.79	-13	35.79	Pass	2151
3000	12000	1	RMS	11963.5	-39.99	-13	26.99	Pass	18003
12000	20000	1	RMS	19805	-30.07	-13	17.07	Pass	16002




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	0.165	-72.26	-13	59.26	Pass	5971
30	1000	0.1	RMS	837	-63.26	-13	50.26	Pass	19402
1000	1840	1	RMS	1840	-49.78	-13	36.78	Pass	1681
1840	1925	1	RMS	1850.413	21.71	60	38.29	Pass	401
1925	3000	1	RMS	2937	-48.77	-13	35.77	Pass	2151
3000	12000	1	RMS	11951	-40.04	-13	27.04	Pass	18003
12000	20000	1	RMS	19804	-30.05	-13	17.05	Pass	16002




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	5971
30	1000	0.1	RMS	859.754	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1736.5	-52.25	-13	39.25	Pass	1681
1840	1925	1	RMS	1878.038	22.44	60	37.56	Pass	401
1925	3000	1	RMS	2940.5	-48.79	-13	35.79	Pass	2151
3000	12000	1	RMS	11942	-39.96	-13	26.96	Pass	18003
12000	20000	1	RMS	19818	-30.01	-13	17.01	Pass	16002




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.2	-70.71	-13	57.71	Pass	5971
30	1000	0.1	RMS	863.155	-63.35	-13	50.35	Pass	19402
1000	1840	1	RMS	1752.5	-52.21	-13	39.21	Pass	1681
1840	1925	1	RMS	1878.038	21.45	60	38.55	Pass	401
1925	3000	1	RMS	2950.5	-48.82	-13	35.82	Pass	2151
3000	12000	1	RMS	11977.5	-40.01	-13	27.01	Pass	18003
12000	20000	1	RMS	19795	-30.08	-13	17.08	Pass	16002




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.2	-71.91	-13	58.91	Pass	5971
30	1000	0.1	RMS	846.95	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1759.5	-52.21	-13	39.21	Pass	1681
1840	1925	1	RMS	1905.45	22.54	60	37.46	Pass	401
1925	3000	1	RMS	2946.5	-48.66	-13	35.66	Pass	2151
3000	12000	1	RMS	11950.5	-39.98	-13	26.98	Pass	18003
12000	20000	1	RMS	19778.5	-30.05	-13	17.05	Pass	16002




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.235	-71.44	-13	58.44	Pass	5971
30	1000	0.1	RMS	851.501	-63.19	-13	50.19	Pass	19402
1000	1840	1	RMS	1761	-52.24	-13	39.24	Pass	1681
1840	1925	1	RMS	1905.45	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2938.5	-48.75	-13	35.75	Pass	2151
3000	12000	1	RMS	11952	-40.02	-13	27.02	Pass	18003
12000	20000	1	RMS	19787	-29.87	-13	16.87	Pass	16002




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	5971
30	1000	0.1	RMS	840.65	-63.29	-13	50.29	Pass	19402
1000	1840	1	RMS	1840	-46.55	-13	33.55	Pass	1681
1840	1925	1	RMS	1850.625	22.33	60	37.67	Pass	401
1925	3000	1	RMS	2963.5	-48.76	-13	35.76	Pass	2151
3000	12000	1	RMS	11940	-39.98	-13	26.98	Pass	18003
12000	20000	1	RMS	19802.5	-30.05	-13	17.05	Pass	16002




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	5971
30	1000	0.1	RMS	860.404	-63.45	-13	50.45	Pass	19402
1000	1840	1	RMS	1837.5	-46.4	-13	33.4	Pass	1681
1840	1925	1	RMS	1850.838	21.49	60	38.51	Pass	401
1925	3000	1	RMS	2947	-48.81	-13	35.81	Pass	2151
3000	12000	1	RMS	11949	-40.03	-13	27.03	Pass	18003
12000	20000	1	RMS	19812.5	-30.05	-13	17.05	Pass	16002




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.155	-72.26	-13	59.26	Pass	5971
30	1000	0.1	RMS	836.25	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1840	-51.3	-13	38.3	Pass	1681
1840	1925	1	RMS	1875.7	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2961	-48.82	-13	35.82	Pass	2151
3000	12000	1	RMS	11945.5	-39.99	-13	26.99	Pass	18003
12000	20000	1	RMS	19801	-30.04	-13	17.04	Pass	16002




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-13	56.34	Pass	401
0.15	30	0.01	RMS	0.185	-70.42	-13	57.42	Pass	5971
30	1000	0.1	RMS	839.55	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1836.5	-51.28	-13	38.28	Pass	1681
1840	1925	1	RMS	1875.7	21.43	60	38.57	Pass	401
1925	3000	1	RMS	2943.5	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11949	-40.02	-13	27.02	Pass	18003
12000	20000	1	RMS	19794	-30.09	-13	17.09	Pass	16002




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.345	-71.41	-13	58.41	Pass	5971
30	1000	0.1	RMS	860.204	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1838	-52.1	-13	39.1	Pass	1681
1840	1925	1	RMS	1900.775	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2958	-48.81	-13	35.81	Pass	2151
3000	12000	1	RMS	11948	-40.05	-13	27.05	Pass	18003
12000	20000	1	RMS	19801	-30.04	-13	17.04	Pass	16002




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-13	58.76	Pass	5971
30	1000	0.1	RMS	857.503	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1837.5	-52.17	-13	39.17	Pass	1681
1840	1925	1	RMS	1900.775	21.51	60	38.49	Pass	401
1925	3000	1	RMS	2935.5	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11950	-39.99	-13	26.99	Pass	18003
12000	20000	1	RMS	19802	-29.92	-13	16.92	Pass	16002




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.23	-71.79	-13	58.79	Pass	5971
30	1000	0.1	RMS	843.95	-63.39	-13	50.39	Pass	19402
1000	1840	1	RMS	1839	-47.9	-13	34.9	Pass	1681
1840	1925	1	RMS	1851.05	22.22	60	37.78	Pass	401
1925	3000	1	RMS	2953.5	-48.79	-13	35.79	Pass	2151
3000	12000	1	RMS	11951	-39.92	-13	26.92	Pass	18003
12000	20000	1	RMS	19795	-30	-13	17	Pass	16002




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	0.165	-71.52	-13	58.52	Pass	5971
30	1000	0.1	RMS	844.8	-63.49	-13	50.49	Pass	19402
1000	1840	1	RMS	1836	-47.65	-13	34.65	Pass	1681
1840	1925	1	RMS	1851.05	21.43	60	38.57	Pass	401
1925	3000	1	RMS	2947	-48.82	-13	35.82	Pass	2151
3000	12000	1	RMS	11937	-40.02	-13	27.02	Pass	18003
12000	20000	1	RMS	19799	-30.02	-13	17.02	Pass	16002




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.275	-71.53	-13	58.53	Pass	5971
30	1000	0.1	RMS	834.6	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1838	-48.25	-13	35.25	Pass	1681
1840	1925	1	RMS	1873.575	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2963	-48.78	-13	35.78	Pass	2151
3000	12000	1	RMS	11946.5	-40	-13	27	Pass	18003
12000	20000	1	RMS	19800	-30.05	-13	17.05	Pass	16002




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.2	-72.21	-13	59.21	Pass	5971
30	1000	0.1	RMS	841.05	-63.35	-13	50.35	Pass	19402
1000	1840	1	RMS	1838.5	-50.09	-13	37.09	Pass	1681
1840	1925	1	RMS	1873.575	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2948	-48.8	-13	35.8	Pass	2151
3000	12000	1	RMS	11964	-40.04	-13	27.04	Pass	18003
12000	20000	1	RMS	19801	-30.04	-13	17.04	Pass	16002




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	5971
30	1000	0.1	RMS	840.2	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1839	-52.12	-13	39.12	Pass	1681
1840	1925	1	RMS	1895.888	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2971	-48.76	-13	35.76	Pass	2151
3000	12000	1	RMS	11951	-40.09	-13	27.09	Pass	18003
12000	20000	1	RMS	19798	-29.99	-13	16.99	Pass	16002



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.195	-72.13	-13	59.13	Pass	5971
30	1000	0.1	RMS	893.065	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1759	-52.19	-13	39.19	Pass	1681
1840	1925	1	RMS	1895.888	21.11	60	38.89	Pass	401
1925	3000	1	RMS	2943.5	-48.77	-13	35.77	Pass	2151
3000	12000	1	RMS	11950	-40.08	-13	27.08	Pass	18003
12000	20000	1	RMS	19793.5	-30.04	-13	17.04	Pass	16002



2. LTE_Band26(part22)


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.06	-13	55.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	5971
30	814	0.1	RMS	813.55	-63.31	-13	50.31	Pass	15681
814	860	0.1	RMS	824.25	19.99	60	40.01	Pass	921
860	1000	0.1	RMS	966.65	-63.68	-13	50.68	Pass	2801
1000	3000	1	RMS	2951	-48.85	-13	35.85	Pass	4001
3000	10000	1	RMS	7899.5	-42.9	-13	29.9	Pass	14002




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.165	-70.48	-13	57.48	Pass	5971
30	814	0.1	RMS	813.55	-63.4	-13	50.4	Pass	15681
814	860	0.1	RMS	824.25	18.95	60	41.05	Pass	921
860	1000	0.1	RMS	948.6	-63.69	-13	50.69	Pass	2801
1000	3000	1	RMS	2936	-48.86	-13	35.86	Pass	4001
3000	10000	1	RMS	9045	-42.92	-13	29.92	Pass	14002




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	5971
30	814	0.1	RMS	812.45	-63.76	-13	50.76	Pass	15681
814	860	0.1	RMS	836.05	20.05	60	39.95	Pass	921
860	1000	0.1	RMS	860.25	-63.47	-13	50.47	Pass	2801
1000	3000	1	RMS	1672	-47.93	-13	34.93	Pass	4001
3000	10000	1	RMS	8759.5	-42.94	-13	29.94	Pass	14002




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.6	-13	54.6	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	58.92	Pass	5971
30	814	0.1	RMS	812.25	-63.89	-13	50.89	Pass	15681
814	860	0.1	RMS	836.05	18.97	60	41.03	Pass	921
860	1000	0.1	RMS	972.2	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	1672	-48.76	-13	35.76	Pass	4001
3000	10000	1	RMS	8736.5	-42.96	-13	29.96	Pass	14002




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.72	-13	57.72	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-13	58.83	Pass	5971
30	814	0.1	RMS	809.549	-63.82	-13	50.82	Pass	15681
814	860	0.1	RMS	847.85	19.97	60	40.03	Pass	921
860	1000	0.1	RMS	862.2	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	1695.5	-48.01	-13	35.01	Pass	4001
3000	10000	1	RMS	8758	-42.85	-13	29.85	Pass	14002




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.25	-13	53.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	58.24	Pass	5971
30	814	0.1	RMS	790.097	-63.72	-13	50.72	Pass	15681
814	860	0.1	RMS	847.85	19.02	60	40.98	Pass	921
860	1000	0.1	RMS	861.2	-63.53	-13	50.53	Pass	2801
1000	3000	1	RMS	1695.5	-48.75	-13	35.75	Pass	4001
3000	10000	1	RMS	7885.5	-42.97	-13	29.97	Pass	14002




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-13	58.76	Pass	5971
30	814	0.1	RMS	810.45	-53.86	-13	40.86	Pass	15681
814	860	0.1	RMS	824.25	20	60	40	Pass	921
860	1000	0.1	RMS	877.65	-63.45	-13	50.45	Pass	2801
1000	3000	1	RMS	2942	-48.85	-13	35.85	Pass	4001
3000	10000	1	RMS	7897.5	-42.96	-13	29.96	Pass	14002




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.12	-13	53.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	5971
30	814	0.1	RMS	813.55	-62.91	-13	49.91	Pass	15681
814	860	0.1	RMS	824.25	19.35	60	40.65	Pass	921
860	1000	0.1	RMS	862	-63.27	-13	50.27	Pass	2801
1000	3000	1	RMS	2944.5	-48.85	-13	35.85	Pass	4001
3000	10000	1	RMS	7910.5	-42.96	-13	29.96	Pass	14002




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	58.9	Pass	5971
30	814	0.1	RMS	811.25	-63.78	-13	50.78	Pass	15681
814	860	0.1	RMS	835.25	20.17	60	39.83	Pass	921
860	1000	0.1	RMS	862.5	-63.52	-13	50.52	Pass	2801
1000	3000	1	RMS	1670.5	-47.77	-13	34.77	Pass	4001
3000	10000	1	RMS	8754.5	-42.97	-13	29.97	Pass	14002




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.89	-13	54.89	Pass	401
0.15	30	0.01	RMS	0.205	-72.09	-13	59.09	Pass	5971
30	814	0.1	RMS	804.949	-63.87	-13	50.87	Pass	15681
814	860	0.1	RMS	835.25	19.23	60	40.77	Pass	921
860	1000	0.1	RMS	992.4	-63.59	-13	50.59	Pass	2801
1000	3000	1	RMS	1670.5	-48.7	-13	35.7	Pass	4001
3000	10000	1	RMS	8752	-42.88	-13	29.88	Pass	14002




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.45	-13	56.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	5971
30	814	0.1	RMS	733.239	-63.88	-13	50.88	Pass	15681
814	860	0.1	RMS	846.25	19.99	60	40.01	Pass	921
860	1000	0.1	RMS	969.65	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	1692.5	-48.24	-13	35.24	Pass	4001
3000	10000	1	RMS	7901	-42.94	-13	29.94	Pass	14002




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.245	-72.08	-13	59.08	Pass	5971
30	814	0.1	RMS	813.05	-59.98	-13	46.98	Pass	15681
814	860	0.1	RMS	846.25	19.07	60	40.93	Pass	921
860	1000	0.1	RMS	880.35	-63.45	-13	50.45	Pass	2801
1000	3000	1	RMS	2959.5	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	8771.5	-42.93	-13	29.93	Pass	14002




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	0.155	-71.74	-13	58.74	Pass	5971
30	814	0.1	RMS	813.7	-63.35	-13	50.35	Pass	15681
814	860	0.1	RMS	824.35	19.72	60	40.28	Pass	921
860	1000	0.1	RMS	992.5	-63.52	-13	50.52	Pass	2801
1000	3000	1	RMS	2942.5	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	8751.5	-42.87	-13	29.87	Pass	14002




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-66.67	-13	53.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	5971
30	814	0.1	RMS	813.65	-63.01	-13	50.01	Pass	15681
814	860	0.1	RMS	824.35	19.04	60	40.96	Pass	921
860	1000	0.1	RMS	861.25	-63.38	-13	50.38	Pass	2801
1000	3000	1	RMS	2941.5	-48.69	-13	35.69	Pass	4001
3000	10000	1	RMS	8753	-42.93	-13	29.93	Pass	14002




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	0.175	-70.57	-13	57.57	Pass	5971
30	814	0.1	RMS	812.85	-63.79	-13	50.79	Pass	15681
814	860	0.1	RMS	834.35	19.83	60	40.17	Pass	921
860	1000	0.1	RMS	866.2	-63.44	-13	50.44	Pass	2801
1000	3000	1	RMS	1668.5	-48.17	-13	35.17	Pass	4001
3000	10000	1	RMS	8736.5	-42.9	-13	29.9	Pass	14002




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.16	-13	55.16	Pass	401
0.15	30	0.01	RMS	0.21	-71.85	-13	58.85	Pass	5971
30	814	0.1	RMS	809.349	-63.74	-13	50.74	Pass	15681
814	860	0.1	RMS	834.35	19.03	60	40.97	Pass	921
860	1000	0.1	RMS	979.6	-63.41	-13	50.41	Pass	2801
1000	3000	1	RMS	1668.5	-48.81	-13	35.81	Pass	4001
3000	10000	1	RMS	8756	-42.96	-13	29.96	Pass	14002




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-69.53	-13	56.53	Pass	401
0.15	30	0.01	RMS	0.22	-71.81	-13	58.81	Pass	5971
30	814	0.1	RMS	813.8	-63.73	-13	50.73	Pass	15681
814	860	0.1	RMS	844.35	19.63	60	40.37	Pass	921
860	1000	0.1	RMS	898.7	-63.63	-13	50.63	Pass	2801
1000	3000	1	RMS	2940.5	-48.83	-13	35.83	Pass	4001
3000	10000	1	RMS	8734.5	-42.88	-13	29.88	Pass	14002




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.14	-13	54.14	Pass	401
0.15	30	0.01	RMS	0.155	-71.26	-13	58.26	Pass	5971
30	814	0.1	RMS	813.1	-63.68	-13	50.68	Pass	15681
814	860	0.1	RMS	844.35	19.12	60	40.88	Pass	921
860	1000	0.1	RMS	870.2	-63.48	-13	50.48	Pass	2801
1000	3000	1	RMS	2947	-48.86	-13	35.86	Pass	4001
3000	10000	1	RMS	8751.5	-42.87	-13	29.87	Pass	14002




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.3	-71.67	-13	58.67	Pass	5971
30	814	0.1	RMS	811.4	-59.69	-13	46.69	Pass	15681
814	860	0.1	RMS	824.6	20.15	60	39.85	Pass	921
860	1000	0.1	RMS	874.3	-63.53	-13	50.53	Pass	2801
1000	3000	1	RMS	2940.5	-48.77	-13	35.77	Pass	4001
3000	10000	1	RMS	7897	-42.96	-13	29.96	Pass	14002




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	5971
30	814	0.1	RMS	811.45	-60.43	-13	47.43	Pass	15681
814	860	0.1	RMS	824.6	19.29	60	40.71	Pass	921
860	1000	0.1	RMS	863.45	-63.51	-13	50.51	Pass	2801
1000	3000	1	RMS	2942	-48.84	-13	35.84	Pass	4001
3000	10000	1	RMS	8752.5	-42.91	-13	29.91	Pass	14002




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	5971
30	814	0.1	RMS	811.8	-63.74	-13	50.74	Pass	15681
814	860	0.1	RMS	832.1	20.05	60	39.95	Pass	921
860	1000	0.1	RMS	862.25	-63.64	-13	50.64	Pass	2801
1000	3000	1	RMS	2946	-48.82	-13	35.82	Pass	4001
3000	10000	1	RMS	8750.5	-42.88	-13	29.88	Pass	14002




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	0.18	-71.47	-13	58.47	Pass	5971
30	814	0.1	RMS	794.297	-63.76	-13	50.76	Pass	15681
814	860	0.1	RMS	832.1	19.18	60	40.82	Pass	921
860	1000	0.1	RMS	877.65	-63.49	-13	50.49	Pass	2801
1000	3000	1	RMS	2938	-48.79	-13	35.79	Pass	4001
3000	10000	1	RMS	8754	-42.92	-13	29.92	Pass	14002




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	57.62	Pass	5971
30	814	0.1	RMS	811.7	-63.79	-13	50.79	Pass	15681
814	860	0.1	RMS	839.6	20.05	60	39.95	Pass	921
860	1000	0.1	RMS	972.3	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	1679	-47.99	-13	34.99	Pass	4001
3000	10000	1	RMS	8765.5	-42.9	-13	29.9	Pass	14002




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	5971
30	814	0.1	RMS	814	-63.64	-13	50.64	Pass	15681
814	860	0.1	RMS	839.6	19.31	60	40.69	Pass	921
860	1000	0.1	RMS	862.25	-63.58	-13	50.58	Pass	2801
1000	3000	1	RMS	2945	-48.84	-13	35.84	Pass	4001
3000	10000	1	RMS	7904	-42.89	-13	29.89	Pass	14002




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-13	55.5	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	57.9	Pass	5971
30	814	0.1	RMS	811.55	-48.09	-13	35.09	Pass	15681
814	860	0.1	RMS	824.85	19.99	60	40.01	Pass	921
860	1000	0.1	RMS	865.65	-63.45	-13	50.45	Pass	2801
1000	3000	1	RMS	2944	-48.85	-13	35.85	Pass	4001
3000	10000	1	RMS	8749	-42.87	-13	29.87	Pass	14002




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	5971
30	814	0.1	RMS	811.6	-48.13	-13	35.13	Pass	15681
814	860	0.1	RMS	824.85	19.21	60	40.79	Pass	921
860	1000	0.1	RMS	860.7	-63.53	-13	50.53	Pass	2801
1000	3000	1	RMS	2943.5	-48.83	-13	35.83	Pass	4001
3000	10000	1	RMS	7906	-42.93	-13	29.93	Pass	14002




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.155	-71.7	-13	58.7	Pass	5971
30	814	0.1	RMS	809.849	-59.78	-13	46.78	Pass	15681
814	860	0.1	RMS	829.85	20.08	60	39.92	Pass	921
860	1000	0.1	RMS	860.4	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	2947	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	8767	-42.9	-13	29.9	Pass	14002




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.14	-13	54.14	Pass	401
0.15	30	0.01	RMS	0.37	-72.46	-13	59.46	Pass	5971
30	814	0.1	RMS	812.3	-53.07	-13	40.07	Pass	15681
814	860	0.1	RMS	829.85	18.96	60	41.04	Pass	921
860	1000	0.1	RMS	861.2	-63.56	-13	50.56	Pass	2801
1000	3000	1	RMS	2940	-48.81	-13	35.81	Pass	4001
3000	10000	1	RMS	8786	-42.9	-13	29.9	Pass	14002




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.215	-72.01	-13	59.01	Pass	5971
30	814	0.1	RMS	808.249	-62.66	-13	49.66	Pass	15681
814	860	0.1	RMS	834.85	20.03	60	39.97	Pass	921
860	1000	0.1	RMS	862.35	-63.55	-13	50.55	Pass	2801
1000	3000	1	RMS	1669.5	-48.35	-13	35.35	Pass	4001
3000	10000	1	RMS	8756.5	-42.82	-13	29.82	Pass	14002



2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.33	-13	54.33	Pass	401
0.15	30	0.01	RMS	0.49	-71.9	-13	58.9	Pass	5971
30	814	0.1	RMS	811.75	-62.49	-13	49.49	Pass	15681
814	860	0.1	RMS	834.85	19.21	60	40.79	Pass	921
860	1000	0.1	RMS	860.3	-63.48	-13	50.48	Pass	2801
1000	3000	1	RMS	1669.5	-48.81	-13	35.81	Pass	4001
3000	10000	1	RMS	8749.5	-42.91	-13	29.91	Pass	14002



3. LTE_Band41 full


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.3	-67.89	-25	42.89	Pass	5971
30	1000	0.1	RMS	855.652	-59.54	-25	34.54	Pass	19402
1000	2486	1	RMS	2485.5	-45.99	-25	20.99	Pass	2973
2486	2700	1	RMS	2496	24.18	60	35.82	Pass	429
2700	3000	1	RMS	2945	-45.02	-25	20.02	Pass	601
3000	12000	1	RMS	4992.5	-47.51	-25	22.51	Pass	18003
12000	27000	1	RMS	26998	-38.67	-25	13.67	Pass	30004




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	45.52	Pass	401
0.15	30	0.01	RMS	0.16	-67.43	-25	42.43	Pass	5971
30	1000	0.1	RMS	849.15	-59.7	-25	34.7	Pass	19402
1000	2486	1	RMS	2481.5	-45.88	-25	20.88	Pass	2973
2486	2700	1	RMS	2496	22.48	60	37.52	Pass	429
2700	3000	1	RMS	2941.5	-44.99	-25	19.99	Pass	601
3000	12000	1	RMS	4992.5	-50.16	-25	25.16	Pass	18003
12000	27000	1	RMS	26971.5	-38.54	-25	13.54	Pass	30004




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.44	-25	44.44	Pass	401
0.15	30	0.01	RMS	0.155	-67.87	-25	42.87	Pass	5971
30	1000	0.1	RMS	836.9	-59.45	-25	34.45	Pass	19402
1000	2486	1	RMS	2485.5	-46.55	-25	21.55	Pass	2973
2486	2700	1	RMS	2590.5	23.06	60	36.94	Pass	429
2700	3000	1	RMS	2951	-45.03	-25	20.03	Pass	601
3000	12000	1	RMS	5182	-49.16	-25	24.16	Pass	18003
12000	27000	1	RMS	26965.5	-38.58	-25	13.58	Pass	30004




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.2	-67.96	-25	42.96	Pass	5971
30	1000	0.1	RMS	859.403	-59.6	-25	34.6	Pass	19402
1000	2486	1	RMS	2485.5	-46.55	-25	21.55	Pass	2973
2486	2700	1	RMS	2590.5	22.11	60	37.89	Pass	429
2700	3000	1	RMS	2943	-45.01	-25	20.01	Pass	601
3000	12000	1	RMS	5182	-50.84	-25	25.84	Pass	18003
12000	27000	1	RMS	26883	-38.52	-25	13.52	Pass	30004




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.57	-25	45.57	Pass	401
0.15	30	0.01	RMS	0.175	-67.85	-25	42.85	Pass	5971
30	1000	0.1	RMS	724.6	-57.77	-25	32.77	Pass	19402
1000	2486	1	RMS	2483	-46.6	-25	21.6	Pass	2973
2486	2700	1	RMS	2685	23.08	60	36.92	Pass	429
2700	3000	1	RMS	2955.5	-45.05	-25	20.05	Pass	601
3000	12000	1	RMS	11942.5	-55.67	-25	30.67	Pass	18003
12000	27000	1	RMS	26952.5	-38.59	-25	13.59	Pass	30004




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.34	-25	44.34	Pass	401
0.15	30	0.01	RMS	0.155	-68.1	-25	43.1	Pass	5971
30	1000	0.1	RMS	724.6	-59.12	-25	34.12	Pass	19402
1000	2486	1	RMS	2486	-46.43	-25	21.43	Pass	2973
2486	2700	1	RMS	2685	23.48	60	36.52	Pass	429
2700	3000	1	RMS	2700.5	-44.35	-25	19.35	Pass	601
3000	12000	1	RMS	11946.5	-55.67	-25	30.67	Pass	18003
12000	27000	1	RMS	26990	-38.63	-25	13.63	Pass	30004




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-25	44.61	Pass	401
0.15	30	0.01	RMS	0.31	-68.2	-25	43.2	Pass	5971
30	1000	0.1	RMS	846.8	-59.54	-25	34.54	Pass	19402
1000	2486	1	RMS	2479	-35.5	-25	10.5	Pass	2973
2486	2700	1	RMS	2496.5	23.15	60	36.85	Pass	429
2700	3000	1	RMS	2957	-45.03	-25	20.03	Pass	601
3000	12000	1	RMS	4993	-47.33	-25	22.33	Pass	18003
12000	27000	1	RMS	26986.5	-38.53	-25	13.53	Pass	30004




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-25	45.09	Pass	401
0.15	30	0.01	RMS	0.225	-67.74	-25	42.74	Pass	5971
30	1000	0.1	RMS	842.2	-59.61	-25	34.61	Pass	19402
1000	2486	1	RMS	2478.5	-39.23	-25	14.23	Pass	2973
2486	2700	1	RMS	2496	22.09	60	37.91	Pass	429
2700	3000	1	RMS	2944.5	-45.06	-25	20.06	Pass	601
3000	12000	1	RMS	4993.5	-49.93	-25	24.93	Pass	18003
12000	27000	1	RMS	26987.5	-38.62	-25	13.62	Pass	30004




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.97	-25	44.97	Pass	401
0.15	30	0.01	RMS	0.175	-67.71	-25	42.71	Pass	5971
30	1000	0.1	RMS	843.1	-59.52	-25	34.52	Pass	19402
1000	2486	1	RMS	2483.5	-46.55	-25	21.55	Pass	2973
2486	2700	1	RMS	2588.5	22.84	60	37.16	Pass	429
2700	3000	1	RMS	2944.5	-45.05	-25	20.05	Pass	601
3000	12000	1	RMS	5177.5	-48.74	-25	23.74	Pass	18003
12000	27000	1	RMS	26882.5	-38.58	-25	13.58	Pass	30004




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.185	-67.97	-25	42.97	Pass	5971
30	1000	0.1	RMS	847.65	-59.59	-25	34.59	Pass	19402
1000	2486	1	RMS	2484	-46.6	-25	21.6	Pass	2973
2486	2700	1	RMS	2588.5	22.65	60	37.35	Pass	429
2700	3000	1	RMS	2941.5	-45.03	-25	20.03	Pass	601
3000	12000	1	RMS	5177	-48.31	-25	23.31	Pass	18003
12000	27000	1	RMS	26985	-38.65	-25	13.65	Pass	30004




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.9	-25	44.9	Pass	401
0.15	30	0.01	RMS	0.195	-67.56	-25	42.56	Pass	5971
30	1000	0.1	RMS	719.9	-57.69	-25	32.69	Pass	19402
1000	2486	1	RMS	2485.5	-46.6	-25	21.6	Pass	2973
2486	2700	1	RMS	2680.5	24.41	60	35.59	Pass	429
2700	3000	1	RMS	2957	-45.06	-25	20.06	Pass	601
3000	12000	1	RMS	11960.5	-55.61	-25	30.61	Pass	18003
12000	27000	1	RMS	26970	-38.53	-25	13.53	Pass	30004




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.65	-25	42.65	Pass	401
0.15	30	0.01	RMS	0.2	-68.3	-25	43.3	Pass	5971
30	1000	0.1	RMS	869.557	-59.63	-25	34.63	Pass	19402
1000	2486	1	RMS	2478	-46.61	-25	21.61	Pass	2973
2486	2700	1	RMS	2680.5	23.51	60	36.49	Pass	429
2700	3000	1	RMS	2943.5	-45.07	-25	20.07	Pass	601
3000	12000	1	RMS	11967.5	-55.72	-25	30.72	Pass	18003
12000	27000	1	RMS	26987.5	-38.5	-25	13.5	Pass	30004




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.38	-25	44.38	Pass	401
0.15	30	0.01	RMS	0.175	-67.57	-25	42.57	Pass	5971
30	1000	0.1	RMS	840.7	-59.59	-25	34.59	Pass	19402
1000	2486	1	RMS	2470	-38.85	-25	13.85	Pass	2973
2486	2700	1	RMS	2496.5	23.64	60	36.36	Pass	429
2700	3000	1	RMS	2943	-45.05	-25	20.05	Pass	601
3000	12000	1	RMS	4994	-49.3	-25	24.3	Pass	18003
12000	27000	1	RMS	26859	-38.58	-25	13.58	Pass	30004




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	0.165	-68.06	-25	43.06	Pass	5971
30	1000	0.1	RMS	830.9	-59.52	-25	34.52	Pass	19402
1000	2486	1	RMS	2486	-39.54	-25	14.54	Pass	2973
2486	2700	1	RMS	2496.5	23.27	60	36.73	Pass	429
2700	3000	1	RMS	2942.5	-45.04	-25	20.04	Pass	601
3000	12000	1	RMS	4993	-52.06	-25	27.06	Pass	18003
12000	27000	1	RMS	26990.5	-38.64	-25	13.64	Pass	30004




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.03	-25	45.03	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	5971
30	1000	0.1	RMS	847.7	-59.58	-25	34.58	Pass	19402
1000	2486	1	RMS	2483	-46.66	-25	21.66	Pass	2973
2486	2700	1	RMS	2586	23.93	60	36.07	Pass	429
2700	3000	1	RMS	2944.5	-45.07	-25	20.07	Pass	601
3000	12000	1	RMS	5172	-51.65	-25	26.65	Pass	18003
12000	27000	1	RMS	26848	-38.65	-25	13.65	Pass	30004




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.96	-25	44.96	Pass	401
0.15	30	0.01	RMS	0.235	-68.22	-25	43.22	Pass	5971
30	1000	0.1	RMS	985.095	-59.61	-25	34.61	Pass	19402
1000	2486	1	RMS	2480	-46.58	-25	21.58	Pass	2973
2486	2700	1	RMS	2586	22.32	60	37.68	Pass	429
2700	3000	1	RMS	2948.5	-45.02	-25	20.02	Pass	601
3000	12000	1	RMS	5172.5	-48.89	-25	23.89	Pass	18003
12000	27000	1	RMS	26970	-38.59	-25	13.59	Pass	30004




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.68	-25	44.68	Pass	401
0.15	30	0.01	RMS	0.195	-67.92	-25	42.92	Pass	5971
30	1000	0.1	RMS	836.8	-59.46	-25	34.46	Pass	19402
1000	2486	1	RMS	2483.5	-46.57	-25	21.57	Pass	2973
2486	2715	1	RMS	2675.5	24.08	60	35.92	Pass	459
2715	3000	1	RMS	2943	-45.01	-25	20.01	Pass	571
3000	12000	1	RMS	11949.5	-55.68	-25	30.68	Pass	18003
12000	27000	1	RMS	26848	-38.64	-25	13.64	Pass	30004




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.155	-68.25	-25	43.25	Pass	5971
30	1000	0.1	RMS	848.85	-59.59	-25	34.59	Pass	19402
1000	2486	1	RMS	2478.5	-46.53	-25	21.53	Pass	2973
2486	2715	1	RMS	2675.5	22.47	60	37.53	Pass	459
2715	3000	1	RMS	2948	-45.05	-25	20.05	Pass	571
3000	12000	1	RMS	11941.5	-55.66	-25	30.66	Pass	18003
12000	27000	1	RMS	26718.5	-38.59	-25	13.59	Pass	30004




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.4	-25	44.4	Pass	401
0.15	30	0.01	RMS	0.155	-67.48	-25	42.48	Pass	5971
30	1000	0.1	RMS	849.95	-59.65	-25	34.65	Pass	19402
1000	2486	1	RMS	2485.5	-38.78	-25	13.78	Pass	2973
2486	2700	1	RMS	2497	23.74	60	36.26	Pass	429
2700	3000	1	RMS	2954.5	-45.01	-25	20.01	Pass	601
3000	12000	1	RMS	4994	-47.13	-25	22.13	Pass	18003
12000	27000	1	RMS	26961.5	-38.55	-25	13.55	Pass	30004




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.64	-25	44.64	Pass	401
0.15	30	0.01	RMS	0.165	-67.89	-25	42.89	Pass	5971
30	1000	0.1	RMS	841.15	-59.59	-25	34.59	Pass	19402
1000	2486	1	RMS	2486	-37.46	-25	12.46	Pass	2973
2486	2700	1	RMS	2497	22.42	60	37.58	Pass	429
2700	3000	1	RMS	2941.5	-45.03	-25	20.03	Pass	601
3000	12000	1	RMS	4994.5	-48.15	-25	23.15	Pass	18003
12000	27000	1	RMS	26988	-38.48	-25	13.48	Pass	30004




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.215	-67.36	-25	42.36	Pass	5971
30	1000	0.1	RMS	856.853	-59.64	-25	34.64	Pass	19402
1000	2486	1	RMS	2481	-46.57	-25	21.57	Pass	2973
2486	2700	1	RMS	2584	22.92	60	37.08	Pass	429
2700	3000	1	RMS	2945.5	-45.07	-25	20.07	Pass	601
3000	12000	1	RMS	5168.5	-48.99	-25	23.99	Pass	18003
12000	27000	1	RMS	26957.5	-38.49	-25	13.49	Pass	30004




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-25	44.48	Pass	401
0.15	30	0.01	RMS	0.155	-67.84	-25	42.84	Pass	5971
30	1000	0.1	RMS	847.1	-59.49	-25	34.49	Pass	19402
1000	2486	1	RMS	2485	-46.58	-25	21.58	Pass	2973
2486	2700	1	RMS	2584	22.45	60	37.55	Pass	429
2700	3000	1	RMS	2941	-45.04	-25	20.04	Pass	601
3000	12000	1	RMS	5168.5	-52.45	-25	27.45	Pass	18003
12000	27000	1	RMS	26840.5	-38.67	-25	13.67	Pass	30004




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.9	-25	44.9	Pass	401
0.15	30	0.01	RMS	0.4	-68.23	-25	43.23	Pass	5971
30	1000	0.1	RMS	834.65	-59.45	-25	34.45	Pass	19402
1000	2486	1	RMS	2485	-46.56	-25	21.56	Pass	2973
2486	2715	1	RMS	2671	23.72	60	36.28	Pass	459
2715	3000	1	RMS	2947.5	-44.99	-25	19.99	Pass	571
3000	12000	1	RMS	11945.5	-55.68	-25	30.68	Pass	18003
12000	27000	1	RMS	26898	-38.56	-25	13.56	Pass	30004



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-25	44.55	Pass	401
0.15	30	0.01	RMS	0.17	-67.49	-25	42.49	Pass	5971
30	1000	0.1	RMS	842.25	-59.56	-25	34.56	Pass	19402
1000	2486	1	RMS	2482	-46.51	-25	21.51	Pass	2973
2486	2715	1	RMS	2671	22.58	60	37.42	Pass	459
2715	3000	1	RMS	2942.5	-45	-25	20	Pass	571
3000	12000	1	RMS	11949	-55.66	-25	30.66	Pass	18003
12000	27000	1	RMS	26966	-38.48	-25	13.48	Pass	30004



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.028	-63.28	-13	50.28	Pass	401
0.15	30	0.01	Peak	0.26	-64.53	-13	51.53	Pass	5971
30	809	0.1	Peak	436.55	-53.19	-13	40.19	Pass	15581
809	829	0.1	Peak	814.25	24.59	60	35.41	Pass	401
829	1000	0.1	Peak	936.75	-53.21	-13	40.21	Pass	3421
1000	3000	1	Peak	2962.5	-37.19	-13	24.19	Pass	4001
3000	10000	1	Peak	7379	-30.49	-13	17.49	Pass	14002




1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-59.79	-13	46.79	Pass	401
0.15	30	0.01	Peak	0.365	-63.15	-13	50.15	Pass	5971
30	809	0.1	Peak	755.793	-52.77	-13	39.77	Pass	15581
809	829	0.1	Peak	814.25	25.34	60	34.66	Pass	401
829	1000	0.1	Peak	903.25	-52.18	-13	39.18	Pass	3421
1000	3000	1	Peak	2912	-37.37	-13	24.37	Pass	4001
3000	10000	1	Peak	9803	-30.56	-13	17.56	Pass	14002




1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.031	-62.56	-13	49.56	Pass	401
0.15	30	0.01	Peak	0.19	-64.09	-13	51.09	Pass	5971
30	809	0.1	Peak	620.725	-53.49	-13	40.49	Pass	15581
809	829	0.1	Peak	818.55	25.24	60	34.76	Pass	401
829	1000	0.1	Peak	940.15	-53.24	-13	40.24	Pass	3421
1000	3000	1	Peak	2986.5	-37.7	-13	24.7	Pass	4001
3000	10000	1	Peak	9797.5	-30.37	-13	17.37	Pass	14002




1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.023	-61.18	-13	48.18	Pass	401
0.15	30	0.01	Peak	0.18	-64.13	-13	51.13	Pass	5971
30	809	0.1	Peak	718.238	-53.59	-13	40.59	Pass	15581
809	829	0.1	Peak	818.55	25.24	60	34.76	Pass	401
829	1000	0.1	Peak	851.85	-52.43	-13	39.43	Pass	3421
1000	3000	1	Peak	2903	-37.76	-13	24.76	Pass	4001
3000	10000	1	Peak	9831	-30.62	-13	17.62	Pass	14002




1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.034	-63.48	-13	50.48	Pass	401
0.15	30	0.01	Peak	20.985	-65.24	-13	52.24	Pass	5971
30	809	0.1	Peak	690.734	-53.33	-13	40.33	Pass	15581
809	829	0.1	Peak	822.85	24.79	60	35.21	Pass	401
829	1000	0.1	Peak	914.65	-52.49	-13	39.49	Pass	3421
1000	3000	1	Peak	2991.5	-37.36	-13	24.36	Pass	4001
3000	10000	1	Peak	9210	-30.93	-13	17.93	Pass	14002




1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-60.46	-13	47.46	Pass	401
0.15	30	0.01	Peak	0.2	-64.37	-13	51.37	Pass	5971
30	809	0.1	Peak	785.347	-52.95	-13	39.95	Pass	15581
809	829	0.1	Peak	822.85	25.15	60	34.85	Pass	401
829	1000	0.1	Peak	933.05	-52.56	-13	39.56	Pass	3421
1000	3000	1	Peak	2943.5	-36.4	-13	23.4	Pass	4001
3000	10000	1	Peak	6811	-30.61	-13	17.61	Pass	14002




1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.033	-62.99	-13	49.99	Pass	401
0.15	30	0.01	Peak	0.19	-62.87	-13	49.87	Pass	5971
30	809	0.1	Peak	808.8	-49.74	-13	36.74	Pass	15581
809	829	0.1	Peak	814.2	24.93	60	35.07	Pass	401
829	1000	0.1	Peak	875.2	-52.95	-13	39.95	Pass	3421
1000	3000	1	Peak	2922.5	-37.58	-13	24.58	Pass	4001
3000	10000	1	Peak	9631	-29.58	-13	16.58	Pass	14002




1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-60.9	-13	47.9	Pass	401
0.15	30	0.01	Peak	0.155	-62.53	-13	49.53	Pass	5971
30	809	0.1	Peak	808.95	-47.42	-13	34.42	Pass	15581
809	829	0.1	Peak	814.2	25.28	60	34.72	Pass	401
829	1000	0.1	Peak	831.1	-52.66	-13	39.66	Pass	3421
1000	3000	1	Peak	2945	-37.38	-13	24.38	Pass	4001
3000	10000	1	Peak	9844	-30.69	-13	17.69	Pass	14002




1.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.031	-62.96	-13	49.96	Pass	401
0.15	30	0.01	Peak	0.355	-63.35	-13	50.35	Pass	5971
30	809	0.1	Peak	808.65	-29.12	-13	16.12	Pass	15581
809	829	0.1	Peak	817.75	25.58	60	34.42	Pass	401
829	1000	0.1	Peak	829.1	-30	-13	17	Pass	3421
1000	3000	1	Peak	2971	-37.29	-13	24.29	Pass	4001
3000	10000	1	Peak	8020	-30.4	-13	17.4	Pass	14002




1.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.03	-60.35	-13	47.35	Pass	401
0.15	30	0.01	Peak	0.72	-64.7	-13	51.7	Pass	5971
30	809	0.1	Peak	649.728	-53.31	-13	40.31	Pass	15581
809	829	0.1	Peak	817.7	25.26	60	34.74	Pass	401
829	1000	0.1	Peak	846.4	-53.12	-13	40.12	Pass	3421
1000	3000	1	Peak	1635.5	-36.7	-13	23.7	Pass	4001
3000	10000	1	Peak	7824	-30.78	-13	17.78	Pass	14002




1.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-63.52	-13	50.52	Pass	401
0.15	30	0.01	Peak	0.23	-65.21	-13	52.21	Pass	5971
30	809	0.1	Peak	807.9	-34.45	-13	21.45	Pass	15581
809	829	0.1	Peak	821.25	25.35	60	34.65	Pass	401
829	1000	0.1	Peak	829.45	-46.33	-13	33.33	Pass	3421
1000	3000	1	Peak	2987.5	-37.57	-13	24.57	Pass	4001
3000	10000	1	Peak	9715	-30.73	-13	17.73	Pass	14002




1.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-60.02	-13	47.02	Pass	401
0.15	30	0.01	Peak	0.185	-63.97	-13	50.97	Pass	5971
30	809	0.1	Peak	808.3	-53.33	-13	40.33	Pass	15581
809	829	0.1	Peak	821.25	25.93	60	34.07	Pass	401
829	1000	0.1	Peak	830.95	-26.57	-13	13.57	Pass	3421
1000	3000	1	Peak	2960.5	-37.69	-13	24.69	Pass	4001
3000	10000	1	Peak	9832.5	-30.04	-13	17.04	Pass	14002




1.13. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.03	-63.58	-13	50.58	Pass	401
0.15	30	0.01	Peak	0.155	-64.16	-13	51.16	Pass	5971
30	809	0.1	Peak	809	-50.48	-13	37.48	Pass	15581
809	829	0.1	Peak	814.35	25.32	60	34.68	Pass	401
829	1000	0.1	Peak	841.05	-52.22	-13	39.22	Pass	3421
1000	3000	1	Peak	2979	-37.51	-13	24.51	Pass	4001
3000	10000	1	Peak	9820.5	-29.13	-13	16.13	Pass	14002




1.14. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.033	-60.48	-13	47.48	Pass	401
0.15	30	0.01	Peak	0.295	-63.64	-13	50.64	Pass	5971
30	809	0.1	Peak	809	-50.36	-13	37.36	Pass	15581
809	829	0.1	Peak	814.3	25.56	60	34.44	Pass	401
829	1000	0.1	Peak	948.35	-53.01	-13	40.01	Pass	3421
1000	3000	1	Peak	2964	-37.57	-13	24.57	Pass	4001
3000	10000	1	Peak	9720.5	-30.37	-13	17.37	Pass	14002




1.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-63.71	-13	50.71	Pass	401
0.15	30	0.01	Peak	0.215	-64.28	-13	51.28	Pass	5971
30	809	0.1	Peak	808.25	-52.12	-13	39.12	Pass	15581
809	829	0.1	Peak	816.85	25.26	60	34.74	Pass	401
829	1000	0.1	Peak	899.05	-52.79	-13	39.79	Pass	3421
1000	3000	1	Peak	1633.5	-36.4	-13	23.4	Pass	4001
3000	10000	1	Peak	8728	-30.47	-13	17.47	Pass	14002




1.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.03	-60.97	-13	47.97	Pass	401
0.15	30	0.01	Peak	0.175	-64.8	-13	51.8	Pass	5971
30	809	0.1	Peak	367.95	-52.74	-13	39.74	Pass	15581
809	829	0.1	Peak	816.8	25.03	60	34.97	Pass	401
829	1000	0.1	Peak	848.65	-52.4	-13	39.4	Pass	3421
1000	3000	1	Peak	2986	-36.65	-13	23.65	Pass	4001
3000	10000	1	Peak	9787.5	-30.58	-13	17.58	Pass	14002




1.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.63	-13	50.63	Pass	401
0.15	30	0.01	Peak	0.21	-64.87	-13	51.87	Pass	5971
30	809	0.1	Peak	703.036	-53.41	-13	40.41	Pass	15581
809	829	0.1	Peak	819.4	24.99	60	35.01	Pass	401
829	1000	0.1	Peak	829	-47.19	-13	34.19	Pass	3421
1000	3000	1	Peak	2986	-37.21	-13	24.21	Pass	4001
3000	10000	1	Peak	9804.5	-30.11	-13	17.11	Pass	14002




1.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-60.72	-13	47.72	Pass	401
0.15	30	0.01	Peak	0.44	-64.77	-13	51.77	Pass	5971
30	809	0.1	Peak	795.398	-52.79	-13	39.79	Pass	15581
809	829	0.1	Peak	819.3	25.35	60	34.65	Pass	401
829	1000	0.1	Peak	829	-48.06	-13	35.06	Pass	3421
1000	3000	1	Peak	2943	-36.78	-13	23.78	Pass	4001
3000	10000	1	Peak	9785.5	-30.83	-13	17.83	Pass	14002




1.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-62.89	-13	49.89	Pass	401
0.15	30	0.01	Peak	0.195	-64.25	-13	51.25	Pass	5971
30	809	0.1	Peak	805.85	-49.18	-13	36.18	Pass	15581
809	829	0.1	Peak	814.55	25.17	60	34.83	Pass	401
829	1000	0.1	Peak	829.9	-39.61	-13	26.61	Pass	3421
1000	3000	1	Peak	2942.5	-37.54	-13	24.54	Pass	4001
3000	10000	1	Peak	9692.5	-30.5	-13	17.5	Pass	14002




1.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-59.54	-13	46.54	Pass	401
0.15	30	0.01	Peak	0.165	-64	-13	51	Pass	5971
30	809	0.1	Peak	808.95	-49	-13	36	Pass	15581
809	829	0.1	Peak	814.55	25.18	60	34.82	Pass	401
829	1000	0.1	Peak	829.85	-40.33	-13	27.33	Pass	3421
1000	3000	1	Peak	2846.5	-37	-13	24	Pass	4001
3000	10000	1	Peak	7927	-30.24	-13	17.24	Pass	14002




1.21. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.031	-62.94	-13	49.94	Pass	401
0.15	30	0.01	Peak	0.42	-64.73	-13	51.73	Pass	5971
30	809	0.1	Peak	809	-49.06	-13	36.06	Pass	15581
809	829	0.1	Peak	814.6	25.05	60	34.95	Pass	401
829	1000	0.1	Peak	829.85	-40.11	-13	27.11	Pass	3421
1000	3000	1	Peak	2919	-37.52	-13	24.52	Pass	4001
3000	10000	1	Peak	7174.5	-30.5	-13	17.5	Pass	14002




1.22. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.21	-13	47.21	Pass	401
0.15	30	0.01	Peak	0.605	-64.33	-13	51.33	Pass	5971
30	809	0.1	Peak	809	-49.16	-13	36.16	Pass	15581
809	829	0.1	Peak	814.55	25.29	60	34.71	Pass	401
829	1000	0.1	Peak	829.9	-39.48	-13	26.48	Pass	3421
1000	3000	1	Peak	2965	-37.43	-13	24.43	Pass	4001
3000	10000	1	Peak	7268.5	-30.8	-13	17.8	Pass	14002




1.23. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-63.11	-13	50.11	Pass	401
0.15	30	0.01	Peak	0.17	-64.21	-13	51.21	Pass	5971
30	809	0.1	Peak	808.9	-49.95	-13	36.95	Pass	15581
809	829	0.1	Peak	814.6	25.14	60	34.86	Pass	401
829	1000	0.1	Peak	830.75	-39.2	-13	26.2	Pass	3421
1000	3000	1	Peak	2886	-37.1	-13	24.1	Pass	4001
3000	10000	1	Peak	8569.5	-30.8	-13	17.8	Pass	14002



1.24. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-59.18	-13	46.18	Pass	401
0.15	30	0.01	Peak	0.21	-63.51	-13	50.51	Pass	5971
30	809	0.1	Peak	808.55	-48.75	-13	35.75	Pass	15581
809	829	0.1	Peak	814.65	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	829.9	-39.68	-13	26.68	Pass	3421
1000	3000	1	Peak	1629.5	-37.07	-13	24.07	Pass	4001
3000	10000	1	Peak	9800	-30.48	-13	17.48	Pass	14002



--BLANK BELOW--