


Meas.1 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
98	385	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.49



Meas.2 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
104	389	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.8	1.79



Meas.3 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
125	402	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.4 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
115	395	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.5 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
111	387	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4183	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



**Meas.6 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
136	333	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.5



Meas.7 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
125	315	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.65



**Meas.8 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	319	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.44



Meas.9 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
148	348	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.9	1.53



**Meas.10 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
141	339	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.59



Meas.11 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
146	346	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 17	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23790	710.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.63	2.0



**Meas.12 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	329	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26365	1882.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.58



Meas.13 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
138	338	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.56



**Meas.14 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
131	331	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.42



Meas.15 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
135	328	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.41



Meas.16 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
132	315	16	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.92	1.71



**Meas.17 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
144	311	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.69



**Meas.18 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
143	310	21	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	36	5180.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.99



**Meas.19 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
150	320	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	60	5300.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.4



Meas.20 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
138	305	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	116	5580.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.87	1.82



**Meas.21 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
134	301	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	157	5785.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.61



Meas.22 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
98	387	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	0.78



Meas.23 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
107	395	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.83	1.19



Meas.24 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
115	392	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



**Meas.25 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
108	389	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.26 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
118	395	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4183	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.27 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
125	316	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.46



Meas.28 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
134	323	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.96	1.78



**Meas.29 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
123	313	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.64



Meas.30 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
143	343	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.7



**Meas.31 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
141	341	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.97	1.66



Meas.32 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
135	334	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 17	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23790	710.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.96	1.76



**Meas.33 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
137	338	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26365	1882.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.47



Meas.34 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
134	336	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.34



**Meas.35 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	328	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.37



Meas.36 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
126	325	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.33



Meas.37 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
131	326	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.66



Meas.38 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
147	315	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.46



**Meas.39 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
144	313	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	36	5180.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.4



Meas.40 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
146	313	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	60	5300.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.83	2.0



**Meas.41 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
140	310	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	116	5580.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.57



Meas.42 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
167	325	19	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	157	5785.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.63

