


Radiated Spurious Emission below 1GHz:

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes, only the worst case lowest channel of DH5 for GFSK was recorded in the report.

Test Graph

Horizontal:




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	!	120.0027	26.90	11.52	38.42	43.50	-5.08	QP	100	5
2		276.0267	24.51	15.41	39.92	46.00	-6.08	QP	100	14
3	*	348.0274	23.59	17.90	41.49	46.00	-4.51	QP	100	22
4		372.0697	20.86	18.62	39.48	46.00	-6.52	QP	100	31
5		660.1080	14.23	23.61	37.84	46.00	-8.16	QP	100	141
6		816.1108	14.88	25.10	39.98	46.00	-6.02	QP	100	132

Remark:

1. Margin=Measurement(Level)-Limit.
2. Measurement(Level)=Reading Level+Correct Factor.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Vertical:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		108.0013	22.54	13.98	36.52	43.50	-6.98	QP	100	137
2		120.0028	25.55	11.52	37.07	43.50	-6.43	QP	100	145
3	*	144.0062	27.07	10.33	37.40	43.50	-6.10	QP	100	145
4		348.0274	21.46	17.90	39.36	46.00	-6.64	QP	100	239
5		660.1080	15.73	23.61	39.34	46.00	-6.66	QP	100	353
6		840.2124	14.15	25.73	39.88	46.00	-6.12	QP	100	345


Remark:

- 1. $\text{Margin} = \text{Measurement(Level)} - \text{Limit}$.
- 2. $\text{Measurement(Level)} = \text{Reading Level} + \text{Correct Factor}$.
- 3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/6/24

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1447.3632	13.10	37.47	50.57	74.00	23.43	PASS	Horizont	PK
2	2781.5854	17.10	36.57	53.67	74.00	20.33	PASS	Horizont	PK
3	3858.0572	-12.06	54.82	42.76	74.00	31.24	PASS	Horizont	PK
4	7205.2804	-3.37	45.89	42.52	74.00	31.48	PASS	Horizont	PK
5	12010.6007	3.08	46.75	49.83	74.00	24.17	PASS	Horizont	PK
6	17207.9472	12.85	38.96	51.81	74.00	22.19	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1388.0259	12.82	36.66	49.48	74.00	24.52	PASS	Vertical	PK
2	2717.9812	17.03	37.12	54.15	74.00	19.85	PASS	Vertical	PK
3	4518.1012	-9.61	50.81	41.20	74.00	32.80	PASS	Vertical	PK
4	7358.2906	-2.92	45.94	43.02	74.00	30.98	PASS	Vertical	PK
5	11855.5904	2.56	45.78	48.34	74.00	25.66	PASS	Vertical	PK
6	17437.9625	13.73	39.36	53.09	74.00	20.91	PASS	Vertical	PK
7	2724.3816	16.99	18.39	35.38	54.00	18.62	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19347.8139	-25.73	59.47	33.74	74.00	40.26	PASS	Horizont	PK
2	20396.0758	-25.48	59.46	33.98	74.00	40.02	PASS	Horizont	PK
3	21357.2943	-25.85	57.68	31.83	74.00	42.17	PASS	Horizont	PK
4	22168.2267	-25.47	57.10	31.63	74.00	42.37	PASS	Horizont	PK
5	23378.3351	-23.64	53.90	30.26	74.00	43.74	PASS	Horizont	PK
6	24610.2044	-21.87	50.72	28.85	74.00	45.15	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18592.6437	-26.69	60.73	34.04	74.00	39.96	PASS	Vertical	PK
2	19580.0432	-25.59	59.55	33.96	74.00	40.04	PASS	Vertical	PK
3	20970.0188	-25.95	58.31	32.36	74.00	41.64	PASS	Vertical	PK
4	22676.8871	-25.02	56.38	31.36	74.00	42.64	PASS	Vertical	PK
5	24695.2078	-21.91	51.05	29.14	74.00	44.86	PASS	Vertical	PK
6	25805.6922	-20.82	51.83	31.01	74.00	42.99	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1614.5743	13.72	35.54	49.26	74.00	24.74	PASS	Horizont	PK
2	2784.6523	17.18	36.57	53.75	74.00	20.25	PASS	Horizont	PK
3	3849.0566	-12.08	53.52	41.44	74.00	32.56	PASS	Horizont	PK
4	7999.3333	-1.36	45.24	43.88	74.00	30.12	PASS	Horizont	PK
5	11810.5874	2.40	44.60	47.00	74.00	27.00	PASS	Horizont	PK
6	17785.9857	16.10	37.40	53.50	74.00	20.50	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1527.7685	13.42	35.75	49.17	74.00	24.83	PASS	Vertical	PK
2	2847.5898	17.35	36.98	54.33	74.00	19.67	PASS	Vertical	PK
3	4902.1268	-8.28	50.47	42.19	74.00	31.81	PASS	Vertical	PK
4	8726.3818	-0.37	44.51	44.14	74.00	29.86	PASS	Vertical	PK
5	13278.6852	6.18	42.72	48.90	74.00	25.10	PASS	Vertical	PK
6	17798.9866	15.80	36.69	52.49	74.00	21.51	PASS	Vertical	PK
7	2847.3232	17.36	18.22	35.58	54.00	18.42	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19062.2025	-26.21	59.52	33.31	74.00	40.69	PASS	Horizont	PK
2	20334.5334	-25.49	59.01	33.52	74.00	40.48	PASS	Horizont	PK
3	21384.4954	-25.87	58.04	32.17	74.00	41.83	PASS	Horizont	PK
4	22180.1272	-25.44	56.08	30.64	74.00	43.36	PASS	Horizont	PK
5	23890.0556	-22.15	53.91	31.76	74.00	42.24	PASS	Horizont	PK
6	24880.1752	-22.04	51.15	29.11	74.00	44.89	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19052.6821	-26.22	60.04	33.82	74.00	40.18	PASS	Vertical	PK
2	20355.6142	-25.49	58.44	32.95	74.00	41.05	PASS	Vertical	PK
3	21584.0834	-25.75	58.53	32.78	74.00	41.22	PASS	Vertical	PK
4	22994.7998	-25.66	54.82	29.16	74.00	44.84	PASS	Vertical	PK
5	24327.6531	-22.03	51.38	29.35	74.00	44.65	PASS	Vertical	PK
6	25484.7194	-21.13	49.50	28.37	74.00	45.63	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1453.2302	13.04	35.61	48.65	74.00	25.35	PASS	Horizont	PK
2	2774.5183	16.96	37.23	54.19	74.00	19.81	PASS	Horizont	PK
3	4400.0933	-10.07	50.68	40.61	74.00	33.39	PASS	Horizont	PK
4	8130.342	-1.15	45.43	44.28	74.00	29.72	PASS	Horizont	PK
5	13674.7116	7.36	42.65	50.01	74.00	23.99	PASS	Horizont	PK
6	17839.9893	16.03	37.44	53.47	74.00	20.53	PASS	Horizont	PK
7	2755.4504	16.95	18.14	35.09	54.00	18.91	PASS	Horizont	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1695.2464	14.05	35.93	49.98	74.00	24.02	PASS	Vertical	PK
2	2801.5868	17.24	37.04	54.28	74.00	19.72	PASS	Vertical	PK
3	4529.1019	-9.61	49.91	40.30	74.00	33.70	PASS	Vertical	PK
4	6960.264	-2.99	43.99	41.00	74.00	33.00	PASS	Vertical	PK
5	11271.5514	2.41	44.07	46.48	74.00	27.52	PASS	Vertical	PK
6	17854.9903	15.97	37.04	53.01	74.00	20.99	PASS	Vertical	PK
7	2810.654	17.26	18.43	35.69	54.00	18.31	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19086.3435	-26.18	59.52	33.34	74.00	40.66	PASS	Horizont	PK
2	20048.922	-24.84	57.97	33.13	74.00	40.87	PASS	Horizont	PK
3	21312.7525	-25.83	58.17	32.34	74.00	41.66	PASS	Horizont	PK
4	23000.92	-25.67	53.66	27.99	74.00	46.01	PASS	Horizont	PK
5	24382.3953	-21.77	52.14	30.37	74.00	43.63	PASS	Horizont	PK
6	25893.0757	-20.86	50.79	29.93	74.00	44.07	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/6/24

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19384.8754	-25.65	58.69	33.04	74.00	40.96	PASS	Vertical	PK
2	20962.5385	-25.93	59.22	33.29	74.00	40.71	PASS	Vertical	PK
3	21973.0589	-25.78	57.18	31.40	74.00	42.60	PASS	Vertical	PK
4	23314.0726	-23.86	55.15	31.29	74.00	42.71	PASS	Vertical	PK
5	24700.308	-21.92	51.02	29.10	74.00	44.90	PASS	Vertical	PK
6	26065.8026	-21.05	49.38	28.33	74.00	45.67	PASS	Vertical	PK

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.