



Test Plots

GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE




GFSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




GFSK LOW CHANNEL, SPURIOUS

3 GHz ~ 25 GHz




GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS


3 GHz ~ 25 GHz



GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




GFSK HIGH CHANNEL, SPURIOUS


3 GHz ~ 25 GHz



8DPSK LOW CHANNEL, CARRIER LEVEL




8DPSK LOW CHANNEL, BAND EDGE




8DPSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8DPSK LOW CHANNEL, SPURIOUS


3 GHz ~ 25 GHz




8DPSK MIDDLE CHANNEL, CARRIER LEVEL




8DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8DPSK HIGH CHANNEL, CARRIER LEVEL




8DPSK HIGH CHANNEL, BAND EDGE




8DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note: Not applicable.

A.8 Radiated Spurious Emission

Note ¹: The symbol of "--" in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.291	22.03	-24.84	40.0	17.97	Peak	208.00	200	Horizontal	Pass
2	157.700	25.41	-23.65	43.5	18.09	Peak	105.00	200	Horizontal	Pass
3	192.038	27.69	-26.54	43.5	15.81	Peak	268.00	100	Horizontal	Pass
4	384.098	27.59	-19.48	46.0	18.41	Peak	249.00	100	Horizontal	Pass
5	780.343	35.76	-9.06	46.0	10.24	Peak	359.00	100	Horizontal	Pass
6	864.200	38.79	-8.97	46.0	7.21	Peak	249.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	50.612	34.97	-24.82	40.0	5.03	Peak	57.00	100	Vertical	Pass
2	61.331	29.24	-25.68	40.0	10.76	Peak	172.00	100	Vertical	Pass
3	127.340	25.33	-26.16	43.5	18.17	Peak	245.00	100	Vertical	Pass
4	672.140	32.61	-11.58	46.0	13.39	Peak	8.00	100	Vertical	Pass
5	788.297	39.89	-9.57	46.0	6.11	Peak	198.00	100	Vertical	Pass
6	864.200	40.79	-8.97	46.0	5.21	Peak	292.00	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.900	44.67	74.0	29.33	Peak	195.00	200	Horizontal	Pass
1**	1519.900	33.51	54.0	20.49	AV	195.00	200	Horizontal	Pass
2	2402.100	109.75	--	--	Peak	231.00	200	Horizontal	N/A
2**	2402.100	109.53	--	--	AV	231.00	200	Horizontal	N/A
3	4804.000	50.96	74.0	23.04	Peak	273.00	150	Horizontal	Pass
3**	4804.000	48.55	54.0	5.45	AV	273.00	150	Horizontal	Pass
4	7566.950	45.21	74.0	28.79	Peak	241.00	200	Horizontal	Pass
4**	7566.950	36.37	54.0	17.63	AV	241.00	200	Horizontal	Pass
5	11743.750	47.45	74.0	26.55	Peak	153.00	200	Horizontal	Pass
5**	11743.750	38.27	54.0	15.73	AV	153.00	200	Horizontal	Pass
6	15839.625	50.81	74.0	23.19	Peak	154.00	150	Horizontal	Pass
6**	15839.625	41.98	54.0	12.02	AV	154.00	150	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.800	44.98	74.0	29.02	Peak	280.00	300	Vertical	Pass
1**	1542.800	33.83	54.0	20.17	AV	280.00	300	Vertical	Pass
2	2402.000	113.34	--	--	Peak	177.00	100	Vertical	N/A
2**	2402.000	113.05	--	--	AV	177.00	100	Vertical	N/A
3	4804.000	52.04	74.0	21.96	Peak	195.00	150	Vertical	Pass
3**	4804.000	49.03	54.0	4.97	AV	195.00	150	Vertical	Pass
4	7550.850	45.58	74.0	28.42	Peak	33.00	100	Vertical	Pass
4**	7550.850	36.73	54.0	17.27	AV	33.00	100	Vertical	Pass
5	12611.713	47.41	74.0	26.59	Peak	224.00	100	Vertical	Pass
5**	12611.713	38.95	54.0	15.05	AV	224.00	100	Vertical	Pass
6	15918.113	51.73	74.0	22.27	Peak	75.00	400	Vertical	Pass
6**	15918.113	41.07	54.0	12.93	AV	75.00	400	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	45.04	74.0	28.96	Peak	198.00	200	Horizontal	Pass
1**	1541.200	34.33	54.0	19.67	AV	198.00	200	Horizontal	Pass
2	2441.000	109.72	--	--	Peak	191.00	100	Horizontal	N/A
2**	2441.000	109.33	--	--	AV	191.00	100	Horizontal	N/A
3	4882.200	50.04	74.0	23.96	Peak	204.00	150	Horizontal	Pass
3**	4882.200	46.76	54.0	7.24	AV	204.00	150	Horizontal	Pass
4	7553.150	45.70	74.0	28.30	Peak	122.00	200	Horizontal	Pass
4**	7553.150	36.08	54.0	17.92	AV	122.00	200	Horizontal	Pass
5	12603.375	47.51	74.0	26.49	Peak	332.00	200	Horizontal	Pass
5**	12603.375	38.01	54.0	15.99	AV	332.00	200	Horizontal	Pass
6	15578.438	50.39	74.0	23.61	Peak	352.00	400	Horizontal	Pass
6**	15578.438	41.30	54.0	12.70	AV	352.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.100	44.77	74.0	29.23	Peak	72.00	400	Vertical	Pass
1**	1539.100	32.64	54.0	21.36	AV	72.00	400	Vertical	Pass
2	2441.000	111.46	--	--	Peak	182.00	200	Vertical	N/A
2**	2441.000	111.27	--	--	AV	182.00	200	Vertical	N/A
3	4882.000	51.71	74.0	22.29	Peak	195.00	150	Vertical	Pass
3**	4882.000	49.47	54.0	4.53	AV	195.00	150	Vertical	Pass
4	7550.850	45.24	74.0	28.76	Peak	247.00	100	Vertical	Pass
4**	7550.850	36.79	54.0	17.21	AV	247.00	100	Vertical	Pass
5	12448.125	47.58	74.0	26.42	Peak	173.00	150	Vertical	Pass
5**	12448.125	37.73	54.0	16.27	AV	173.00	150	Vertical	Pass
6	15977.437	50.91	74.0	23.09	Peak	234.00	300	Vertical	Pass
6**	15977.437	40.43	54.0	13.57	AV	234.00	300	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	44.85	74.0	29.15	Peak	192.00	400	Horizontal	Pass
1**	1544.200	32.37	54.0	21.63	AV	192.00	400	Horizontal	Pass
2	2480.000	110.34	--	--	Peak	133.00	200	Horizontal	N/A
2**	2480.000	110.03	--	--	AV	133.00	200	Horizontal	N/A
3	4959.800	51.82	74.0	22.18	Peak	274.00	150	Horizontal	Pass
3**	4959.800	49.28	54.0	4.72	AV	274.00	150	Horizontal	Pass
4	7512.612	45.25	74.0	28.75	Peak	243.00	300	Horizontal	Pass
4**	7512.612	35.23	54.0	18.77	AV	243.00	300	Horizontal	Pass
5	10894.474	47.47	74.0	26.53	Peak	153.00	100	Horizontal	Pass
5**	10894.474	37.70	54.0	16.30	AV	153.00	100	Horizontal	Pass
6	15565.575	51.65	74.0	22.35	Peak	74.00	200	Horizontal	Pass
6**	15565.575	40.90	54.0	13.10	AV	74.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	44.09	74.0	29.91	Peak	69.00	300	Vertical	Pass
1**	1544.100	33.66	54.0	20.34	AV	69.00	300	Vertical	Pass
2	2480.000	110.86	--	--	Peak	184.00	200	Vertical	N/A
2**	2480.000	110.40	--	--	AV	184.00	200	Vertical	N/A
3	4960.000	53.58	74.0	20.42	Peak	264.00	150	Vertical	Pass
3**	4960.000	51.66	54.0	2.34	AV	264.00	150	Vertical	Pass
4	7540.212	45.18	74.0	28.82	Peak	117.00	300	Vertical	Pass
4**	7540.212	35.64	54.0	18.36	AV	117.00	300	Vertical	Pass
5	12210.362	47.40	74.0	26.60	Peak	28.00	200	Vertical	Pass
5**	12210.362	38.10	54.0	15.90	AV	28.00	200	Vertical	Pass
6	15800.776	50.85	74.0	23.15	Peak	0.00	200	Vertical	Pass
6**	15800.776	42.10	54.0	11.90	AV	0.00	200	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.500	44.51	74.0	29.49	Peak	183.00	200	Horizontal	Pass
1**	1539.500	33.40	54.0	20.60	AV	183.00	200	Horizontal	Pass
2	2401.900	110.33	--	--	Peak	217.00	150	Horizontal	N/A
2**	2401.900	106.41	--	--	AV	217.00	150	Horizontal	N/A
3	4804.200	48.56	74.0	25.44	Peak	229.00	150	Horizontal	Pass
3**	4804.200	44.22	54.0	9.78	AV	229.00	150	Horizontal	Pass
4	7502.837	45.18	74.0	28.82	Peak	98.00	100	Horizontal	Pass
4**	7502.837	35.58	54.0	18.42	AV	98.00	100	Horizontal	Pass
5	12614.587	47.88	74.0	26.12	Peak	358.00	200	Horizontal	Pass
5**	12614.587	38.47	54.0	15.53	AV	358.00	200	Horizontal	Pass
6	15796.575	51.21	74.0	22.79	Peak	233.00	300	Horizontal	Pass
6**	15796.575	42.28	54.0	11.72	AV	233.00	300	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.800	44.37	74.0	29.63	Peak	79.00	300	Vertical	Pass
1**	1547.800	33.98	54.0	20.02	AV	79.00	300	Vertical	Pass
2	2401.800	112.61	--	--	Peak	182.00	100	Vertical	N/A
2**	2401.800	109.19	--	--	AV	182.00	100	Vertical	N/A
3	4804.200	50.11	74.0	23.89	Peak	195.00	150	Vertical	Pass
3**	4804.200	43.82	54.0	10.18	AV	195.00	150	Vertical	Pass
4	7540.500	45.07	74.0	28.93	Peak	7.00	100	Vertical	Pass
4**	7540.500	36.04	54.0	17.96	AV	7.00	100	Vertical	Pass
5	11286.338	47.22	74.0	26.78	Peak	141.00	100	Vertical	Pass
5**	11286.338	36.88	54.0	17.12	AV	141.00	100	Vertical	Pass
6	15799.200	50.66	74.0	23.34	Peak	90.00	200	Vertical	Pass
6**	15799.200	42.17	54.0	11.83	AV	90.00	200	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.600	44.49	74.0	29.51	Peak	192.00	300	Horizontal	Pass
1**	1547.600	33.83	54.0	20.17	AV	192.00	300	Horizontal	Pass
2	2440.800	109.18	--	--	Peak	192.00	150	Horizontal	N/A
2**	2440.800	105.64	--	--	AV	192.00	150	Horizontal	N/A
3	4882.200	48.35	74.0	25.65	Peak	275.00	150	Horizontal	Pass
3**	4882.200	44.30	54.0	9.70	AV	275.00	150	Horizontal	Pass
4	7427.800	44.87	74.0	29.13	Peak	46.00	400	Horizontal	Pass
4**	7427.800	36.10	54.0	17.90	AV	46.00	400	Horizontal	Pass
5	12612.287	47.26	74.0	26.74	Peak	150.00	200	Horizontal	Pass
5**	12612.287	37.94	54.0	16.06	AV	150.00	200	Horizontal	Pass
6	15794.213	50.80	74.0	23.20	Peak	314.00	400	Horizontal	Pass
6**	15794.213	41.73	54.0	12.27	AV	314.00	400	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.800	45.66	74.0	28.34	Peak	94.00	100	Vertical	Pass
1**	1547.800	34.80	54.0	19.20	AV	94.00	100	Vertical	Pass
2	2440.900	111.17	--	--	Peak	209.00	150	Vertical	N/A
2**	2440.900	108.69	--	--	AV	209.00	150	Vertical	N/A
3	4882.200	50.59	74.0	23.41	Peak	190.00	150	Vertical	Pass
3**	4882.200	45.37	54.0	8.63	AV	190.00	150	Vertical	Pass
4	7552.575	45.21	74.0	28.79	Peak	328.00	100	Vertical	Pass
4**	7552.575	36.07	54.0	17.93	AV	328.00	100	Vertical	Pass
5	10906.263	46.93	74.0	27.07	Peak	241.00	200	Vertical	Pass
5**	10906.263	39.00	54.0	15.00	AV	241.00	200	Vertical	Pass
6	15807.863	50.82	74.0	23.18	Peak	139.00	300	Vertical	Pass
6**	15807.863	41.55	54.0	12.45	AV	139.00	300	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	44.23	74.0	29.77	Peak	182.00	100	Horizontal	Pass
1**	1539.600	34.62	54.0	19.38	AV	182.00	100	Horizontal	Pass
2	2480.000	109.83	--	--	Peak	131.00	200	Horizontal	N/A
2**	2480.000	107.21	--	--	AV	131.00	200	Horizontal	N/A
3	4960.200	49.96	74.0	24.04	Peak	218.00	150	Horizontal	Pass
3**	4960.200	46.66	54.0	7.34	AV	218.00	150	Horizontal	Pass
4	7422.050	44.72	74.0	29.28	Peak	100.00	400	Horizontal	Pass
4**	7422.050	36.62	54.0	17.38	AV	100.00	400	Horizontal	Pass
5	12189.950	47.32	74.0	26.68	Peak	7.00	100	Horizontal	Pass
5**	12189.950	37.79	54.0	16.21	AV	7.00	100	Horizontal	Pass
6	15794.475	50.76	74.0	23.24	Peak	288.00	100	Horizontal	Pass
6**	15794.475	42.28	54.0	11.72	AV	288.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	44.39	74.0	29.61	Peak	360.00	400	Vertical	Pass
1**	1539.600	33.36	54.0	20.64	AV	360.00	400	Vertical	Pass
2	2480.000	109.95	--	--	Peak	184.00	200	Vertical	N/A
2**	2480.000	108.18	--	--	AV	184.00	200	Vertical	N/A
3	4960.200	52.25	74.0	21.75	Peak	219.00	150	Vertical	Pass
3**	4960.200	49.39	54.0	4.61	AV	219.00	150	Vertical	Pass
4	7500.825	45.06	74.0	28.94	Peak	86.00	100	Vertical	Pass
4**	7500.825	35.16	54.0	18.84	AV	86.00	100	Vertical	Pass
5	12448.125	47.73	74.0	26.27	Peak	282.00	150	Vertical	Pass
5**	12448.125	37.82	54.0	16.18	AV	282.00	150	Vertical	Pass
6	15351.900	50.94	74.0	23.06	Peak	119.00	300	Vertical	Pass
6**	15351.900	40.87	54.0	13.13	AV	119.00	300	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note⁴: The Level (dBuV/m) has been corrected by factor.

Note⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2368.833	57.20	74.0	16.80	Peak	112.00	200	Vertical	Pass
1**	2368.833	45.04	54.0	8.96	AV	112.00	200	Vertical	Pass
2	2389.833	55.03	74.0	18.97	Peak	356.00	100	Vertical	Pass
2**	2389.833	44.85	54.0	9.15	AV	356.00	100	Vertical	Pass


GFSK HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	55.79	74.0	18.21	Peak	0.00	100	Vertical	Pass
1**	2483.550	45.11	54.0	8.89	AV	0.00	100	Vertical	Pass
2	2483.900	57.29	74.0	16.71	Peak	273.00	200	Vertical	Pass
2**	2483.900	45.40	54.0	8.60	AV	273.00	200	Vertical	Pass


8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.167	57.51	74.0	16.49	Peak	37.00	100	Vertical	Pass
1**	2385.167	45.33	54.0	8.67	AV	37.00	100	Vertical	Pass
2	2389.833	55.30	74.0	18.70	Peak	171.00	150	Vertical	Pass
2**	2389.833	44.68	54.0	9.32	AV	171.00	150	Vertical	Pass

8DPSK HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	56.46	74.0	17.54	Peak	208.00	150	Vertical	Pass
1**	2483.550	45.43	54.0	8.57	AV	208.00	150	Vertical	Pass
2	2493.350	56.54	74.0	17.46	Peak	264.00	100	Vertical	Pass
2**	2493.350	44.48	54.0	9.52	AV	264.00	100	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-AT26070074-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-AT26070074-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-AT26070074-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--