



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	31
3. Maximum Conducted Output Power	46
4. Power Spectral Density	47
5. Frequency Stability	62
6. Spurious Emission	66


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	18.34	16.33
NVNT	ANT1	802.11a	5200.00	18.65	16.36
NVNT	ANT1	802.11a	5240.00	18.20	16.33
NVNT	ANT1	802.11n(HT20)	5180.00	19.26	17.54
NVNT	ANT1	802.11n(HT20)	5200.00	19.45	17.54
NVNT	ANT1	802.11n(HT20)	5240.00	19.30	17.53
NVNT	ANT1	802.11ac(VHT20)	5180.00	19.21	17.55
NVNT	ANT1	802.11ac(VHT20)	5200.00	19.27	17.56
NVNT	ANT1	802.11ac(VHT20)	5240.00	19.30	17.53
NVNT	ANT1	802.11n(HT40)	5190.00	41.17	36.02
NVNT	ANT1	802.11n(HT40)	5230.00	40.85	36.06
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.87	36.12
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.91	35.98
NVNT	ANT1	802.11ac(VHT80)	5210.00	81.05	74.76
NVNT	ANT2	802.11a	5180.00	18.17	16.34
NVNT	ANT2	802.11a	5200.00	18.35	16.37
NVNT	ANT2	802.11a	5240.00	18.31	16.35
NVNT	ANT2	802.11n(HT20)	5180.00	19.29	17.52
NVNT	ANT2	802.11n(HT20)	5200.00	19.37	17.56
NVNT	ANT2	802.11n(HT20)	5240.00	19.35	17.55
NVNT	ANT2	802.11ac(VHT20)	5180.00	19.49	17.56
NVNT	ANT2	802.11ac(VHT20)	5200.00	19.28	17.55
NVNT	ANT2	802.11ac(VHT20)	5240.00	19.25	17.56
NVNT	ANT2	802.11n(HT40)	5190.00	40.67	36.09
NVNT	ANT2	802.11n(HT40)	5230.00	40.67	36.03
NVNT	ANT2	802.11ac(VHT40)	5190.00	41.19	36.08
NVNT	ANT2	802.11ac(VHT40)	5230.00	40.45	36.07
NVNT	ANT2	802.11ac(VHT80)	5210.00	80.98	74.79







99% OCB NVNT ANT1 802 11a 5200




-26BW NVNT ANT1 802 11a 5200




99% OCB NVNT ANT1 802 11a 5240




-26BW NVNT ANT1 802 11a 5240




99% OCB NVNT ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180




99% OCB NVNT ANT1 802 11n(HT20) 5200




-26BW NVNT ANT1 802 11n(HT20) 5200




99% OCB NVNT ANT1 802 11n(HT20) 5240




-26BW NVNT ANT1 802 11n(HT20) 5240




99% OCB NVNT ANT1 802 11ac(VHT20) 5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99% OCB NVNT ANT1 802 11ac(VHT20) 5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB NVNT ANT1 802 11ac(VHT20) 5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240




99% OCB NVNT ANT1 802 11n(HT40) 5190




-26BW NVNT ANT1 802 11n(HT40) 5190




99% OCB NVNT ANT1 802 11n(HT40) 5230




-26BW NVNT ANT1 802 11n(HT40) 5230




99% OCB NVNT ANT1 802 11ac(VHT40) 5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190




99% OCB NVNT ANT1 802 11ac(VHT40) 5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230




99% OCB NVNT ANT1 802 11ac(VHT80) 5210




-26BW_NVNT_ANT1_802_11ac(VHT80)_5210




99% OCB NVNT ANT2 802 11a 5180




-26BW NVNT ANT2 802 11a 5180




99% OCB NVNT ANT2 802 11a 5200




-26BW NVNT ANT2 802 11a 5200




99% OCB NVNT ANT2 802 11a 5240




-26BW NVNT ANT2 802 11a 5240




99% OCB NVNT ANT2 802 11n(HT20) 5180




-26BW NVNT ANT2 802 11n(HT20) 5180




99% OCB NVNT ANT2 802 11n(HT20) 5200




-26BW NVNT ANT2 802 11n(HT20) 5200




99% OCB NVNT ANT2 802 11n(HT20) 5240




-26BW NVNT ANT2 802 11n(HT20) 5240




99% OCB NVNT ANT2 802 11ac(VHT20) 5180




-26BW_NVNT_ANT2_802_11ac(VHT20)_5180




99% OCB NVNT ANT2 802 11ac(VHT20) 5200




-26BW_NVNT_ANT2_802_11ac(VHT20)_5200




99% OCB NVNT ANT2 802 11ac(VHT20) 5240




-26BW_NVNT_ANT2_802_11ac(VHT20)_5240




99% OCB NVNT ANT2 802 11n(HT40) 5190




-26BW NVNT ANT2 802 11n(HT40) 5190




99% OCB NVNT ANT2 802 11n(HT40) 5230




-26BW NVNT ANT2 802 11n(HT40) 5230




99% OCB NVNT ANT2 802 11ac(VHT40) 5190




-26BW_NVNT_ANT2_802_11ac(VHT40)_5190




99% OCB NVNT ANT2 802 11ac(VHT40) 5230




-26BW_NVNT_ANT2_802_11ac(VHT40)_5230



99% OCB NVNT ANT2 802 11ac(VHT80) 5210




-26BW_NVNT_ANT2_802_11ac(VHT80)_5210




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	94.50	0.25
NVNT	ANT1	802.11a	5200.00	94.55	0.24
NVNT	ANT1	802.11a	5240.00	93.69	0.28
NVNT	ANT1	802.11n(HT20)	5180.00	95.05	0.22
NVNT	ANT1	802.11n(HT20)	5200.00	95.05	0.22
NVNT	ANT1	802.11n(HT20)	5240.00	95.05	0.22
NVNT	ANT1	802.11ac(VHT20)	5180.00	93.27	0.30
NVNT	ANT1	802.11ac(VHT20)	5200.00	94.17	0.26
NVNT	ANT1	802.11ac(VHT20)	5240.00	93.27	0.30
NVNT	ANT1	802.11n(HT40)	5190.00	87.04	0.60
NVNT	ANT1	802.11n(HT40)	5230.00	87.04	0.60
NVNT	ANT1	802.11ac(VHT40)	5190.00	78.69	1.04
NVNT	ANT1	802.11ac(VHT40)	5230.00	79.66	0.99
NVNT	ANT1	802.11ac(VHT80)	5210.00	69.70	1.57
NVNT	ANT2	802.11a	5180.00	95.37	0.21
NVNT	ANT2	802.11a	5200.00	95.41	0.20
NVNT	ANT2	802.11a	5240.00	95.37	0.21
NVNT	ANT2	802.11n(HT20)	5180.00	94.12	0.26
NVNT	ANT2	802.11n(HT20)	5200.00	94.12	0.26
NVNT	ANT2	802.11n(HT20)	5240.00	94.12	0.26
NVNT	ANT2	802.11ac(VHT20)	5180.00	94.17	0.26
NVNT	ANT2	802.11ac(VHT20)	5200.00	93.27	0.30
NVNT	ANT2	802.11ac(VHT20)	5240.00	93.20	0.31
NVNT	ANT2	802.11n(HT40)	5190.00	87.27	0.59
NVNT	ANT2	802.11n(HT40)	5230.00	87.27	0.59
NVNT	ANT2	802.11ac(VHT40)	5190.00	88.89	0.51
NVNT	ANT2	802.11ac(VHT40)	5230.00	88.89	0.51
NVNT	ANT2	802.11ac(VHT80)	5210.00	67.65	1.70




Duty Cycle NVNT ANT1 802 11a 5200




Duty Cycle NVNT ANT1 802_11a 5240




Duty Cycle NVNT ANT1 802_11n(HT20)_5180




Duty Cycle NVNT ANT1 802 11n(HT20) 5200




Duty Cycle NVNT ANT1 802 11n(HT20) 5240




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5180




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5200




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5240




Duty Cycle NVNT ANT1 802_11n(HT40) 5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210




Duty Cycle NVNT ANT2_802_11a_5180




Duty Cycle NVNT ANT2_802_11a_5200




Duty Cycle NVNT ANT2_802_11a_5240




Duty Cycle NVNT ANT2_802_11n(HT20)_5180




Duty Cycle NVNT ANT2 802 11n(HT20) 5200




Duty Cycle NVNT ANT2 802 11n(HT20) 5240




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5200




Duty Cycle NVNT ANT2_802_11ac(VHT20)_5240




Duty Cycle NVNT ANT2_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5190



Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT2_802_11ac(VHT80)_5210



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	Conducted limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	13.83	16.10	22.13	30	Pass
NVNT	ANT1	802.11a	5200.00	13.74	16.01	22.14	30	Pass
NVNT	ANT1	802.11a	5240.00	13.67	15.94	22.13	30	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	12.93	15.20	22.44	30	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	12.82	15.09	22.44	30	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	12.63	14.90	22.44	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	12.76	15.03	22.44	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	12.65	14.92	22.45	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	12.61	14.88	22.44	30	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	11.60	13.87	23.01	30	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	11.72	13.99	23.01	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	11.59	13.86	23.01	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	11.62	13.89	23.01	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	10.66	12.93	23.01	30	Pass
NVNT	ANT2	802.11a	5180.00	13.58	15.80	22.13	30	Pass
NVNT	ANT2	802.11a	5200.00	13.43	15.65	22.14	30	Pass
NVNT	ANT2	802.11a	5240.00	13.45	15.67	22.14	30	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	12.68	14.90	22.44	30	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	12.53	14.75	22.45	30	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	12.52	14.74	22.44	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	12.65	14.87	22.45	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	12.53	14.75	22.44	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	12.54	14.76	22.45	30	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	11.47	13.69	23.01	30	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	11.56	13.78	23.01	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	11.54	13.76	23.01	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	11.53	13.75	23.01	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	10.65	12.87	23.01	30	Pass

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	Conducted limit(dBm)	Result
NVNT	MIMO	802.11n(HT20)	5180.00	15.82	21.08	22.44	30	Pass
NVNT	MIMO	802.11n(HT20)	5200.00	15.69	20.95	22.44	30	Pass
NVNT	MIMO	802.11n(HT20)	5240.00	15.59	20.85	22.44	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5180.00	15.72	20.98	22.44	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5200.00	15.60	20.86	22.44	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5240.00	15.59	20.85	22.44	30	Pass
NVNT	MIMO	802.11n(HT40)	5190.00	14.55	19.81	23.01	30	Pass
NVNT	MIMO	802.11n(HT40)	5230.00	14.65	19.91	23.01	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5190.00	14.58	19.84	23.01	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5230.00	14.59	19.85	23.01	30	Pass
NVNT	MIMO	802.11ac(VHT80)	5210.00	13.67	18.93	23.01	30	Pass

Note 1: EIRP= Output Power + Antenna Gain, Ant 1 Gain=2.27dBi, Ant 2 Gain=2.22dBi, Directional gain: 5.26dBi

Note 2: MIMO=Ant 1 + Ant 2

Note 3: The maximum e.i.r.p. shall not exceed 200 mW or 10 + 10 log10B, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.

4. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Duty factor(dB)	Total PSD (dBm/MHz)	E.I.R.P PSD (dBm/MHz)	Conducted limit(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-2.91	0.25	-2.66	-0.39	11	10	Pass
NVNT	ANT1	802.11a	5200.00	-1.71	0.24	-1.47	0.80	11	10	Pass
NVNT	ANT1	802.11a	5240.00	-1.46	0.28	-1.18	1.09	11	10	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-4.06	0.22	-3.84	-1.57	11	10	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-1.41	0.22	-1.19	1.08	11	10	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-4.25	0.22	-4.03	-1.76	11	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-5.64	0.30	-5.34	-3.07	11	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-4.29	0.26	-4.03	-1.76	11	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-5.34	0.30	-5.04	-2.77	11	10	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-12.94	0.60	-12.34	-10.07	11	10	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-9.37	0.60	-8.77	-6.50	11	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-12.96	1.06	-11.90	-9.63	11	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-11.91	0.99	-10.92	-8.65	11	10	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-23.01	1.57	-21.44	-19.17	11	10	Pass
NVNT	ANT2	802.11a	5180.00	-0.49	0.21	-0.28	1.94	11	10	Pass
NVNT	ANT2	802.11a	5200.00	-1.20	0.20	-1.00	1.22	11	10	Pass
NVNT	ANT2	802.11a	5240.00	-2.58	0.21	-2.37	-0.15	11	10	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	-3.90	0.26	-3.64	-1.42	11	10	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	-3.60	0.26	-3.34	-1.12	11	10	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	-6.98	0.26	-6.72	-4.50	11	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	-4.24	0.26	-3.98	-1.76	11	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	-4.18	0.30	-3.88	-1.66	11	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	-4.72	0.31	-4.41	-2.19	11	10	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	-11.66	0.59	-11.07	-8.85	11	10	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	-10.32	0.59	-9.73	-7.51	11	10	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	-10.96	0.51	-10.45	-8.23	11	10	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	-13.18	0.51	-12.67	-10.45	11	10	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	-22.54	1.70	-20.84	-18.62	11	10	Pass

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	E.I.R.P PSD (dBm/MHz)	Conducted limit(dBm)	E.I.R.P limit(dBm)	Result
NVNT	MIMO	802.11n(HT20)	5180.00	1.52	6.78	11	10	Pass
NVNT	MIMO	802.11n(HT20)	5200.00	3.13	8.39	11	10	Pass
NVNT	MIMO	802.11n(HT20)	5240.00	0.09	5.35	11	10	Pass
NVNT	MIMO	802.11ac(VHT20)	5180.00	0.64	5.90	11	10	Pass
NVNT	MIMO	802.11ac(VHT20)	5200.00	1.30	6.56	11	10	Pass
NVNT	MIMO	802.11ac(VHT20)	5240.00	0.54	5.80	11	10	Pass
NVNT	MIMO	802.11n(HT40)	5190.00	-6.41	-1.15	11	10	Pass
NVNT	MIMO	802.11n(HT40)	5230.00	-3.97	1.29	11	10	Pass
NVNT	MIMO	802.11ac(VHT40)	5190.00	-5.86	-0.60	11	10	Pass
NVNT	MIMO	802.11ac(VHT40)	5230.00	-6.45	-1.19	11	10	Pass
NVNT	MIMO	802.11ac(VHT80)	5210.00	-15.88	-10.62	11	10	Pass


Note 1: EIRP= Output Power + Antenna Gain, Ant 1 Gain=2.27dBi, Ant 2 Gain=2.22dBi, Directional gain: 5.26dBi

Note 2: MIMO=Ant 1 + Ant 2


Power_Spectral_Density_NVNT_ANT1_802_11a_5180




Power Spectral Density NVNT ANT1_802_11a_5200




Power Spectral Density NVNT ANT1_802_11a_5240




Power Spectral Density NVNT ANT1 802 11n(HT20) 5180




Power Spectral Density NVNT ANT1 802 11n(HT20) 5200




Power Spectral Density NVNT ANT1 802_11n(HT20)_5240




Power Spectral Density NVNT ANT1 802_11ac(VHT20)_5180




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5200




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5240




Power Spectral Density NVNT ANT1 802 11n(HT40) 5190




Power Spectral Density NVNT ANT1 802 11n(HT40) 5230




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5190




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5230




Power Spectral Density NVNT ANT1 802 11ac(VHT80) 5210




Power Spectral Density NVNT ANT2 802 11a 5180




Power_Spectral_Density_NVNT_ANT2_802_11a_5200




Power_Spectral_Density_NVNT_ANT2_802_11a_5240




Power Spectral Density NVNT ANT2_802_11n(HT20)_5180




Power Spectral Density NVNT ANT2_802_11n(HT20)_5200




Power Spectral Density NVNT ANT2_802_11n(HT20)_5240




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5180




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5200




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5240




Power Spectral Density NVNT ANT2_802_11n(HT40)_5190



Power Spectral Density NVNT ANT2_802_11n(HT40)_5230



Power Spectral Density NVNT ANT2_802_11ac(VHT40)_5190



Power Spectral Density NVNT ANT2_802_11ac(VHT40)_5230