







Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775




Duty Cycle NVNT ANT2 802 11a 5745




Duty Cycle NVNT ANT2 802 11a 5785




Duty Cycle NVNT ANT2_802_11a_5825




Duty Cycle NVNT ANT2_802_11n(HT20)_5745




Duty Cycle NVNT ANT2 802 11n(HT20) 5785




Duty Cycle NVNT ANT2 802 11n(HT20) 5825




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5785




Duty Cycle NVNT ANT2_802_11ac(VHT20)_5825




Duty Cycle NVNT ANT2_802_11n(HT40)_5755




Duty Cycle NVNT ANT2 802 11n(HT40) 5795




Duty Cycle NVNT ANT2 802 11ac(VHT40) 5755



Duty Cycle NVNT ANT2_802_11ac(VHT40)_5795



Duty Cycle NVNT ANT2_802_11ac(VHT80)_5775



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	13.89	30	Pass
NVNT	ANT1	802.11a	5785.00	13.84	30	Pass
NVNT	ANT1	802.11a	5825.00	13.74	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	12.69	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	12.90	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	12.92	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	12.89	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	12.67	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	12.67	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	11.95	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	11.82	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	11.89	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	11.76	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	10.90	30	Pass
NVNT	ANT2	802.11a	5745.00	13.61	30	Pass
NVNT	ANT2	802.11a	5785.00	13.36	30	Pass
NVNT	ANT2	802.11a	5825.00	13.60	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	12.45	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	12.36	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	12.49	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	12.38	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	12.56	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	12.31	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	11.39	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	11.45	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	11.48	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	11.43	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	10.49	30	Pass

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	MIMO	802.11n(HT20)	5745.00	15.58	30	Pass
NVNT	MIMO	802.11n(HT20)	5785.00	15.65	30	Pass
NVNT	MIMO	802.11n(HT20)	5825.00	15.72	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5745.00	15.65	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5785.00	15.63	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5825.00	15.50	30	Pass
NVNT	MIMO	802.11n(HT40)	5755.00	14.69	30	Pass
NVNT	MIMO	802.11n(HT40)	5795.00	14.65	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5755.00	14.70	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5795.00	14.61	30	Pass
NVNT	MIMO	802.11ac(VHT80)	5775.00	13.71	30	Pass

Note 1: MIMO=Ant 1 + Ant 2



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-4.91	0.32	-0.09	-4.67	30	Pass
NVNT	ANT1	802.11a	5785.00	-4.24	0.25	-0.09	-4.08	30	Pass
NVNT	ANT1	802.11a	5825.00	-4.93	0.32	-0.09	-4.69	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-5.41	0.26	-0.09	-5.24	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-4.84	0.22	-0.09	-4.71	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-7.02	0.22	-0.09	-6.89	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-7.38	0.39	-0.09	-7.07	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-7.51	0.34	-0.09	-7.26	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-7.35	0.31	-0.09	-7.13	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-13.74	0.68	-0.09	-13.15	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-13.94	0.68	-0.09	-13.34	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-14.68	0.68	-0.09	-14.09	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-12.25	0.68	-0.09	-11.66	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-25.00	1.82	-0.09	-23.26	30	Pass
NVNT	ANT2	802.11a	5745.00	-4.43	0.40	-0.09	-4.11	30	Pass
NVNT	ANT2	802.11a	5785.00	-7.06	0.36	-0.09	-6.78	30	Pass
NVNT	ANT2	802.11a	5825.00	-4.74	0.36	-0.09	-4.47	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	-7.27	0.43	-0.09	-6.92	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	-8.83	0.43	-0.09	-8.49	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	-6.30	0.47	-0.09	-5.92	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	-8.09	0.39	-0.09	-7.78	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	-8.60	0.39	-0.09	-8.30	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	-7.89	0.43	-0.09	-7.55	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	-15.69	0.68	-0.09	-15.10	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	-12.30	0.67	-0.09	-11.71	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	-16.02	0.75	-0.09	-15.35	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	-15.16	0.75	-0.09	-14.49	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	-26.39	1.70	-0.09	-24.77	30	Pass

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	MIMO	802.11n(HT20)	5745.00	-2.99	30	Pass
NVNT	MIMO	802.11n(HT20)	5785.00	-3.19	30	Pass
NVNT	MIMO	802.11n(HT20)	5825.00	-3.37	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5745.00	-4.40	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5785.00	-4.74	30	Pass
NVNT	MIMO	802.11ac(VHT20)	5825.00	-4.32	30	Pass
NVNT	MIMO	802.11n(HT40)	5755.00	-11.01	30	Pass
NVNT	MIMO	802.11n(HT40)	5795.00	-9.44	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5755.00	-11.66	30	Pass
NVNT	MIMO	802.11ac(VHT40)	5795.00	-9.84	30	Pass
NVNT	MIMO	802.11ac(VHT80)	5775.00	-20.94	30	Pass

Note 1: MIMO=Ant 1 + Ant 2


Power Spectral Density_NVNT_ANT1_802_11a_5745




Power Spectral Density NVNT ANT1_802_11a_5825




Power Spectral Density NVNT ANT1 802 11n(HT20) 5745




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785




Power Spectral Density NVNT ANT1 802_11n(HT20)_5825




Power Spectral Density NVNT ANT1 802_11ac(VHT20)_5745




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5785




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5825




Power Spectral Density NVNT ANT1 802 11n(HT40) 5755




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5755




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5795




Power Spectral Density NVNT ANT1 802 11ac(VHT80) 5775




Power Spectral Density NVNT ANT2_802_11a_5745




Power Spectral Density NVNT ANT2_802_11a_5785




Power Spectral Density NVNT ANT2_802_11a_5825




Power Spectral Density NVNT ANT2_802_11n(HT20)_5745




Power Spectral Density NVNT ANT2_802_11n(HT20)_5785




Power Spectral Density NVNT ANT2_802_11n(HT20)_5825




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5745




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5785




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5825




Power Spectral Density NVNT ANT2_802_11n(HT40)_5755





Power Spectral Density NVNT ANT2_802_11n(HT40)_5795



Power Spectral Density NVNT ANT2_802_11ac(VHT40)_5755



Power Spectral Density NVNT ANT2_802_11ac(VHT40)_5795



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
45degrees C&&12.0V	ANT1	802.11a	5745.00	5745.032	5736.800	5753.264	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5745.00	5745.018	5736.884	5753.152	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5745.00	5745.012	5736.948	5753.076	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5745.00	5745.016	5737.012	5753.020	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5745.00	5745.018	5737.076	5752.960	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5745.00	5745.020	5737.128	5752.912	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11a	5745.00	5745.014	5737.176	5752.852	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11a	5745.00	5745.006	5737.228	5752.784	5725~5850	Pass

25degrees C&&12.0V	ANT1	802.11a	5745.00	5745.012	5737.272	5752.752	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5745.00	5745.014	5737.316	5752.712	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5776.788	5793.212	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5785.00	5785.004	5776.880	5793.128	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5785.00	5785.002	5776.944	5793.060	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5777.004	5792.996	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5785.00	5784.996	5777.060	5792.932	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5785.00	5785.004	5777.112	5792.896	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11a	5785.00	5784.992	5777.168	5792.816	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11a	5785.00	5784.996	5777.216	5792.776	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5785.00	5785.006	5777.260	5792.752	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5785.00	5784.984	5777.300	5792.668	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11a	5825.00	5825.002	5816.800	5833.204	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5825.00	5825.002	5816.892	5833.112	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5825.00	5824.996	5816.956	5833.036	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5825.00	5824.996	5817.012	5832.980	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5825.00	5824.992	5817.060	5832.924	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5825.00	5824.988	5817.124	5832.852	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11a	5825.00	5824.996	5817.176	5832.816	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11a	5825.00	5824.996	5817.220	5832.772	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5825.00	5824.984	5817.272	5832.696	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5825.00	5824.984	5817.316	5832.652	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.018	5736.232	5753.804	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.012	5736.316	5753.708	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.024	5736.392	5753.656	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.456	5753.588	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.018	5736.508	5753.528	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.016	5736.564	5753.468	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.008	5736.624	5753.392	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5745.00	5745.014	5736.676	5753.352	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.008	5736.732	5753.284	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5745.00	5745.010	5736.792	5753.228	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.000	5776.208	5793.792	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.296	5793.708	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.992	5776.360	5793.624	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.432	5793.564	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.992	5776.488	5793.496	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.994	5776.552	5793.436	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.990	5776.608	5793.372	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.660	5793.344	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.986	5776.712	5793.260	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5785.00	5785.004	5776.768	5793.240	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5825.010	5816.224	5833.796	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5825.102	5816.280	5833.924	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.484	5816.324	5844.644	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.454	5816.324	5844.584	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.370	5816.324	5844.416	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.348	5816.324	5844.372	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.274	5816.324	5844.224	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5825.00	5830.224	5816.324	5844.124	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5830.168	5816.324	5844.012	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5825.00	5830.136	5816.324	5843.948	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.012	5736.228	5753.796	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.010	5736.308	5753.712	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.008	5736.380	5753.636	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.024	5736.456	5753.592	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5736.528	5753.512	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.024	5736.584	5753.464	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.644	5753.388	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5745.00	5745.028	5736.692	5753.364	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5736.740	5753.300	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5745.00	5745.034	5736.796	5753.272	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.208	5793.808	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.296	5793.720	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5784.998	5776.360	5793.636	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.000	5776.424	5793.576	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.476	5793.528	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.000	5776.532	5793.468	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5784.998	5776.584	5793.412	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5785.00	5784.990	5776.632	5793.348	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5784.986	5776.672	5793.300	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5785.00	5784.974	5776.716	5793.232	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5825.002	5816.220	5833.784	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.998	5816.300	5833.696	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.996	5816.364	5833.628	5725~5850	Pass

15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5825.004	5816.436	5833.572	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.990	5816.488	5833.492	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.988	5816.548	5833.428	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.998	5816.604	5833.392	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5825.00	5825.000	5816.656	5833.344	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5825.000	5816.720	5833.280	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5825.00	5824.992	5816.764	5833.220	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.052	5737.056	5773.048	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.060	5737.224	5772.896	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.072	5737.376	5772.768	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.092	5737.520	5772.664	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.076	5737.656	5772.496	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.072	5737.784	5772.360	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.912	5772.216	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11n(HT40)	5755.00	5755.068	5738.056	5772.080	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.092	5738.208	5771.976	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5755.00	5755.056	5738.336	5771.776	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.012	5776.976	5813.048	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.008	5777.144	5812.872	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.028	5777.304	5812.752	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.456	5812.584	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.012	5777.576	5812.448	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5794.980	5777.704	5812.256	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.840	5812.200	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11n(HT40)	5795.00	5794.980	5777.944	5812.016	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.000	5778.048	5811.952	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5795.00	5795.000	5778.176	5811.824	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.076	5737.080	5773.072	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.056	5737.256	5772.856	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.088	5737.440	5772.736	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.552	5772.544	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.056	5737.696	5772.416	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.080	5737.856	5772.304	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.116	5738.000	5772.232	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT40)	5755.00	5755.100	5738.144	5772.056	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.084	5738.288	5771.880	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5755.00	5755.088	5738.432	5771.744	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.032	5813.008	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.168	5812.872	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.992	5777.288	5812.696	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.008	5777.408	5812.608	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.980	5777.520	5812.440	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.968	5777.632	5812.304	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.972	5777.744	5812.200	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT40)	5795.00	5794.948	5777.912	5811.984	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.984	5778.040	5811.928	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5778.176	5811.776	5725~5850	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.030	5737.692	5812.368	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5738.160	5811.936	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.066	5738.628	5811.504	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.024	5739.036	5811.012	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5739.444	5810.652	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.120	5739.876	5810.364	5725~5850	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.102	5740.188	5810.016	5725~5850	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT80)	5775.00	5775.090	5740.572	5809.608	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT80)	5775.00	5775.102	5740.944	5809.260	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT80)	5775.00	5775.054	5741.292	5808.816	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11a	5745.00	5745.010	5736.812	5753.208	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11a	5745.00	5745.010	5736.896	5753.124	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11a	5745.00	5745.010	5736.960	5753.060	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11a	5745.00	5745.006	5737.024	5752.988	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11a	5745.00	5745.014	5737.084	5752.944	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11a	5745.00	5744.998	5737.136	5752.860	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11a	5745.00	5745.008	5737.188	5752.828	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11a	5745.00	5745.012	5737.244	5752.780	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11a	5745.00	5745.010	5737.288	5752.732	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11a	5745.00	5745.018	5737.332	5752.704	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11a	5785.00	5785.002	5776.792	5793.212	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11a	5785.00	5784.996	5776.880	5793.112	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11a	5785.00	5784.990	5776.948	5793.032	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11a	5785.00	5784.990	5777.000	5792.980	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11a	5785.00	5784.990	5777.052	5792.928	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11a	5785.00	5784.990	5777.108	5792.872	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11a	5785.00	5784.986	5777.152	5792.820	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11a	5785.00	5784.982	5777.204	5792.760	5725~5850	Pass

25degrees C&&12.0V	ANT2	802.11a	5785.00	5784.968	5777.248	5792.688	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11a	5785.00	5784.986	5777.296	5792.676	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11a	5825.00	5824.994	5816.808	5833.180	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11a	5825.00	5825.002	5816.896	5833.108	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11a	5825.00	5825.000	5816.960	5833.040	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11a	5825.00	5824.998	5817.020	5832.976	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11a	5825.00	5824.990	5817.076	5832.904	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11a	5825.00	5824.998	5817.140	5832.856	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11a	5825.00	5825.014	5817.200	5832.828	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11a	5825.00	5825.000	5817.252	5832.748	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11a	5825.00	5825.014	5817.304	5832.724	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11a	5825.00	5825.010	5817.360	5832.660	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.016	5736.232	5753.800	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.022	5736.324	5753.720	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.020	5736.392	5753.648	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.016	5736.456	5753.576	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.028	5736.524	5753.532	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.022	5736.584	5753.460	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.016	5736.640	5753.392	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5745.00	5745.026	5736.688	5753.364	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5745.00	5745.014	5736.744	5753.284	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5745.00	5745.016	5736.796	5753.236	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.998	5776.220	5793.776	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5785.000	5776.304	5793.696	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.998	5776.372	5793.624	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5785.002	5776.440	5793.564	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.994	5776.492	5793.496	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.990	5776.540	5793.440	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.978	5776.596	5793.360	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5785.00	5784.984	5776.652	5793.316	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5785.00	5784.974	5776.704	5793.244	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5785.00	5784.994	5776.760	5793.228	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.994	5816.220	5833.768	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.996	5816.304	5833.688	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.992	5816.368	5833.616	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.992	5816.436	5833.548	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5825.000	5816.496	5833.504	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.990	5816.548	5833.432	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.984	5816.592	5833.376	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5825.00	5824.994	5816.656	5833.332	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5825.00	5824.956	5816.700	5833.212	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5825.00	5824.974	5816.760	5833.188	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.010	5736.232	5753.788	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.008	5736.308	5753.708	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.004	5736.376	5753.632	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.004	5736.440	5753.568	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.002	5736.492	5753.512	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.064	5736.560	5753.568	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.124	5736.616	5753.632	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5745.00	5745.192	5736.676	5753.708	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5745.00	5745.262	5736.732	5753.792	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5745.00	5745.366	5736.784	5753.948	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5785.000	5776.212	5793.788	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5785.004	5776.300	5793.708	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5785.000	5776.368	5793.632	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5784.994	5776.428	5793.560	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5784.996	5776.484	5793.508	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5784.986	5776.536	5793.436	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5784.978	5776.592	5793.364	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5785.00	5784.980	5776.640	5793.320	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5785.00	5784.996	5776.704	5793.288	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5785.00	5784.998	5776.768	5793.228	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.990	5816.212	5833.768	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.990	5816.288	5833.692	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.984	5816.352	5833.616	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.982	5816.408	5833.556	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.978	5816.472	5833.484	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.984	5816.540	5833.428	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.980	5816.592	5833.368	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5825.00	5824.984	5816.644	5833.324	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5825.00	5824.988	5816.692	5833.284	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5825.00	5824.982	5816.744	5833.220	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.016	5737.032	5773.000	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.024	5737.192	5772.856	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.012	5737.320	5772.704	5725~5850	Pass

15degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.028	5737.480	5772.576	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.044	5737.632	5772.456	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.060	5737.784	5772.336	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.028	5737.912	5772.144	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11n(HT40)	5755.00	5755.068	5738.064	5772.072	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5755.00	5755.020	5738.176	5771.864	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11n(HT40)	5755.00	5755.040	5738.304	5771.776	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5795.032	5777.024	5813.040	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5795.016	5777.168	5812.864	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5794.984	5777.288	5812.680	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5794.976	5777.432	5812.520	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5795.000	5777.536	5812.464	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5794.972	5777.656	5812.288	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5794.904	5777.776	5812.032	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11n(HT40)	5795.00	5794.972	5777.912	5812.032	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5795.00	5794.936	5778.040	5811.832	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11n(HT40)	5795.00	5794.948	5778.168	5811.728	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.036	5737.032	5773.040	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.016	5737.184	5772.848	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.024	5737.344	5772.704	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.028	5737.488	5772.568	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.024	5737.600	5772.448	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.016	5737.736	5772.296	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.028	5737.888	5772.168	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT40)	5755.00	5755.020	5738.040	5772.000	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5755.00	5755.072	5738.176	5771.968	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT40)	5755.00	5755.036	5738.336	5771.736	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5795.000	5776.992	5813.008	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.988	5777.144	5812.832	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5795.004	5777.288	5812.720	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.996	5777.432	5812.560	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.932	5777.536	5812.328	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.960	5777.656	5812.264	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.976	5777.800	5812.152	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT40)	5795.00	5794.944	5777.920	5811.968	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5795.00	5794.860	5778.040	5811.680	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT40)	5795.00	5794.964	5778.176	5811.752	5725~5850	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5775.000	5737.788	5812.212	5725~5850	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5774.994	5738.256	5811.732	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5775.042	5738.676	5811.408	5725~5850	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5775.000	5739.096	5810.904	5725~5850	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5774.982	5739.468	5810.496	5725~5850	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5774.964	5739.852	5810.076	5725~5850	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5774.988	5740.140	5809.836	5725~5850	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT80)	5775.00	5774.868	5740.404	5809.332	5725~5850	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT80)	5775.00	5774.874	5740.728	5809.020	5725~5850	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT80)	5775.00	5774.880	5741.100	5808.660	5725~5850	Pass