











































Maximum Power Spectral Density Level



Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
a	5745	-1.544	0.21	-1.334	-1.424	<=30	Pass
a	5785	-1.927	0.2	-1.727	-1.817	<=30	Pass
a	5825	-1.847	0.2	-1.647	-1.737	<=30	Pass
n20	5745	-1.54	0.21	-1.33	-1.42	<=30	Pass
n20	5785	-1.47	0.21	-1.26	-1.35	<=30	Pass
n20	5825	-1.606	0.2	-1.406	-1.496	<=30	Pass
n40	5755	-5.13	0.21	-4.92	-5.01	<=30	Pass
n40	5795	-4.556	0.2	-4.356	-4.446	<=30	Pass
ac20	5745	-1.894	0.2	-1.694	-1.784	<=30	Pass
ac20	5785	-1.614	0.21	-1.404	-1.494	<=30	Pass
ac20	5825	-1.909	0.21	-1.699	-1.789	<=30	Pass
ac40	5755	-4.542	0.21	-4.332	-4.422	<=30	Pass
ac40	5795	-4.91	0.2	-4.71	-4.8	<=30	Pass
ax20	5745	-1.994	0.2	-1.794	-1.884	<=30	Pass
ax20	5785	-2.508	0.2	-2.308	-2.398	<=30	Pass
ax20	5825	-2.075	0.21	-1.865	-1.955	<=30	Pass
ax40	5755	-5.413	0.2	-5.213	-5.303	<=30	Pass
ax40	5795	-4.88	0.2	-4.68	-4.77	<=30	Pass




























6. Test Setup Photo

Reference to the file No.: ET-26095099SP for details.

7. EUT Constructional Details

Reference to the file No.: ET-26095099EP and ET- ET-26095099IP for details

-----END-----