







11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lianqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01



11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795




11AX20SISO_Ant1_5180



11AX20SISO_Ant1_5200



11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5260

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01




11AX20SISO_Ant1_5280




11AX20SISO_Ant1_5320




11AX20SISO_Ant1_5500




11AX20SISO_Ant1_5580




11AX20SISO_Ant1_5700




11AX20SISO_Ant1_5745



11AX20SISO_Ant1_5785



11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270




11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670




11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795



6dB Bandwidth:




CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825




11N40SISO_Ant1_5755

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795



11AX20SISO_Ant1_5745



11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825

CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Langqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01



11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795



3.5. Output Power

Limit


FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

Test Item	Limit	Frequency Range (MHz)
Conducted Output Power	Fixed: 1 Watt (30dBm) Mobile and Portable: 250mW (24dBm)	5150~5250
	250mW (24dBm)	5250~5350
	250mW (24dBm)	5500~5700
	1 Watt (30dBm)	5725~5850

RSS-247 7.3

IC Power@PSD Limit					
Frequency	Type of devices	Maximum Conducted Output Power	EIRP Output Power	Conducted Power Spectral Density	EIRP Power Spectral Density
5150MHz-5250MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices		200mW or $10 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		10dBm/MHz
5250MHz-5350MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5470MHz-5600MHz 5650MHz-5725MHz	ALL Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5725MHz-5850MHz	ALL Devices	1W		30dBm/500KHz	

Test Configuration



Test Procedure

The measurement is according to section 3 of KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

Test Mode

Please refer to the clause 2.4.

Test Result

Test Mode	Antenna	Freq(MHz)	Conducted Power[dBm]	Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	14.68	≤24	17.69	≤23	PASS
		5200	14.49	≤24	17.50	≤23	PASS
		5240	14.79	≤24	17.80	≤23	PASS
		5260	14.53	≤24	17.54	≤30	PASS
		5280	14.85	≤24	17.86	≤30	PASS
		5320	13.61	≤24	16.62	≤30	PASS
		5500	14.66	≤24	17.67	≤30	PASS
		5580	14.27	≤24	17.28	≤30	PASS
		5700	14.65	≤24	17.66	≤30	PASS
		5745	14.87	≤30	/	/	PASS
		5785	14.45	≤30	/	/	PASS
		5825	14.94	≤30	/	/	PASS
11N20SISO	Ant1	5180	13.21	≤24	16.22	≤23	PASS
		5200	13.92	≤24	16.93	≤23	PASS
		5240	13.24	≤24	16.25	≤23	PASS
		5260	13.85	≤24	16.86	≤30	PASS
		5280	13.25	≤24	16.26	≤30	PASS
		5320	13.36	≤24	16.37	≤30	PASS
		5500	13.87	≤24	16.88	≤30	PASS
		5580	13.69	≤24	16.70	≤30	PASS
		5700	13.32	≤24	16.33	≤30	PASS
		5745	13.83	≤30	/	/	PASS
		5785	13.48	≤30	/	/	PASS
		5825	12.89	≤30	/	/	PASS
11N40SISO	Ant1	5190	12.05	≤24	15.06	≤23	PASS
		5230	12.75	≤24	15.76	≤23	PASS
		5270	12.35	≤24	15.36	≤30	PASS
		5310	12.34	≤24	15.35	≤30	PASS
		5510	12.01	≤24	15.02	≤30	PASS
		5550	12.25	≤24	15.26	≤30	PASS
		5670	12.81	≤24	15.82	≤30	PASS
		5755	12.36	≤30	/	/	PASS
		5795	12.02	≤30	/	/	PASS
11AC20SISO	Ant1	5180	13.55	≤24	16.56	≤23	PASS
		5200	13.20	≤24	16.21	≤23	PASS
		5240	13.13	≤24	16.14	≤23	PASS
		5260	12.91	≤24	15.92	≤30	PASS
		5280	13.48	≤24	16.49	≤30	PASS
		5320	13.92	≤24	16.93	≤30	PASS
		5500	13.98	≤24	16.99	≤30	PASS
		5580	13.39	≤24	16.40	≤30	PASS
		5700	13.15	≤24	16.16	≤30	PASS
		5745	13.21	≤30	/	/	PASS
		5785	13.20	≤30	/	/	PASS
		5825	12.94	≤30	/	/	PASS

11AC40SISO	Ant1	5190	12.89	≤24	15.90	≤23	PASS
		5230	12.96	≤24	15.97	≤23	PASS
		5270	11.84	≤24	14.85	≤30	PASS
		5310	12.96	≤24	15.97	≤30	PASS
		5510	12.66	≤24	15.67	≤30	PASS
		5550	12.55	≤24	15.56	≤30	PASS
		5670	12.58	≤24	15.59	≤30	PASS
		5755	12.26	≤30	/	/	PASS
		5795	12.15	≤30	/	/	PASS
11AX20SISO	Ant1	5180	13.34	≤24	16.35	≤23	PASS
		5200	13.16	≤24	16.17	≤23	PASS
		5240	13.12	≤24	16.13	≤23	PASS
		5260	13.14	≤24	16.15	≤30	PASS
		5280	13.16	≤24	16.17	≤30	PASS
		5320	13.15	≤24	16.16	≤30	PASS
		5500	13.62	≤24	16.63	≤30	PASS
		5580	13.49	≤24	16.50	≤30	PASS
		5700	13.83	≤24	16.84	≤30	PASS
		5745	13.95	≤30	/	/	PASS
		5785	13.32	≤30	/	/	PASS
		5825	13.66	≤30	/	/	PASS
11AX40SISO	Ant1	5190	12.46	≤24	15.47	≤23	PASS
		5230	11.77	≤24	14.78	≤23	PASS
		5270	12.57	≤24	15.58	≤30	PASS
		5310	13.65	≤24	16.66	≤30	PASS
		5510	11.70	≤24	14.71	≤30	PASS
		5550	12.46	≤24	15.47	≤30	PASS
		5670	12.43	≤24	15.44	≤30	PASS
		5755	12.95	≤30	/	/	PASS
		5795	12.83	≤30	/	/	PASS

3.6. Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

For the 5.15~5.25GHz band:

- Outdoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Indoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Point-to-point AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 23\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 23)$.
- Client devices
The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.25~5.35GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.47~5.725GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.725~5.85GHz band:

- Point-to-multipoint systems (P2M)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 30 - (G_{TX} - 6)$.
- Point-to-point systems (P2P)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.

Note: G_{TX} : EUT Antenna gain.

RSS-247 7.3

IC Power&PSD Limit					
Frequency	Type of devices	Maximum Conducted Output Power	EIRP Output Power	Conducted Power Spectral Density	EIRP Power Spectral Density
5150MHz~5250MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices		200mW or $10 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		10dBm/MHz
5250MHz~5350MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5470MHz~5600MHz 5650MHz~5725MHz	ALL Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5725MHz~5850MHz	ALL Devices	1W		30dBm/500KHz	


Test Configuration

CTC Laboratories, Inc.

Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5

Master TRF : Dated 2026-06-01



Test Procedure

The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement is according to KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

- (1) The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
- (2) Set analyzer center frequency to transmitting frequency.
- (3) Set the span to encompass the entire emissions bandwidth (EBW) (alternatively, the entire 99% OBW) of the signal.
- (4) RBW=1MHz for devices operating in the bands 5.15-5.25 GHz, 5.25-5.35 GHz, and 5.47-5.725 GHz
RBW=500kHz for devices operating in the band 5.725-5.85 GHz.
- (5) Set the VBW to: ≥ 3 RBW
- (6) Detector: AVG
- (7) Trace: Max Hold and View
- (7) Sweep time: auto
- (8) Trace average at least 100 traces in power averaging.
- (9) User the peak marker function to determine the maximum amplitude level within the RBW. Apply correction to the result if different RBW is used.

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

Test Mode


Please refer to the clause 2.4.

Test Result

Test Mode	Antenna	Freq(MHz)	PSD [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11A	Ant1	5180	4.19	≤ 11.00	7.20	≤ 10.00	PASS
		5200	3.84	≤ 11.00	6.85	≤ 10.00	PASS
		5240	3.55	≤ 11.00	6.56	≤ 10.00	PASS
		5260	3.57	≤ 11.00	---	---	PASS
		5280	3.55	≤ 11.00	---	---	PASS
		5320	2.75	≤ 11.00	---	---	PASS
		5500	3.63	≤ 11.00	---	---	PASS
		5580	2.99	≤ 11.00	---	---	PASS
		5700	3.20	≤ 11.00	---	---	PASS
		5745	0.34	≤ 30.00	---	---	PASS
		5785	-0.02	≤ 30.00	---	---	PASS
11N20SISO	Ant1	5825	0.63	≤ 30.00	---	---	PASS
		5180	1.42	≤ 11.00	4.43	≤ 10.00	PASS
		5200	2.82	≤ 11.00	5.83	≤ 10.00	PASS
		5240	2.49	≤ 11.00	5.50	≤ 10.00	PASS
		5260	2.61	≤ 11.00	---	---	PASS
		5280	1.84	≤ 11.00	---	---	PASS
		5320	2.02	≤ 11.00	---	---	PASS
		5500	2.88	≤ 11.00	---	---	PASS
		5580	2.01	≤ 11.00	---	---	PASS

		5700	1.90	≤ 11.00	---	---	PASS
		5745	-0.84	≤ 30.00	---	---	PASS
		5785	-1.13	≤ 30.00	---	---	PASS
		5825	-1.53	≤ 30.00	---	---	PASS
11N40SISO	Ant1	5190	-1.77	≤ 11.00	1.24	≤ 10.00	PASS
		5230	-1.60	≤ 11.00	1.41	≤ 10.00	PASS
		5270	-2.12	≤ 11.00	---	---	PASS
		5310	-2.46	≤ 11.00	---	---	PASS
		5510	-2.29	≤ 11.00	---	---	PASS
		5550	-1.69	≤ 11.00	---	---	PASS
		5670	-1.77	≤ 11.00	---	---	PASS
		5755	-5.37	≤ 30.00	---	---	PASS
		5795	-5.55	≤ 30.00	---	---	PASS
11AC20SISO	Ant1	5180	2.07	≤ 11.00	5.08	≤ 10.00	PASS
		5200	1.89	≤ 11.00	4.90	≤ 10.00	PASS
		5240	1.72	≤ 11.00	4.73	≤ 10.00	PASS
		5260	1.59	≤ 11.00	---	---	PASS
		5280	2.15	≤ 11.00	---	---	PASS
		5320	2.60	≤ 11.00	---	---	PASS
		5500	2.66	≤ 11.00	---	---	PASS
		5580	1.67	≤ 11.00	---	---	PASS
		5700	1.28	≤ 11.00	---	---	PASS
		5745	-1.57	≤ 30.00	---	---	PASS
		5785	-1.36	≤ 30.00	---	---	PASS
		5825	-1.84	≤ 30.00	---	---	PASS
11AC40SISO	Ant1	5190	-1.08	≤ 11.00	1.93	≤ 10.00	PASS
		5230	-1.08	≤ 11.00	1.93	≤ 10.00	PASS
		5270	-2.59	≤ 11.00	---	---	PASS
		5310	-1.40	≤ 11.00	---	---	PASS
		5510	-1.61	≤ 11.00	---	---	PASS
		5550	-2.44	≤ 11.00	---	---	PASS
		5670	-2.31	≤ 11.00	---	---	PASS
		5755	-5.25	≤ 30.00	---	---	PASS
11AX20SISO	Ant1	5795	-5.75	≤ 30.00	---	---	PASS
		5180	1.93	≤ 11.00	4.94	≤ 10.00	PASS
		5200	1.50	≤ 11.00	4.51	≤ 10.00	PASS
		5240	1.91	≤ 11.00	4.92	≤ 10.00	PASS
		5260	1.41	≤ 11.00	---	---	PASS
		5280	1.30	≤ 11.00	---	---	PASS
		5320	1.55	≤ 11.00	---	---	PASS
		5500	2.10	≤ 11.00	---	---	PASS
		5580	1.45	≤ 11.00	---	---	PASS
		5700	2.33	≤ 11.00	---	---	PASS
		5745	-0.85	≤ 30.00	---	---	PASS
		5785	-1.37	≤ 30.00	---	---	PASS
		5825	-1.06	≤ 30.00	---	---	PASS
11AX40SISO	Ant1	5190	-2.27	≤ 11.00	0.74	≤ 10.00	PASS
		5230	-1.40	≤ 11.00	1.61	≤ 10.00	PASS
		5270	-2.38	≤ 11.00	---	---	PASS
		5310	-0.38	≤ 11.00	---	---	PASS
		5510	-2.74	≤ 11.00	---	---	PASS
		5550	-2.10	≤ 11.00	---	---	PASS
		5670	-2.50	≤ 11.00	---	---	PASS
		5755	-4.51	≤ 30.00	---	---	PASS
		5795	-5.21	≤ 30.00	---	---	PASS

Test plot as follows:




CTC Laboratories, Inc.


Room 107, 108, 207, 208 of Building A, Room 101 of Building B, No.7, Lanting 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-062_A5


Master TRF : Dated 2026-06-01




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500



11A_Ant1_5580



11A_Ant1_5700



11A_Ant1_5745