











Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5745





Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5825





Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5795




Duty_Cycle_NVNT_ANT1_802_11ax(HE80)_5775





4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	17.71	1.25	18.96	30	Pass
NVNT	ANT1	802.11a	5785.00	17.33	0.79	18.12	30	Pass
NVNT	ANT1	802.11a	5825.00	17.41	1.14	18.55	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.63	0.87	17.50	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.29	1.38	17.67	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.44	1.38	17.82	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	15.20	2.04	17.24	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	15.20	2.04	17.24	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	15.34	2.04	17.38	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	14.05	0.00	14.05	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	14.64	1.76	16.40	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	14.76	1.76	16.52	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	13.51	0.00	13.51	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	13.36	1.46	14.82	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	12.57	3.01	15.58	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	12.44	2.22	14.66	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	11.49	1.76	13.25	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	11.56	1.25	12.81	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	10.41	2.22	12.63	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	9.40	0.00	9.40	30	Pass



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825





Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE80)_5775



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-5.04	1.25	-0.09	-3.88	30	Pass
NVNT	ANT1	802.11a	5785.00	-6.89	0.79	-0.09	-6.19	30	Pass
NVNT	ANT1	802.11a	5825.00	-6.03	1.14	-0.09	-4.97	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-7.85	0.87	-0.09	-7.06	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-9.29	1.38	-0.09	-8.00	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-9.33	1.38	-0.09	-8.03	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-16.09	2.04	-0.09	-14.14	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-15.84	2.04	-0.09	-13.89	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-15.41	2.04	-0.09	-13.45	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-14.21	1.76	-0.09	-12.53	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-14.95	1.76	-0.09	-13.28	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-14.43	1.76	-0.09	-12.76	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-18.40	2.04	-0.09	-16.45	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-15.69	1.46	-0.09	-14.31	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-24.12	3.01	-0.09	-21.20	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-24.30	2.22	-0.09	-22.17	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-20.41	1.76	-0.09	-18.73	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-19.37	1.25	-0.09	-18.20	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-31.02	2.22	-0.09	-28.88	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-24.29	1.25	-0.09	-23.13	30	Pass


Power_Spectral_Density_NVNT_ANT1_802_11a_5745




Power_Spectral_Density_NVNT_ANT1_802_11a_5785




Power_Spectral_Density_NVNT_ANT1_802_11a_5825




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5785








Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755





Power Spectral Density NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge




Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5649.690	-47.40	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5658.600	-46.74	-24.04	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5719.780	-35.00	15.54	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5723.345	-23.28	23.23	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.975	-32.27	22.50	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.660	-36.21	15.42	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5912.935	-46.64	-21.19	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	6000.665	-42.75	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5622.690	-46.90	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5679.345	-47.37	-6.98	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.500	-35.26	15.46	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.650	-23.34	26.20	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.265	-34.23	21.84	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5855.640	-37.42	15.42	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5910.955	-46.68	-19.56	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5971.935	-42.65	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5596.770	-46.68	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5655.090	-47.29	-26.93	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.740	-38.26	15.53	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.020	-26.23	24.77	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5850.680	-32.43	25.45	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5855.240	-39.72	15.53	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.330	-47.12	-22.34	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5931.050	-41.73	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5574.720	-47.21	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5661.075	-47.47	-22.01	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.120	-34.49	15.35	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5721.865	-29.55	19.85	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5850.790	-29.73	25.20	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5858.860	-40.22	14.52	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5916.805	-46.96	-24.37	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5969.640	-42.61	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5622.240	-47.67	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5665.710	-47.23	-18.19	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.680	-31.17	14.95	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5722.705	-29.32	21.77	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.905	-46.11	15.82	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5868.440	-46.44	11.84	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5919.055	-46.62	-26.22	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5929.345	-42.07	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5619.180	-47.75	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5660.715	-46.59	-22.30	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5719.100	-29.94	15.35	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.865	-28.68	17.57	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.330	-44.31	19.41	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5871.020	-46.59	11.11	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5903.035	-47.02	-13.05	Pass



NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5942.575	-41.68	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5618.460	-47.45	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5656.935	-47.28	-25.41	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5719.740	-34.24	15.53	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5720.105	-32.35	15.84	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5853.175	-46.84	19.76	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5871.700	-46.60	10.92	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5913.655	-47.35	-21.78	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5929.765	-43.90	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5653.910	-47.20	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5686.995	-40.60	-0.69	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5719.300	-34.01	15.40	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.380	-34.96	16.47	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5852.340	-39.01	21.66	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5870.020	-35.90	11.39	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5883.055	-46.55	3.38	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.510	-43.06	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5653.120	-47.79	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5684.295	-46.29	-2.91	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5710.480	-40.52	12.93	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.200	-39.89	16.06	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5853.875	-42.47	18.16	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5860.840	-42.36	13.96	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5910.100	-47.02	-18.86	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5924.870	-42.44	-27.00	Pass

Bandedge_NVNT_ANT1_802_11a_5745









Bandedge_NVNT_ANT1_802_11a_5825









Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825








Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795





Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_up





7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25033.56	-36.70	-27	Pass
NVNT	ANT1	802.11a	5785.00	25017.68	-36.82	-27	Pass
NVNT	ANT1	802.11a	5825.00	25020.33	-36.71	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25025.62	-36.49	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25094.44	-37.20	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25036.21	-36.70	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25112.97	-35.95	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25091.80	-36.39	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25022.97	-36.30	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	25020.33	-36.38	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	25120.91	-35.97	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	25094.44	-36.94	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25046.80	-36.46	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25015.03	-35.83	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25097.09	-36.21	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25094.44	-35.58	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	24962.09	-36.88	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25091.80	-36.78	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25046.80	-36.51	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	25012.39	-37.01	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755





Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5745.042	5736.184	5753.900	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.996	5736.676	5753.316	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.964	5736.764	5753.164	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.976	5736.848	5753.104	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.992	5736.916	5753.068	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.970	5736.980	5752.960	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.986	5737.040	5752.932	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.970	5737.096	5752.844	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.978	5737.144	5752.812	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.972	5737.200	5752.744	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.256	5752.708	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.972	5737.296	5752.648	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5785.004	5774.980	5795.028	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.976	5776.588	5793.364	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.976	5776.736	5793.216	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.964	5776.816	5793.112	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5776.888	5793.056	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5776.956	5792.988	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.982	5777.028	5792.936	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.986	5777.088	5792.884	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5785.020	5777.148	5792.892	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.976	5777.212	5792.740	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.986	5777.264	5792.708	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.972	5777.312	5792.632	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.628	5814.612	5834.644	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.944	5816.540	5833.348	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.956	5816.712	5833.200	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5816.808	5833.108	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.880	5833.024	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.950	5816.940	5832.960	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.964	5816.992	5832.936	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.954	5817.056	5832.852	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.962	5817.108	5832.816	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.958	5817.168	5832.748	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.972	5817.224	5832.720	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.952	5817.272	5832.632	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.982	5735.988	5753.976	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.980	5736.136	5753.824	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.220	5753.712	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.292	5753.640	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.984	5736.356	5753.612	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.968	5736.416	5753.520	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.964	5736.480	5753.448	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.984	5736.544	5753.424	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.984	5736.592	5753.376	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.954	5736.636	5753.272	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.944	5736.688	5753.200	5725~5850	Pass

25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.956	5736.756	5753.156	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.982	5775.824	5794.140	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.096	5793.852	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.208	5793.740	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.980	5776.284	5793.676	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.978	5776.356	5793.600	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.986	5776.428	5793.544	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.988	5776.504	5793.472	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.568	5793.436	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.628	5793.376	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.962	5776.692	5793.232	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.744	5793.260	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.986	5776.796	5793.176	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.928	5815.772	5834.084	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.948	5816.060	5833.836	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.962	5816.192	5833.732	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.964	5816.276	5833.652	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.970	5816.348	5833.592	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.966	5816.408	5833.524	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.972	5816.472	5833.472	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.978	5816.532	5833.424	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.966	5816.588	5833.344	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5824.980	5816.652	5833.308	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.964	5816.716	5833.212	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5824.976	5816.772	5833.180	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.984	5735.996	5753.972	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.980	5736.132	5753.828	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.992	5736.212	5753.772	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.980	5736.276	5753.684	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.978	5736.316	5753.640	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.968	5736.368	5753.568	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.420	5753.528	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.968	5736.452	5753.484	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.508	5753.436	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.552	5753.392	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.958	5736.596	5753.320	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5744.970	5736.640	5753.300	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.964	5775.920	5794.008	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.966	5776.084	5793.848	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.962	5776.160	5793.764	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.964	5776.228	5793.700	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.292	5793.644	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.980	5776.360	5793.600	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.412	5793.576	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.456	5793.480	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.984	5776.504	5793.464	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.976	5776.564	5793.388	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.984	5776.612	5793.356	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.986	5776.660	5793.312	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5815.832	5834.072	5725~5850	Pass

40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.956	5816.072	5833.840	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.970	5816.172	5833.768	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.980	5816.252	5833.708	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.956	5816.304	5833.608	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.972	5816.352	5833.592	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.970	5816.388	5833.552	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.960	5816.420	5833.500	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.964	5816.472	5833.456	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.982	5816.524	5833.440	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.950	5816.576	5833.324	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.956	5816.624	5833.288	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.978	5735.380	5754.576	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.964	5735.476	5754.452	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.956	5735.532	5754.380	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.968	5735.584	5754.352	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.958	5735.632	5754.284	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.970	5735.680	5754.260	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.950	5735.716	5754.184	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.964	5735.764	5754.164	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.942	5735.812	5754.072	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5745.00	5744.972	5735.864	5754.080	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.982	5735.916	5754.048	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5745.00	5744.966	5735.972	5753.960	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.992	5775.364	5794.620	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.982	5775.480	5794.484	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.976	5775.532	5794.420	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.994	5775.596	5794.392	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.996	5775.652	5794.340	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.980	5775.700	5794.260	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.980	5775.748	5794.212	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.982	5775.800	5794.164	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.982	5775.840	5794.124	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5785.00	5784.980	5775.896	5794.064	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.008	5775.960	5794.056	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5785.00	5785.002	5776.008	5793.996	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.956	5815.324	5834.588	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.956	5815.440	5834.472	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.988	5815.524	5834.452	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.968	5815.584	5834.352	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.984	5815.644	5834.324	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.982	5815.688	5834.276	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.952	5815.724	5834.180	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.974	5815.772	5834.176	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.958	5815.816	5834.100	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5825.00	5824.978	5815.864	5834.092	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.956	5815.920	5833.992	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5825.00	5824.986	5815.976	5833.996	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.000	5736.856	5773.144	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.992	5737.040	5772.944	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.032	5737.232	5772.832	5725~5850	Pass

20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.024	5737.408	5772.640	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.000	5737.536	5772.464	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.672	5772.360	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.004	5737.792	5772.216	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.000	5737.928	5772.072	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.972	5738.080	5771.864	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5755.064	5738.256	5771.872	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.068	5738.472	5771.664	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5755.032	5738.608	5771.456	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.004	5776.808	5813.200	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.988	5777.016	5812.960	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.012	5777.192	5812.832	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.996	5777.328	5812.664	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.000	5777.480	5812.520	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.968	5777.624	5812.312	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.776	5812.176	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.960	5777.928	5811.992	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.992	5778.080	5811.904	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5795.008	5778.240	5811.776	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.924	5778.376	5811.472	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5794.940	5778.504	5811.376	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.980	5736.704	5773.256	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.980	5736.872	5773.088	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.992	5736.992	5772.992	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.988	5737.088	5772.888	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.032	5737.224	5772.840	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.012	5737.328	5772.696	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.008	5737.424	5772.592	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.016	5737.496	5772.536	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5737.568	5772.480	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.664	5772.416	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.060	5737.768	5772.352	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.880	5772.216	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.972	5776.664	5813.280	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.960	5776.824	5813.096	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5776.944	5812.968	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.000	5777.064	5812.936	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5777.208	5812.784	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5777.336	5812.656	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.036	5777.424	5812.648	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.036	5777.496	5812.576	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.576	5812.464	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5795.064	5777.680	5812.448	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.036	5777.792	5812.280	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5795.060	5777.896	5812.224	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.008	5735.952	5774.064	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.988	5736.080	5773.896	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.036	5736.184	5773.888	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.020	5736.296	5773.744	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.004	5736.400	5773.608	5725~5850	Pass

0degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.060	5736.504	5773.616	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.996	5736.600	5773.392	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.048	5736.728	5773.368	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.036	5736.816	5773.256	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5755.00	5755.040	5736.904	5773.176	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.080	5737.008	5773.152	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5755.00	5755.000	5737.112	5772.888	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.992	5775.936	5814.048	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.976	5776.032	5813.920	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.976	5776.136	5813.816	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.960	5776.248	5813.672	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.972	5776.328	5813.616	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.996	5776.424	5813.568	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.948	5776.512	5813.384	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.976	5776.592	5813.360	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.988	5776.672	5813.304	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5795.00	5794.920	5776.768	5813.072	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.936	5776.864	5813.008	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5795.00	5794.916	5776.952	5812.880	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.018	5736.972	5813.064	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.078	5737.296	5812.860	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.108	5737.500	5812.716	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.096	5737.656	5812.536	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.150	5737.836	5812.464	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.192	5738.124	5812.260	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.168	5738.304	5812.032	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.198	5738.508	5811.888	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.168	5738.712	5811.624	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5775.066	5738.880	5811.252	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.180	5739.168	5811.192	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5775.204	5739.408	5811.000	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.030	5736.156	5813.904	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.054	5736.396	5813.712	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.036	5736.636	5813.436	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.036	5736.864	5813.208	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.042	5737.056	5813.028	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.030	5737.296	5812.764	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.042	5737.488	5812.596	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.006	5737.680	5812.332	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.054	5737.860	5812.248	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5775.00	5774.958	5738.088	5811.828	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5775.102	5738.316	5811.888	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5775.00	5775.108	5738.532	5811.684	5725~5850	Pass

***** End of Report *****