




Test Graphs






2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.17	2.00	1.10	38.13	≤54	PASS
				AV	2376.860	-58.99	2.00	1.10	39.31	≤54	PASS
				AV	2390.000	-59.63	2.00	1.10	38.67	≤54	PASS
				Peak	2310.000	-54.18	2.00	0.00	43.02	≤74	PASS
				Peak	2361.005	-48.93	2.00	0.00	48.27	≤74	PASS
				Peak	2390.000	-52.06	2.00	0.00	45.14	≤74	PASS
		High	2480	AV	2483.500	-58.73	2.00	1.10	39.57	≤54	PASS
				AV	2484.400	-58.28	2.00	1.10	40.02	≤54	PASS
				AV	2500.000	-59.56	2.00	1.10	38.74	≤54	PASS
				Peak	2483.500	-50.84	2.00	0.00	46.36	≤74	PASS
				Peak	2499.040	-48.27	2.00	0.00	48.93	≤74	PASS
				Peak	2500.000	-51.46	2.00	0.00	45.74	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.46	2.00	1.10	37.84	≤54	PASS
				AV	2389.985	-58.88	2.00	1.10	39.42	≤54	PASS
				AV	2390.000	-58.88	2.00	1.10	39.42	≤54	PASS
				Peak	2310.000	-51.47	2.00	0.00	45.73	≤74	PASS
				Peak	2385.680	-48.81	2.00	0.00	48.39	≤74	PASS
				Peak	2390.000	-51.52	2.00	0.00	45.68	≤74	PASS
		High	2480	AV	2483.500	-59.17	2.00	1.09	39.12	≤54	PASS
				AV	2484.000	-58.34	2.00	1.09	39.95	≤54	PASS
				AV	2500.000	-59.01	2.00	1.09	39.28	≤54	PASS
				Peak	2483.500	-51.99	2.00	0.00	45.21	≤74	PASS
				Peak	2483.680	-48.26	2.00	0.00	48.94	≤74	PASS
				Peak	2500.000	-51.53	2.00	0.00	45.67	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

