

ANNEX TEST DATA WIFI2.4G

FCC ID: 2BX9F-H1

Applicant: Thunder Data (Shenzhen) Co., Ltd.
Address: Room 0501-0506, 0509, 0513-0518 Building 5A, Huaqiang Idea Park, Guangming
Dist Shenzhen, Guangdong Province 518107 P.R. China

Manufacturer: Thunder Data (Shenzhen) Co., Ltd.
Address: Room 0501-0506, 0509, 0513-0518 Building 5A, Huaqiang Idea Park, Guangming
Dist Shenzhen, Guangdong Province 518107 P.R. China

Product Name: Integrated High-resolution Music Streamer and DAC

Trade Mark: 

Model Number: H1

Date of Receipt: Aug. 24, 2026

Test Date: Aug. 24, 2026 - Sep. 11, 2026

Date of Report: Sep. 11, 2026

Prepared By: Shenzhen DL Testing Technology Co., Ltd.
Address: 101-201, Comprehensive Building, Tongzhou Electronics Longgang Factory Area, No.1
Baolong Fifth Road, Baolong Community, Baolong Street, Longgang District, Shenzhen,
China

Applicable Standards: FCC PART 15 C 15.247
ANSI C63.10-2020+Cor. 1-2023+C63.10a-2024+Errata to C63.10a-2024
KDB 662911 D01 Multiple Transmitter Output v02r01

Test Result: Pass

Report Number: DLE-260824008R

1. Duty Cycle


1.1 Test Result

1.1.1 Ant2


Ant2							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.383	8.423	99.53	0.02	0.04
		2437	8.383	8.423	99.53	0.02	0.04
		2462	8.383	8.423	99.53	0.02	0.04
802.11g	SISO	2412	1.393	1.436	97.01	0.13	0.03
		2437	1.394	1.437	97.01	0.13	0.03
		2462	1.394	1.436	97.08	0.13	0.03
802.11n (HT20)	SISO	2412	1.301	1.345	96.73	0.14	0.07
		2437	1.301	1.344	96.80	0.14	0.04
		2462	1.921	2.051	93.66	0.28	0.04
802.11n (HT40)	SISO	2422	0.945	1.075	87.91	0.56	0.03
		2437	0.945	1.075	87.91	0.56	0.03
		2452	0.944	1.075	87.81	0.56	0.03

1.2 Test Graph


1.2.1 Ant2




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTN




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTN




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN



802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTN



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	13.023	/	Pass
		2437	1	13.349	/	Pass
		2462	1	13.925	/	Pass
802.11g	SISO	2412	1	16.695	/	Pass
		2437	1	16.967	/	Pass
		2462	1	16.668	/	Pass
802.11n (HT20)	SISO	2412	1	17.728	/	Pass
		2437	1	18.004	/	Pass
		2462	1	18.234	/	Pass
802.11n (HT40)	SISO	2422	1	36.278	/	Pass
		2437	1	36.093	/	Pass
		2452	1	36.111	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	8.608	≥ 0.5	Pass
		2437	1	8.225	≥ 0.5	Pass
		2462	1	8.721	≥ 0.5	Pass
802.11g	SISO	2412	1	16.032	≥ 0.5	Pass
		2437	1	16.258	≥ 0.5	Pass
		2462	1	15.247	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	17.173	≥ 0.5	Pass
		2437	1	17.436	≥ 0.5	Pass
		2462	1	17.700	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	36.243	≥ 0.5	Pass
		2437	1	35.911	≥ 0.5	Pass
		2452	1	36.186	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTNV




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN




802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTNV




802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTNV




2.2.2 6dB BW




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTNV




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN



802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTN



3. Maximum Conducted Output Power


3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)				Verdict
			ANT1	ANT2	MIMO	Limit	
802.11b	SISO	2412	15.03	16.08	/	<=30	Pass
		2437	15.04	16.37	/	<=30	Pass
		2462	14.48	17.92	/	<=30	Pass
802.11g	SISO	2412	14.68	15.14	/	<=30	Pass
		2437	14.99	15.31	/	<=30	Pass
		2462	14.79	14.84	/	<=30	Pass
802.11n (HT20)	SISO	2412	14.16	14.93	17.57	<=30	Pass
		2437	14.53	14.65	17.60	<=30	Pass
		2462	14.03	13.96	17.01	<=30	Pass
802.11n (HT40)	SISO	2422	13.40	14.87	17.21	<=30	Pass
		2437	12.16	14.08	16.24	<=30	Pass
		2452	11.88	13.96	16.05	<=30	Pass

3.2 Test Graph


3.2.1 Power




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTNV




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTNV




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTNV



802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTN



4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm)				Verdict
			ANT1	ANT2	MIMO	Limit(dBm/3kHz)	
802.11b	SISO	2412	-15.01dBm/3kHz	-15.02dBm/3kHz	/	<=8	Pass
		2437	-15.10dBm/3kHz	-15.13dBm/3kHz	/	<=8	Pass
		2462	-15.19dBm/3kHz	-13.26dBm/3kHz	/	<=8	Pass
802.11g	SISO	2412	-14.59dBm/3kHz	-17.96dBm/3kHz	/	<=8	Pass
		2437	-14.73dBm/3kHz	-18.07dBm/3kHz	/	<=8	Pass
		2462	-15.43dBm/3kHz	-18.20dBm/3kHz	/	<=8	Pass
802.11n (HT20)	SISO	2412	-14.28dBm/3kHz	-18.05dBm/3kHz	-12.76dBm/3kHz	<=8	Pass
		2437	-13.66dBm/3kHz	-19.19dBm/3kHz	-12.59dBm/3kHz	<=8	Pass
		2462	-14.02dBm/3kHz	-18.44dBm/3kHz	-12.68dBm/3kHz	<=8	Pass
802.11n (HT40)	SISO	2422	-15.57dBm/3kHz	-18.53dBm/3kHz	-13.79dBm/3kHz	<=8	Pass
		2437	-17.31dBm/3kHz	-19.21dBm/3kHz	-15.15dBm/3kHz	<=8	Pass
		2452	-17.44dBm/3kHz	-18.99dBm/3kHz	-15.14dBm/3kHz	<=8	Pass

4.2 Test Graph


4.2.1 PSD




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTN




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTN




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN



802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTN



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	8.30
		2437	1	8.26
		2462	1	9.32
802.11g	SISO	2412	1	5.45
		2437	1	4.76
		2462	1	4.64
802.11n (HT20)	SISO	2412	1	5.47
		2437	1	0.70
		2462	1	2.29
802.11n (HT40)	SISO	2422	1	1.30
		2437	1	0.11
		2452	1	0.31

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	8.30	-21.70	Pass
		2437	1	8.26	-21.74	Pass
		2462	1	9.32	-20.68	Pass
802.11g	SISO	2412	1	5.45	-24.55	Pass
		2437	1	4.76	-25.24	Pass
		2462	1	4.64	-25.36	Pass
802.11n (HT20)	SISO	2412	1	5.47	-24.53	Pass
		2437	1	0.70	-29.30	Pass
		2462	1	2.29	-27.71	Pass
802.11n (HT40)	SISO	2422	1	1.30	-28.70	Pass
		2437	1	0.11	-29.89	Pass
		2452	1	0.31	-29.69	Pass

5.2 Test Graph


5.2.1 Ref




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTNV




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN




802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN




802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTN




5.2.2 CSE




802.11b MCH 2437MHz Ant2 (SISO) NTN




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11b HCH 2462MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g LCH 2412MHz Ant2 (SISO) NTN




802.11g MCH 2437MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11g HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTNV




802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTN




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTN




802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTNV




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTNV




802.11n(HT40) LCH 2422MHz Ant2 (SISO) NTN



802.11n(HT40) MCH 2437MHz Ant2 (SISO) NTN



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTNV



802.11n(HT40) HCH 2452MHz Ant2 (SISO) NTNV

