


Mode:

DH5 2441




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1304.60	38.97	-0.39	74.00	35.03	150	135	Horizontal	PASS
2	1709.00	39.77	0.71	74.00	34.23	150	102	Horizontal	PASS
3	4288.50	38.34	-16.07	74.00	35.66	150	184	Horizontal	PASS
4	6978.00	42.64	-9.84	74.00	31.36	150	55	Horizontal	PASS
5	9758.00	48.85	-4.60	74.00	25.15	150	177	Horizontal	PASS
6	15649.0	49.01	2.79	74.00	24.99	150	249	Horizontal	PASS

Mode:

DH5 2480




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.80	43.40	-0.29	74.00	30.60	150	106	Vertical	PASS
2	1990.80	40.69	1.82	74.00	33.31	150	33	Vertical	PASS
3	4196.50	38.45	-17.11	74.00	35.55	150	121	Vertical	PASS
4	6549.50	41.32	-10.31	74.00	32.68	150	183	Vertical	PASS
5	9438.00	45.33	-5.18	74.00	28.67	150	3	Vertical	PASS
6	14174.0	48.92	1.39	74.00	25.08	150	308	Vertical	PASS

Mode:

DH5 2480




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1260.00	38.97	-0.44	74.00	35.03	150	288	Horizontal	PASS
2	1711.00	46.68	0.71	74.00	27.32	150	34	Horizontal	PASS
3	4957.00	42.14	-14.54	74.00	31.86	150	151	Horizontal	PASS
4	7433.50	42.40	-9.22	74.00	31.60	150	151	Horizontal	PASS
5	9914.00	47.57	-4.34	74.00	26.43	150	151	Horizontal	PASS
6	17173.0	51.77	4.11	74.00	22.23	150	262	Horizontal	PASS

Mode:

2DH5 2402




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.80	41.18	-0.22	74.00	32.82	150	108	Vertical	PASS
2	2186.00	41.52	2.43	74.00	32.48	150	360	Vertical	PASS
3	4800.50	39.50	-14.72	74.00	34.50	150	232	Vertical	PASS
4	6660.00	42.32	-10.16	74.00	31.68	150	76	Vertical	PASS
5	9602.00	47.37	-5.09	74.00	26.63	150	209	Vertical	PASS
6	16759.5	51.53	3.97	74.00	22.47	150	348	Vertical	PASS

Mode:

2DH5 2402




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1351.80	38.65	-0.34	74.00	35.35	150	260	Horizontal	PASS
2	1711.00	48.89	0.71	74.00	25.11	150	322	Horizontal	PASS
3	4801.00	40.43	-14.69	74.00	33.57	150	115	Horizontal	PASS
4	6556.50	41.87	-10.40	74.00	32.13	150	99	Horizontal	PASS
5	9602.00	48.21	-5.09	74.00	25.79	150	176	Horizontal	PASS
6	13770.5	48.56	0.80	74.00	25.44	150	220	Horizontal	PASS

Mode:

2DH5 2441




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.20	43.59	-0.31	74.00	30.41	150	97	Vertical	PASS
2	1725.00	45.90	0.64	74.00	28.10	150	228	Vertical	PASS
3	4284.00	37.32	-16.21	74.00	36.68	150	109	Vertical	PASS
4	6363.50	41.84	-10.57	74.00	32.16	150	124	Vertical	PASS
5	9414.00	46.04	-5.42	74.00	27.96	150	302	Vertical	PASS
6	16082.0	50.43	2.94	74.00	23.57	150	171	Vertical	PASS

Mode:

2DH5 2441




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1314.40	38.04	-0.27	74.00	35.96	150	19	Horizontal	PASS
2	2149.80	41.16	2.43	74.00	32.84	150	279	Horizontal	PASS
3	4273.00	38.46	-16.75	74.00	35.54	150	284	Horizontal	PASS
4	6488.50	41.65	-9.86	74.00	32.35	150	308	Horizontal	PASS
5	9758.00	48.44	-4.60	74.00	25.56	150	111	Horizontal	PASS
6	13887.5	48.80	0.86	74.00	25.20	150	230	Horizontal	PASS

Mode:

2DH5 2480




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1162.40	42.45	-0.28	74.00	31.55	150	110	Vertical	PASS
2	1993.40	41.26	1.76	74.00	32.74	150	17	Vertical	PASS
3	4956.50	39.85	-14.49	74.00	34.15	150	223	Vertical	PASS
4	6374.00	42.35	-10.27	74.00	31.65	150	67	Vertical	PASS
5	9591.00	45.33	-4.96	74.00	28.67	150	152	Vertical	PASS
6	13877.5	48.12	0.98	74.00	25.88	150	356	Vertical	PASS

Mode:

2DH5 2480




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1279.60	39.22	-0.39	74.00	34.78	150	210	Horizontal	PASS
2	1794.40	39.50	1.00	74.00	34.50	150	62	Horizontal	PASS
3	4242.00	37.05	-16.90	74.00	36.95	150	99	Horizontal	PASS
4	4957.00	42.98	-14.54	74.00	31.02	150	146	Horizontal	PASS
5	9795.50	46.83	-4.56	74.00	27.17	150	0	Horizontal	PASS
6	14282.0	49.23	1.51	74.00	24.77	150	286	Horizontal	PASS

Mode:

3DH5 2402




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1162.00	42.48	-0.29	74.00	31.52	150	102	Vertical	PASS
2	1821.80	39.84	1.18	74.00	34.16	150	310	Vertical	PASS
3	4800.50	39.48	-14.72	74.00	34.52	150	224	Vertical	PASS
4	8309.50	43.67	-7.60	74.00	30.33	150	84	Vertical	PASS
5	9602.00	46.14	-5.09	74.00	27.86	150	278	Vertical	PASS
6	14146.5	49.30	1.26	74.00	24.70	150	224	Vertical	PASS

Mode:

3DH5 2402




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1140.40	39.45	-0.41	74.00	34.55	150	61	Horizontal	PASS
2	1753.80	39.93	0.78	74.00	34.07	150	256	Horizontal	PASS
3	4800.50	39.14	-14.72	74.00	34.86	150	146	Horizontal	PASS
4	7261.50	42.05	-9.63	74.00	31.95	150	287	Horizontal	PASS
5	9601.50	47.88	-5.09	74.00	26.12	150	162	Horizontal	PASS
6	14986.5	48.87	2.18	74.00	25.13	150	255	Horizontal	PASS

Mode:

3DH5 2440




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.00	44.06	-0.17	74.00	29.94	150	118	Vertical	PASS
2	2094.00	41.47	2.11	74.00	32.53	150	45	Vertical	PASS
3	3325.50	39.66	-20.41	74.00	34.34	150	86	Vertical	PASS
4	4879.00	41.12	-14.10	74.00	32.88	150	224	Vertical	PASS
5	8370.00	44.26	-7.20	74.00	29.74	150	333	Vertical	PASS
6	13790.5	48.82	1.07	74.00	25.18	150	224	Vertical	PASS

Mode:

3DH5 2441




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1096.80	38.74	-0.51	74.00	35.26	150	201	Horizontal	PASS
2	1776.80	40.07	0.97	74.00	33.93	150	340	Horizontal	PASS
3	4878.50	41.38	-14.11	74.00	32.62	150	153	Horizontal	PASS
4	6456.00	42.87	-10.15	74.00	31.13	150	309	Horizontal	PASS
5	9758.00	47.09	-4.60	74.00	26.91	150	131	Horizontal	PASS
6	17209.0	51.41	3.71	74.00	22.59	150	294	Horizontal	PASS

Mode:

3DH5 2480




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.60	43.47	-0.16	74.00	30.53	150	102	Vertical	PASS
2	1991.20	42.45	1.82	74.00	31.55	150	317	Vertical	PASS
3	4957.00	41.16	-14.54	74.00	32.84	150	18	Vertical	PASS
4	7231.50	43.08	-9.14	74.00	30.92	150	156	Vertical	PASS
5	10275.5	45.86	-3.70	74.00	28.14	150	347	Vertical	PASS
6	17665.0	52.51	4.17	74.00	21.49	150	347	Vertical	PASS

Mode:

3DH5 2480




☆ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1220.20	38.44	-0.52	74.00	35.56	150	207	Horizontal	PASS
2	1799.60	40.22	1.03	74.00	33.78	150	33	Horizontal	PASS
3	4957.00	42.44	-14.54	74.00	31.56	150	144	Horizontal	PASS
4	7176.00	41.66	-9.78	74.00	32.34	150	0	Horizontal	PASS
5	9914.00	46.50	-4.34	74.00	27.50	150	168	Horizontal	PASS
6	15963.0	50.01	3.44	74.00	23.99	150	105	Horizontal	PASS


Appendix K: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2660	10.33	12.40	22.73	61.24	38.51	5.01	15.34	51.24	35.90	L1	PASS
2	0.4561	10.26	13.44	23.70	56.76	33.06	4.88	15.14	46.76	31.62	L1	PASS
3	1.4296	10.27	5.58	15.85	56.00	40.15	3.23	13.50	46.00	32.50	L1	PASS
4	3.8843	10.30	6.96	17.26	56.00	38.74	4.74	15.04	46.00	30.96	L1	PASS
5	8.5417	10.53	6.51	17.04	60.00	42.96	4.96	15.49	50.00	34.51	L1	PASS
6	22.3954	10.81	5.87	16.68	60.00	43.32	4.37	15.18	50.00	34.82	L1	PASS



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2190	10.35	20.23	30.58	62.86	32.28	6.98	17.33	52.86	35.53	N	PASS
2	0.4080	10.35	12.97	23.32	57.69	34.37	4.38	14.73	47.69	32.96	N	PASS
3	0.9592	10.36	4.15	14.51	56.00	41.49	2.74	13.10	46.00	32.90	N	PASS
4	2.7781	10.49	5.50	15.99	56.00	40.01	3.94	14.43	46.00	31.57	N	PASS
5	6.4630	10.52	7.16	17.68	60.00	42.32	5.22	15.74	50.00	34.26	N	PASS
6	25.4297	10.75	6.05	16.80	60.00	43.20	4.59	15.34	50.00	34.66	N	PASS