






11AC20SISO_Ant1_5745_30~5650




11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5785_30~5650



11AC20SISO_Ant1_5785_5925~40000




11AC20SISO_Ant1_5825_30~5650



11AC20SISO_Ant1_5825_5925~40000




11AC40SISO_Ant1_5190_30~5140



11AC40SISO_Ant1_5190_5360~40000




11AC40SISO_Ant1_5230_30~5140




11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650




11AC40SISO_Ant1_5795_5925~40000




11AC80SISO_Ant1_5210_30~5140




11AC80SISO_Ant1_5210_5360~40000




11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000




11AX20SISO_Ant1_5180_30~5140




11AX20SISO_Ant1_5180_5360~40000




11AX20SISO_Ant1_5220_30~5140




11AX20SISO_Ant1_5220_5360~40000




11AX20SISO_Ant1_5240_30~5140




11AX20SISO_Ant1_5240_5360~40000




11AX20SISO_Ant1_5745_30~5650




11AX20SISO_Ant1_5745_5925~40000




11AX20SISO_Ant1_5785_30~5650




11AX20SISO_Ant1_5785_5925~40000




11AX20SISO_Ant1_5825_30~5650




11AX20SISO_Ant1_5825_5925~40000




11AX40SISO_Ant1_5190_30~5140




11AX40SISO_Ant1_5190_5360~40000




11AX40SISO_Ant1_5230_30~5140




11AX40SISO_Ant1_5230_5360~40000




11AX40SISO_Ant1_5755_30~5650




11AX40SISO_Ant1_5755_5925~40000




11AX40SISO_Ant1_5795_30~5650



11AX40SISO_Ant1_5795_5925~40000




11AX80SISO_Ant1_5210_30~5140




11AX80SISO_Ant1_5210_5360~40000



11AX80SISO_Ant1_5775_30~5650



11AX80SISO_Ant1_5775_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-62.16	2.00	1.25	-58.91	≤-41.20	PASS
				AV	5148.200	-52.33	2.00	1.25	-49.08	≤-41.20	PASS
				AV	5150.000	-52.66	2.00	1.25	-49.41	≤-41.20	PASS
				Peak	4500.000	-53.88	2.00	0.00	-51.88	≤-27.00	PASS
				Peak	5148.900	-41.25	2.00	0.00	-39.25	≤-27.00	PASS
				Peak	5150.000	-42.58	2.00	0.00	-40.58	≤-27.00	PASS
		High	5240	AV	5350.000	-59.81	2.00	1.33	-56.48	≤-41.20	PASS
				AV	5350.080	-59.81	2.00	1.33	-56.48	≤-41.20	PASS
				AV	5460.000	-61.29	2.00	1.33	-57.96	≤-41.20	PASS
				Peak	5350.000	-52.53	2.00	0.00	-50.53	≤-27.00	PASS
				Peak	5445.840	-48.96	2.00	0.00	-46.96	≤-27.00	PASS
				Peak	5460.000	-52.93	2.00	0.00	-50.93	≤-27.00	PASS
		Low	5745	Peak	5650.000	-50.983	2.00	0.00	-48.983	≤-27.00	PASS
				Peak	5700.000	-48.42	2.00	0.00	-46.42	≤10.00	PASS
				Peak	5720.000	-46.76	2.00	0.00	-44.76	≤15.60	PASS
				Peak	5725.000	-42.32	2.00	0.00	-40.32	≤27.00	PASS
		High	5825	Peak	5850.000	-47.287	2.00	0.00	-45.287	≤27.00	PASS
				Peak	5855.000	-48.78	2.00	0.00	-46.78	≤15.60	PASS
				Peak	5875.000	-52.29	2.00	0.00	-50.29	≤10.00	PASS
				Peak	5925.000	-50.78	2.00	0.00	-48.78	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-62.13	2.00	1.06	-59.07	≤-41.20	PASS
				AV	5148.200	-51.49	2.00	1.06	-48.43	≤-41.20	PASS
				AV	5150.000	-52	2.00	1.06	-48.94	≤-41.20	PASS
				Peak	4500.000	-54.67	2.00	0.00	-52.67	≤-27.00	PASS
				Peak	5149.600	-40.72	2.00	0.00	-38.72	≤-27.00	PASS
				Peak	5150.000	-42.31	2.00	0.00	-40.31	≤-27.00	PASS
		High	5240	AV	5350.000	-60.1	2.00	1.06	-57.04	≤-41.20	PASS
				AV	5355.120	-59.97	2.00	1.06	-56.91	≤-41.20	PASS
				AV	5460.000	-60.94	2.00	1.06	-57.88	≤-41.20	PASS
				Peak	5350.000	-52.06	2.00	0.00	-50.06	≤-27.00	PASS
				Peak	5355.840	-48.71	2.00	0.00	-46.71	≤-27.00	PASS
				Peak	5460.000	-52.33	2.00	0.00	-50.33	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.387	2.00	0.00	-49.387	≤-27.00	PASS
				Peak	5700.000	-49.26	2.00	0.00	-47.26	≤10.00	PASS
				Peak	5720.000	-46.31	2.00	0.00	-44.31	≤15.60	PASS
				Peak	5725.000	-40.05	2.00	0.00	-38.05	≤27.00	PASS

		High	5825	Peak	5850.000	-40.899	2.00	0.00	-38.899	≤27.00	PASS
				Peak	5855.000	-49.66	2.00	0.00	-47.66	≤15.60	PASS
				Peak	5875.000	-50.42	2.00	0.00	-48.42	≤10.00	PASS
				Peak	5925.000	-52.76	2.00	0.00	-50.76	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-62.39	2.00	0.87	-59.52	≤-41.20	PASS
				AV	5148.900	-49.1	2.00	0.87	-46.23	≤-41.20	PASS
				AV	5150.000	-49.32	2.00	0.87	-46.45	≤-41.20	PASS
				Peak	4500.000	-53.95	2.00	0.00	-51.95	≤-27.00	PASS
				Peak	5138.400	-38.34	2.00	0.00	-36.34	≤-27.00	PASS
				Peak	5150.000	-39.33	2.00	0.00	-37.33	≤-27.00	PASS
		High	5230	AV	5350.000	-60.71	2.00	0.87	-57.84	≤-41.20	PASS
				AV	5361.980	-59.84	2.00	0.87	-56.97	≤-41.20	PASS
				AV	5460.000	-60.38	2.00	0.87	-57.51	≤-41.20	PASS
				Peak	5350.000	-51.73	2.00	0.00	-49.73	≤-27.00	PASS
				Peak	5350.280	-49.21	2.00	0.00	-47.21	≤-27.00	PASS
				Peak	5460.000	-52.74	2.00	0.00	-50.74	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.481	2.00	0.00	-48.481	≤-27.00	PASS
				Peak	5700.000	-44.07	2.00	0.00	-42.07	≤10.00	PASS
				Peak	5720.000	-37.17	2.00	0.00	-35.17	≤15.60	PASS
				Peak	5725.000	-39.65	2.00	0.00	-37.65	≤27.00	PASS
		High	5795	Peak	5850.000	-47.919	2.00	0.00	-45.919	≤27.00	PASS
				Peak	5855.000	-50.28	2.00	0.00	-48.28	≤15.60	PASS
				Peak	5875.000	-51.79	2.00	0.00	-49.79	≤10.00	PASS
				Peak	5925.000	-52.88	2.00	0.00	-50.88	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-62.72	2.00	0.79	-59.93	≤-41.20	PASS
				AV	5147.500	-51.69	2.00	0.79	-48.9	≤-41.20	PASS
				AV	5150.000	-51.11	2.00	0.79	-48.32	≤-41.20	PASS
				Peak	4500.000	-53.55	2.00	0.00	-51.55	≤-27.00	PASS
				Peak	5144.000	-41.63	2.00	0.00	-39.63	≤-27.00	PASS
				Peak	5150.000	-43.32	2.00	0.00	-41.32	≤-27.00	PASS
		High	5240	AV	5350.000	-60.56	2.00	0.62	-57.94	≤-41.20	PASS
				AV	5353.920	-59.43	2.00	0.62	-56.81	≤-41.20	PASS
				AV	5460.000	-60.83	2.00	0.62	-58.21	≤-41.20	PASS
				Peak	5350.000	-51.78	2.00	0.00	-49.78	≤-27.00	PASS
				Peak	5409.120	-49.59	2.00	0.00	-47.59	≤-27.00	PASS
				Peak	5460.000	-52.94	2.00	0.00	-50.94	≤-27.00	PASS
		Low	5745	Peak	5650.000	-50.342	2.00	0.00	-48.342	≤-27.00	PASS
				Peak	5700.000	-50.6	2.00	0.00	-48.6	≤10.00	PASS
				Peak	5720.000	-44.75	2.00	0.00	-42.75	≤15.60	PASS
				Peak	5725.000	-40.42	2.00	0.00	-38.42	≤27.00	PASS
		High	5825	Peak	5850.000	-35.132	2.00	0.00	-33.132	≤27.00	PASS
				Peak	5855.000	-44.56	2.00	0.00	-42.56	≤15.60	PASS
				Peak	5875.000	-52.27	2.00	0.00	-50.27	≤10.00	PASS

				Peak	5925.000	-53.51	2.00	0.00	-51.51	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-62.5	2.00	0.87	-59.63	≤-41.20	PASS
				AV	5146.800	-44.09	2.00	0.87	-41.22	≤-41.20	PASS
				AV	5150.000	-44.24	2.00	0.87	-41.37	≤-41.20	PASS
				Peak	4500.000	-53.63	2.00	0.00	-51.63	≤-27.00	PASS
				Peak	5143.300	-31.67	2.00	0.00	-29.67	≤-27.00	PASS
				Peak	5150.000	-34.1	2.00	0.00	-32.1	≤-27.00	PASS
		High	5230	AV	5350.000	-61.4	2.00	1.06	-58.34	≤-41.20	PASS
				AV	5350.540	-60.95	2.00	1.06	-57.89	≤-41.20	PASS
				AV	5460.000	-61.81	2.00	1.06	-58.75	≤-41.20	PASS
				Peak	5350.000	-53.33	2.00	0.00	-51.33	≤-27.00	PASS
				Peak	5442.320	-50.86	2.00	0.00	-48.86	≤-27.00	PASS
				Peak	5460.000	-53.35	2.00	0.00	-51.35	≤-27.00	PASS
		Low	5755	Peak	5650.000	-48.587	2.00	0.00	-46.587	≤-27.00	PASS
				Peak	5700.000	-44.04	2.00	0.00	-42.04	≤10.00	PASS
				Peak	5720.000	-37.63	2.00	0.00	-35.63	≤15.60	PASS
				Peak	5725.000	-36.64	2.00	0.00	-34.64	≤27.00	PASS
		High	5795	Peak	5850.000	-45.166	2.00	0.00	-43.166	≤27.00	PASS
				Peak	5855.000	-48.27	2.00	0.00	-46.27	≤15.60	PASS
				Peak	5875.000	-49.07	2.00	0.00	-47.07	≤10.00	PASS
				Peak	5925.000	-50.71	2.00	0.00	-48.71	≤-27.00	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-62.62	2.00	1.18	-59.44	≤-41.20	PASS
				AV	5145.000	-49.79	2.00	1.18	-46.61	≤-41.20	PASS
				AV	5150.000	-50.36	2.00	1.18	-47.18	≤-41.20	PASS
				Peak	4500.000	-54.1	2.00	0.00	-52.1	≤-27.00	PASS
				Peak	5134.500	-39.26	2.00	0.00	-37.26	≤-27.00	PASS
				Peak	5150.000	-39.96	2.00	0.00	-37.96	≤-27.00	PASS
		High	5210	AV	5350.000	-59.99	2.00	1.18	-56.81	≤-41.20	PASS
				AV	5369.840	-59.63	2.00	1.18	-56.45	≤-41.20	PASS
				AV	5460.000	-60.66	2.00	1.18	-57.48	≤-41.20	PASS
				Peak	5350.000	-49.93	2.00	0.00	-47.93	≤-27.00	PASS
				Peak	5370.120	-48.51	2.00	0.00	-46.51	≤-27.00	PASS
				Peak	5460.000	-53.05	2.00	0.00	-51.05	≤-27.00	PASS
		Low	5775	Peak	5650.000	-50.35	2.00	0.00	-48.35	≤-27.00	PASS
				Peak	5700.000	-46.55	2.00	0.00	-44.55	≤10.00	PASS
				Peak	5720.000	-41.54	2.00	0.00	-39.54	≤15.60	PASS
				Peak	5725.000	-37.4	2.00	0.00	-35.4	≤27.00	PASS
		High	5775	Peak	5850.000	-44.478	2.00	0.00	-42.478	≤27.00	PASS
				Peak	5855.000	-45.84	2.00	0.00	-43.84	≤15.60	PASS
				Peak	5875.000	-49.73	2.00	0.00	-47.73	≤10.00	PASS
				Peak	5925.000	-52.44	2.00	0.00	-50.44	≤-27.00	PASS
11AX20S ISO	Ant1	Low	5180	AV	4500.000	-62.86	2.00	0.76	-60.1	≤-41.20	PASS
				AV	5149.600	-55.98	2.00	0.76	-53.22	≤-41.20	PASS


				AV	5150.000	-55.89	2.00	0.76	-53.13	≤-41.20	PASS
				Peak	4500.000	-53.76	2.00	0.00	-51.76	≤-27.00	PASS
				Peak	5148.200	-46.02	2.00	0.00	-44.02	≤-27.00	PASS
				Peak	5150.000	-46.22	2.00	0.00	-44.22	≤-27.00	PASS
		High	5240	AV	5350.000	-60.46	2.00	0.76	-57.7	≤-41.20	PASS
				AV	5358.480	-59.91	2.00	0.76	-57.15	≤-41.20	PASS
				AV	5460.000	-60.79	2.00	0.76	-58.03	≤-41.20	PASS
				Peak	5350.000	-51.31	2.00	0.00	-49.31	≤-27.00	PASS
				Peak	5404.080	-49.43	2.00	0.00	-47.43	≤-27.00	PASS
				Peak	5460.000	-52.04	2.00	0.00	-50.04	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.857	2.00	0.00	-49.857	≤-27.00	PASS
				Peak	5700.000	-50.11	2.00	0.00	-48.11	≤10.00	PASS
				Peak	5720.000	-47.67	2.00	0.00	-45.67	≤15.60	PASS
				Peak	5725.000	-42.81	2.00	0.00	-40.81	≤27.00	PASS
		High	5825	Peak	5850.000	-42.405	2.00	0.00	-40.405	≤27.00	PASS
				Peak	5855.000	-50.65	2.00	0.00	-48.65	≤15.60	PASS
				Peak	5875.000	-51.37	2.00	0.00	-49.37	≤10.00	PASS
				Peak	5925.000	-52.87	2.00	0.00	-50.87	≤-27.00	PASS
11AX40S ISO	Ant1	Low	5190	AV	4500.000	-62.03	2.00	1.12	-58.91	≤-41.20	PASS
				AV	5149.600	-50.36	2.00	1.12	-47.24	≤-41.20	PASS
				AV	5150.000	-49.82	2.00	1.12	-46.7	≤-41.20	PASS
				Peak	4500.000	-53.65	2.00	0.00	-51.65	≤-27.00	PASS
				Peak	5149.600	-38.39	2.00	0.00	-36.39	≤-27.00	PASS
				Peak	5150.000	-39.8	2.00	0.00	-37.8	≤-27.00	PASS
		High	5230	AV	5350.000	-60.47	2.00	1.12	-57.35	≤-41.20	PASS
				AV	5353.920	-59.93	2.00	1.12	-56.81	≤-41.20	PASS
				AV	5460.000	-61.02	2.00	1.12	-57.9	≤-41.20	PASS
				Peak	5350.000	-50.87	2.00	0.00	-48.87	≤-27.00	PASS
				Peak	5373.420	-50.09	2.00	0.00	-48.09	≤-27.00	PASS
				Peak	5460.000	-53.37	2.00	0.00	-51.37	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.351	2.00	0.00	-48.351	≤-27.00	PASS
				Peak	5700.000	-48.62	2.00	0.00	-46.62	≤10.00	PASS
				Peak	5720.000	-41.17	2.00	0.00	-39.17	≤15.60	PASS
				Peak	5725.000	-40.87	2.00	0.00	-38.87	≤27.00	PASS
		High	5795	Peak	5850.000	-49.357	2.00	0.00	-47.357	≤27.00	PASS
				Peak	5855.000	-50.92	2.00	0.00	-48.92	≤15.60	PASS
				Peak	5875.000	-51.8	2.00	0.00	-49.8	≤10.00	PASS
				Peak	5925.000	-52.54	2.00	0.00	-50.54	≤-27.00	PASS
11AX80S ISO	Ant1	Low	5210	AV	4500.000	-62.24	2.00	0.92	-59.32	≤-41.20	PASS
				AV	5145.750	-48.92	2.00	0.92	-46	≤-41.20	PASS
				AV	5150.000	-49.08	2.00	0.92	-46.16	≤-41.20	PASS
				Peak	4500.000	-53.68	2.00	0.00	-51.68	≤-27.00	PASS
				Peak	5147.250	-38.72	2.00	0.00	-36.72	≤-27.00	PASS


				Peak	5150.000	-39.7	2.00	0.00	-37.7	≤-27.00	PASS
		High	5210	AV	5350.000	-60.08	2.00	0.92	-57.16	≤-41.20	PASS
				AV	5351.360	-59.43	2.00	0.92	-56.51	≤-41.20	PASS
				AV	5460.000	-60.6	2.00	0.92	-57.68	≤-41.20	PASS
				Peak	5350.000	-50.95	2.00	0.00	-48.95	≤-27.00	PASS
				Peak	5373.480	-48.74	2.00	0.00	-46.74	≤-27.00	PASS
				Peak	5460.000	-52.33	2.00	0.00	-50.33	≤-27.00	PASS
		Low	5775	Peak	5650.000	-49.454	2.00	0.00	-47.454	≤-27.00	PASS
				Peak	5700.000	-46.1	2.00	0.00	-44.1	≤10.00	PASS
				Peak	5720.000	-44.62	2.00	0.00	-42.62	≤15.60	PASS
				Peak	5725.000	-37.14	2.00	0.00	-35.14	≤27.00	PASS
		High	5775	Peak	5850.000	-45.651	2.00	0.00	-43.651	≤27.00	PASS
				Peak	5855.000	-43.84	2.00	0.00	-41.84	≤15.60	PASS
				Peak	5875.000	-51.06	2.00	0.00	-49.06	≤10.00	PASS
				Peak	5925.000	-53.27	2.00	0.00	-51.27	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak



11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV



11N40SISO_Ant1_High_5230_Peak



11N40SISO_Ant1_Low_5755_Peak



11N40SISO_Ant1_High_5795_Peak