





2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.92	3.74	78.07	1.08	---	---
		2480	2.91	3.75	77.60	1.10	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.76	77.66	1.10	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.37	2.00	1.10	37.93	≤54	PASS
				AV	2371.190	-58.96	2.00	1.10	39.34	≤54	PASS
				AV	2390.000	-60.28	2.00	1.10	38.02	≤54	PASS
				Peak	2310.000	-53.68	2.00	0.00	43.52	≤74	PASS
				Peak	2379.905	-47.98	2.00	0.00	49.22	≤74	PASS
				Peak	2390.000	-51.83	2.00	0.00	45.37	≤74	PASS
		High	2480	AV	2483.500	-58.31	2.00	1.10	39.99	≤54	PASS
				AV	2483.760	-58.24	2.00	1.10	40.06	≤54	PASS
				AV	2500.000	-59.11	2.00	1.10	39.19	≤54	PASS
				Peak	2483.500	-50.57	2.00	0.00	46.63	≤74	PASS
				Peak	2484.640	-44.36	2.00	0.00	52.84	≤74	PASS
				Peak	2500.000	-51.23	2.00	0.00	45.97	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.68	2.00	1.10	37.62	≤54	PASS
				AV	2376.965	-59.05	2.00	1.10	39.25	≤54	PASS
				AV	2390.000	-59.7	2.00	1.10	38.60	≤54	PASS
				Peak	2310.000	-51.88	2.00	0.00	45.32	≤74	PASS
				Peak	2358.275	-49.37	2.00	0.00	47.83	≤74	PASS
				Peak	2390.000	-50.9	2.00	0.00	46.30	≤74	PASS
		High	2480	AV	2483.500	-58.7	2.00	1.10	39.60	≤54	PASS
				AV	2485.360	-58.68	2.00	1.10	39.62	≤54	PASS
				AV	2500.000	-59.33	2.00	1.10	38.97	≤54	PASS
				Peak	2483.500	-50.74	2.00	0.00	46.46	≤74	PASS
				Peak	2493.840	-48.62	2.00	0.00	48.58	≤74	PASS
				Peak	2500.000	-52.34	2.00	0.00	44.86	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-61.33	2.00	1.09	36.96	≤54	PASS
				AV	2373.500	-59.14	2.00	1.09	39.15	≤54	PASS
				AV	2390.000	-59.76	2.00	1.09	38.53	≤54	PASS
				Peak	2310.000	-52.66	2.00	0.00	44.54	≤74	PASS
				Peak	2377.385	-48.42	2.00	0.00	48.78	≤74	PASS
				Peak	2390.000	-51.86	2.00	0.00	45.34	≤74	PASS
		High	2480	AV	2483.500	-58.94	2.00	1.10	39.36	≤54	PASS
				AV	2483.840	-58.36	2.00	1.10	39.94	≤54	PASS
				AV	2500.000	-59.14	2.00	1.10	39.16	≤54	PASS
				Peak	2483.500	-50.03	2.00	0.00	47.17	≤74	PASS
				Peak	2484.320	-45.96	2.00	0.00	51.24	≤74	PASS
				Peak	2500.000	-50.77	2.00	0.00	46.43	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

