



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-49.46	2.97	48.74	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-59.06	2.97	39.14	Average	54	Pass
NVNT	a	5260	Ant2	5060.82	-46.41	2.97	51.79	Peak	68.2	Pass
NVNT	a	5260	Ant2	5099.04	-56.62	2.97	41.58	Average	54	Pass
NVNT	a	5260	Ant2	5150	-50.79	2.97	47.41	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-56.82	2.97	41.38	Average	54	Pass
NVNT	a	5320	Ant2	5350	-39.47	2.97	58.73	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-49.54	2.97	48.66	Average	54	Pass
NVNT	a	5320	Ant2	5351.6	-39	2.97	59.20	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-49.54	2.97	48.66	Average	54	Pass
NVNT	a	5320	Ant2	5460	-51.58	2.97	46.62	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-57.36	2.97	40.84	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-52.71	2.97	45.49	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-58.83	2.97	39.37	Average	54	Pass
NVNT	n20	5260	Ant2	5028.84	-46.97	2.97	51.23	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5041.32	-55.58	2.97	42.62	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-49.93	2.97	48.27	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-56.38	2.97	41.82	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-39.94	2.97	58.26	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-55.67	2.97	42.53	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-39.94	2.97	58.26	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350.2	-55.35	2.97	42.85	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-59.23	2.97	38.97	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-66.96	2.97	31.24	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-51.92	2.97	46.28	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-59.31	2.97	38.89	Average	54	Pass
NVNT	n40	5270	Ant2	5058.9	-47.09	2.97	51.11	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5138.28	-56.13	2.97	42.07	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-50.19	2.97	48.01	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-55.98	2.97	42.22	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-43.6	2.97	54.60	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-56.35	2.97	41.85	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-43.6	2.97	54.60	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-56.35	2.97	41.85	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-56.94	2.97	41.26	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-63.21	2.97	34.99	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-52.75	2.97	45.45	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4500	-58.98	2.97	39.22	Average	54	Pass
NVNT	ac20	5260	Ant2	4998.42	-47.16	2.97	51.04	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5056.92	-56.54	2.97	41.66	Average	54	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5260	Ant2	5150	-50.34	2.97	47.86	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-56.84	2.97	41.36	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-44.59	2.97	53.61	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-50.99	2.97	47.21	Average	54	Pass
NVNT	ac20	5320	Ant2	5354	-40.49	2.97	57.71	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350.2	-50.85	2.97	47.35	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-50.43	2.97	47.77	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-57.44	2.97	40.76	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-51.05	2.97	47.15	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-59.1	2.97	39.10	Average	54	Pass
NVNT	ac40	5270	Ant2	4956.84	-46.57	2.97	51.63	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5149.62	-55.94	2.97	42.26	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-51.01	2.97	47.19	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-56.13	2.97	42.07	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-46.26	2.97	51.94	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-54.84	2.97	43.36	Average	54	Pass
NVNT	ac40	5310	Ant2	5352	-42.55	2.97	55.65	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5353.4	-54.46	2.97	43.74	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-49.42	2.97	48.78	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-56.97	2.97	41.23	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-43.38	2.97	54.82	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350	-55.14	2.97	43.06	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-43.38	2.97	54.82	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350.25	-54.19	2.97	44.01	Average	54	Pass
NVNT	ac80	5290	Ant2	5460	-50.12	2.97	48.08	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5460	-57.15	2.97	41.05	Average	54	Pass
NVNT	ac80	5290	Ant2	4500	-51.89	2.97	47.23	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4500	-59.09	2.97	40.03	Average	54	Pass
NVNT	ac80	5290	Ant2	5123.79	-48.12	2.97	51	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5027.22	-56.4	2.97	42.72	Average	54	Pass
NVNT	ac80	5290	Ant2	5150	-50.39	2.97	48.73	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5150	-57.13	2.97	41.99	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-52.37	2.97	45.83	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-58.87	2.97	39.33	Average	54	Pass
NVNT	ax20	5260	Ant2	5028.84	-46.94	2.97	51.26	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5145.84	-55.94	2.97	42.26	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-50.15	2.97	48.05	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-55.81	2.97	42.39	Average	54	Pass
NVNT	ax20	5320	Ant2	5350	-40.01	2.97	58.19	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-55.42	2.97	42.78	Average	54	Pass
NVNT	ax20	5320	Ant2	5351.2	-38.22	2.97	59.98	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-55.42	2.97	42.78	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-60.2	2.97	38	Peak	68.2	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax20	5320	Ant2	5460	-67.28	2.97	30.92	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-53.24	2.97	44.96	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-58.94	2.97	39.26	Average	54	Pass
NVNT	ax40	5270	Ant2	5032.17	-46.62	2.97	51.58	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5149.62	-55.31	2.97	42.89	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-51.1	2.97	47.10	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-55.43	2.97	42.77	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-43.83	2.97	54.37	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-54.17	2.97	44.03	Average	54	Pass
NVNT	ax40	5310	Ant2	5350.8	-40.99	2.97	57.21	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-54.17	2.97	44.03	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-60.67	2.97	37.53	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-67.03	2.97	31.17	Average	54	Pass
NVNT	ax80	5290	Ant2	5350	-43.78	2.97	54.42	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350	-56.2	2.97	42	Average	54	Pass
NVNT	ax80	5290	Ant2	5351.25	-41.35	2.97	56.85	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350.25	-56.08	2.97	42.12	Average	54	Pass
NVNT	ax80	5290	Ant2	5460	-60.17	2.97	38.03	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5460	-66.55	2.97	31.65	Average	54	Pass
NVNT	ax80	5290	Ant2	4500	-52.88	2.97	46.24	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4500	-58.86	2.97	40.26	Average	54	Pass
NVNT	ax80	5290	Ant2	5123.79	-47.62	2.97	51.5	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5075.94	-56.52	2.97	42.6	Average	54	Pass
NVNT	ax80	5290	Ant2	5150	-50.42	2.97	48.7	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5150	-57.06	2.97	42.06	Average	54	Pass




Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average




Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average




Restrict Band NVNT n20 5260MHz Ant2 Peak




Restrict Band NVNT n20 5260MHz Ant2 Average




Restrict Band NVNT n20 5320MHz Ant2 Peak




Restrict Band NVNT n20 5320MHz Ant2 Average




Restrict Band NVNT n40 5270MHz Ant2 Peak




Restrict Band NVNT n40 5270MHz Ant2 Average




Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average




Restrict Band NVNT ac20 5260MHz Ant2 Peak




Restrict Band NVNT ac20 5260MHz Ant2 Average




Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average




Restrict Band NVNT ac40 5270MHz Ant2 Peak




Restrict Band NVNT ac40 5270MHz Ant2 Average




Restrict Band NVNT ac40 5310MHz Ant2 Peak




Restrict Band NVNT ac40 5310MHz Ant2 Average




Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average




Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average




Restrict Band NVNT ax20 5260MHz Ant2 Peak




Restrict Band NVNT ax20 5260MHz Ant2 Average




Restrict Band NVNT ax20 5320MHz Ant2 Peak




Restrict Band NVNT ax20 5320MHz Ant2 Average




Restrict Band NVNT ax40 5270MHz Ant2 Peak




Restrict Band NVNT ax40 5270MHz Ant2 Average




Restrict Band NVNT ax40 5310MHz Ant2 Peak




Restrict Band NVNT ax40 5310MHz Ant2 Average




Restrict Band NVNT ax80 5290MHz Ant2 Peak



Restrict Band NVNT ax80 5290MHz Ant2 Average



Restrict Band NVNT ax80 5290MHz Ant2 Peak



Restrict Band NVNT ax80 5290MHz Ant2 Average

**MIMO**

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	-52.31	-52.71	-49.50	5.98	51.71	Peak	68.2	Pass
NVNT	n20	5260	-58.5	-58.83	-55.65	5.98	45.56	Average	54	Pass
NVNT	n20	5260	-47.27	-46.97	-44.11	5.98	57.10	Peak	68.2	Pass
NVNT	n20	5260	-55.5	-55.58	-52.53	5.98	48.68	Average	54	Pass
NVNT	n20	5260	-50.61	-49.93	-47.25	5.98	53.96	Peak	68.2	Pass
NVNT	n20	5260	-56.11	-56.38	-53.23	5.98	47.97	Average	54	Pass
NVNT	n20	5320	-39.55	-39.94	-36.73	5.98	64.48	Peak	68.2	Pass
NVNT	n20	5320	-49.75	-55.67	-48.76	5.98	52.45	Average	54	Pass
NVNT	n20	5320	-36.46	-39.94	-34.85	5.98	66.36	Peak	68.2	Pass
NVNT	n20	5320	-48.34	-55.35	-47.55	5.98	53.66	Average	54	Pass
NVNT	n20	5320	-49.74	-59.23	-49.28	5.98	51.93	Peak	68.2	Pass
NVNT	n20	5320	-57.04	-66.96	-56.62	5.98	44.59	Average	54	Pass
NVNT	n40	5270	-52.17	-51.92	-49.03	5.98	52.17	Peak	68.2	Pass
NVNT	n40	5270	-59.16	-59.31	-56.22	5.98	44.98	Average	54	Pass
NVNT	n40	5270	-47.02	-47.09	-44.04	5.98	57.16	Peak	68.2	Pass
NVNT	n40	5270	-55.84	-56.13	-52.97	5.98	48.24	Average	54	Pass
NVNT	n40	5270	-49.96	-50.19	-47.06	5.98	54.14	Peak	68.2	Pass
NVNT	n40	5270	-55.75	-55.98	-52.85	5.98	48.35	Average	54	Pass
NVNT	n40	5310	-46.61	-43.6	-41.84	5.98	59.37	Peak	68.2	Pass
NVNT	n40	5310	-54.42	-56.35	-52.27	5.98	48.94	Average	54	Pass
NVNT	n40	5310	-43.33	-43.6	-40.45	5.98	60.75	Peak	68.2	Pass
NVNT	n40	5310	-54.39	-56.35	-52.25	5.98	48.96	Average	54	Pass
NVNT	n40	5310	-55.83	-56.94	-53.34	5.98	47.87	Peak	68.2	Pass
NVNT	n40	5310	-62.87	-63.21	-60.03	5.98	41.18	Average	54	Pass
NVNT	ac20	5260	-52.88	-52.75	-49.80	5.98	51.40	Peak	68.2	Pass
NVNT	ac20	5260	-58.93	-58.98	-55.94	5.98	45.26	Average	54	Pass
NVNT	ac20	5260	-46.57	-47.16	-43.84	5.98	57.36	Peak	68.2	Pass
NVNT	ac20	5260	-56.48	-56.54	-53.50	5.98	47.71	Average	54	Pass
NVNT	ac20	5260	-49.45	-50.34	-46.86	5.98	54.35	Peak	68.2	Pass
NVNT	ac20	5260	-56.71	-56.84	-53.76	5.98	47.44	Average	54	Pass
NVNT	ac20	5320	-41.44	-44.59	-39.73	5.98	61.48	Peak	68.2	Pass
NVNT	ac20	5320	-50.68	-50.99	-47.82	5.98	53.39	Average	54	Pass
NVNT	ac20	5320	-39.06	-40.49	-36.71	5.98	64.50	Peak	68.2	Pass
NVNT	ac20	5320	-50.68	-50.85	-47.75	5.98	53.45	Average	54	Pass
NVNT	ac20	5320	-50.63	-50.43	-47.52	5.98	53.69	Peak	68.2	Pass
NVNT	ac20	5320	-57.52	-57.44	-54.47	5.98	46.74	Average	54	Pass
NVNT	ac40	5270	-53.68	-51.05	-49.16	5.98	52.05	Peak	68.2	Pass
NVNT	ac40	5270	-59.14	-59.1	-56.11	5.98	45.10	Average	54	Pass
NVNT	ac40	5270	-46.52	-46.57	-43.53	5.98	57.67	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac40	5270	-55.75	-55.94	-52.83	5.98	48.37	Average	54	Pass
NVNT	ac40	5270	-49.28	-51.01	-47.05	5.98	54.16	Peak	68.2	Pass
NVNT	ac40	5270	-55.79	-56.13	-52.95	5.98	48.26	Average	54	Pass
NVNT	ac40	5310	-45.71	-46.26	-42.97	5.98	58.24	Peak	68.2	Pass
NVNT	ac40	5310	-53.39	-54.84	-51.04	5.98	50.16	Average	54	Pass
NVNT	ac40	5310	-42.3	-42.55	-39.41	5.98	61.79	Peak	68.2	Pass
NVNT	ac40	5310	-53.2	-54.46	-50.77	5.98	50.43	Average	54	Pass
NVNT	ac40	5310	-48.29	-49.42	-45.81	5.98	55.40	Peak	68.2	Pass
NVNT	ac40	5310	-56.81	-56.97	-53.88	5.98	47.33	Average	54	Pass
NVNT	ac80	5290	-40.25	-43.38	-38.53	5.98	62.68	Peak	68.2	Pass
NVNT	ac80	5290	-48.54	-55.14	-47.68	5.98	53.53	Average	54	Pass
NVNT	ac80	5290	-36.31	-43.38	-35.53	5.98	65.68	Peak	68.2	Pass
NVNT	ac80	5290	-48.38	-54.19	-47.37	5.98	53.84	Average	54	Pass
NVNT	ac80	5290	-48.95	-50.12	-46.49	5.98	54.72	Peak	68.2	Pass
NVNT	ac80	5290	-54.97	-57.15	-52.91	5.98	48.29	Average	54	Pass
NVNT	ac80	5290	-51.36	-51.89	-48.61	5.98	52.60	Peak	68.2	Pass
NVNT	ac80	5290	-58.98	-59.09	-56.02	5.98	45.18	Average	54	Pass
NVNT	ac80	5290	-46.8	-48.12	-44.40	5.98	56.81	Peak	68.2	Pass
NVNT	ac80	5290	-54.17	-56.4	-52.13	5.98	49.07	Average	54	Pass
NVNT	ac80	5290	-49.17	-50.39	-46.73	5.98	54.48	Peak	68.2	Pass
NVNT	ac80	5290	-54.95	-57.13	-52.89	5.98	48.31	Average	54	Pass
NVNT	ax20	5260	-52.39	-52.37	-49.37	5.98	51.84	Peak	68.2	Pass
NVNT	ax20	5260	-58.92	-58.87	-55.88	5.98	45.32	Average	54	Pass
NVNT	ax20	5260	-46.98	-46.94	-43.95	5.98	57.26	Peak	68.2	Pass
NVNT	ax20	5260	-55.98	-55.94	-52.95	5.98	48.26	Average	54	Pass
NVNT	ax20	5260	-49.79	-50.15	-46.96	5.98	54.25	Peak	68.2	Pass
NVNT	ax20	5260	-55.89	-55.81	-52.84	5.98	48.37	Average	54	Pass
NVNT	ax20	5320	-38.1	-40.01	-35.94	5.98	65.27	Peak	68.2	Pass
NVNT	ax20	5320	-49.43	-55.42	-48.45	5.98	52.75	Average	54	Pass
NVNT	ax20	5320	-37.53	-38.22	-34.85	5.98	66.36	Peak	68.2	Pass
NVNT	ax20	5320	-49.42	-55.42	-48.45	5.98	52.76	Average	54	Pass
NVNT	ax20	5320	-49.67	-60.2	-49.30	5.98	51.91	Peak	68.2	Pass
NVNT	ax20	5320	-56.92	-56.67	-53.78	5.98	47.42	Average	54	Pass
NVNT	ax40	5270	-52.53	-53.24	-49.86	5.98	51.35	Peak	68.2	Pass
NVNT	ax40	5270	-58.94	-58.94	-55.93	5.98	45.28	Average	54	Pass
NVNT	ax40	5270	-47.17	-46.62	-43.88	5.98	57.33	Peak	68.2	Pass
NVNT	ax40	5270	-54.95	-55.31	-52.12	5.98	49.09	Average	54	Pass
NVNT	ax40	5270	-48.88	-51.1	-46.84	5.98	54.37	Peak	68.2	Pass
NVNT	ax40	5270	-55.06	-55.43	-52.23	5.98	48.98	Average	54	Pass
NVNT	ax40	5310	-40.2	-43.83	-38.64	5.98	62.57	Peak	68.2	Pass
NVNT	ax40	5310	-51.33	-54.17	-49.51	5.98	51.70	Average	54	Pass
NVNT	ax40	5310	-40.2	-40.99	-37.57	5.98	63.64	Peak	68.2	Pass
NVNT	ax40	5310	-50.79	-54.17	-49.15	5.98	52.06	Average	54	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax40	5310	-50.74	-60.67	-50.32	5.98	50.89	Peak	68.2	Pass
NVNT	ax40	5310	-56.52	-67.03	-56.15	5.98	45.06	Average	54	Pass
NVNT	ax80	5290	-48.24	-43.78	-42.45	5.98	58.76	Peak	68.2	Pass
NVNT	ax80	5290	-53.74	-56.2	-51.79	5.98	49.42	Average	54	Pass
NVNT	ax80	5290	-44.93	-41.35	-39.77	5.98	61.44	Peak	68.2	Pass
NVNT	ax80	5290	-53.19	-56.08	-51.39	5.98	49.82	Average	54	Pass
NVNT	ax80	5290	-53.83	-60.17	-52.92	5.98	48.28	Peak	68.2	Pass
NVNT	ax80	5290	-60.44	-66.55	-59.49	5.98	41.72	Average	54	Pass
NVNT	ax80	5290	-52.62	-52.88	-49.74	5.98	51.47	Peak	68.2	Pass
NVNT	ax80	5290	-58.91	-58.86	-55.87	5.98	45.33	Average	54	Pass
NVNT	ax80	5290	-44.63	-47.62	-42.86	5.98	58.35	Peak	68.2	Pass
NVNT	ax80	5290	-51.28	-56.52	-50.14	5.98	51.06	Average	54	Pass
NVNT	ax80	5290	-46.68	-50.42	-45.15	5.98	56.06	Peak	68.2	Pass
NVNT	ax80	5290	-52.06	-57.06	-50.87	5.98	50.34	Average	54	Pass




E.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5260.02	20000	3.8	25	Pass
NVNT	a	5280	Ant1	5280	0	0	25	Pass
NVNT	a	5320	Ant1	5320.02	20000	3.76	25	Pass
NVNT	n20	5260	Ant1	5260.02	20000	3.8	25	Pass
NVNT	n20	5280	Ant1	5280	0	0	25	Pass
NVNT	n20	5320	Ant1	5320	0	0	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac20	5260	Ant1	5260	0	0	25	Pass
NVNT	ac20	5280	Ant1	5280	0	0	25	Pass
NVNT	ac20	5320	Ant1	5320.02	20000	3.76	25	Pass
NVNT	ac40	5270	Ant1	5270	0	0	25	Pass
NVNT	ac40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac80	5290	Ant1	5290	0	0	25	Pass
NVNT	ax20	5260	Ant1	5260	0	0	25	Pass
NVNT	ax20	5280	Ant1	5280	0	0	25	Pass
NVNT	ax20	5320	Ant1	5320.02	20000	3.76	25	Pass
NVNT	ax40	5270	Ant1	5270.04	40000	7.59	25	Pass
NVNT	ax40	5310	Ant1	5310	0	0	25	Pass
NVNT	ax80	5290	Ant1	5290	0	0	25	Pass




Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5280MHz Ant1




Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1




Freq. Stability NVNT n20 5280MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1




Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1




Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5280MHz Ant1




Freq. Stability NVNT ac20 5320MHz Ant1




Freq. Stability NVNT ac40 5270MHz Ant1




Freq. Stability NVNT ac40 5310MHz Ant1




Freq. Stability NVNT ac80 5290MHz Ant1




Freq. Stability NVNT ax20 5260MHz Ant1




Freq. Stability NVNT ax20 5280MHz Ant1




Freq. Stability NVNT ax20 5320MHz Ant1



Freq. Stability NVNT ax40 5270MHz Ant1




Freq. Stability NVNT ax40 5310MHz Ant1




Freq. Stability NVNT ax80 5290MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant2	5260.02	20000	3.8	25	Pass
NVNT	a	5280	Ant2	5280.02	20000	3.79	25	Pass
NVNT	a	5320	Ant2	5320	0	0	25	Pass
NVNT	n20	5260	Ant2	5260	0	0	25	Pass
NVNT	n20	5280	Ant2	5280.02	20000	3.79	25	Pass
NVNT	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant2	5270	0	0	25	Pass
NVNT	n40	5310	Ant2	5310.04	40000	7.53	25	Pass
NVNT	ac20	5260	Ant2	5260	0	0	25	Pass
NVNT	ac20	5280	Ant2	5280	0	0	25	Pass
NVNT	ac20	5320	Ant2	5320	0	0	25	Pass
NVNT	ac40	5270	Ant2	5270.04	40000	7.59	25	Pass
NVNT	ac40	5310	Ant2	5310	0	0	25	Pass
NVNT	ac80	5290	Ant2	5290	0	0	25	Pass
NVNT	ax20	5260	Ant2	5260	0	0	25	Pass
NVNT	ax20	5280	Ant2	5280.02	20000	3.79	25	Pass
NVNT	ax20	5320	Ant2	5320	0	0	25	Pass
NVNT	ax40	5270	Ant2	5270.04	40000	7.59	25	Pass
NVNT	ax40	5310	Ant2	5310.04	40000	7.53	25	Pass
NVNT	ax80	5290	Ant2	5290	0	0	25	Pass




Freq. Stability NVNT a 5260MHz Ant2




Freq. Stability NVNT a 5280MHz Ant2




Freq. Stability NVNT a 5320MHz Ant2




Freq. Stability NVNT n20 5260MHz Ant2




Freq. Stability NVNT n20 5280MHz Ant2




Freq. Stability NVNT n20 5320MHz Ant2




Freq. Stability NVNT n40 5270MHz Ant2




Freq. Stability NVNT n40 5310MHz Ant2




Freq. Stability NVNT ac20 5260MHz Ant2




Freq. Stability NVNT ac20 5280MHz Ant2




Freq. Stability NVNT ac20 5320MHz Ant2




Freq. Stability NVNT ac40 5270MHz Ant2




Freq. Stability NVNT ac40 5310MHz Ant2




Freq. Stability NVNT ac80 5290MHz Ant2




Freq. Stability NVNT ax20 5260MHz Ant2




Freq. Stability NVNT ax20 5280MHz Ant2




Freq. Stability NVNT ax20 5320MHz Ant2



Freq. Stability NVNT ax40 5270MHz Ant2



Freq. Stability NVNT ax40 5310MHz Ant2




Freq. Stability NVNT ax80 5290MHz Ant2




E.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	93.29	0.3	0.72
NVNT	a	5280	Ant1	93.96	0.27	0.71
NVNT	a	5320	Ant1	93.29	0.3	0.72
NVNT	n20	5260	Ant1	88.46	0.53	4.35
NVNT	n20	5280	Ant1	88.46	0.53	4.35
NVNT	n20	5320	Ant1	88.46	0.53	4.35
NVNT	n40	5270	Ant1	96.91	0.14	1.06
NVNT	n40	5310	Ant1	96.91	0.14	1.06
NVNT	ac20	5260	Ant1	92.91	0.32	0.76
NVNT	ac20	5280	Ant1	92.96	0.32	0.76
NVNT	ac20	5320	Ant1	93.62	0.29	0.76
NVNT	ac40	5270	Ant1	96.91	0.14	1.06
NVNT	ac40	5310	Ant1	86.84	0.61	1.52
NVNT	ac80	5290	Ant1	76.74	1.15	3.03
NVNT	ax20	5260	Ant1	91.07	0.41	0.98
NVNT	ax20	5280	Ant1	91.07	0.41	0.98
NVNT	ax20	5320	Ant1	91.07	0.41	0.98
NVNT	ax40	5270	Ant1	84.37	0.74	1.85
NVNT	ax40	5310	Ant1	84.38	0.74	1.85
NVNT	ax80	5290	Ant1	74.36	1.29	3.45




Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1




Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT ax20 5260MHz Ant1




Duty Cycle NVNT ax20 5280MHz Ant1




Duty Cycle NVNT ax20 5320MHz Ant1



Duty Cycle NVNT ax40 5270MHz Ant1




Duty Cycle NVNT ax40 5310MHz Ant1




Duty Cycle NVNT ax80 5290MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant2	93.96	0.27	0.71
NVNT	a	5280	Ant2	93.33	0.3	0.71
NVNT	a	5320	Ant2	93.29	0.3	0.72
NVNT	n20	5260	Ant2	98.46	0.07	0.52
NVNT	n20	5280	Ant2	98.46	0.07	0.52
NVNT	n20	5320	Ant2	98.46	0.07	0.52
NVNT	n40	5270	Ant2	96.91	0.14	1.06
NVNT	n40	5310	Ant2	96.91	0.14	1.06
NVNT	ac20	5260	Ant2	92.96	0.32	0.76
NVNT	ac20	5280	Ant2	92.96	0.32	0.76
NVNT	ac20	5320	Ant2	92.91	0.32	0.76
NVNT	ac40	5270	Ant2	86.67	0.62	1.54
NVNT	ac40	5310	Ant2	86.84	0.61	1.52
NVNT	ac80	5290	Ant2	76.19	1.18	3.13
NVNT	ax20	5260	Ant2	91.07	0.41	0.98
NVNT	ax20	5280	Ant2	91.07	0.41	0.98
NVNT	ax20	5320	Ant2	91.07	0.41	0.98
NVNT	ax40	5270	Ant2	84.38	0.74	1.85
NVNT	ax40	5310	Ant2	84.37	0.74	1.85
NVNT	ax80	5290	Ant2	74.36	1.29	3.45




Duty Cycle NVNT a 5260MHz Ant2




Duty Cycle NVNT a 5280MHz Ant2




Duty Cycle NVNT a 5320MHz Ant2




Duty Cycle NVNT n20 5260MHz Ant2




Duty Cycle NVNT n20 5280MHz Ant2




Duty Cycle NVNT n20 5320MHz Ant2




Duty Cycle NVNT n40 5270MHz Ant2




Duty Cycle NVNT n40 5310MHz Ant2




Duty Cycle NVNT ac20 5260MHz Ant2




Duty Cycle NVNT ac20 5280MHz Ant2




Duty Cycle NVNT ac20 5320MHz Ant2




Duty Cycle NVNT ac40 5270MHz Ant2




Duty Cycle NVNT ac40 5310MHz Ant2




Duty Cycle NVNT ac80 5290MHz Ant2




Duty Cycle NVNT ax20 5260MHz Ant2




Duty Cycle NVNT ax20 5280MHz Ant2




Duty Cycle NVNT ax20 5320MHz Ant2



Duty Cycle NVNT ax40 5270MHz Ant2



Duty Cycle NVNT ax40 5310MHz Ant2



Duty Cycle NVNT ax80 5290MHz Ant2