



Appendix F

RF Test Data for 5.5GWIFI (Conducted Measurement)

Product Name: Gutsi

Test Model: Gen 1


Environmental Conditions

Temperature:	23.4°C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun




F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5500	Ant1	30.18
NVNT	a	5580	Ant1	26.14
NVNT	a	5700	Ant1	26.26
NVNT	n20	5500	Ant1	26.12
NVNT	n20	5580	Ant1	28.4
NVNT	n20	5700	Ant1	21.93
NVNT	n40	5510	Ant1	63.08
NVNT	n40	5550	Ant1	52.01
NVNT	n40	5670	Ant1	55.23
NVNT	ac20	5500	Ant1	29.66
NVNT	ac20	5580	Ant1	26.87
NVNT	ac20	5700	Ant1	29.56
NVNT	ac40	5510	Ant1	59.2
NVNT	ac40	5550	Ant1	40.44
NVNT	ac40	5670	Ant1	54.09
NVNT	ac80	5530	Ant1	82.71
NVNT	ac80	5610	Ant1	82
NVNT	ax20	5500	Ant1	21.66
NVNT	ax20	5580	Ant1	21.53
NVNT	ax20	5700	Ant1	21.49
NVNT	ax40	5510	Ant1	60.47
NVNT	ax40	5550	Ant1	57.23
NVNT	ax40	5670	Ant1	52.2
NVNT	ax80	5530	Ant1	81.81
NVNT	ax80	5610	Ant1	82.17




-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5580MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5550MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5550MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1




-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT ax20 5500MHz Ant1




-26dB Bandwidth NVNT ax20 5580MHz Ant1




-26dB Bandwidth NVNT ax20 5700MHz Ant1




-26dB Bandwidth NVNT ax40 5510MHz Ant1




-26dB Bandwidth NVNT ax40 5550MHz Ant1



-26dB Bandwidth NVNT ax40 5670MHz Ant1




-26dB Bandwidth NVNT ax80 5530MHz Ant1







Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5500	Ant2	25.96
NVNT	a	5580	Ant2	23.7
NVNT	a	5700	Ant2	23.56
NVNT	n20	5500	Ant2	25.26
NVNT	n20	5580	Ant2	27.13
NVNT	n20	5700	Ant2	24.83
NVNT	n40	5510	Ant2	50.24
NVNT	n40	5550	Ant2	50
NVNT	n40	5670	Ant2	40.33
NVNT	ac20	5500	Ant2	26.83
NVNT	ac20	5580	Ant2	24.43
NVNT	ac20	5700	Ant2	22.99
NVNT	ac40	5510	Ant2	47.45
NVNT	ac40	5550	Ant2	40.48
NVNT	ac40	5670	Ant2	40.73
NVNT	ac80	5530	Ant2	84.65
NVNT	ac80	5610	Ant2	82.79
NVNT	ax20	5500	Ant2	21.87
NVNT	ax20	5580	Ant2	21.57
NVNT	ax20	5700	Ant2	21.81
NVNT	ax40	5510	Ant2	42.55
NVNT	ax40	5550	Ant2	40.19
NVNT	ax40	5670	Ant2	40.21
NVNT	ax80	5530	Ant2	82.09
NVNT	ax80	5610	Ant2	81.87




-26dB Bandwidth NVNT a 5500MHz Ant2




-26dB Bandwidth NVNT a 5580MHz Ant2




-26dB Bandwidth NVNT a 5700MHz Ant2




-26dB Bandwidth NVNT n20 5500MHz Ant2




-26dB Bandwidth NVNT n20 5580MHz Ant2




-26dB Bandwidth NVNT n20 5700MHz Ant2




-26dB Bandwidth NVNT n40 5510MHz Ant2




-26dB Bandwidth NVNT n40 5550MHz Ant2




-26dB Bandwidth NVNT n40 5670MHz Ant2




-26dB Bandwidth NVNT ac20 5500MHz Ant2




-26dB Bandwidth NVNT ac20 5580MHz Ant2




-26dB Bandwidth NVNT ac20 5700MHz Ant2




-26dB Bandwidth NVNT ac40 5510MHz Ant2




-26dB Bandwidth NVNT ac40 5550MHz Ant2




-26dB Bandwidth NVNT ac40 5670MHz Ant2




-26dB Bandwidth NVNT ac80 5530MHz Ant2




-26dB Bandwidth NVNT ac80 5610MHz Ant2




-26dB Bandwidth NVNT ax20 5500MHz Ant2




-26dB Bandwidth NVNT ax20 5580MHz Ant2




-26dB Bandwidth NVNT ax20 5700MHz Ant2




-26dB Bandwidth NVNT ax40 5510MHz Ant2




-26dB Bandwidth NVNT ax40 5550MHz Ant2



-26dB Bandwidth NVNT ax40 5670MHz Ant2



-26dB Bandwidth NVNT ax80 5530MHz Ant2





F.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5500	Ant1	12.07	0.3	12.37	24	Pass
NVNT	a	5580	Ant1	12.03	0.27	12.3	24	Pass
NVNT	a	5700	Ant1	11.68	0.3	11.98	24	Pass
NVNT	n20	5500	Ant1	10.87	0.53	11.4	24	Pass
NVNT	n20	5580	Ant1	12.02	0.07	12.09	24	Pass
NVNT	n20	5700	Ant1	10.56	0.53	11.09	24	Pass
NVNT	n40	5510	Ant1	10.85	0.14	10.99	24	Pass
NVNT	n40	5550	Ant1	9.77	0.14	9.91	24	Pass
NVNT	n40	5670	Ant1	10.48	0.14	10.62	24	Pass
NVNT	ac20	5500	Ant1	11.74	0.32	12.06	24	Pass
NVNT	ac20	5580	Ant1	11.4	0.32	11.72	24	Pass
NVNT	ac20	5700	Ant1	11.19	0.32	11.51	24	Pass
NVNT	ac40	5510	Ant1	10.35	0.61	10.96	24	Pass
NVNT	ac40	5550	Ant1	4.75	0.62	5.37	24	Pass
NVNT	ac40	5670	Ant1	9.77	0.61	10.38	24	Pass
NVNT	ac80	5530	Ant1	9.05	1.15	10.2	24	Pass
NVNT	ac80	5610	Ant1	9.22	1.18	10.4	24	Pass
NVNT	ax20	5500	Ant1	9.59	2.43	12.02	24	Pass
NVNT	ax20	5580	Ant1	9.16	2.63	11.79	24	Pass
NVNT	ax20	5700	Ant1	8.66	2.63	11.29	24	Pass
NVNT	ax40	5510	Ant1	10.5	0.74	11.24	24	Pass
NVNT	ax40	5550	Ant1	10.29	0.74	11.03	24	Pass
NVNT	ax40	5670	Ant1	10.08	0.74	10.82	24	Pass
NVNT	ax80	5530	Ant1	8.39	1.29	9.68	24	Pass
NVNT	ax80	5610	Ant1	8.78	1.29	10.07	24	Pass



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5500	Ant2	11.76	0.3	12.06	24	Pass
NVNT	a	5580	Ant2	11.63	0.3	11.93	24	Pass
NVNT	a	5700	Ant2	11.06	0.3	11.36	24	Pass
NVNT	n20	5500	Ant2	11.9	0.07	11.97	24	Pass
NVNT	n20	5580	Ant2	11.69	0.07	11.76	24	Pass
NVNT	n20	5700	Ant2	11.17	0.07	11.24	24	Pass
NVNT	n40	5510	Ant2	10.17	0.14	10.31	24	Pass
NVNT	n40	5550	Ant2	9.92	0.14	10.06	24	Pass
NVNT	n40	5670	Ant2	8.83	0.14	8.97	24	Pass
NVNT	ac20	5500	Ant2	11.64	0.32	11.96	24	Pass
NVNT	ac20	5580	Ant2	11.41	0.32	11.73	24	Pass
NVNT	ac20	5700	Ant2	11.01	0.32	11.33	24	Pass
NVNT	ac40	5510	Ant2	9.58	0.61	10.19	24	Pass
NVNT	ac40	5550	Ant2	9.51	0.56	10.07	24	Pass
NVNT	ac40	5670	Ant2	8.46	0.61	9.07	24	Pass
NVNT	ac80	5530	Ant2	12.21	1.15	13.36	24	Pass
NVNT	ac80	5610	Ant2	11.85	1.18	13.03	24	Pass
NVNT	ax20	5500	Ant2	11.68	0.41	12.09	24	Pass
NVNT	ax20	5580	Ant2	11.45	0.41	11.86	24	Pass
NVNT	ax20	5700	Ant2	10.86	0.41	11.27	24	Pass
NVNT	ax40	5510	Ant2	9.51	0.74	10.25	24	Pass
NVNT	ax40	5550	Ant2	9.44	0.74	10.18	24	Pass
NVNT	ax40	5670	Ant2	8.56	0.74	9.3	24	Pass
NVNT	ax80	5530	Ant2	9.44	1.29	10.73	24	Pass
NVNT	ax80	5610	Ant2	9.32	1.29	10.61	24	Pass



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5500	11.4	11.97	14.70	24	Pass
NVNT	n20	5580	12.09	11.76	14.94	24	Pass
NVNT	n20	5700	11.09	11.24	14.18	24	Pass
NVNT	n40	5510	10.99	10.31	13.67	24	Pass
NVNT	n40	5550	9.91	10.06	13.00	24	Pass
NVNT	n40	5670	10.62	8.97	12.88	24	Pass
NVNT	ac20	5500	12.06	11.96	15.02	24	Pass
NVNT	ac20	5580	11.72	11.73	14.74	24	Pass
NVNT	ac20	5700	11.51	11.33	14.43	24	Pass
NVNT	ac40	5510	10.96	10.19	13.60	24	Pass
NVNT	ac40	5550	5.37	10.07	11.34	24	Pass
NVNT	ac40	5670	10.38	9.07	12.78	24	Pass
NVNT	ac80	5530	10.2	13.36	15.07	24	Pass
NVNT	ac80	5610	10.4	13.03	14.92	24	Pass
NVNT	ax20	5500	12.02	12.09	15.07	24	Pass
NVNT	ax20	5580	11.79	11.86	14.84	24	Pass
NVNT	ax20	5700	11.29	11.27	14.29	24	Pass
NVNT	ax40	5510	11.24	10.25	13.78	24	Pass
NVNT	ax40	5550	11.03	10.18	13.64	24	Pass
NVNT	ax40	5670	10.82	9.3	13.14	24	Pass
NVNT	ax80	5530	9.68	10.73	13.25	24	Pass
NVNT	ax80	5610	10.07	10.61	13.36	24	Pass



F.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total Conducted PSD (dBm/MHz)	Limit Conducted (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	1.91	0.3	2.21	11	Pass
NVNT	a	5580	Ant1	1.84	0.27	2.11	11	Pass
NVNT	a	5700	Ant1	1.62	0.3	1.92	11	Pass
NVNT	n20	5500	Ant1	-0.66	0.53	-0.13	11	Pass
NVNT	n20	5580	Ant1	1.54	0.07	1.61	11	Pass
NVNT	n20	5700	Ant1	-0.82	0.53	-0.29	11	Pass
NVNT	n40	5510	Ant1	-3.83	0.14	-3.69	11	Pass
NVNT	n40	5550	Ant1	-4.97	0.14	-4.83	11	Pass
NVNT	n40	5670	Ant1	-4.18	0.14	-4.04	11	Pass
NVNT	ac20	5500	Ant1	1.4	0.32	1.72	11	Pass
NVNT	ac20	5580	Ant1	1.03	0.32	1.35	11	Pass
NVNT	ac20	5700	Ant1	0.71	0.32	1.03	11	Pass
NVNT	ac40	5510	Ant1	-4.32	0.61	-3.71	11	Pass
NVNT	ac40	5550	Ant1	-10.09	0.62	-9.47	11	Pass
NVNT	ac40	5670	Ant1	-4.67	0.61	-4.06	11	Pass
NVNT	ac80	5530	Ant1	-11.07	1.15	-9.92	11	Pass
NVNT	ac80	5610	Ant1	-10.78	1.18	-9.6	11	Pass
NVNT	ax20	5500	Ant1	-6.44	2.43	-4.01	11	Pass
NVNT	ax20	5580	Ant1	-6.5	2.63	-3.87	11	Pass
NVNT	ax20	5700	Ant1	-7.26	2.63	-4.63	11	Pass
NVNT	ax40	5510	Ant1	-4.32	0.74	-3.58	11	Pass
NVNT	ax40	5550	Ant1	-4.6	0.74	-3.85	11	Pass
NVNT	ax40	5670	Ant1	-4.53	0.74	-3.79	11	Pass
NVNT	ax80	5530	Ant1	-9.01	1.29	-7.72	11	Pass
NVNT	ax80	5610	Ant1	-8.95	1.29	-7.66	11	Pass



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total Conducted PSD (dBm/MHz)	Limit Conducted (dBm/MHz)	Verdict
NVNT	a	5500	Ant2	1.65	0.3	1.95	11	Pass
NVNT	a	5580	Ant2	1.32	0.3	1.62	11	Pass
NVNT	a	5700	Ant2	0.88	0.3	1.18	11	Pass
NVNT	n20	5500	Ant2	1.34	0.07	1.41	11	Pass
NVNT	n20	5580	Ant2	1.28	0.07	1.35	11	Pass
NVNT	n20	5700	Ant2	0.8	0.07	0.87	11	Pass
NVNT	n40	5510	Ant2	-4.63	0.14	-4.49	11	Pass
NVNT	n40	5550	Ant2	-4.72	0.14	-4.58	11	Pass
NVNT	n40	5670	Ant2	-5.79	0.14	-5.65	11	Pass
NVNT	ac20	5500	Ant2	1.36	0.32	1.68	11	Pass
NVNT	ac20	5580	Ant2	0.93	0.32	1.25	11	Pass
NVNT	ac20	5700	Ant2	0.64	0.32	0.96	11	Pass
NVNT	ac40	5510	Ant2	-5.07	0.61	-4.46	11	Pass
NVNT	ac40	5550	Ant2	-5.21	0.56	-4.65	11	Pass
NVNT	ac40	5670	Ant2	-6.11	0.61	-5.5	11	Pass
NVNT	ac80	5530	Ant2	-8.13	1.15	-6.98	11	Pass
NVNT	ac80	5610	Ant2	-8.61	1.18	-7.43	11	Pass
NVNT	ax20	5500	Ant2	1.35	0.41	1.76	11	Pass
NVNT	ax20	5580	Ant2	1.1	0.41	1.51	11	Pass
NVNT	ax20	5700	Ant2	0.74	0.41	1.15	11	Pass
NVNT	ax40	5510	Ant2	-5.12	0.74	-4.38	11	Pass
NVNT	ax40	5550	Ant2	-5.28	0.74	-4.54	11	Pass
NVNT	ax40	5670	Ant2	-6.07	0.74	-5.33	11	Pass
NVNT	ax80	5530	Ant2	-8.37	1.29	-7.08	11	Pass
NVNT	ax80	5610	Ant2	-8.33	1.29	-7.04	11	Pass




MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5500	-0.13	1.41	3.72	11	Pass
NVNT	n20	5580	1.61	1.35	4.49	11	Pass
NVNT	n20	5700	-0.29	0.87	3.34	11	Pass
NVNT	n40	5510	-3.69	-4.49	-1.06	11	Pass
NVNT	n40	5550	-4.83	-4.58	-1.69	11	Pass
NVNT	n40	5670	-4.04	-5.65	-1.76	11	Pass
NVNT	ac20	5500	1.72	1.68	4.71	11	Pass
NVNT	ac20	5580	1.35	1.25	4.31	11	Pass
NVNT	ac20	5700	1.03	0.96	4.01	11	Pass
NVNT	ac40	5510	-3.71	-4.46	-1.06	11	Pass
NVNT	ac40	5550	-9.47	-4.65	-3.41	11	Pass
NVNT	ac40	5670	-4.06	-5.5	-1.71	11	Pass
NVNT	ac80	5530	-9.92	-6.98	-5.20	11	Pass
NVNT	ac80	5610	-9.6	-7.43	-5.37	11	Pass
NVNT	ax20	5500	-4.01	1.76	2.78	11	Pass
NVNT	ax20	5580	-3.87	1.51	2.62	11	Pass
NVNT	ax20	5700	-4.63	1.15	2.17	11	Pass
NVNT	ax40	5510	-3.58	-4.38	-0.95	11	Pass
NVNT	ax40	5550	-3.85	-4.54	-1.17	11	Pass
NVNT	ax40	5670	-3.79	-5.33	-1.48	11	Pass
NVNT	ax80	5530	-7.72	-7.08	-4.38	11	Pass
NVNT	ax80	5610	-7.66	-7.04	-4.33	11	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5580MHz Ant1





PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1




PSD NVNT n40 5550MHz Ant1







PSD NVNT ac20 5580MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5550MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT ax20 5500MHz Ant1




PSD NVNT ax20 5580MHz Ant1





PSD NVNT ax20 5700MHz Ant1





PSD NVNT ax40 5510MHz Ant1




PSD NVNT ax40 5550MHz Ant1










PSD NVNT a 5500MHz Ant2




PSD NVNT a 5580MHz Ant2








PSD NVNT n20 5580MHz Ant2




PSD NVNT n20 5700MHz Ant2







PSD NVNT n40 5670MHz Ant2




PSD NVNT ac20 5500MHz Ant2




PSD NVNT ac20 5580MHz Ant2




PSD NVNT ac20 5700MHz Ant2




PSD NVNT ac40 5510MHz Ant2




PSD NVNT ac40 5550MHz Ant2




PSD NVNT ac40 5670MHz Ant2





PSD NVNT ac80 5530MHz Ant2






PSD NVNT ac80 5610MHz Ant2




PSD NVNT ax20 5500MHz Ant2







PSD NVNT ax40 5670MHz Ant2



PSD NVNT ax80 5530MHz Ant2