


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 24.5
25\23.5\24\24.5
-1.05\3.72\2.64\1.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	70.14	74.00	-3.86	60.12	3	Horizontal	312	1.80	24.5	32.90	9.71	32.59				
AV	5.15G	52.77	54.00	-1.23	42.75	3	Horizontal	312	1.80	24.5	32.90	9.71	32.59				
PK	5.193G	118.96	Inf	-Inf	108.90	3	Horizontal	312	1.80	24.5	32.90	9.74	32.58				
AV	5.1928G	108.73	Inf	-Inf	98.67	3	Horizontal	312	1.80	24.5	32.90	9.74	32.58				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3507G	49.33	68.20	-18.87	41.67	3	Vertical	354	1.80	-	38.90	14.11	45.35			
PK	15.5989G	55.37	74.00	-18.63	44.59	3	Vertical	9	1.80	-	38.50	15.36	43.08			
AV	15.5987G	41.70	54.00	-12.30	30.91	3	Vertical	9	1.80	-	38.51	15.36	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3846G	49.20	68.20	-19.00	41.51	3	Horizontal	323	1.80	-	38.90	14.13	45.34			
PK	15.5919G	56.06	74.00	-17.94	45.23	3	Horizontal	72	1.80	-	38.53	15.36	43.06			
AV	15.5924G	42.69	54.00	-11.31	31.86	3	Horizontal	72	1.80	-	38.53	15.36	43.06			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 SET 28
 20.5\27.5\28
 7.22\2.95\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1425G	66.42	74.00	-7.58	56.42	3	Vertical	103	1.80	28	32.88	9.71	32.59				
AV	5.1428G	51.81	54.00	-2.19	41.80	3	Vertical	103	1.80	28	32.89	9.71	32.59				
PK	5.243G	126.56	Inf	-Inf	116.34	3	Vertical	103	1.80	28	33.07	9.72	32.57				
AV	5.2427G	115.84	Inf	-Inf	105.62	3	Vertical	103	1.80	28	33.07	9.72	32.57				
PK	5.3543G	69.59	74.00	-4.41	59.14	3	Vertical	103	1.80	28	33.31	9.68	32.54				
AV	5.3552G	53.12	54.00	-0.88	42.67	3	Vertical	103	1.80	28	33.31	9.68	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
SET 28
28
3.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	65.33	74.00	-8.67	55.31	3	Horizontal	310	1.80	28	32.90	9.71	32.59					
AV	5.15G	50.78	54.00	-3.22	40.76	3	Horizontal	310	1.80	28	32.90	9.71	32.59					
PK	5.2325G	123.57	Inf	-Inf	113.38	3	Horizontal	310	1.80	28	33.03	9.73	32.57					
AV	5.2331G	112.21	Inf	-Inf	102.02	3	Horizontal	310	1.80	28	33.03	9.73	32.57					
PK	5.3546G	68.41	74.00	-5.59	57.96	3	Horizontal	310	1.80	28	33.31	9.68	32.54					
AV	5.3525G	50.65	54.00	-3.35	40.21	3	Horizontal	310	1.80	28	33.30	9.68	32.54					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4907G	53.26	68.20	-14.94	45.32	3	Vertical	355	1.80	-	39.06	14.19	45.31			
PK	15.718G	58.27	74.00	-15.73	47.88	3	Vertical	8	1.80	-	38.34	15.37	43.32			
AV	15.7192G	45.37	54.00	-8.63	34.99	3	Vertical	8	1.80	-	38.34	15.37	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4902G	52.81	68.20	-15.39	44.87	3	Horizontal	84	1.80	-	39.06	14.19	45.31			
PK	15.7116G	60.65	74.00	-13.35	50.27	3	Horizontal	74	1.80	-	38.32	15.37	43.31			
AV	15.7131G	46.89	54.00	-7.11	36.50	3	Horizontal	74	1.80	-	38.33	15.37	43.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27
20\26.5\28\27.5\27
6.97\5.31\~3.09\~2.08\2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1421G	60.85	74.00	-13.15	50.85	3	Vertical	108	1.80	27	32.88	9.71	32.59
AV	5.1499G	47.18	54.00	-6.82	37.16	3	Vertical	108	1.80	27	32.90	9.71	32.59
PK	5.2633G	125.41	Inf	-Inf	115.13	3	Vertical	108	1.80	27	33.13	9.71	32.56
AV	5.2627G	115.11	Inf	-Inf	104.83	3	Vertical	108	1.80	27	33.13	9.71	32.56
PK	5.3521G	69.50	74.00	-4.50	59.06	3	Vertical	108	1.80	27	33.30	9.68	32.54
AV	5.3539G	51.75	54.00	-2.25	41.30	3	Vertical	108	1.80	27	33.31	9.68	32.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 28
27.28
6.49\4.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1484G	59.41	74.00	-14.59	49.39	3	Horizontal	313	1.79	28	32.90	9.71	32.59				
AV	5.1451G	46.79	54.00	-7.21	36.78	3	Horizontal	313	1.79	28	32.89	9.71	32.59				
PK	5.2531G	121.94	Inf	-Inf	111.67	3	Horizontal	313	1.79	28	33.11	9.72	32.56				
AV	5.2528G	111.31	Inf	-Inf	101.04	3	Horizontal	313	1.79	28	33.11	9.72	32.56				
PK	5.3524G	65.36	74.00	-8.64	54.92	3	Horizontal	313	1.79	28	33.30	9.68	32.54				
AV	5.3509G	49.89	54.00	-4.11	39.45	3	Horizontal	313	1.79	28	33.30	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5144G	50.03	68.20	-18.17	42.04	3	Vertical	355	1.80	-	39.13	14.20	45.34				
PK	15.7771G	54.60	74.00	-19.40	44.28	3	Vertical	8	1.79	-	38.40	15.37	43.45				
AV	15.7775G	41.10	54.00	-12.90	30.78	3	Vertical	8	1.79	-	38.40	15.37	43.45				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5149G	50.21	68.20	-17.99	42.22	3	Horizontal	87	1.79	-	39.13	14.20	45.34			
PK	15.7709G	58.19	74.00	-15.81	47.85	3	Horizontal	93	1.80	-	38.40	15.37	43.43			
AV	15.7716G	44.13	54.00	-9.87	33.79	3	Horizontal	93	1.80	-	38.40	15.37	43.43			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23.5
27\17\22\24.5\23.5
-12.41\1.65\1.29\1.05\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3032G	121.89	Inf	-Inf	111.53	3	Vertical	105	1.80	23.5	33.21	9.70	32.55				
AV	5.303G	111.75	Inf	-Inf	101.39	3	Vertical	105	1.80	23.5	33.21	9.70	32.55				
PK	5.3536G	68.33	74.00	-5.67	57.88	3	Vertical	105	1.80	23.5	33.31	9.68	32.54				
AV	5.35G	53.62	54.00	-0.38	43.18	3	Vertical	105	1.80	23.5	33.30	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 14.5

23.5\22.5\22\21.5\21\20.5\20\19.5\19\18.5\18\17.5\17\16.5\16\15.5\15\14.5
-0.87\ -0.38\ -0.27\ -0.52\ -0.48\ -0.61\ -0.53\ -0.51\ -0.39\ -0.49\ -0.52\ -0.37\ -0.64\ -0.72\ -0.48\ -0.52\ -0.44\ 0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.293G	114.00	Inf	-Inf	103.66	3	Horizontal	336	1.80	14.5	33.19	9.70	32.55				
AV	5.2928G	103.37	Inf	-Inf	93.03	3	Horizontal	336	1.80	14.5	33.19	9.70	32.55				
PK	5.3528G	67.45	74.00	-6.55	57.00	3	Horizontal	336	1.80	14.5	33.31	9.68	32.54				
AV	5.35G	53.80	54.00	-0.20	43.36	3	Horizontal	336	1.80	14.5	33.30	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 14.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5646G	49.21	68.20	-18.99	41.21	3	Vertical	206	2.63	-	39.20	14.23	45.43			
PK	15.8771G	51.14	74.00	-22.86	40.76	3	Vertical	305	2.56	-	38.66	15.37	43.65			
AV	15.8524G	38.26	54.00	-15.74	27.98	3	Vertical	305	2.56	-	38.51	15.37	43.60			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 14.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5746G	49.19	68.20	-19.01	41.20	3	Horizontal	315	1.29	-	39.20	14.24	45.45			
PK	15.8869G	51.08	74.00	-22.92	40.66	3	Horizontal	73	2.38	-	38.72	15.37	43.67			
AV	15.8506G	38.19	54.00	-15.81	27.92	3	Horizontal	73	2.38	-	38.50	15.37	43.60			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
14.5\22.5\18.5\20.5\21.5\22\21.5
8.21\ -2.65\6.92\5.59\2.97\ -0.46\3.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3226G	118.72	Inf	-Inf	108.33	3	Vertical	109	1.80	21.5	33.25	9.69	32.55			
AV	5.3229G	108.30	Inf	-Inf	97.91	3	Vertical	109	1.80	21.5	33.25	9.69	32.55			
PK	5.3549G	65.48	74.00	-8.52	55.03	3	Vertical	109	1.80	21.5	33.31	9.68	32.54			
AV	5.3502G	50.96	54.00	-3.04	40.52	3	Vertical	109	1.80	21.5	33.30	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
21.5\24\20.5\22\21.5
2.77\7.45\5.93\0.53\2.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3129G	114.83	Inf	-Inf	104.46	3	Horizontal	337	1.80	21.5	33.23	9.69	32.55			
AV	5.3128G	104.71	Inf	-Inf	94.34	3	Horizontal	337	1.80	21.5	33.23	9.69	32.55			
PK	5.3531G	67.75	74.00	-6.25	57.30	3	Horizontal	337	1.80	21.5	33.31	9.68	32.54			
AV	5.3522G	51.43	54.00	-2.57	40.99	3	Horizontal	337	1.80	21.5	33.30	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6408G	49.21	74.00	-24.79	41.23	3	Vertical	28	1.80	-	39.28	14.27	45.57			
AV	10.621G	35.54	54.00	-18.46	27.58	3	Vertical	28	1.80	-	39.24	14.26	45.54			
PK	15.9969G	51.33	74.00	-22.67	41.53	3	Vertical	360	1.80	-	38.32	15.38	43.90			
AV	15.9103G	37.49	54.00	-16.51	27.07	3	Vertical	360	1.80	-	38.76	15.38	43.72			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.617G	49.08	74.00	-24.92	41.12	3	Horizontal	164	1.80	-	39.23	14.26	45.53			
AV	10.6129G	35.39	54.00	-18.61	27.42	3	Horizontal	164	1.80	-	39.23	14.26	45.52			
PK	15.9764G	51.53	74.00	-22.47	41.57	3	Horizontal	347	1.80	-	38.44	15.38	43.86			
AV	15.959G	37.86	54.00	-16.14	27.75	3	Horizontal	347	1.80	-	38.55	15.38	43.82			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 23.5
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	63.90	74.00	-10.10	52.99	3	Vertical	330	1.80	-	33.65	9.77	32.51			
AV	5.4526G	50.47	54.00	-3.53	39.60	3	Vertical	330	1.80	-	33.62	9.76	32.51			
PK	5.466G	65.36	68.20	-2.84	54.39	3	Vertical	330	1.80	-	33.70	9.78	32.51			
PK	5.4986G	121.16	Inf	-Inf	109.93	3	Vertical	330	1.80	-	33.89	9.84	32.50			
AV	5.4989G	111.83	Inf	-Inf	100.60	3	Vertical	330	1.80	-	33.89	9.84	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX


EUT_Y_4TX
Setting 23.5
01-R-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4586G	64.67	74.00	-9.33	53.76	3	Horizontal	307	1.79	-	33.65	9.77	32.51			
AV	5.4599G	48.33	54.00	-5.67	37.41	3	Horizontal	307	1.79	-	33.66	9.77	32.51			
PK	5.4697G	66.89	68.20	-1.31	55.89	3	Horizontal	307	1.79	-	33.72	9.79	32.51			
PK	5.493G	118.35	Inf	-Inf	107.16	3	Horizontal	307	1.79	-	33.86	9.83	32.50			
AV	5.493G	108.52	Inf	-Inf	97.33	3	Horizontal	307	1.79	-	33.86	9.83	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT Y_4TX
Setting 23.5
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0244G	48.19	74.00	-25.81	40.74	3	Vertical	276	1.79	-	39.20	14.48	46.23			
AV	10.952G	34.67	54.00	-19.33	27.09	3	Vertical	276	1.79	-	39.30	14.44	46.16			
PK	16.5392G	52.20	68.20	-16.00	41.56	3	Vertical	115	1.80	-	39.70	15.52	44.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 23.5
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9575G	49.16	74.00	-24.84	41.59	3	Horizontal	279	1.78	-	39.29	14.45	46.17			
AV	10.9546G	35.46	54.00	-18.54	27.88	3	Horizontal	279	1.78	-	39.29	14.45	46.16			
PK	16.4861G	52.30	68.20	-15.90	41.70	3	Horizontal	8	1.80	-	39.62	15.51	44.53			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
SET 28
21.5\25\26.5\27\28
3.85\3.87\3.84\4.07\2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	64.34	74.00	-9.66	53.42	3	Vertical	327	1.79	28	33.66	9.77	32.51			
AV	5.4315G	49.69	54.00	-4.31	38.96	3	Vertical	327	1.79	28	33.53	9.72	32.52			
PK	5.469G	66.08	68.20	-2.12	55.09	3	Vertical	327	1.79	28	33.71	9.79	32.51			
PK	5.5785G	126.49	Inf	-Inf	115.01	3	Vertical	327	1.79	28	34.00	9.99	32.51			
AV	5.5776G	115.98	Inf	-Inf	104.50	3	Vertical	327	1.79	28	34.00	9.99	32.51			
PK	5.73G	64.11	68.20	-4.09	52.42	3	Vertical	327	1.79	28	34.20	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
SET 28
28
4.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	61.54	74.00	-12.46	50.65	3	Horizontal	334	1.80	28	33.64	9.76	32.51			
AV	5.4582G	47.70	54.00	-6.30	36.79	3	Horizontal	334	1.80	28	33.65	9.77	32.51			
PK	5.4693G	63.51	68.20	-4.69	52.51	3	Horizontal	334	1.80	28	33.72	9.79	32.51			
PK	5.5737G	122.18	Inf	-Inf	110.71	3	Horizontal	334	1.80	28	34.00	9.98	32.51			
AV	5.5731G	110.97	Inf	-Inf	99.50	3	Horizontal	334	1.80	28	34.00	9.98	32.51			
PK	5.7252G	61.06	68.20	-7.14	49.37	3	Horizontal	334	1.80	28	34.20	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1533G	51.21	74.00	-22.79	43.87	3	Vertical	215	1.80	-	38.90	14.55	46.11			
AV	11.1535G	37.84	54.00	-16.16	30.50	3	Vertical	215	1.80	-	38.90	14.55	46.11			
PK	16.7356G	54.28	68.20	-13.92	43.39	3	Vertical	14	1.79	-	40.04	15.57	44.72			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 28
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1574G	48.85	74.00	-25.15	41.50	3	Horizontal	334	1.80	-	38.90	14.56	46.11			
AV	11.1581G	35.69	54.00	-18.31	28.34	3	Horizontal	334	1.80	-	38.90	14.56	46.11			
PK	16.7339G	56.57	68.20	-11.63	45.68	3	Horizontal	86	1.80	-	40.04	15.57	44.72			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 20.5
21.5\20\20.5\21\20.5
-1.46\3.14\2.17\0.15\1.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7018G	118.99	Inf	-Inf	107.30	3	Vertical	314	1.80	20.5	34.20	10.01	32.52				
AV	5.7014G	109.03	Inf	-Inf	97.34	3	Vertical	314	1.80	20.5	34.20	10.01	32.52				
PK	5.7282G	66.67	68.20	-1.53	54.98	3	Vertical	314	1.80	20.5	34.20	10.01	32.52				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 21
20.5\26\19.5\22.5\21\21.5\21
5.89\19.03\6.59\8.74\0.67\1.87\1.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6956G	116.53	Inf	-Inf	104.84	3	Horizontal	280	1.80	21	34.19	10.02	32.52			
AV	5.695G	106.59	Inf	-Inf	94.90	3	Horizontal	280	1.80	21	34.19	10.02	32.52			
PK	5.735G	66.76	68.20	-1.44	55.07	3	Horizontal	280	1.80	21	34.20	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4035G	49.00	74.00	-25.00	41.10	3	Vertical	54	1.74	-	39.10	14.69	45.89			
AV	11.4445G	36.24	54.00	-17.76	28.28	3	Vertical	54	1.74	-	39.10	14.71	45.85			
PK	17.0777G	53.09	68.20	-15.11	41.28	3	Vertical	248	2.20	-	41.11	15.67	44.97			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4328G	49.65	74.00	-24.35	41.70	3	Horizontal	273	2.24	-	39.10	14.71	45.86			
AV	11.4472G	36.36	54.00	-17.64	28.39	3	Horizontal	273	2.24	-	39.10	14.72	45.85			
PK	17.1149G	53.31	68.20	-14.89	41.40	3	Horizontal	295	1.14	-	41.23	15.68	45.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
20\25.5\28
5.83\3.99\0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.42G	60.58	74.00	-13.42	49.92	3	Vertical	324	1.79	28	33.48	9.70	32.52			
AV	5.42G	50.22	54.00	-3.78	39.56	3	Vertical	324	1.79	28	33.48	9.70	32.52			
PK	5.4668G	59.57	68.20	-8.63	48.60	3	Vertical	324	1.79	28	33.70	9.78	32.51			
PK	5.717G	126.42	Inf	-Inf	114.73	3	Vertical	324	1.79	28	34.20	10.01	32.52			
AV	5.717G	115.68	Inf	-Inf	103.99	3	Vertical	324	1.79	28	34.20	10.01	32.52			
PK	5.8514G	67.53	68.20	-0.67	55.41	3	Vertical	324	1.79	28	34.61	10.05	32.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 28
28
3.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.423G	59.41	74.00	-14.59	48.74	3	Horizontal	280	1.80	28	33.49	9.70	32.52			
PK	5.4698G	58.62	68.20	-9.58	47.62	3	Horizontal	280	1.80	28	33.72	9.79	32.51			
AV	5.4482G	46.69	54.00	-7.31	35.86	3	Horizontal	280	1.80	28	33.59	9.75	32.51			
PK	5.7152G	123.79	Inf	-Inf	112.10	3	Horizontal	280	1.80	28	34.20	10.01	32.52			
AV	5.7152G	112.99	Inf	-Inf	101.30	3	Horizontal	280	1.80	28	34.20	10.01	32.52			
PK	5.85G	65.16	68.20	-3.04	53.04	3	Horizontal	280	1.80	28	34.60	10.05	32.53			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4359G	51.07	74.00	-22.93	43.12	3	Vertical	71	1.80	-	39.10	14.71	45.86			
AV	11.4362G	38.19	54.00	-15.81	30.24	3	Vertical	71	1.80	-	39.10	14.71	45.86			
PK	17.1662G	55.39	68.20	-12.81	43.41	3	Vertical	98	1.79	-	41.33	15.69	45.04			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4382G	50.98	74.00	-23.02	43.03	3	Horizontal	344	1.79	-	39.10	14.71	45.86			
AV	11.4378G	38.16	54.00	-15.84	30.21	3	Horizontal	344	1.79	-	39.10	14.71	45.86			
PK	17.1684G	56.52	68.20	-11.68	44.53	3	Horizontal	129	1.80	-	41.34	15.69	45.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 26
20\24\26\27\26.5\26
4.32\3.31\1.91\0.63\0.57\1.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4456G	63.36	74.00	-10.64	52.55	3	Vertical	312	1.80	26	33.58	9.74	32.51					
AV	5.445G	51.07	54.00	-2.93	40.26	3	Vertical	312	1.80	26	33.58	9.74	32.51					
PK	5.6478G	66.57	68.20	-1.63	54.96	3	Vertical	312	1.80	26	34.10	10.02	32.51					
PK	5.7468G	125.17	Inf	-Inf	113.48	3	Vertical	312	1.80	26	34.20	10.01	32.52					
AV	5.7468G	115.30	Inf	-Inf	103.61	3	Vertical	312	1.80	26	34.20	10.01	32.52					
PK	6.0174G	61.33	68.20	-6.87	48.29	3	Vertical	312	1.80	26	35.37	10.21	32.54					

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 27
26\28\27\27.5\27
6.58\ -0.46\2.26\ -0.13\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	58.76	74.00	-15.24	47.95	3	Horizontal	279	1.80	27	33.58	9.74	32.51			
AV	5.445G	46.81	54.00	-7.19	36.00	3	Horizontal	279	1.80	27	33.58	9.74	32.51			
PK	5.6364G	67.22	68.20	-0.98	55.64	3	Horizontal	279	1.80	27	34.07	10.02	32.51			
PK	5.7402G	123.29	Inf	-Inf	111.60	3	Horizontal	279	1.80	27	34.20	10.01	32.52			
AV	5.7402G	112.68	Inf	-Inf	100.99	3	Horizontal	279	1.80	27	34.20	10.01	32.52			
PK	5.9562G	61.45	68.20	-6.75	48.64	3	Horizontal	279	1.80	27	35.21	10.15	32.55			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 26
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4897G	48.93	74.00	-25.07	40.90	3	Vertical	90	1.79	-	39.10	14.74	45.81			
AV	11.486G	36.38	54.00	-17.62	28.35	3	Vertical	90	1.79	-	39.10	14.74	45.81			
PK	17.2409G	54.99	68.20	-13.21	42.73	3	Vertical	15	1.80	-	41.65	15.71	45.10			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 26
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4875G	50.66	74.00	-23.34	42.63	3	Horizontal	345	1.80	-	39.10	14.74	45.81			
AV	11.4837G	37.16	54.00	-16.84	29.13	3	Horizontal	345	1.80	-	39.10	14.74	45.81			
PK	17.2428G	56.26	68.20	-11.94	43.99	3	Horizontal	308	1.80	-	41.66	15.71	45.10			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
26\28
4.79\4.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64214G	64.08	68.20	-4.12	52.49	3	Vertical	342	1.80	28	34.08	10.02	32.51				
PK	5.78069G	127.05	Inf	-Inf	115.32	3	Vertical	342	1.80	28	34.26	10.00	32.53				
AV	5.78129G	116.70	Inf	-Inf	104.97	3	Vertical	342	1.80	28	34.26	10.00	32.53				
PK	6.08077G	61.62	68.20	-6.58	48.43	3	Vertical	342	1.80	28	35.44	10.27	32.52				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 28
28
5.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63972G	61.95	68.20	-6.25	50.36	3	Horizontal	276	1.80	28	34.08	10.02	32.51			
PK	5.78008G	121.11	Inf	-Inf	109.38	3	Horizontal	276	1.80	28	34.26	10.00	32.53			
AV	5.78008G	110.65	Inf	-Inf	98.92	3	Horizontal	276	1.80	28	34.26	10.00	32.53			
PK	6.05717G	62.55	68.20	-5.65	49.34	3	Horizontal	276	1.80	28	35.49	10.25	32.53			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5643G	51.95	74.00	-22.05	43.89	3	Vertical	184	1.79	-	39.10	14.78	45.82			
AV	11.5637G	38.34	54.00	-15.66	30.28	3	Vertical	184	1.79	-	39.10	14.78	45.82			
PK	17.3444G	56.09	68.20	-12.11	43.64	3	Vertical	8	1.80	-	41.90	15.74	45.19			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5667G	52.09	74.00	-21.91	44.03	3	Horizontal	127	1.80	-	39.10	14.78	45.82			
AV	11.566G	38.91	54.00	-15.09	30.85	3	Horizontal	127	1.80	-	39.10	14.78	45.82			
PK	17.3442G	58.59	68.20	-9.61	46.14	3	Horizontal	306	1.80	-	41.90	15.74	45.19			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
26\28
2.32\3.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5256G	64.55	68.20	-3.65	53.21	3	Vertical	311	1.80	28	33.95	9.89	32.50			
PK	5.8262G	125.57	Inf	-Inf	113.62	3	Vertical	311	1.80	28	34.46	10.02	32.53			
AV	5.8262G	115.61	Inf	-Inf	103.66	3	Vertical	311	1.80	28	34.46	10.02	32.53			
PK	6.1118G	62.33	68.20	-5.87	49.14	3	Vertical	311	1.80	28	35.40	10.30	32.51			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
28
6.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.639G	61.00	68.20	-7.20	49.41	3	Horizontal	282	1.80	28	34.08	10.02	32.51				
PK	5.822G	120.84	Inf	-Inf	108.92	3	Horizontal	282	1.80	28	34.43	10.02	32.53				
AV	5.8214G	109.90	Inf	-Inf	97.98	3	Horizontal	282	1.80	28	34.43	10.02	32.53				
PK	6.122G	61.62	68.20	-6.58	48.42	3	Horizontal	282	1.80	28	35.40	10.31	32.51				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6492G	51.70	74.00	-22.30	43.72	3	Vertical	321	1.79	-	39.00	14.83	45.85			
AV	11.6502G	39.21	54.00	-14.79	31.23	3	Vertical	321	1.79	-	39.00	14.83	45.85			
PK	17.4824G	57.14	68.20	-11.06	44.63	3	Vertical	12	1.80	-	42.04	15.77	45.30			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6464G	52.30	74.00	-21.70	44.31	3	Horizontal	89	1.79	-	39.01	14.83	45.85			
AV	11.6459G	38.93	54.00	-15.07	30.94	3	Horizontal	89	1.79	-	39.01	14.83	45.85			
PK	17.4824G	56.88	68.20	-11.32	44.37	3	Horizontal	307	1.79	-	42.04	15.77	45.30			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 21
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1367G	69.04	74.00	-4.96	59.05	3	Vertical	10	1.80	-	32.87	9.71	32.59			
AV	5.1367G	50.97	54.00	-3.03	40.98	3	Vertical	10	1.80	-	32.87	9.71	32.59			
PK	5.1761G	120.89	Inf	-Inf	110.84	3	Vertical	10	1.80	-	32.90	9.73	32.58			
AV	5.1763G	108.66	Inf	-Inf	98.61	3	Vertical	10	1.80	-	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 21
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	71.70	74.00	-2.30	61.68	3	Horizontal	348	2.16	-	32.90	9.71	32.59			
AV	5.1469G	51.23	54.00	-2.77	41.22	3	Horizontal	348	2.16	-	32.89	9.71	32.59			
PK	5.1867G	120.64	Inf	-Inf	110.59	3	Horizontal	348	2.16	-	32.90	9.73	32.58			
AV	5.1879G	108.19	Inf	-Inf	98.14	3	Horizontal	348	2.16	-	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4069G	48.32	68.20	-19.88	40.61	3	Vertical	85	2.32	-	38.90	14.14	45.33			
PK	15.5014G	52.70	74.00	-21.30	41.51	3	Vertical	294	1.60	-	38.70	15.36	42.87			
AV	15.5875G	39.22	54.00	-14.78	28.36	3	Vertical	294	1.60	-	38.55	15.36	43.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3651G	48.69	68.20	-19.51	41.01	3	Horizontal	159	2.51	-	38.90	14.12	45.34			
PK	15.584G	52.56	74.00	-21.44	41.68	3	Horizontal	187	2.03	-	38.56	15.36	43.04			
AV	15.5538G	39.25	54.00	-14.75	28.19	3	Horizontal	187	2.03	-	38.68	15.36	42.98			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 24
19\26.5\18\22\24\25\24.5\24
7.80\9.28\7.88\6.26\1.81\2.95\0.50\1.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1418G	69.11	74.00	-4.89	59.11	3	Vertical	101	1.80	24	32.88	9.71	32.59			
AV	5.15G	52.55	54.00	-1.45	42.53	3	Vertical	101	1.80	24	32.90	9.71	32.59			
PK	5.2032G	122.89	Inf	-Inf	112.82	3	Vertical	101	1.80	24	32.91	9.74	32.58			
AV	5.2028G	110.48	Inf	-Inf	100.41	3	Vertical	101	1.80	24	32.91	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
24\23\23.5
-0.92\2.48\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	69.72	74.00	-4.28	59.70	3	Horizontal	310	1.80	23.5	32.90	9.71	32.59			
AV	5.1498G	53.24	54.00	-0.76	43.22	3	Horizontal	310	1.80	23.5	32.90	9.71	32.59			
PK	5.1918G	120.11	Inf	-Inf	110.05	3	Horizontal	310	1.80	23.5	32.90	9.74	32.58			
AV	5.1924G	107.25	Inf	-Inf	97.19	3	Horizontal	310	1.80	23.5	32.90	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4074G	48.31	68.20	-19.89	40.60	3	Vertical	77	2.62	-	38.90	14.14	45.33			
PK	15.6016G	53.56	74.00	-20.44	42.79	3	Vertical	65	2.49	-	38.49	15.36	43.08			
AV	15.6497G	40.29	54.00	-13.71	29.91	3	Vertical	65	2.49	-	38.20	15.36	43.18			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3776G	48.97	68.20	-19.23	41.28	3	Horizontal	96	1.69	-	38.90	14.13	45.34			
PK	15.6349G	53.62	74.00	-20.38	43.12	3	Horizontal	277	2.06	-	38.29	15.36	43.15			
AV	15.643G	40.28	54.00	-13.72	29.85	3	Horizontal	277	2.06	-	38.24	15.36	43.17			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27.5
19\26.5\28\27.5
7.60\5.10\1.09\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	69.65	74.00	-4.35	59.64	3	Vertical	101	1.80	27.5	32.89	9.71	32.59			
AV	5.144G	52.16	54.00	-1.84	42.15	3	Vertical	101	1.80	27.5	32.89	9.71	32.59			
PK	5.243G	126.45	Inf	-Inf	116.23	3	Vertical	101	1.80	27.5	33.07	9.72	32.57			
AV	5.2427G	114.43	Inf	-Inf	104.21	3	Vertical	101	1.80	27.5	33.07	9.72	32.57			
PK	5.357G	70.22	74.00	-3.78	59.77	3	Vertical	101	1.80	27.5	33.31	9.68	32.54			
AV	5.3555G	53.71	54.00	-0.29	43.26	3	Vertical	101	1.80	27.5	33.31	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
 SET 28
 27.5\28
 3.99\2.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	68.54	74.00	-5.46	58.52	3	Horizontal	311	2.98	28	32.90	9.71	32.59				
AV	5.1488G	51.91	54.00	-2.09	41.89	3	Horizontal	311	2.98	28	32.90	9.71	32.59				
PK	5.2466G	121.02	Inf	-Inf	110.78	3	Horizontal	311	2.98	28	33.09	9.72	32.57				
AV	5.2481G	108.81	Inf	-Inf	98.57	3	Horizontal	311	2.98	28	33.09	9.72	32.57				
PK	5.3573G	65.07	74.00	-8.93	54.62	3	Horizontal	311	2.98	28	33.31	9.68	32.54				
AV	5.3576G	49.73	54.00	-4.27	39.27	3	Horizontal	311	2.98	28	33.32	9.68	32.54				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 27.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.488G	50.06	68.20	-18.14	42.13	3	Vertical	352	1.80	-	39.05	14.19	45.31			
PK	15.7172G	56.92	74.00	-17.08	46.54	3	Vertical	9	1.78	-	38.33	15.37	43.32			
AV	15.7184G	43.68	54.00	-10.32	33.29	3	Vertical	9	1.78	-	38.34	15.37	43.32			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4891G	49.07	68.20	-19.13	41.13	3	Horizontal	237	1.47	-	39.06	14.19	45.31			
PK	15.7124G	59.86	74.00	-14.14	49.48	3	Horizontal	76	1.80	-	38.32	15.37	43.31			
AV	15.7126G	46.30	54.00	-7.70	35.91	3	Horizontal	76	1.80	-	38.33	15.37	43.31			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 26.5
20\27\28\27.5\27\26.5
7.18\0.96\5.34\5.35\1.00\2.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	61.10	74.00	-12.90	51.08	3	Vertical	105	1.80	26.5	32.90	9.71	32.59			
AV	5.1499G	47.23	54.00	-6.77	37.21	3	Vertical	105	1.80	26.5	32.90	9.71	32.59			
PK	5.2624G	125.82	Inf	-Inf	115.54	3	Vertical	105	1.80	26.5	33.12	9.72	32.56			
AV	5.263G	113.51	Inf	-Inf	103.23	3	Vertical	105	1.80	26.5	33.13	9.71	32.56			
PK	5.353G	68.17	74.00	-5.83	57.72	3	Vertical	105	1.80	26.5	33.31	9.68	32.54			
AV	5.3542G	51.80	54.00	-2.20	41.35	3	Vertical	105	1.80	26.5	33.31	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX


EUT Y_4TX
SET 28
26.5\28
6.27\1.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	60.48	74.00	-13.52	50.47	3	Horizontal	337	1.80	28	32.89	9.71	32.59
AV	5.1499G	47.18	54.00	-6.82	37.16	3	Horizontal	337	1.80	28	32.90	9.71	32.59
PK	5.2528G	121.86	Inf	-Inf	111.59	3	Horizontal	337	1.80	28	33.11	9.72	32.56
AV	5.2525G	110.31	Inf	-Inf	100.04	3	Horizontal	337	1.80	28	33.11	9.72	32.56
PK	5.3527G	68.39	74.00	-5.61	57.94	3	Horizontal	337	1.80	28	33.31	9.68	32.54
AV	5.3527G	52.30	54.00	-1.70	41.85	3	Horizontal	337	1.80	28	33.31	9.68	32.54

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
SET 26.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5176G	48.67	68.20	-19.53	40.67	3	Vertical	265	2.79	-	39.14	14.20	45.34			
PK	15.7797G	53.45	74.00	-20.55	43.13	3	Vertical	328	1.80	-	38.40	15.37	43.45			
AV	15.7715G	40.16	54.00	-13.84	29.82	3	Vertical	328	1.80	-	38.40	15.37	43.43			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
SET 26.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5338G	48.99	68.20	-19.21	40.98	3	Horizontal	86	1.80	-	39.17	14.21	45.37			
PK	15.7706G	56.55	74.00	-17.45	46.21	3	Horizontal	95	1.80	-	38.40	15.37	43.43			
AV	15.7719G	43.28	54.00	-10.72	32.95	3	Horizontal	95	1.80	-	38.40	15.37	43.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 24
26.5\16.5\24
-10.32\7.97\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3036G	123.25	Inf	-Inf	112.89	3	Vertical	108	1.80	24	33.21	9.70	32.55				
AV	5.3036G	110.44	Inf	-Inf	100.08	3	Vertical	108	1.80	24	33.21	9.70	32.55				
PK	5.3522G	71.56	74.00	-2.44	61.12	3	Vertical	108	1.80	24	33.30	9.68	32.54				
AV	5.35G	53.55	54.00	-0.45	43.11	3	Vertical	108	1.80	24	33.30	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 24.5
24\25\24.5
1.43\1.31\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2928G	120.23	Inf	-Inf	109.89	3	Horizontal	337	1.80	24.5	33.19	9.70	32.55				
AV	5.292G	107.87	Inf	-Inf	97.54	3	Horizontal	337	1.80	24.5	33.18	9.70	32.55				
PK	5.3548G	71.06	74.00	-2.94	60.61	3	Horizontal	337	1.80	24.5	33.31	9.68	32.54				
AV	5.3528G	53.82	54.00	-0.18	43.37	3	Horizontal	337	1.80	24.5	33.31	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX


EUT Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5899G	49.50	68.20	-18.70	41.54	3	Vertical	289	2.41	-	39.20	14.24	45.48			
PK	15.8511G	51.72	74.00	-22.28	41.44	3	Vertical	307	1.60	-	38.51	15.37	43.60			
AV	15.8507G	38.21	54.00	-15.79	27.94	3	Vertical	307	1.60	-	38.50	15.37	43.60			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX


EUT Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5916G	49.53	68.20	-18.67	41.56	3	Horizontal	349	2.80	-	39.20	14.25	45.48			
PK	15.8515G	51.86	74.00	-22.14	41.58	3	Horizontal	93	2.49	-	38.51	15.37	43.60			
AV	15.8501G	38.27	54.00	-15.73	28.00	3	Horizontal	93	2.49	-	38.50	15.37	43.60			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 22.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3232G	121.38	Inf	-Inf	110.99	3	Vertical	107	1.80	-	33.25	9.69	32.55			
AV	5.3228G	105.98	Inf	-Inf	95.59	3	Vertical	107	1.80	-	33.25	9.69	32.55			
PK	5.3638G	71.45	74.00	-2.55	60.99	3	Vertical	107	1.80	-	33.33	9.67	32.54			
AV	5.3503G	53.53	54.00	-0.47	43.09	3	Vertical	107	1.80	-	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 22.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3116G	118.03	Inf	-Inf	107.66	3	Horizontal	330	1.80	-	33.22	9.70	32.55			
AV	5.3115G	103.52	Inf	-Inf	93.15	3	Horizontal	330	1.80	-	33.22	9.70	32.55			
PK	5.3514G	70.15	74.00	-3.85	59.71	3	Horizontal	330	1.80	-	33.30	9.68	32.54			
AV	5.3512G	51.97	54.00	-2.03	41.53	3	Horizontal	330	1.80	-	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6216G	49.25	74.00	-24.75	41.29	3	Vertical	263	1.14	-	39.24	14.26	45.54			
AV	10.6192G	36.05	54.00	-17.95	28.08	3	Vertical	263	1.14	-	39.24	14.26	45.53			
PK	15.942G	50.90	74.00	-23.10	40.68	3	Vertical	305	1.37	-	38.63	15.38	43.79			
AV	15.9523G	37.93	54.00	-16.07	27.77	3	Vertical	305	1.37	-	38.59	15.38	43.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 22.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.665G	49.71	74.00	-24.29	41.74	3	Horizontal	86	2.33	-	39.30	14.29	45.62				
AV	10.621G	36.10	54.00	-17.90	28.14	3	Horizontal	86	2.33	-	39.24	14.26	45.54				
PK	15.9244G	51.70	74.00	-22.30	41.37	3	Horizontal	160	1.66	-	38.70	15.38	43.75				
AV	15.9686G	37.98	54.00	-16.02	27.95	3	Horizontal	160	1.66	-	38.49	15.38	43.84				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 22.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4589G	65.97	74.00	-8.03	55.06	3	Vertical	330	1.80	-	33.65	9.77	32.51			
AV	5.4595G	51.05	54.00	-2.95	40.13	3	Vertical	330	1.80	-	33.66	9.77	32.51			
PK	5.4666G	65.85	68.20	-2.35	54.88	3	Vertical	330	1.80	-	33.70	9.78	32.51			
PK	5.4984G	123.86	Inf	-Inf	112.63	3	Vertical	330	1.80	-	33.89	9.84	32.50			
AV	5.4988G	107.88	Inf	-Inf	96.65	3	Vertical	330	1.80	-	33.89	9.84	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX


EUT_Y_4TX
Setting 22.5
01-R-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4528G	63.74	74.00	-10.26	52.87	3	Horizontal	308	1.80	-	33.62	9.76	32.51			
AV	5.4528G	50.08	54.00	-3.92	39.21	3	Horizontal	308	1.80	-	33.62	9.76	32.51			
PK	5.4698G	66.86	68.20	-1.34	55.86	3	Horizontal	308	1.80	-	33.72	9.79	32.51			
PK	5.4932G	119.65	Inf	-Inf	108.46	3	Horizontal	308	1.80	-	33.86	9.83	32.50			
AV	5.4931G	104.43	Inf	-Inf	93.24	3	Horizontal	308	1.80	-	33.86	9.83	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9743G	49.13	74.00	-24.87	41.62	3	Vertical	180	2.70	-	39.25	14.46	46.20			
AV	10.9547G	35.48	54.00	-18.52	27.90	3	Vertical	180	2.70	-	39.29	14.45	46.16			
PK	16.5288G	52.26	68.20	-15.94	41.61	3	Vertical	64	1.75	-	39.70	15.52	44.57			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.969G	48.89	74.00	-25.11	41.37	3	Horizontal	51	1.11	-	39.26	14.45	46.19			
AV	10.9577G	35.54	54.00	-18.46	27.98	3	Horizontal	51	1.11	-	39.28	14.45	46.17			
PK	16.5087G	52.69	68.20	-15.51	42.04	3	Horizontal	222	2.38	-	39.70	15.51	44.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
21.5\25.5\28\27\27.5
4.26\4.32\0.25\3.90\0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4546G	63.52	74.00	-10.48	52.64	3	Vertical	326	1.80	27.5	33.63	9.76	32.51			
AV	5.4342G	49.69	54.00	-4.31	38.95	3	Vertical	326	1.80	27.5	33.54	9.72	32.52			
PK	5.466G	65.80	68.20	-2.40	54.83	3	Vertical	326	1.80	27.5	33.70	9.78	32.51			
PK	5.5764G	127.22	Inf	-Inf	115.74	3	Vertical	326	1.80	27.5	34.00	9.99	32.51			
AV	5.5776G	115.09	Inf	-Inf	103.61	3	Vertical	326	1.80	27.5	34.00	9.99	32.51			
PK	5.7282G	67.60	68.20	-0.60	55.91	3	Vertical	326	1.80	27.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 28
27.5\28
3.90\4.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	62.88	74.00	-11.12	52.00	3	Horizontal	334	1.79	28	33.63	9.76	32.51			
AV	5.457G	48.82	54.00	-5.18	37.92	3	Horizontal	334	1.79	28	33.64	9.77	32.51			
PK	5.4678G	63.73	68.20	-4.47	52.74	3	Horizontal	334	1.79	28	33.71	9.79	32.51			
PK	5.5749G	123.84	Inf	-Inf	112.37	3	Horizontal	334	1.79	28	34.00	9.98	32.51			
AV	5.574G	111.15	Inf	-Inf	99.68	3	Horizontal	334	1.79	28	34.00	9.98	32.51			
PK	5.7279G	62.20	68.20	-6.00	50.51	3	Horizontal	334	1.79	28	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1281G	47.46	74.00	-26.54	40.06	3	Vertical	139	2.32	-	38.99	14.54	46.13			
AV	11.1559G	34.45	54.00	-19.55	27.10	3	Vertical	139	2.32	-	38.90	14.56	46.11			
PK	16.7233G	53.03	68.20	-15.17	42.18	3	Vertical	157	1.79	-	39.99	15.57	44.71			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1136G	47.44	74.00	-26.56	40.01	3	Horizontal	132	2.49	-	39.05	14.53	46.15			
AV	11.1562G	34.60	54.00	-19.40	27.25	3	Horizontal	132	2.49	-	38.90	14.56	46.11			
PK	16.7365G	53.19	68.20	-15.01	42.28	3	Horizontal	40	2.22	-	40.05	15.58	44.72			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 18.5
21.5\17.5\19.5\18.5\19\18.5
-3.84\3.28\0.10\1.46\0.37\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6948G	119.45	Inf	-Inf	107.76	3	Vertical	359	1.80	18.5	34.19	10.02	32.52			
AV	5.6952G	107.37	Inf	-Inf	95.68	3	Vertical	359	1.80	18.5	34.19	10.02	32.52			
PK	5.7274G	67.75	68.20	-0.45	56.06	3	Vertical	359	1.80	18.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 19.5
18.5\23\17.5\20\19\19.5
4.62\12.88\4.89\3.47\1.84\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6952G	118.27	Inf	-Inf	106.58	3	Horizontal	280	1.80	19.5	34.19	10.02	32.52			
AV	5.6958G	104.90	Inf	-Inf	93.21	3	Horizontal	280	1.80	19.5	34.19	10.02	32.52			
PK	5.7254G	67.78	68.20	-0.42	56.09	3	Horizontal	280	1.80	19.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 18.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3743G	48.13	74.00	-25.87	40.21	3	Vertical	8	2.47	-	39.15	14.68	45.91			
AV	11.4447G	35.33	54.00	-18.67	27.37	3	Vertical	8	2.47	-	39.10	14.71	45.85			
PK	17.1451G	53.91	68.20	-14.29	41.97	3	Vertical	108	1.79	-	41.29	15.68	45.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 18.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.414G	49.25	74.00	-24.75	41.33	3	Horizontal	339	2.39	-	39.10	14.70	45.88			
AV	11.4474G	35.57	54.00	-18.43	27.60	3	Horizontal	339	2.39	-	39.10	14.72	45.85			
PK	17.1351G	53.55	68.20	-14.65	41.62	3	Horizontal	332	1.44	-	41.27	15.68	45.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 27
20\25.5\28\27\27.5\27
5.92\4.38\1.50\0.95\2.25\1.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.42G	62.25	74.00	-11.75	51.59	3	Vertical	325	1.80	27	33.48	9.70	32.52			
AV	5.4212G	50.10	54.00	-3.90	39.44	3	Vertical	325	1.80	27	33.48	9.70	32.52			
PK	5.4674G	59.51	68.20	-8.69	48.54	3	Vertical	325	1.80	27	33.70	9.78	32.51			
PK	5.717G	127.23	Inf	-Inf	115.54	3	Vertical	325	1.80	27	34.20	10.01	32.52			
AV	5.7176G	114.73	Inf	-Inf	103.04	3	Vertical	325	1.80	27	34.20	10.01	32.52			
PK	5.852G	66.55	68.20	-1.65	54.42	3	Vertical	325	1.80	27	34.62	10.05	32.54			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
27,28
3.86\1.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4392G	59.23	74.00	-14.77	48.46	3	Horizontal	281	1.80	28	33.56	9.73	32.52			
AV	5.4476G	46.76	54.00	-7.24	35.93	3	Horizontal	281	1.80	28	33.59	9.75	32.51			
PK	5.4668G	59.17	68.20	-9.03	48.20	3	Horizontal	281	1.80	28	33.70	9.78	32.51			
PK	5.7164G	124.36	Inf	-Inf	112.67	3	Horizontal	281	1.80	28	34.20	10.01	32.52			
AV	5.7158G	112.43	Inf	-Inf	100.74	3	Horizontal	281	1.80	28	34.20	10.01	32.52			
PK	5.8508G	66.30	68.20	-1.90	54.18	3	Horizontal	281	1.80	28	34.61	10.05	32.54			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.437G	50.10	74.00	-23.90	42.15	3	Vertical	21	1.86	-	39.10	14.71	45.86			
AV	11.4419G	36.02	54.00	-17.98	28.06	3	Vertical	21	1.86	-	39.10	14.71	45.85			
PK	17.169G	55.60	68.20	-12.60	43.62	3	Vertical	15	1.80	-	41.34	15.69	45.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4796G	49.32	74.00	-24.68	41.31	3	Horizontal	135	2.86	-	39.10	14.73	45.82			
AV	11.4412G	36.08	54.00	-17.92	28.12	3	Horizontal	135	2.86	-	39.10	14.71	45.85			
PK	17.2055G	53.71	68.20	-14.49	41.65	3	Horizontal	213	2.81	-	41.43	15.70	45.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 25.5
20\25\27.5\26.5\26\25.5
5.16\3.42\4.82\2.92\0.67\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	62.48	74.00	-11.52	51.67	3	Vertical	310	1.80	25.5	33.58	9.74	32.51			
AV	5.445G	50.78	54.00	-3.22	39.97	3	Vertical	310	1.80	25.5	33.58	9.74	32.51			
PK	5.6448G	67.31	68.20	-0.89	55.71	3	Vertical	310	1.80	25.5	34.09	10.02	32.51			
PK	5.7474G	125.96	Inf	-Inf	114.27	3	Vertical	310	1.80	25.5	34.20	10.01	32.52			
AV	5.7462G	114.15	Inf	-Inf	102.46	3	Vertical	310	1.80	25.5	34.20	10.01	32.52			
PK	6.0192G	60.91	68.20	-7.29	47.86	3	Vertical	310	1.80	25.5	35.38	10.21	32.54			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX


EUT Y_4TX
SET 26.5
25.5\28\27\26.5
6.90\ -0.38\ -0.87\ 2.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4552G	58.93	74.00	-15.07	48.05	3	Horizontal	279	1.80	26.5	33.63	9.76	32.51				
AV	5.4462G	46.69	54.00	-7.31	35.87	3	Horizontal	279	1.80	26.5	33.58	9.75	32.51				
PK	5.637G	65.98	68.20	-2.22	54.40	3	Horizontal	279	1.80	26.5	34.07	10.02	32.51				
PK	5.7402G	122.97	Inf	-Inf	111.28	3	Horizontal	279	1.80	26.5	34.20	10.01	32.52				
AV	5.7408G	111.21	Inf	-Inf	99.52	3	Horizontal	279	1.80	26.5	34.20	10.01	32.52				
PK	5.9784G	61.16	68.20	-7.04	48.28	3	Horizontal	279	1.80	26.5	35.26	10.17	32.55				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 25.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4415G	50.11	74.00	-23.89	42.15	3	Vertical	268	2.95	-	39.10	14.71	45.85			
AV	11.4401G	37.64	54.00	-16.36	29.68	3	Vertical	268	2.95	-	39.10	14.71	45.85			
PK	17.2487G	53.66	68.20	-14.54	41.37	3	Vertical	128	1.42	-	41.69	15.71	45.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 25.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4412G	49.04	74.00	-24.96	41.08	3	Horizontal	243	2.13	-	39.10	14.71	45.85			
AV	11.4403G	37.41	54.00	-16.59	29.45	3	Horizontal	243	2.13	-	39.10	14.71	45.85			
PK	17.2836G	53.92	68.20	-14.28	41.51	3	Horizontal	99	2.51	-	41.83	15.72	45.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
25.5\28
3.86\2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64033G	65.39	68.20	-2.81	53.80	3	Vertical	338	1.80	28	34.08	10.02	32.51				
PK	5.78008G	127.37	Inf	-Inf	115.64	3	Vertical	338	1.80	28	34.26	10.00	32.53				
AV	5.78008G	115.91	Inf	-Inf	104.18	3	Vertical	338	1.80	28	34.26	10.00	32.53				
PK	6.08077G	62.00	68.20	-6.20	48.81	3	Vertical	338	1.80	28	35.44	10.27	32.52				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT Y_4TX
SET 28
28
5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64456G	62.35	68.20	-5.85	50.75	3	Horizontal	278	1.80	28	34.09	10.02	32.51				
PK	5.77948G	123.31	Inf	-Inf	111.58	3	Horizontal	278	1.80	28	34.26	10.00	32.53				
AV	5.78008G	111.40	Inf	-Inf	99.67	3	Horizontal	278	1.80	28	34.26	10.00	32.53				
PK	6.05052G	61.79	68.20	-6.41	48.58	3	Horizontal	278	1.80	28	35.50	10.24	32.53				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5626G	51.11	74.00	-22.89	43.05	3	Vertical	329	1.80	-	39.10	14.78	45.82			
AV	11.5629G	38.39	54.00	-15.61	30.33	3	Vertical	329	1.80	-	39.10	14.78	45.82			
PK	17.3441G	56.03	68.20	-12.17	43.58	3	Vertical	12	1.78	-	41.90	15.74	45.19			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5627G	51.08	74.00	-22.92	43.02	3	Horizontal	125	1.80	-	39.10	14.78	45.82			
AV	11.5661G	38.85	54.00	-15.15	30.79	3	Horizontal	125	1.80	-	39.10	14.78	45.82			
PK	17.3563G	55.32	68.20	-12.88	42.85	3	Horizontal	310	1.80	-	41.93	15.74	45.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
25.5\28
4.41\1.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5262G	66.24	68.20	-1.96	54.90	3	Vertical	311	1.79	28	33.95	9.89	32.50				
PK	5.825G	125.95	Inf	-Inf	114.01	3	Vertical	311	1.79	28	34.45	10.02	32.53				
AV	5.8262G	114.83	Inf	-Inf	102.88	3	Vertical	311	1.79	28	34.46	10.02	32.53				
PK	6.0506G	62.25	68.20	-5.95	49.04	3	Vertical	311	1.79	28	35.50	10.24	32.53				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
28
6.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6336G	61.28	68.20	-6.92	49.70	3	Horizontal	278	1.80	28	34.07	10.02	32.51			
PK	5.822G	121.53	Inf	-Inf	109.61	3	Horizontal	278	1.80	28	34.43	10.02	32.53			
AV	5.8208G	109.14	Inf	-Inf	97.23	3	Horizontal	278	1.80	28	34.42	10.02	32.53			
PK	6.0716G	61.45	68.20	-6.75	48.26	3	Horizontal	278	1.80	28	35.46	10.26	32.53			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6199G	49.24	74.00	-24.76	41.21	3	Vertical	39	2.43	-	39.06	14.81	45.84			
AV	11.6517G	35.90	54.00	-18.10	27.92	3	Vertical	39	2.43	-	39.00	14.83	45.85			
PK	17.4834G	57.44	68.20	-10.76	44.94	3	Vertical	15	1.72	-	42.03	15.77	45.30			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6984G	48.76	74.00	-25.24	40.78	3	Horizontal	264	1.10	-	39.00	14.85	45.87			
AV	11.6516G	35.85	54.00	-18.15	27.87	3	Horizontal	264	1.10	-	39.00	14.83	45.85			
PK	17.4643G	57.43	68.20	-10.77	44.87	3	Horizontal	307	1.80	-	42.07	15.77	45.28			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 17.5
20\17\18.5\18\17.5
-2.74\1.17\1.20\1.05\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.66	74.00	-8.34	55.64	3	Vertical	103	1.80	17.5	32.90	9.71	32.59			
AV	5.15G	53.67	54.00	-0.33	43.65	3	Vertical	103	1.80	17.5	32.90	9.71	32.59			
PK	5.1714G	114.00	Inf	-Inf	103.96	3	Vertical	103	1.80	17.5	32.90	9.73	32.59			
AV	5.172G	101.40	Inf	-Inf	91.36	3	Vertical	103	1.80	17.5	32.90	9.73	32.59			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 20
17.5\21\16.5\18.5\19.5\20
3.66\5.12\4.74\2.49\1.04\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1398G	68.96	74.00	-5.04	58.96	3	Horizontal	350	1.80	20	32.88	9.71	32.59			
AV	5.144G	53.60	54.00	-0.40	43.59	3	Horizontal	350	1.80	20	32.89	9.71	32.59			
PK	5.1764G	114.06	Inf	-Inf	104.01	3	Horizontal	350	1.80	20	32.90	9.73	32.58			
AV	5.1772G	101.48	Inf	-Inf	91.43	3	Horizontal	350	1.80	20	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 17.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3476G	48.21	68.20	-19.99	40.56	3	Vertical	5	1.52	-	38.89	14.11	45.35			
PK	15.5861G	52.95	74.00	-21.05	42.08	3	Vertical	75	1.88	-	38.56	15.36	43.05			
AV	15.5497G	39.79	54.00	-14.21	28.70	3	Vertical	75	1.88	-	38.70	15.36	42.97			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 17.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3654G	48.40	68.20	-19.80	40.72	3	Horizontal	7	1.85	-	38.90	14.12	45.34			
PK	15.6182G	53.11	74.00	-20.89	42.48	3	Horizontal	306	1.12	-	38.39	15.36	43.12			
AV	15.553G	39.74	54.00	-14.26	28.67	3	Horizontal	306	1.12	-	38.69	15.36	42.98			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 23
17.5\25.5\18\21.5\23\23.5\23
8.04\ -8.26\7.96\5.49\1.18\ -0.31\1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	69.93	74.00	-4.07	59.91	3	Vertical	103	1.80	23	32.90	9.71	32.59				
AV	5.15G	52.94	54.00	-1.06	42.92	3	Vertical	103	1.80	23	32.90	9.71	32.59				
PK	5.233G	119.30	Inf	-Inf	109.11	3	Vertical	103	1.80	23	33.03	9.73	32.57				
AV	5.2328G	107.19	Inf	-Inf	97.00	3	Vertical	103	1.80	23	33.03	9.73	32.57				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 23.5
23\26\22\24\23.5
3.41\10.09\4.99\2.09\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1452G	73.46	74.00	-0.54	63.45	3	Horizontal	310	1.80	23.5	32.89	9.71	32.59			
AV	5.1414G	53.53	54.00	-0.47	43.53	3	Horizontal	310	1.80	23.5	32.88	9.71	32.59			
PK	5.2248G	117.68	Inf	-Inf	107.52	3	Horizontal	310	1.80	23.5	33.00	9.73	32.57			
AV	5.2236G	105.06	Inf	-Inf	94.91	3	Horizontal	310	1.80	23.5	32.99	9.73	32.57			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4231G	48.92	68.20	-19.28	41.20	3	Vertical	191	1.50	-	38.90	14.15	45.33			
PK	15.6545G	54.13	74.00	-19.87	43.75	3	Vertical	304	2.79	-	38.21	15.36	43.19			
AV	15.7191G	40.38	54.00	-13.62	30.00	3	Vertical	304	2.79	-	38.34	15.37	43.33			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.419G	48.70	68.20	-19.50	40.98	3	Horizontal	212	1.21	-	38.90	14.15	45.33			
PK	15.7189G	53.66	74.00	-20.34	43.28	3	Horizontal	335	1.89	-	38.34	15.37	43.33			
AV	15.7188G	40.31	54.00	-13.69	29.93	3	Horizontal	335	1.89	-	38.34	15.37	43.33			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 23
20\27\19\23
7.21\ -16.97\7.58\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2706G	119.76	Inf	-Inf	109.47	3	Vertical	140	1.79	23	33.14	9.71	32.56			
AV	5.2708G	106.69	Inf	-Inf	96.40	3	Vertical	140	1.79	23	33.14	9.71	32.56			
PK	5.3524G	70.98	74.00	-3.02	60.54	3	Vertical	140	1.79	23	33.30	9.68	32.54			
AV	5.3514G	53.61	54.00	-0.39	43.17	3	Vertical	140	1.79	23	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 24
23\28\22\25\23.5\24\24.5\24
5.04\ -13.41\6.27\ -4.99\3.82\1.48\ -2.30\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2822G	117.11	Inf	-Inf	106.80	3	Horizontal	333	1.80	24	33.16	9.71	32.56				
AV	5.281G	105.10	Inf	-Inf	94.79	3	Horizontal	333	1.80	24	33.16	9.71	32.56				
PK	5.3612G	68.22	74.00	-5.78	57.76	3	Horizontal	333	1.80	24	33.32	9.68	32.54				
AV	5.3618G	53.17	54.00	-0.83	42.71	3	Horizontal	333	1.80	24	33.32	9.68	32.54				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5792G	49.00	68.20	-19.20	41.02	3	Vertical	303	1.99	-	39.20	14.24	45.46			
PK	15.8181G	52.46	74.00	-21.54	42.18	3	Vertical	43	2.79	-	38.44	15.37	43.53			
AV	15.7601G	39.71	54.00	-14.29	29.35	3	Vertical	43	2.79	-	38.40	15.37	43.41			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5748G	49.50	68.20	-18.70	41.51	3	Horizontal	248	1.01	-	39.20	14.24	45.45			
PK	15.7805G	52.44	74.00	-21.56	42.12	3	Horizontal	18	1.71	-	38.40	15.37	43.45			
AV	15.76G	39.72	54.00	-14.28	29.36	3	Horizontal	18	1.71	-	38.40	15.37	43.41			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 18
23\13\19.5\16.5\18
-17.03\6.52\ -1.50\2.59\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2938G	114.06	Inf	-Inf	103.72	3	Vertical	104	1.80	18	33.19	9.70	32.55			
AV	5.2928G	101.67	Inf	-Inf	91.33	3	Vertical	104	1.80	18	33.19	9.70	32.55			
PK	5.354G	67.15	74.00	-6.85	56.70	3	Vertical	104	1.80	18	33.31	9.68	32.54			
AV	5.3532G	53.59	54.00	-0.41	43.14	3	Vertical	104	1.80	18	33.31	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
SET 20.5
18\21.5\20\20.5
3.95\0.73\1.01\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3208G	114.67	Inf	-Inf	104.29	3	Horizontal	334	1.80	20.5	33.24	9.69	32.55				
AV	5.322G	102.02	Inf	-Inf	91.64	3	Horizontal	334	1.80	20.5	33.24	9.69	32.55				
PK	5.3622G	68.94	74.00	-5.06	58.48	3	Horizontal	334	1.80	20.5	33.32	9.68	32.54				
AV	5.35G	53.82	54.00	-0.18	43.38	3	Horizontal	334	1.80	20.5	33.30	9.68	32.54				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX


EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6336G	49.62	74.00	-24.38	41.64	3	Vertical	266	2.91	-	39.27	14.27	45.56			
PK	15.9283G	51.32	74.00	-22.68	41.01	3	Vertical	45	1.10	-	38.69	15.38	43.76			
AV	15.9071G	37.98	54.00	-16.02	27.55	3	Vertical	45	1.10	-	38.77	15.38	43.72			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5779G	49.60	68.20	-18.60	41.62	3	Horizontal	146	2.58	-	39.20	14.24	45.46			
PK	15.9201G	51.18	74.00	-22.82	40.82	3	Horizontal	30	1.27	-	38.72	15.38	43.74			
AV	15.8915G	38.06	54.00	-15.94	27.62	3	Horizontal	30	1.27	-	38.75	15.37	43.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 15.5
5\12.5\19.5\16\14.5\15\15.5
7.79\7.06\6.97\2.03\1.61\1.58\1.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4562G	61.33	74.00	-12.67	50.44	3	Vertical	328	1.80	15.5	33.64	9.76	32.51			
AV	5.46G	48.65	54.00	-5.35	37.73	3	Vertical	328	1.80	15.5	33.66	9.77	32.51			
PK	5.4682G	66.80	68.20	-1.40	55.81	3	Vertical	328	1.80	15.5	33.71	9.79	32.51			
PK	5.5282G	113.87	Inf	-Inf	102.51	3	Vertical	328	1.80	15.5	33.96	9.90	32.50			
AV	5.5278G	101.50	Inf	-Inf	90.14	3	Vertical	328	1.80	15.5	33.96	9.90	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 18
15.5\20\18
4.96\ -3.38\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	64.21	74.00	-9.79	53.29	3	Horizontal	309	1.80	18	33.66	9.77	32.51			
AV	5.46G	50.43	54.00	-3.57	39.51	3	Horizontal	309	1.80	18	33.66	9.77	32.51			
PK	5.4642G	67.90	68.20	-0.30	56.94	3	Horizontal	309	1.80	18	33.69	9.78	32.51			
PK	5.5226G	113.26	Inf	-Inf	101.92	3	Horizontal	309	1.80	18	33.95	9.89	32.50			
AV	5.502G	100.02	Inf	-Inf	88.77	3	Horizontal	309	1.80	18	33.90	9.85	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 15.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0602G	49.25	74.00	-24.75	41.77	3	Vertical	79	1.92	-	39.18	14.50	46.20			
AV	11.0376G	35.54	54.00	-18.46	28.07	3	Vertical	79	1.92	-	39.20	14.49	46.22			
PK	16.5362G	52.32	68.20	-15.88	41.68	3	Vertical	94	2.44	-	39.70	15.52	44.58			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 15.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06G	48.85	74.00	-25.15	41.37	3	Horizontal	118	2.15	-	39.18	14.50	46.20			
AV	11.029G	35.54	54.00	-18.46	28.07	3	Horizontal	118	2.15	-	39.20	14.49	46.22			
PK	16.502G	52.96	68.20	-15.24	42.30	3	Horizontal	153	1.98	-	39.70	15.51	44.55			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 23.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4508G	65.47	74.00	-8.53	54.63	3	Vertical	321	1.80	-	33.60	9.75	32.51			
AV	5.45G	50.46	54.00	-3.54	39.62	3	Vertical	321	1.80	-	33.60	9.75	32.51			
PK	5.47G	66.52	68.20	-1.68	55.52	3	Vertical	321	1.80	-	33.72	9.79	32.51			
PK	5.5474G	121.67	Inf	-Inf	110.25	3	Vertical	321	1.80	-	33.99	9.93	32.50			
AV	5.5464G	106.72	Inf	-Inf	95.30	3	Vertical	321	1.80	-	33.99	9.93	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 23.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	63.33	74.00	-10.67	52.41	3	Horizontal	310	2.97	-	33.66	9.77	32.51			
AV	5.4504G	49.81	54.00	-4.19	38.97	3	Horizontal	310	2.97	-	33.60	9.75	32.51			
PK	5.4698G	65.25	68.20	-2.95	54.25	3	Horizontal	310	2.97	-	33.72	9.79	32.51			
PK	5.5666G	118.81	Inf	-Inf	107.35	3	Horizontal	310	2.97	-	34.00	9.97	32.51			
AV	5.5676G	104.07	Inf	-Inf	92.61	3	Horizontal	310	2.97	-	34.00	9.97	32.51			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0897G	49.22	74.00	-24.78	41.75	3	Vertical	17	2.66	-	39.12	14.52	46.17			
AV	11.1047G	36.04	54.00	-17.96	28.59	3	Vertical	17	2.66	-	39.08	14.53	46.16			
PK	16.6946G	52.30	68.20	-15.90	41.54	3	Vertical	352	1.27	-	39.89	15.56	44.69			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1422G	49.14	74.00	-24.86	41.78	3	Horizontal	264	2.56	-	38.93	14.55	46.12			
AV	11.11G	36.17	54.00	-17.83	28.73	3	Horizontal	264	2.56	-	39.06	14.53	46.15			
PK	16.6587G	52.77	68.20	-15.43	42.06	3	Horizontal	197	2.63	-	39.82	15.55	44.66			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
18.5\22\17.5\19.5\20.5\21\20.5
3.56\9.53\4.13\2.54\0.68\2.13\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6523G	118.04	Inf	-Inf	106.44	3	Vertical	318	1.80	20.5	34.10	10.02	32.52			
AV	5.6526G	105.92	Inf	-Inf	94.31	3	Vertical	318	1.80	20.5	34.11	10.02	32.52			
PK	5.7339G	67.95	68.20	-0.25	56.26	3	Vertical	318	1.80	20.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6655G	112.92	Inf	-Inf	101.29	3	Horizontal	278	1.80	-	34.13	10.02	32.52			
AV	5.6847G	101.55	Inf	-Inf	89.88	3	Horizontal	278	1.80	-	34.17	10.02	32.52			
PK	5.7279G	62.77	68.20	-5.43	51.08	3	Horizontal	278	1.80	-	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3812G	49.04	74.00	-24.96	41.13	3	Vertical	253	1.55	-	39.14	14.68	45.91			
AV	11.3885G	36.39	54.00	-17.61	28.49	3	Vertical	253	1.55	-	39.12	14.68	45.90			
PK	17.0219G	53.29	68.20	-14.91	41.68	3	Vertical	3	1.74	-	40.89	15.65	44.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3437G	49.47	74.00	-24.53	41.56	3	Horizontal	167	2.27	-	39.19	14.66	45.94			
AV	11.3887G	36.43	54.00	-17.57	28.53	3	Horizontal	167	2.27	-	39.12	14.68	45.90			
PK	17.0255G	53.44	68.20	-14.76	41.82	3	Horizontal	243	2.75	-	40.90	15.65	44.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24
20\25.5\21\23\24\24.5\24
5.86\4.70\5.09\3.86\2.75\0.20\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4196G	62.63	74.00	-11.37	51.97	3	Vertical	316	1.80	24	33.48	9.70	32.52			
AV	5.419G	50.39	54.00	-3.61	39.73	3	Vertical	316	1.80	24	33.48	9.70	32.52			
PK	5.4682G	59.63	68.20	-8.57	48.64	3	Vertical	316	1.80	24	33.71	9.79	32.51			
PK	5.692G	122.12	Inf	-Inf	110.44	3	Vertical	316	1.80	24	34.18	10.02	32.52			
AV	5.692G	110.05	Inf	-Inf	98.37	3	Vertical	316	1.80	24	34.18	10.02	32.52			
PK	5.8528G	66.79	68.20	-1.41	54.66	3	Vertical	316	1.80	24	34.62	10.05	32.54			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 25
24\28\23\25.5\24.5\25
5.23\5.05\7.46\4.68\3.14\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4346G	60.14	74.00	-13.86	49.40	3	Horizontal	278	1.80	25	33.54	9.72	32.52			
AV	5.44G	47.11	54.00	-6.89	36.34	3	Horizontal	278	1.80	25	33.56	9.73	32.52			
PK	5.4634G	59.99	68.20	-8.21	49.04	3	Horizontal	278	1.80	25	33.68	9.78	32.51			
PK	5.725G	120.17	Inf	-Inf	108.48	3	Horizontal	278	1.80	25	34.20	10.01	32.52			
AV	5.7256G	108.39	Inf	-Inf	96.70	3	Horizontal	278	1.80	25	34.20	10.01	32.52			
PK	5.8594G	68.05	68.20	-0.15	55.85	3	Horizontal	278	1.80	25	34.68	10.06	32.54			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4566G	50.90	74.00	-23.10	42.92	3	Vertical	331	1.72	-	39.10	14.72	45.84			
AV	11.4636G	37.04	54.00	-16.96	29.05	3	Vertical	331	1.72	-	39.10	14.72	45.83			
PK	17.1079G	53.68	68.20	-14.52	41.79	3	Vertical	120	2.26	-	41.22	15.67	45.00			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4648G	50.21	74.00	-23.79	42.21	3	Horizontal	115	2.68	-	39.10	14.73	45.83			
AV	11.4613G	37.08	54.00	-16.92	29.09	3	Horizontal	115	2.68	-	39.10	14.72	45.83			
PK	17.1391G	53.70	68.20	-14.50	41.76	3	Horizontal	234	1.89	-	41.28	15.68	45.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 23.5
20\25.5\19\22\23.5
5.90\7.51\6.18\4.81\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	61.72	74.00	-12.28	50.80	3	Vertical	340	1.80	23.5	33.66	9.77	32.51			
AV	5.4562G	50.03	54.00	-3.97	39.14	3	Vertical	340	1.80	23.5	33.64	9.76	32.51			
PK	5.6296G	67.98	68.20	-0.22	56.40	3	Vertical	340	1.80	23.5	34.06	10.03	32.51			
PK	5.7496G	121.34	Inf	-Inf	109.65	3	Vertical	340	1.80	23.5	34.20	10.01	32.52			
AV	5.7706G	109.80	Inf	-Inf	98.09	3	Vertical	340	1.80	23.5	34.24	10.00	32.53			
PK	6.0466G	61.94	68.20	-6.26	48.75	3	Vertical	340	1.80	23.5	35.49	10.24	32.54			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
SET 24
23.5\25.5\22.5\24
2.02\5.33\3.66\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	59.84	74.00	-14.16	48.92	3	Horizontal	280	1.80	24	33.66	9.77	32.51			
AV	5.4598G	46.98	54.00	-7.02	36.06	3	Horizontal	280	1.80	24	33.66	9.77	32.51			
PK	5.6512G	68.82	69.09	-0.27	57.22	3	Horizontal	280	1.80	24	34.10	10.02	32.52			
PK	5.7526G	117.60	Inf	-Inf	105.91	3	Horizontal	280	1.80	24	34.21	10.01	32.53			
AV	5.7508G	105.93	Inf	-Inf	94.25	3	Horizontal	280	1.80	24	34.20	10.01	32.53			
PK	6.0376G	61.45	68.20	-6.75	48.31	3	Horizontal	280	1.80	24	35.45	10.23	32.54			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4747G	50.37	74.00	-23.63	42.36	3	Vertical	117	1.90	-	39.10	14.73	45.82			
AV	11.4641G	37.01	54.00	-16.99	29.01	3	Vertical	117	1.90	-	39.10	14.73	45.83			
PK	17.2236G	53.36	68.20	-14.84	41.21	3	Vertical	339	1.52	-	41.54	15.70	45.09			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4778G	50.10	74.00	-23.90	42.09	3	Horizontal	337	2.53	-	39.10	14.73	45.82			
AV	11.469G	37.01	54.00	-16.99	29.01	3	Horizontal	337	2.53	-	39.10	14.73	45.83			
PK	17.242G	53.88	68.20	-14.32	41.62	3	Horizontal	235	1.09	-	41.65	15.71	45.10			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 24.5
23.5\28\22.5\25\24\24.5
4.98\ -8.00\4.95\ -5.28\1.46\1.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6504G	67.15	68.50	-1.35	55.55	3	Vertical	340	1.80	24.5	34.10	10.02	32.52				
PK	5.7908G	123.33	Inf	-Inf	111.58	3	Vertical	340	1.80	24.5	34.28	10.00	32.53				
AV	5.7908G	111.43	Inf	-Inf	99.68	3	Vertical	340	1.80	24.5	34.28	10.00	32.53				
PK	6.0842G	61.32	68.20	-6.88	48.14	3	Vertical	340	1.80	24.5	35.43	10.27	32.52				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 25.5
24.5\28\24\26\25\25.5
5.35\ -4.18\6.06\ -2.50\3.53\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6504G	67.78	68.50	-0.72	56.18	3	Horizontal	276	1.80	25.5	34.10	10.02	32.52				
PK	5.7902G	119.88	Inf	-Inf	108.13	3	Horizontal	276	1.80	25.5	34.28	10.00	32.53				
AV	5.7902G	107.91	Inf	-Inf	96.16	3	Horizontal	276	1.80	25.5	34.28	10.00	32.53				
PK	6.0362G	61.99	68.20	-6.21	48.86	3	Horizontal	276	1.80	25.5	35.44	10.23	32.54				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5982G	50.21	74.00	-23.79	42.14	3	Vertical	103	2.49	-	39.10	14.80	45.83			
AV	11.6399G	37.87	54.00	-16.13	29.88	3	Vertical	103	2.49	-	39.02	14.82	45.85			
PK	17.4239G	54.38	68.20	-13.82	41.77	3	Vertical	254	1.45	-	42.10	15.76	45.25			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5625G	50.20	74.00	-23.80	42.14	3	Horizontal	348	2.18	-	39.10	14.78	45.82			
AV	11.6396G	37.74	54.00	-16.26	29.75	3	Horizontal	348	2.18	-	39.02	14.82	45.85			
PK	17.4205G	53.73	68.20	-14.47	41.12	3	Horizontal	253	1.07	-	42.10	15.76	45.25			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 17
17\17.5\17
0.98\0.81\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.33	74.00	-8.67	55.31	3	Vertical	102	1.80	17	32.90	9.71	32.59			
AV	5.15G	53.60	54.00	-0.40	43.58	3	Vertical	102	1.80	17	32.90	9.71	32.59			
PK	5.233G	110.80	Inf	-Inf	100.61	3	Vertical	102	1.80	17	33.03	9.73	32.57			
AV	5.233G	97.60	Inf	-Inf	87.41	3	Vertical	102	1.80	17	33.03	9.73	32.57			
PK	5.4325G	59.68	74.00	-14.32	48.95	3	Vertical	102	1.80	17	33.53	9.72	32.52			
AV	5.459G	46.72	54.00	-7.28	35.81	3	Vertical	102	1.80	17	33.65	9.77	32.51			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 17.5
17\18.5\18\17.5
1.59\1.18\0.24\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1425G	66.22	74.00	-7.78	56.22	3	Horizontal	310	1.80	17.5	32.88	9.71	32.59			
AV	5.1425G	53.86	54.00	-0.14	43.86	3	Horizontal	310	1.80	17.5	32.88	9.71	32.59			
PK	5.2215G	108.17	Inf	-Inf	98.02	3	Horizontal	310	1.80	17.5	32.99	9.73	32.57			
AV	5.223G	94.99	Inf	-Inf	84.84	3	Horizontal	310	1.80	17.5	32.99	9.73	32.57			
PK	5.4245G	59.89	74.00	-14.11	49.20	3	Horizontal	310	1.80	17.5	33.50	9.71	32.52			
AV	5.4585G	46.39	54.00	-7.61	35.48	3	Horizontal	310	1.80	17.5	33.65	9.77	32.51			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 17
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4094G	50.78	68.20	-17.42	43.06	3	Vertical	264	1.10	-	38.90	14.15	45.33			
PK	15.6494G	53.50	74.00	-20.50	43.12	3	Vertical	55	2.89	-	38.20	15.36	43.18			
AV	15.6775G	40.59	54.00	-13.41	30.21	3	Vertical	55	2.89	-	38.26	15.36	43.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 17
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4371G	48.97	68.20	-19.23	41.24	3	Horizontal	145	1.31	-	38.90	14.16	45.33			
PK	15.6728G	53.47	74.00	-20.53	43.09	3	Horizontal	188	1.34	-	38.25	15.36	43.23			
AV	15.677G	40.52	54.00	-13.48	30.15	3	Horizontal	188	1.34	-	38.25	15.36	43.24			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 16.5
20\14.5\17\16\16.5
-5.12\3.40\0.55\1.08\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0435G	58.70	74.00	-15.30	48.66	3	Vertical	102	1.80	16.5	33.00	9.66	32.62			
PK	5.253G	110.40	Inf	-Inf	100.13	3	Vertical	102	1.80	16.5	33.11	9.72	32.56			
AV	5.15G	45.81	54.00	-8.19	35.79	3	Vertical	102	1.80	16.5	32.90	9.71	32.59			
AV	5.293G	97.30	Inf	-Inf	86.96	3	Vertical	102	1.80	16.5	33.19	9.70	32.55			
PK	5.3535G	66.38	74.00	-7.62	55.93	3	Vertical	102	1.80	16.5	33.31	9.68	32.54			
AV	5.3545G	53.79	54.00	-0.21	43.34	3	Vertical	102	1.80	16.5	33.31	9.68	32.54			
PK	5.503G	60.85	68.20	-7.35	49.59	3	Vertical	102	1.80	16.5	33.91	9.85	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 17
16.5\18.5\17.5\17
2.02\1.59\0.09\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1285G	58.55	74.00	-15.45	48.59	3	Horizontal	334	1.80	17	32.86	9.70	32.60			
AV	5.099G	45.61	54.00	-8.39	35.72	3	Horizontal	334	1.80	17	32.80	9.69	32.60			
PK	5.321G	107.47	Inf	-Inf	97.09	3	Horizontal	334	1.80	17	33.24	9.69	32.55			
AV	5.3215G	95.43	Inf	-Inf	85.05	3	Horizontal	334	1.80	17	33.24	9.69	32.55			
PK	5.363G	65.20	74.00	-8.80	54.74	3	Horizontal	334	1.80	17	33.33	9.67	32.54			
AV	5.361G	53.09	54.00	-0.91	42.63	3	Horizontal	334	1.80	17	33.32	9.68	32.54			
PK	5.5275G	60.07	68.20	-8.13	48.72	3	Horizontal	334	1.80	17	33.95	9.90	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 16.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.616G	50.18	74.00	-23.82	42.22	3	Vertical	298	1.04	-	39.23	14.26	45.53			
AV	10.6176G	36.95	54.00	-17.05	28.98	3	Vertical	298	1.04	-	39.24	14.26	45.53			
PK	15.8285G	52.31	74.00	-21.69	42.03	3	Vertical	131	1.53	-	38.46	15.37	43.55			
AV	15.829G	39.11	54.00	-14.89	28.83	3	Vertical	131	1.53	-	38.46	15.37	43.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6143G	50.64	74.00	-23.36	42.67	3	Horizontal	171	2.94	-	39.23	14.26	45.52			
AV	10.6242G	36.83	54.00	-17.17	28.86	3	Horizontal	171	2.94	-	39.25	14.26	45.54			
PK	15.8329G	52.57	74.00	-21.43	42.29	3	Horizontal	179	1.71	-	38.47	15.37	43.56			
AV	15.827G	39.07	54.00	-14.93	28.80	3	Horizontal	179	1.71	-	38.45	15.37	43.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 16.5
20\14.5\19\17\16\16.5
-5.37\4.95\4.33\0.01\1.15\1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3275G	59.59	68.20	-8.61	49.18	3	Vertical	324	1.80	16.5	33.26	9.69	32.54
AV	5.35G	45.94	54.00	-8.06	35.50	3	Vertical	324	1.80	16.5	33.30	9.68	32.54
PK	5.4545G	65.36	74.00	-8.64	54.48	3	Vertical	324	1.80	16.5	33.63	9.76	32.51
AV	5.46G	52.51	54.00	-1.49	41.59	3	Vertical	324	1.80	16.5	33.66	9.77	32.51
PK	5.4665G	67.17	68.20	-1.03	56.20	3	Vertical	324	1.80	16.5	33.70	9.78	32.51
PK	5.566G	111.49	Inf	-Inf	100.03	3	Vertical	324	1.80	16.5	34.00	9.97	32.51
AV	5.567G	98.94	Inf	-Inf	87.48	3	Vertical	324	1.80	16.5	34.00	9.97	32.51
PK	5.7335G	60.77	68.20	-7.43	49.08	3	Vertical	324	1.80	16.5	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 18
16.5\20\18.5\18
3.89\3.04\0.74\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.281G	59.15	68.20	-9.05	48.84	3	Horizontal	308	1.80	18	33.16	9.71	32.56			
AV	5.35G	45.23	54.00	-8.77	34.79	3	Horizontal	308	1.80	18	33.30	9.68	32.54			
PK	5.46G	65.03	74.00	-8.97	54.11	3	Horizontal	308	1.80	18	33.66	9.77	32.51			
AV	5.46G	53.47	54.00	-0.53	42.55	3	Horizontal	308	1.80	18	33.66	9.77	32.51			
PK	5.4635G	67.74	68.20	-0.46	56.79	3	Horizontal	308	1.80	18	33.68	9.78	32.51			
PK	5.5015G	109.75	Inf	-Inf	98.50	3	Horizontal	308	1.80	18	33.90	9.85	32.50			
AV	5.5025G	96.53	Inf	-Inf	85.27	3	Horizontal	308	1.80	18	33.91	9.85	32.50			
PK	5.7525G	60.58	68.20	-7.62	48.89	3	Horizontal	308	1.80	18	34.21	10.01	32.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0933G	49.65	74.00	-24.35	42.19	3	Vertical	96	2.52	-	39.11	14.52	46.17			
AV	11.0995G	36.48	54.00	-17.52	29.02	3	Vertical	96	2.52	-	39.10	14.52	46.16			
PK	16.559G	52.99	68.20	-15.21	42.35	3	Vertical	67	1.94	-	39.70	15.53	44.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.103G	49.87	74.00	-24.13	42.41	3	Horizontal	225	2.68	-	39.09	14.53	46.16			
AV	11.1046G	36.50	54.00	-17.50	29.05	3	Horizontal	225	2.68	-	39.08	14.53	46.16			
PK	16.5839G	52.72	68.20	-15.48	42.10	3	Horizontal	210	1.78	-	39.70	15.53	44.61			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX


EUT_Y_4TX
Setting 22
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	63.98	74.00	-10.02	53.12	3	Vertical	317	1.80	-	33.61	9.76	32.51			
PK	5.4648G	64.22	68.20	-3.98	53.26	3	Vertical	317	1.80	-	33.69	9.78	32.51			
AV	5.4588G	51.14	54.00	-2.86	40.23	3	Vertical	317	1.80	-	33.65	9.77	32.51			
PK	5.5924G	116.92	Inf	-Inf	105.41	3	Vertical	317	1.80	-	34.00	10.02	32.51			
AV	5.6056G	104.25	Inf	-Inf	92.72	3	Vertical	317	1.80	-	34.01	10.03	32.51			
PK	5.7344G	67.85	68.20	-0.35	56.16	3	Vertical	317	1.80	-	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX


EUT_Y_4TX
Setting 22
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.16	74.00	-10.84	52.25	3	Horizontal	331	1.80	-	33.65	9.77	32.51
AV	5.4412G	50.10	54.00	-3.90	39.32	3	Horizontal	331	1.80	-	33.56	9.74	32.52
PK	5.4628G	62.64	68.20	-5.56	51.69	3	Horizontal	331	1.80	-	33.68	9.78	32.51
PK	5.6028G	112.20	Inf	-Inf	100.67	3	Horizontal	331	1.80	-	34.01	10.03	32.51
AV	5.6436G	100.05	Inf	-Inf	88.45	3	Horizontal	331	1.80	-	34.09	10.02	32.51
PK	5.7408G	64.44	68.20	-3.76	52.75	3	Horizontal	331	1.80	-	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 22
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2665G	49.55	74.00	-24.45	41.91	3	Vertical	164	2.23	-	39.03	14.62	46.01			
AV	11.207G	35.93	54.00	-18.07	28.50	3	Vertical	164	2.23	-	38.91	14.58	46.06			
PK	16.8339G	54.20	68.20	-14.00	42.95	3	Vertical	324	2.05	-	40.44	15.60	44.79			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 22
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2243G	49.11	74.00	-24.89	41.62	3	Horizontal	131	1.83	-	38.95	14.59	46.05			
AV	11.2097G	35.99	54.00	-18.01	28.54	3	Horizontal	131	1.83	-	38.92	14.59	46.06			
PK	16.8543G	52.98	68.20	-15.22	41.66	3	Horizontal	335	1.22	-	40.52	15.61	44.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22.5
20\25.5\19\22\23.5\23\22.5
5.69\11.85\5.88\3.27\4.22\0.63\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4158G	62.53	74.00	-11.47	51.90	3	Vertical	326	1.80	22.5	33.46	9.69	32.52			
AV	5.4146G	50.31	54.00	-3.69	39.68	3	Vertical	326	1.80	22.5	33.46	9.69	32.52			
PK	5.4662G	60.22	68.20	-7.98	49.25	3	Vertical	326	1.80	22.5	33.70	9.78	32.51			
PK	5.6672G	117.52	Inf	-Inf	105.89	3	Vertical	326	1.80	22.5	34.13	10.02	32.52			
AV	5.6876G	105.42	Inf	-Inf	93.74	3	Vertical	326	1.80	22.5	34.18	10.02	32.52			
PK	5.855G	67.33	68.20	-0.87	55.18	3	Vertical	326	1.80	22.5	34.64	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 23.5
22.5\25.5\21.5\23.5\24.5\24\23.5
3.28\ -4.27\6.81\1.71\ -2.27\ -0.59\1.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4314G	59.58	74.00	-14.42	48.85	3	Horizontal	278	1.80	23.5	33.53	9.72	32.52			
AV	5.4452G	47.42	54.00	-6.58	36.61	3	Horizontal	278	1.80	23.5	33.58	9.74	32.51			
PK	5.4638G	60.15	68.20	-8.05	49.20	3	Horizontal	278	1.80	23.5	33.68	9.78	32.51			
PK	5.7056G	114.70	Inf	-Inf	103.01	3	Horizontal	278	1.80	23.5	34.20	10.01	32.52			
AV	5.7254G	103.10	Inf	-Inf	91.41	3	Horizontal	278	1.80	23.5	34.20	10.01	32.52			
PK	5.8574G	67.03	68.20	-1.17	54.86	3	Horizontal	278	1.80	23.5	34.66	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3954G	49.90	74.00	-24.10	41.99	3	Vertical	126	1.76	-	39.11	14.69	45.89			
AV	11.4135G	36.96	54.00	-17.04	29.04	3	Vertical	126	1.76	-	39.10	14.70	45.88			
PK	17.1093G	53.38	68.20	-14.82	41.49	3	Vertical	269	2.31	-	41.22	15.67	45.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3859G	49.91	74.00	-24.09	42.00	3	Horizontal	128	2.32	-	39.13	14.68	45.90			
AV	11.4163G	36.92	54.00	-17.08	29.00	3	Horizontal	128	2.32	-	39.10	14.70	45.88			
PK	17.0816G	54.40	68.20	-13.80	42.58	3	Horizontal	182	2.10	-	41.13	15.67	44.98			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 21
20\24.5\19\21.5\20.5\21
4.90\12.35\6.23\1.35\4.07\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6436G	66.71	68.20	-1.49	55.11	3	Vertical	342	1.80	21	34.09	10.02	32.51				
PK	5.7714G	116.53	Inf	-Inf	104.82	3	Vertical	342	1.80	21	34.24	10.00	32.53				
AV	5.7714G	104.67	Inf	-Inf	92.96	3	Vertical	342	1.80	21	34.24	10.00	32.53				
PK	6.0522G	60.95	68.20	-7.25	47.74	3	Vertical	342	1.80	21	35.50	10.24	32.53				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 22
21\24.5\20\22
3.82\6.24\6.67\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.6496G	67.86	68.20	-0.34	56.25	3	Horizontal	279	1.80	22	34.10	10.02	32.51					
PK	5.7702G	113.05	Inf	-Inf	101.34	3	Horizontal	279	1.80	22	34.24	10.00	32.53					
AV	5.7504G	101.18	Inf	-Inf	89.50	3	Horizontal	279	1.80	22	34.20	10.01	32.53					
PK	6.066G	61.77	68.20	-6.43	48.57	3	Horizontal	279	1.80	22	35.47	10.26	32.53					

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.548G	49.93	74.00	-24.07	41.88	3	Vertical	345	2.49	-	39.10	14.77	45.82			
AV	11.5005G	37.10	54.00	-16.90	29.05	3	Vertical	345	2.49	-	39.10	14.75	45.80			
PK	17.2848G	54.34	68.20	-13.86	41.92	3	Vertical	14	2.38	-	41.84	15.72	45.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5893G	50.63	74.00	-23.37	42.57	3	Horizontal	86	2.27	-	39.10	14.79	45.83			
AV	11.5003G	37.03	54.00	-16.97	28.98	3	Horizontal	86	2.27	-	39.10	14.75	45.80			
PK	17.3448G	54.09	68.20	-14.11	41.64	3	Horizontal	320	2.83	-	41.90	15.74	45.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 16.5
20\15\17.5\16.5
-4.96\2.93\1.20\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1318G	63.40	74.00	-10.60	53.43	3	Vertical	102	1.80	16.5	32.86	9.71	32.60				
AV	5.1498G	51.44	54.00	-2.56	41.42	3	Vertical	102	1.80	16.5	32.90	9.71	32.59				
PK	5.3154G	107.06	Inf	-Inf	96.69	3	Vertical	102	1.80	16.5	33.23	9.69	32.55				
AV	5.253G	94.91	Inf	-Inf	84.64	3	Vertical	102	1.80	16.5	33.11	9.72	32.56				
PK	5.3538G	67.04	74.00	-6.96	56.59	3	Vertical	102	1.80	16.5	33.31	9.68	32.54				
AV	5.3538G	53.51	54.00	-0.49	43.06	3	Vertical	102	1.80	16.5	33.31	9.68	32.54				
PK	5.4804G	61.30	68.20	-6.90	50.22	3	Vertical	102	1.80	16.5	33.78	9.81	32.51				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 17.5
16.5\19\18\17.5
2.58\2.02\0.48\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1426G	66.11	74.00	-7.89	56.10	3	Horizontal	314	1.80	17.5	32.89	9.71	32.59			
AV	5.1426G	53.90	54.00	-0.10	43.89	3	Horizontal	314	1.80	17.5	32.89	9.71	32.59			
PK	5.3046G	105.42	Inf	-Inf	95.06	3	Horizontal	314	1.80	17.5	33.21	9.70	32.55			
AV	5.304G	93.17	Inf	-Inf	82.81	3	Horizontal	314	1.80	17.5	33.21	9.70	32.55			
PK	5.3838G	66.39	74.00	-7.61	55.88	3	Horizontal	314	1.80	17.5	33.37	9.67	32.53			
AV	5.364G	53.34	54.00	-0.66	42.88	3	Horizontal	314	1.80	17.5	33.33	9.67	32.54			
PK	5.4642G	61.45	68.20	-6.75	50.49	3	Horizontal	314	1.80	17.5	33.69	9.78	32.51			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
SET 16.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5073G	50.65	68.20	-17.55	42.66	3	Vertical	258	1.65	-	39.11	14.20	45.32			
PK	15.7494G	53.82	74.00	-20.18	43.44	3	Vertical	163	1.26	-	38.40	15.37	43.39			
AV	15.7235G	40.91	54.00	-13.09	30.52	3	Vertical	163	1.26	-	38.35	15.37	43.33			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4817G	49.79	68.20	-18.41	41.89	3	Horizontal	318	1.39	-	39.03	14.18	45.31			
PK	15.7281G	54.54	74.00	-19.46	44.15	3	Horizontal	289	1.74	-	38.36	15.37	43.34			
AV	15.725G	40.84	54.00	-13.16	30.46	3	Horizontal	289	1.74	-	38.35	15.37	43.34			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	64.28	68.20	-3.92	53.91	3	Vertical	355	3.00	-	33.22	9.70	32.55
AV	5.35G	48.96	54.00	-5.04	38.52	3	Vertical	355	3.00	-	33.30	9.68	32.54
PK	5.4564G	67.14	74.00	-6.86	56.25	3	Vertical	355	3.00	-	33.64	9.76	32.51
AV	5.4548G	53.92	54.00	-0.08	43.04	3	Vertical	355	3.00	-	33.63	9.76	32.51
PK	5.4684G	65.19	68.20	-3.01	54.20	3	Vertical	355	3.00	-	33.71	9.79	32.51
PK	5.538G	112.31	Inf	-Inf	100.91	3	Vertical	355	3.00	-	33.98	9.92	32.50
AV	5.6164G	100.55	Inf	-Inf	89.00	3	Vertical	355	3.00	-	34.03	10.03	32.51
PK	5.7964G	65.65	68.20	-2.55	53.89	3	Vertical	355	3.00	-	34.29	10.00	32.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2012G	61.32	68.20	-6.88	51.26	3	Horizontal	334	3.00	-	32.90	9.74	32.58
PK	5.4444G	62.48	74.00	-11.52	51.67	3	Horizontal	334	3.00	-	33.58	9.74	32.51
AV	5.35G	47.98	54.00	-6.02	37.54	3	Horizontal	334	3.00	-	33.30	9.68	32.54
AV	5.4436G	50.44	54.00	-3.56	39.64	3	Horizontal	334	3.00	-	33.57	9.74	32.51
PK	5.4644G	62.65	68.20	-5.55	51.69	3	Horizontal	334	3.00	-	33.69	9.78	32.51
PK	5.6252G	108.36	Inf	-Inf	96.79	3	Horizontal	334	3.00	-	34.05	10.03	32.51
AV	5.6076G	96.59	Inf	-Inf	85.05	3	Horizontal	334	3.00	-	34.02	10.03	32.51
PK	5.8476G	64.98	68.20	-3.22	52.87	3	Horizontal	334	3.00	-	34.59	10.05	32.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 19.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1566G	50.35	74.00	-23.65	43.00	3	Vertical	150	1.55	-	38.90	14.56	46.11			
AV	11.1078G	36.65	54.00	-17.35	29.20	3	Vertical	150	1.55	-	39.07	14.53	46.15			
PK	16.6909G	53.83	68.20	-14.37	43.08	3	Vertical	92	2.66	-	39.88	15.56	44.69			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 19.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0972G	49.87	74.00	-24.13	42.40	3	Horizontal	222	1.99	-	39.11	14.52	46.16			
AV	11.106G	36.66	54.00	-17.34	29.20	3	Horizontal	222	1.99	-	39.08	14.53	46.15			
PK	16.73G	52.85	68.20	-15.35	41.98	3	Horizontal	4	1.66	-	40.02	15.57	44.72			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 20
20\22\19\20.5\20
2.41\9.25\5.32\0.66\2.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1485G	66.74	74.00	-7.26	56.72	3	Vertical	318	1.80	20	32.90	9.71	32.59			
AV	5.1499G	51.85	54.00	-2.15	41.83	3	Vertical	318	1.80	20	32.90	9.71	32.59			
PK	5.1737G	118.35	Inf	-Inf	108.30	3	Vertical	318	1.80	20	32.90	9.73	32.58			
AV	5.1716G	104.21	Inf	-Inf	94.17	3	Vertical	318	1.80	20	32.90	9.73	32.59			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 20.5
20\23\19\21\20.5
3.41\ -9.01\6.61\ -2.73\0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	68.75	74.00	-5.25	58.74	3	Horizontal	308	1.80	20.5	32.89	9.71	32.59			
AV	5.15G	53.84	54.00	-0.16	43.82	3	Horizontal	308	1.80	20.5	32.90	9.71	32.59			
PK	5.1737G	116.40	Inf	-Inf	106.35	3	Horizontal	308	1.80	20.5	32.90	9.73	32.58			
AV	5.1762G	101.88	Inf	-Inf	91.83	3	Horizontal	308	1.80	20.5	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 20
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.373G	49.88	68.20	-18.32	42.19	3	Vertical	353	1.48	-	38.90	14.13	45.34			
PK	15.5179G	52.89	74.00	-21.11	41.74	3	Vertical	78	2.77	-	38.70	15.36	42.91			
AV	15.5507G	39.56	54.00	-14.44	28.48	3	Vertical	78	2.77	-	38.70	15.36	42.98			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 20
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3764G	50.73	68.20	-17.47	43.04	3	Horizontal	282	2.06	-	38.90	14.13	45.34			
PK	15.5513G	52.94	74.00	-21.06	41.87	3	Horizontal	23	1.91	-	38.69	15.36	42.98			
AV	15.556G	39.68	54.00	-14.32	28.63	3	Horizontal	23	1.91	-	38.68	15.36	42.99			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
20\27\19\23\25\24\23.5
7.17\13.62\7.45\3.48\4.60\0.31\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	66.22	74.00	-7.78	56.20	3	Vertical	326	1.80	23.5	32.90	9.71	32.59			
AV	5.1498G	52.51	54.00	-1.49	42.49	3	Vertical	326	1.80	23.5	32.90	9.71	32.59			
PK	5.2082G	119.63	Inf	-Inf	109.54	3	Vertical	326	1.80	23.5	32.93	9.74	32.58			
AV	5.2088G	107.17	Inf	-Inf	97.07	3	Vertical	326	1.80	23.5	32.94	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
23.5\24.5\24\23.5
1.40\2.57\0.58\1.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1488G	70.28	74.00	-3.72	60.26	3	Horizontal	7	1.80	23.5	32.90	9.71	32.59				
AV	5.1498G	52.71	54.00	-1.29	42.69	3	Horizontal	7	1.80	23.5	32.90	9.71	32.59				
PK	5.1932G	117.50	Inf	-Inf	107.44	3	Horizontal	7	1.80	23.5	32.90	9.74	32.58				
AV	5.193G	104.10	Inf	-Inf	94.04	3	Horizontal	7	1.80	23.5	32.90	9.74	32.58				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3807G	50.26	68.20	-17.94	42.57	3	Vertical	155	2.41	-	38.90	14.13	45.34			
PK	15.5898G	54.13	74.00	-19.87	43.29	3	Vertical	154	2.38	-	38.54	15.36	43.06			
AV	15.641G	40.62	54.00	-13.38	30.17	3	Vertical	154	2.38	-	38.25	15.36	43.16			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4125G	50.69	68.20	-17.51	42.97	3	Horizontal	35	2.13	-	38.90	14.15	45.33			
PK	15.6201G	53.80	74.00	-20.20	43.18	3	Horizontal	294	1.26	-	38.38	15.36	43.12			
AV	15.6439G	40.73	54.00	-13.27	30.30	3	Horizontal	294	1.26	-	38.24	15.36	43.17			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
 SET 27
 20\27.5\28\27.5\27
 7.62\1.11\1.51\0.58\2.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	65.38	74.00	-8.62	55.36	3	Vertical	102	1.80	27	32.90	9.71	32.59				
AV	5.15G	51.71	54.00	-2.29	41.69	3	Vertical	102	1.80	27	32.90	9.71	32.59				
PK	5.243G	124.56	Inf	-Inf	114.34	3	Vertical	102	1.80	27	33.07	9.72	32.57				
AV	5.2469G	111.61	Inf	-Inf	101.37	3	Vertical	102	1.80	27	33.09	9.72	32.57				
PK	5.3585G	69.85	74.00	-4.15	59.39	3	Vertical	102	1.80	27	33.32	9.68	32.54				
AV	5.35G	51.74	54.00	-2.26	41.30	3	Vertical	102	1.80	27	33.30	9.68	32.54				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 28
27.28
3.70\1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1449G	66.94	74.00	-7.06	56.93	3	Horizontal	311	1.80	28	32.89	9.71	32.59
AV	5.1497G	52.90	54.00	-1.10	42.88	3	Horizontal	311	1.80	28	32.90	9.71	32.59
PK	5.2328G	122.53	Inf	-Inf	112.34	3	Horizontal	311	1.80	28	33.03	9.73	32.57
AV	5.2364G	107.42	Inf	-Inf	97.21	3	Horizontal	311	1.80	28	33.05	9.73	32.57
PK	5.3534G	65.45	74.00	-8.55	55.00	3	Horizontal	311	1.80	28	33.31	9.68	32.54
AV	5.35G	51.54	54.00	-2.46	41.10	3	Horizontal	311	1.80	28	33.30	9.68	32.54

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4347G	49.83	68.20	-18.37	42.10	3	Vertical	83	2.28	-	38.90	14.16	45.33			
PK	15.6751G	54.07	74.00	-19.93	43.69	3	Vertical	114	2.83	-	38.25	15.36	43.23			
AV	15.7237G	40.97	54.00	-13.03	30.59	3	Vertical	114	2.83	-	38.35	15.37	43.34			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4386G	50.62	68.20	-17.58	42.88	3	Horizontal	188	1.49	-	38.90	14.16	45.32			
PK	15.7113G	54.28	74.00	-19.72	43.90	3	Horizontal	209	1.91	-	38.32	15.37	43.31			
AV	15.7178G	40.83	54.00	-13.17	30.44	3	Horizontal	209	1.91	-	38.34	15.37	43.32			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27
20\27
7.35\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1499G	60.82	74.00	-13.18	50.80	3	Vertical	104	1.80	27	32.90	9.71	32.59			
AV	5.1487G	47.35	54.00	-6.65	37.33	3	Vertical	104	1.80	27	32.90	9.71	32.59			
PK	5.2639G	123.00	Inf	-Inf	112.72	3	Vertical	104	1.80	27	33.13	9.71	32.56			
AV	5.2669G	110.44	Inf	-Inf	100.16	3	Vertical	104	1.80	27	33.13	9.71	32.56			
PK	5.353G	69.25	74.00	-4.75	58.80	3	Vertical	104	1.80	27	33.31	9.68	32.54			
AV	5.35G	53.58	54.00	-0.42	43.14	3	Vertical	104	1.80	27	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5
27.28\27.5
3.13\0.03\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1451G	61.99	74.00	-12.01	51.98	3	Horizontal	300	1.80	27.5	32.89	9.71	32.59
AV	5.1493G	47.86	54.00	-6.14	37.84	3	Horizontal	300	1.80	27.5	32.90	9.71	32.59
PK	5.2681G	119.30	Inf	-Inf	109.01	3	Horizontal	300	1.80	27.5	33.14	9.71	32.56
AV	5.2636G	107.08	Inf	-Inf	96.80	3	Horizontal	300	1.80	27.5	33.13	9.71	32.56
PK	5.353G	67.68	74.00	-6.32	57.23	3	Horizontal	300	1.80	27.5	33.31	9.68	32.54
AV	5.3506G	53.30	54.00	-0.70	42.86	3	Horizontal	300	1.80	27.5	33.30	9.68	32.54

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
SET 27
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5438G	50.42	68.20	-17.78	42.40	3	Vertical	55	1.91	-	39.19	14.22	45.39			
PK	15.7529G	54.33	74.00	-19.67	43.96	3	Vertical	167	1.06	-	38.40	15.37	43.40			
AV	15.7488G	40.66	54.00	-13.34	30.28	3	Vertical	167	1.06	-	38.40	15.37	43.39			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 27
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.568G	50.32	68.20	-17.88	42.33	3	Horizontal	112	2.39	-	39.20	14.23	45.44			
PK	15.7319G	54.01	74.00	-19.99	43.63	3	Horizontal	334	2.44	-	38.36	15.37	43.35			
AV	15.7307G	40.61	54.00	-13.39	30.23	3	Horizontal	334	2.44	-	38.36	15.37	43.35			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 23.5
27\17\24.5\21\22.5\23\23.5\24\23.5
-14.47\7.89\2.95\5.84\3.65\2.21\0.66\1.54\0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.299G	120.91	Inf	-Inf	110.56	3	Vertical	105	1.80	23.5	33.20	9.70	32.55			
AV	5.2922G	107.76	Inf	-Inf	97.43	3	Vertical	105	1.80	23.5	33.18	9.70	32.55			
PK	5.3598G	68.51	74.00	-5.49	58.05	3	Vertical	105	1.80	23.5	33.32	9.68	32.54			
AV	5.35G	53.43	54.00	-0.57	42.99	3	Vertical	105	1.80	23.5	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 25
23.5\28\22.5\25
4.76\11.64\6.37\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2984G	117.20	Inf	-Inf	106.85	3	Horizontal	353	1.80	25	33.20	9.70	32.55			
AV	5.303G	104.43	Inf	-Inf	94.07	3	Horizontal	353	1.80	25	33.21	9.70	32.55			
PK	5.3512G	71.11	74.00	-2.89	60.67	3	Horizontal	353	1.80	25	33.30	9.68	32.54			
AV	5.35G	53.64	54.00	-0.36	43.20	3	Horizontal	353	1.80	25	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5538G	51.01	68.20	-17.19	43.00	3	Vertical	282	2.30	-	39.20	14.22	45.41			
PK	15.8566G	51.85	74.00	-22.15	41.55	3	Vertical	193	2.68	-	38.54	15.37	43.61			
AV	15.8542G	38.69	54.00	-15.31	28.40	3	Vertical	193	2.68	-	38.53	15.37	43.61			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5948G	50.97	68.20	-17.23	43.01	3	Horizontal	259	1.48	-	39.20	14.25	45.49			
PK	15.8503G	51.88	74.00	-22.12	41.61	3	Horizontal	88	1.70	-	38.50	15.37	43.60			
AV	15.8513G	38.74	54.00	-15.26	28.46	3	Horizontal	88	1.70	-	38.51	15.37	43.60			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21
23.5\13.5\21\24.5\23\22.5\19.5\21
-12.04\7.98\2.39\14.36\10.82\8.30\5.48\2.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3248G	117.31	Inf	-Inf	106.92	3	Vertical	107	1.80	21	33.25	9.69	32.55			
AV	5.3283G	104.29	Inf	-Inf	93.88	3	Vertical	107	1.80	21	33.26	9.69	32.54			
PK	5.35G	66.60	74.00	-7.40	56.16	3	Vertical	107	1.80	21	33.30	9.68	32.54			
AV	5.3501G	51.86	54.00	-2.14	41.42	3	Vertical	107	1.80	21	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
21\25.5\20\22.5\21.5\22\21.5
4.61\12.09\6.94\4.53\1.40\2.52\1.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3168G	114.50	Inf	-Inf	104.13	3	Horizontal	33	1.80	21.5	33.23	9.69	32.55				
AV	5.3268G	101.22	Inf	-Inf	90.83	3	Horizontal	33	1.80	21.5	33.25	9.69	32.55				
PK	5.3509G	67.86	74.00	-6.14	57.42	3	Horizontal	33	1.80	21.5	33.30	9.68	32.54				
AV	5.3504G	52.66	54.00	-1.34	42.22	3	Horizontal	33	1.80	21.5	33.30	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6353G	50.08	74.00	-23.92	42.10	3	Vertical	279	2.09	-	39.27	14.27	45.56			
AV	10.6192G	37.26	54.00	-16.74	29.29	3	Vertical	279	2.09	-	39.24	14.26	45.53			
PK	15.9619G	52.25	74.00	-21.75	42.17	3	Vertical	39	1.42	-	38.53	15.38	43.83			
AV	15.9647G	38.40	54.00	-15.60	28.35	3	Vertical	39	1.42	-	38.51	15.38	43.84			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6508G	50.91	74.00	-23.09	42.92	3	Horizontal	274	2.08	-	39.30	14.28	45.59			
AV	10.6214G	37.19	54.00	-16.81	29.23	3	Horizontal	274	2.08	-	39.24	14.26	45.54			
PK	15.9512G	51.62	74.00	-22.38	41.46	3	Horizontal	132	2.34	-	38.59	15.38	43.81			
AV	15.9991G	38.40	54.00	-15.60	28.62	3	Horizontal	132	2.34	-	38.31	15.38	43.91			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 21.5
20\23.5\19\21\22\21.5
3.80\10.59\5.06\3.65\3.24\2.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	63.61	74.00	-10.39	52.69	3	Vertical	106	1.80	21.5	33.66	9.77	32.51			
AV	5.46G	49.92	54.00	-4.08	39.00	3	Vertical	106	1.80	21.5	33.66	9.77	32.51			
PK	5.4664G	65.99	68.20	-2.21	55.02	3	Vertical	106	1.80	21.5	33.70	9.78	32.51			
PK	5.5052G	118.55	Inf	-Inf	107.29	3	Vertical	106	1.80	21.5	33.91	9.85	32.50			
AV	5.493G	105.72	Inf	-Inf	94.53	3	Vertical	106	1.80	21.5	33.86	9.83	32.50			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 22
21.5\25.5\20.5\23\22\22.5\22
4.34\13.20\6.43\5.35\0.99\1.64\1.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	64.36	74.00	-9.64	53.44	3	Horizontal	312	1.80	22	33.66	9.77	32.51			
AV	5.46G	49.43	54.00	-4.57	38.51	3	Horizontal	312	1.80	22	33.66	9.77	32.51			
PK	5.4694G	66.56	68.20	-1.64	55.56	3	Horizontal	312	1.80	22	33.72	9.79	32.51			
PK	5.4938G	117.39	Inf	-Inf	106.20	3	Horizontal	312	1.80	22	33.86	9.83	32.50			
AV	5.5017G	102.42	Inf	-Inf	91.17	3	Horizontal	312	1.80	22	33.90	9.85	32.50			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 21.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9647G	49.52	74.00	-24.48	41.98	3	Vertical	300	2.54	-	39.27	14.45	46.18			
AV	10.9551G	36.47	54.00	-17.53	28.90	3	Vertical	300	2.54	-	39.29	14.45	46.17			
PK	16.5067G	52.76	68.20	-15.44	42.10	3	Vertical	278	2.54	-	39.70	15.51	44.55			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
SET 21.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.957G	49.67	74.00	-24.33	42.10	3	Horizontal	125	1.69	-	39.29	14.45	46.17			
AV	10.9547G	36.58	54.00	-17.42	29.00	3	Horizontal	125	1.69	-	39.29	14.45	46.16			
PK	16.5314G	52.73	68.20	-15.47	42.08	3	Horizontal	83	2.61	-	39.70	15.52	44.57			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 28
21.5\27\28
5.76\4.73\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	64.14	74.00	-9.86	53.30	3	Vertical	321	1.80	28	33.60	9.75	32.51			
AV	5.4588G	50.56	54.00	-3.44	39.65	3	Vertical	321	1.80	28	33.65	9.77	32.51			
PK	5.469G	66.92	68.20	-1.28	55.93	3	Vertical	321	1.80	28	33.71	9.79	32.51			
PK	5.583G	123.93	Inf	-Inf	112.44	3	Vertical	321	1.80	28	34.00	10.00	32.51			
AV	5.5719G	111.16	Inf	-Inf	99.69	3	Vertical	321	1.80	28	34.00	9.98	32.51			
PK	5.7255G	64.70	68.20	-3.50	53.01	3	Vertical	321	1.80	28	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 28
28
5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	61.63	74.00	-12.37	50.72	3	Horizontal	349	1.80	28	33.65	9.77	32.51			
AV	5.4591G	47.75	54.00	-6.25	36.84	3	Horizontal	349	1.80	28	33.65	9.77	32.51			
PK	5.4693G	62.60	68.20	-5.60	51.60	3	Horizontal	349	1.80	28	33.72	9.79	32.51			
PK	5.5887G	120.05	Inf	-Inf	108.55	3	Horizontal	349	1.80	28	34.00	10.01	32.51			
AV	5.5842G	107.37	Inf	-Inf	95.88	3	Horizontal	349	1.80	28	34.00	10.00	32.51			
PK	5.7282G	60.26	68.20	-7.94	48.57	3	Horizontal	349	1.80	28	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX

EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1149G	50.15	74.00	-23.85	42.73	3	Vertical	239	1.40	-	39.04	14.53	46.15			
AV	11.1153G	36.82	54.00	-17.18	29.40	3	Vertical	239	1.40	-	39.04	14.53	46.15			
PK	16.7758G	53.63	68.20	-14.57	42.59	3	Vertical	7	1.43	-	40.20	15.59	44.75			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1159G	50.23	74.00	-23.77	42.81	3	Horizontal	243	1.60	-	39.04	14.53	46.15			
AV	11.1124G	36.83	54.00	-17.17	29.40	3	Horizontal	243	1.60	-	39.05	14.53	46.15			
PK	16.7724G	52.82	68.20	-15.38	41.80	3	Horizontal	279	2.33	-	40.19	15.58	44.75			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 17.5
21.5\15.5\18.5\17.5\18\17.5
-5.73\1.79\1.51\0.58\0.95\1.08\1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6964G	115.26	Inf	-Inf	103.57	3	Vertical	3	1.80	17.5	34.19	10.02	32.52			
AV	5.709G	102.30	Inf	-Inf	90.61	3	Vertical	3	1.80	17.5	34.20	10.01	32.52			
PK	5.7252G	66.65	68.20	-1.55	54.96	3	Vertical	3	1.80	17.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 19
17.5\20\19
2.70\ -0.24\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6926G	114.67	Inf	-Inf	102.98	3	Horizontal	330	1.80	19	34.19	10.02	32.52			
AV	5.707G	100.65	Inf	-Inf	88.96	3	Horizontal	330	1.80	19	34.20	10.01	32.52			
PK	5.725G	67.88	68.20	-0.32	56.19	3	Horizontal	330	1.80	19	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 17.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.424G	50.23	74.00	-23.77	42.30	3	Vertical	198	1.70	-	39.10	14.70	45.87			
AV	11.45G	37.20	54.00	-16.80	29.22	3	Vertical	198	1.70	-	39.10	14.72	45.84			
PK	17.1483G	54.28	68.20	-13.92	42.33	3	Vertical	87	2.23	-	41.30	15.68	45.03			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 17.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4425G	50.68	74.00	-23.32	42.72	3	Horizontal	220	1.98	-	39.10	14.71	45.85			
AV	11.4499G	36.39	54.00	-17.61	28.42	3	Horizontal	220	1.98	-	39.10	14.72	45.85			
PK	17.1235G	53.15	68.20	-15.05	41.23	3	Horizontal	224	1.41	-	41.25	15.68	45.01			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 28
20\25.5\28
5.56\3.70\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.42G	61.49	74.00	-12.51	50.83	3	Vertical	321	1.79	28	33.48	9.70	32.52			
AV	5.42G	50.19	54.00	-3.81	39.53	3	Vertical	321	1.79	28	33.48	9.70	32.52			
PK	5.4644G	59.45	68.20	-8.75	48.49	3	Vertical	321	1.79	28	33.69	9.78	32.51			
PK	5.7152G	124.07	Inf	-Inf	112.38	3	Vertical	321	1.79	28	34.20	10.01	32.52			
AV	5.7272G	111.72	Inf	-Inf	100.03	3	Vertical	321	1.79	28	34.20	10.01	32.52			
PK	5.8544G	67.31	68.20	-0.89	55.16	3	Vertical	321	1.79	28	34.64	10.05	32.54			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
SET 28
28
4.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4248G	59.57	74.00	-14.43	48.88	3	Horizontal	326	1.80	28	33.50	9.71	32.52			
PK	5.465G	59.01	68.20	-9.19	48.05	3	Horizontal	326	1.80	28	33.69	9.78	32.51			
AV	5.4578G	46.88	54.00	-7.12	35.97	3	Horizontal	326	1.80	28	33.65	9.77	32.51			
PK	5.7266G	120.30	Inf	-Inf	108.61	3	Horizontal	326	1.80	28	34.20	10.01	32.52			
AV	5.7146G	107.51	Inf	-Inf	95.82	3	Horizontal	326	1.80	28	34.20	10.01	32.52			
PK	5.8568G	64.10	68.20	-4.10	51.94	3	Horizontal	326	1.80	28	34.65	10.05	32.54			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4753G	50.17	74.00	-23.83	42.16	3	Vertical	204	1.53	-	39.10	14.73	45.82			
AV	11.4585G	37.33	54.00	-16.67	29.35	3	Vertical	204	1.53	-	39.10	14.72	45.84			
PK	17.131G	54.29	68.20	-13.91	42.36	3	Vertical	197	1.38	-	41.26	15.68	45.01			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4041G	51.10	74.00	-22.90	43.20	3	Horizontal	306	2.16	-	39.10	14.69	45.89			
AV	11.4613G	37.40	54.00	-16.60	29.41	3	Horizontal	306	2.16	-	39.10	14.72	45.83			
PK	17.1416G	54.49	68.20	-13.71	42.55	3	Horizontal	166	2.98	-	41.28	15.68	45.02			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 26.5
20\24.5\26.5\27.5\27\26.5
4.74\3.15\0.61\2.69\1.46\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.445G	62.42	74.00	-11.58	51.61	3	Vertical	311	1.80	26.5	33.58	9.74	32.51				
AV	5.445G	51.15	54.00	-2.85	40.34	3	Vertical	311	1.80	26.5	33.58	9.74	32.51				
PK	5.6472G	67.48	68.20	-0.72	55.88	3	Vertical	311	1.80	26.5	34.09	10.02	32.51				
PK	5.7474G	124.39	Inf	-Inf	112.70	3	Vertical	311	1.80	26.5	34.20	10.01	32.52				
AV	5.7528G	110.74	Inf	-Inf	99.05	3	Vertical	311	1.80	26.5	34.21	10.01	32.53				
PK	6.0108G	61.40	68.20	-6.80	48.41	3	Vertical	311	1.80	26.5	35.34	10.20	32.55				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 28
26.5\28
3.91\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	59.39	74.00	-14.61	48.48	3	Horizontal	304	1.80	28	33.65	9.77	32.51			
AV	5.46G	46.67	54.00	-7.33	35.75	3	Horizontal	304	1.80	28	33.66	9.77	32.51			
PK	5.643G	67.53	68.20	-0.67	55.93	3	Horizontal	304	1.80	28	34.09	10.02	32.51			
PK	5.7528G	119.71	Inf	-Inf	108.02	3	Horizontal	304	1.80	28	34.21	10.01	32.53			
AV	5.7486G	106.52	Inf	-Inf	94.83	3	Horizontal	304	1.80	28	34.20	10.01	32.52			
PK	6G	60.89	68.20	-7.31	47.95	3	Horizontal	304	1.80	28	35.30	10.19	32.55			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 26.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5371G	51.41	74.00	-22.59	43.35	3	Vertical	349	2.65	-	39.10	14.77	45.81			
AV	11.4584G	37.48	54.00	-16.52	29.50	3	Vertical	349	2.65	-	39.10	14.72	45.84			
PK	17.2367G	55.03	68.20	-13.17	42.80	3	Vertical	246	2.86	-	41.62	15.71	45.10			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 26.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5033G	51.64	74.00	-22.36	43.59	3	Horizontal	202	1.89	-	39.10	14.75	45.80			
AV	11.4612G	37.50	54.00	-16.50	29.51	3	Horizontal	202	1.89	-	39.10	14.72	45.83			
PK	17.2459G	54.65	68.20	-13.55	42.37	3	Horizontal	142	2.82	-	41.68	15.71	45.11			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
26.5\28
4.76\3.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63065G	64.82	68.20	-3.38	53.24	3	Vertical	3	1.80	28	34.06	10.03	32.51			
PK	5.794G	124.12	Inf	-Inf	112.36	3	Vertical	3	1.80	28	34.29	10.00	32.53			
AV	5.79339G	111.45	Inf	-Inf	99.69	3	Vertical	3	1.80	28	34.29	10.00	32.53			
PK	6.06504G	61.73	68.20	-6.47	48.53	3	Vertical	3	1.80	28	35.47	10.26	32.53			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
28
5.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.6488G	62.28	68.20	-5.92	50.67	3	Horizontal	304	1.80	28	34.10	10.02	32.51					
PK	5.77887G	120.54	Inf	-Inf	108.81	3	Horizontal	304	1.80	28	34.26	10.00	32.53					
AV	5.77948G	107.37	Inf	-Inf	95.64	3	Horizontal	304	1.80	28	34.26	10.00	32.53					
PK	6.06262G	61.78	68.20	-6.42	48.59	3	Horizontal	304	1.80	28	35.47	10.25	32.53					

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5933G	50.72	74.00	-23.28	42.65	3	Vertical	264	2.00	-	39.10	14.80	45.83			
AV	11.536G	37.10	54.00	-16.90	29.05	3	Vertical	264	2.00	-	39.10	14.76	45.81			
PK	17.3106G	54.39	68.20	-13.81	41.92	3	Vertical	107	1.43	-	41.90	15.73	45.16			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5785MHz_TX

EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5945G	50.58	74.00	-23.42	42.51	3	Horizontal	18	1.35	-	39.10	14.80	45.83			
AV	11.5498G	37.11	54.00	-16.89	29.06	3	Horizontal	18	1.35	-	39.10	14.77	45.82			
PK	17.3588G	54.66	68.20	-13.54	42.18	3	Horizontal	279	1.55	-	41.94	15.74	45.20			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5825MHz_TX


EUT Y_4TX
SET 28
26.5\28
3.39\4.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.525G	64.05	68.20	-4.15	52.71	3	Vertical	312	1.80	28	33.95	9.89	32.50			
PK	5.816G	122.00	Inf	-Inf	110.11	3	Vertical	312	1.80	28	34.40	10.02	32.53			
AV	5.8172G	109.84	Inf	-Inf	97.95	3	Vertical	312	1.80	28	34.40	10.02	32.53			
PK	5.927G	62.07	68.20	-6.13	49.38	3	Vertical	312	1.80	28	35.11	10.12	32.54			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
28
6.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	60.67	68.20	-7.53	49.07	3	Horizontal	303	1.80	28	34.09	10.02	32.51			
PK	5.8286G	118.96	Inf	-Inf	106.99	3	Horizontal	303	1.80	28	34.47	10.03	32.53			
AV	5.8178G	106.44	Inf	-Inf	94.54	3	Horizontal	303	1.80	28	34.41	10.02	32.53			
PK	6.0494G	61.22	68.20	-6.98	48.01	3	Horizontal	303	1.80	28	35.50	10.24	32.53			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6617G	51.95	74.00	-22.05	43.97	3	Vertical	106	2.46	-	39.00	14.83	45.85			
AV	11.6415G	39.54	54.00	-14.46	31.55	3	Vertical	106	2.46	-	39.02	14.82	45.85			
PK	17.4631G	56.19	68.20	-12.01	43.63	3	Vertical	62	1.96	-	42.07	15.77	45.28			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 28
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6436G	52.43	74.00	-21.57	44.45	3	Horizontal	290	1.66	-	39.01	14.82	45.85			
AV	11.6413G	39.43	54.00	-14.57	31.44	3	Horizontal	290	1.66	-	39.02	14.82	45.85			
PK	17.4817G	56.95	68.20	-11.25	44.44	3	Horizontal	240	1.40	-	42.04	15.77	45.30			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 17
20\15\17.5\16.5\17
-4.74\3.97\0.75\1.25\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	69.83	74.00	-4.17	59.82	3	Vertical	317	1.80	17	32.89	9.71	32.59			
AV	5.15G	53.99	54.00	-0.01	43.97	3	Vertical	317	1.80	17	32.90	9.71	32.59			
PK	5.1824G	110.11	Inf	-Inf	100.06	3	Vertical	317	1.80	17	32.90	9.73	32.58			
AV	5.1732G	98.04	Inf	-Inf	87.99	3	Vertical	317	1.80	17	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 20
17\21\19\20
4.07\ -2.55\1.41\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1398G	68.21	74.00	-5.79	58.21	3	Horizontal	304	1.80	20	32.88	9.71	32.59			
AV	5.1498G	53.76	54.00	-0.24	43.74	3	Horizontal	304	1.80	20	32.90	9.71	32.59			
PK	5.1752G	110.85	Inf	-Inf	100.80	3	Horizontal	304	1.80	20	32.90	9.73	32.58			
AV	5.1736G	97.11	Inf	-Inf	87.06	3	Horizontal	304	1.80	20	32.90	9.73	32.58			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 17
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3725G	50.24	68.20	-17.96	42.56	3	Vertical	151	1.07	-	38.90	14.12	45.34			
PK	15.536G	53.28	74.00	-20.72	42.16	3	Vertical	157	1.46	-	38.70	15.36	42.94			
AV	15.5529G	40.42	54.00	-13.58	29.35	3	Vertical	157	1.46	-	38.69	15.36	42.98			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 17
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4078G	49.99	68.20	-18.21	42.28	3	Horizontal	304	2.37	-	38.90	14.14	45.33			
PK	15.556G	53.49	74.00	-20.51	42.44	3	Horizontal	56	1.46	-	38.68	15.36	42.99			
AV	15.5468G	40.44	54.00	-13.56	29.35	3	Horizontal	56	1.46	-	38.70	15.36	42.97			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 23.5
17.25\20\22.5\23.5\24\23.5
8.14\ -5.47\7.61\4.09\1.06\ -1.00\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	73.09	74.00	-0.91	63.07	3	Vertical	96	1.80	23.5	32.90	9.71	32.59			
AV	5.15G	53.03	54.00	-0.97	43.01	3	Vertical	96	1.80	23.5	32.90	9.71	32.59			
PK	5.2446G	118.65	Inf	-Inf	108.42	3	Vertical	96	1.80	23.5	33.08	9.72	32.57			
AV	5.2448G	104.92	Inf	-Inf	94.69	3	Vertical	96	1.80	23.5	33.08	9.72	32.57			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 23.5
23.5\25\22.5\23.5
1.84\ -4.74\4.38\1.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	69.20	74.00	-4.80	59.18	3	Horizontal	356	1.80	23.5	32.90	9.71	32.59				
AV	5.15G	52.18	54.00	-1.82	42.16	3	Horizontal	356	1.80	23.5	32.90	9.71	32.59				
PK	5.2252G	114.91	Inf	-Inf	104.75	3	Horizontal	356	1.80	23.5	33.00	9.73	32.57				
AV	5.236G	101.19	Inf	-Inf	90.99	3	Horizontal	356	1.80	23.5	33.04	9.73	32.57				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47005G	49.91	68.20	-18.29	42.07	3	Vertical	41	1.66	-	38.98	14.18	45.32			
PK	15.67776G	54.09	74.00	-19.91	43.71	3	Vertical	221	1.81	-	38.26	15.36	43.24			
AV	15.68622G	40.71	54.00	-13.29	30.34	3	Vertical	221	1.81	-	38.27	15.36	43.26			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4369G	49.74	68.20	-18.46	42.01	3	Horizontal	57	2.34	-	38.90	14.16	45.33			
PK	15.6789G	54.46	74.00	-19.54	44.08	3	Horizontal	129	1.79	-	38.26	15.36	43.24			
AV	15.67524G	40.72	54.00	-13.28	30.34	3	Horizontal	129	1.79	-	38.25	15.36	43.23			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 23
20\27\19\23\25\24\23.5\23
7.27\17.60\7.49\0.60\9.53\3.49\0.94\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2724G	118.27	Inf	-Inf	107.98	3	Vertical	104	1.79	23	33.14	9.71	32.56			
AV	5.2726G	104.24	Inf	-Inf	93.94	3	Vertical	104	1.79	23	33.15	9.71	32.56			
PK	5.3542G	72.62	74.00	-1.38	62.17	3	Vertical	104	1.79	23	33.31	9.68	32.54			
AV	5.3502G	53.59	54.00	-0.41	43.15	3	Vertical	104	1.79	23	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 24
23\27.5\22\24.5\23.5\24
4.62\11.77\6.16\0.07\3.12\2.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2598G	116.38	Inf	-Inf	106.10	3	Horizontal	4	1.80	24	33.12	9.72	32.56
AV	5.2834G	102.03	Inf	-Inf	91.71	3	Horizontal	4	1.80	24	33.17	9.71	32.56
PK	5.3518G	68.82	74.00	-5.18	58.38	3	Horizontal	4	1.80	24	33.30	9.68	32.54
AV	5.3504G	51.90	54.00	-2.10	41.46	3	Horizontal	4	1.80	24	33.30	9.68	32.54

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT Y_4TX
SET 23
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52632G	50.32	68.20	-17.88	42.32	3	Vertical	154	1.59	-	39.15	14.21	45.36			
PK	15.80556G	52.40	74.00	-21.60	42.13	3	Vertical	53	2.96	-	38.41	15.37	43.51			
AV	15.82389G	39.24	54.00	-14.76	28.96	3	Vertical	53	2.96	-	38.45	15.37	43.54			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55068G	50.86	68.20	-17.34	42.85	3	Horizontal	6	1.27	-	39.20	14.22	45.41			
PK	15.80454G	53.39	74.00	-20.61	43.11	3	Horizontal	182	2.47	-	38.41	15.37	43.50			
AV	15.82428G	39.13	54.00	-14.87	28.85	3	Horizontal	182	2.47	-	38.45	15.37	43.54			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 19
23\13\19.5\16.5\18\18.5\19
-15.44\6.85\ -0.75\3.41\1.43\0.54\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3202G	113.17	Inf	-Inf	102.79	3	Vertical	104	1.80	19	33.24	9.69	32.55			
AV	5.2926G	99.96	Inf	-Inf	89.62	3	Vertical	104	1.80	19	33.19	9.70	32.55			
PK	5.3508G	67.87	74.00	-6.13	57.43	3	Vertical	104	1.80	19	33.30	9.68	32.54			
AV	5.35G	53.93	54.00	-0.07	43.49	3	Vertical	104	1.80	19	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
SET 19
19
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.299G	109.24	Inf	-Inf	98.89	3	Horizontal	359	1.80	19	33.20	9.70	32.55			
AV	5.3266G	96.21	Inf	-Inf	85.82	3	Horizontal	359	1.80	19	33.25	9.69	32.55			
PK	5.3532G	68.56	74.00	-5.44	58.11	3	Horizontal	359	1.80	19	33.31	9.68	32.54			
AV	5.3502G	53.61	54.00	-0.39	43.17	3	Horizontal	359	1.80	19	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 19
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6056G	50.76	74.00	-23.24	42.81	3	Vertical	153	2.57	-	39.21	14.25	45.51			
AV	10.62396G	37.22	54.00	-16.78	29.25	3	Vertical	153	2.57	-	39.25	14.26	45.54			
PK	15.93498G	51.69	74.00	-22.31	41.42	3	Vertical	261	2.07	-	38.66	15.38	43.77			
AV	15.9186G	38.30	54.00	-15.70	27.93	3	Vertical	261	2.07	-	38.73	15.38	43.74			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET 19
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61646G	50.90	74.00	-23.10	42.94	3	Horizontal	97	1.36	-	39.23	14.26	45.53			
AV	10.61832G	37.20	54.00	-16.80	29.23	3	Horizontal	97	1.36	-	39.24	14.26	45.53			
PK	15.92898G	51.88	74.00	-22.12	41.58	3	Horizontal	177	2.69	-	38.68	15.38	43.76			
AV	15.91854G	38.31	54.00	-15.69	27.94	3	Horizontal	177	2.69	-	38.73	15.38	43.74			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 16.5
20\15\19.5\17.5\18.5\18\17.5\17\16.5
-4.92\4.72\3.95\0.57\2.21\1.00\2.03\0.37\1.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	62.36	74.00	-11.64	51.44	3	Vertical	108	1.79	16.5	33.66	9.77	32.51			
AV	5.46G	49.58	54.00	-4.42	38.66	3	Vertical	108	1.79	16.5	33.66	9.77	32.51			
PK	5.47G	66.57	68.20	-1.63	55.57	3	Vertical	108	1.79	16.5	33.72	9.79	32.51			
PK	5.5008G	110.82	Inf	-Inf	99.57	3	Vertical	108	1.79	16.5	33.90	9.85	32.50			
AV	5.4934G	98.04	Inf	-Inf	86.85	3	Vertical	108	1.79	16.5	33.86	9.83	32.50			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 19.5
16.5\22\19.5\20.5\20\19.5
5.98\ -3.19\0.92\ -0.16\ -0.31\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	64.90	74.00	-9.10	53.99	3	Horizontal	310	1.80	19.5	33.65	9.77	32.51			
AV	5.46G	49.76	54.00	-4.24	38.84	3	Horizontal	310	1.80	19.5	33.66	9.77	32.51			
PK	5.468G	66.71	68.20	-1.49	55.72	3	Horizontal	310	1.80	19.5	33.71	9.79	32.51			
PK	5.4994G	109.99	Inf	-Inf	98.75	3	Horizontal	310	1.80	19.5	33.90	9.84	32.50			
AV	5.5018G	96.99	Inf	-Inf	85.74	3	Horizontal	310	1.80	19.5	33.90	9.85	32.50			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.021111G	50.32	74.00	-23.68	42.87	3	Vertical	26	2.70	-	39.20	14.48	46.23			
AV	11.03005G	36.34	54.00	-17.66	28.87	3	Vertical	26	2.70	-	39.20	14.49	46.22			
PK	16.51953G	52.92	68.20	-15.28	42.26	3	Vertical	296	2.82	-	39.70	15.52	44.56			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
SET 16.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02228G	49.76	74.00	-24.24	42.31	3	Horizontal	248	2.47	-	39.20	14.48	46.23			
AV	11.02702G	36.24	54.00	-17.76	28.79	3	Horizontal	248	2.47	-	39.20	14.48	46.23			
PK	16.52799G	53.20	68.20	-15.00	42.55	3	Horizontal	301	2.62	-	39.70	15.52	44.57			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	60.14	74.00	-13.86	49.70	3	Vertical	320	1.80	-	33.30	9.68	32.54
AV	5.35G	49.35	54.00	-4.65	38.91	3	Vertical	320	1.80	-	33.30	9.68	32.54
PK	5.4448G	65.44	74.00	-8.56	54.63	3	Vertical	320	1.80	-	33.58	9.74	32.51
PK	5.4688G	66.84	68.20	-1.36	55.85	3	Vertical	320	1.80	-	33.71	9.79	32.51
AV	5.4592G	51.78	54.00	-2.22	40.86	3	Vertical	320	1.80	-	33.66	9.77	32.51
PK	5.5476G	119.66	Inf	-Inf	108.23	3	Vertical	320	1.80	-	34.00	9.93	32.50
AV	5.5472G	107.36	Inf	-Inf	95.94	3	Vertical	320	1.80	-	33.99	9.93	32.50
PK	5.7384G	63.81	68.20	-4.39	52.12	3	Vertical	320	1.80	-	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.35G	59.72	74.00	-14.28	49.28	3	Horizontal	170	1.80	-	33.30	9.68	32.54				
AV	5.35G	48.77	54.00	-5.23	38.33	3	Horizontal	170	1.80	-	33.30	9.68	32.54				
PK	5.4584G	63.90	74.00	-10.10	52.99	3	Horizontal	170	1.80	-	33.65	9.77	32.51				
AV	5.456G	50.59	54.00	-3.41	39.70	3	Horizontal	170	1.80	-	33.64	9.76	32.51				
PK	5.4656G	64.84	68.20	-3.36	53.88	3	Horizontal	170	1.80	-	33.69	9.78	32.51				
PK	5.5404G	114.99	Inf	-Inf	103.59	3	Horizontal	170	1.80	-	33.98	9.92	32.50				
AV	5.542G	102.51	Inf	-Inf	91.11	3	Horizontal	170	1.80	-	33.98	9.92	32.50				
PK	5.7488G	63.52	68.20	-4.68	51.83	3	Horizontal	170	1.80	-	34.20	10.01	32.52				

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10834G	50.66	74.00	-23.34	43.21	3	Vertical	85	2.21	-	39.07	14.53	46.15			
AV	11.10417G	36.88	54.00	-17.12	29.43	3	Vertical	85	2.21	-	39.08	14.53	46.16			
PK	16.63536G	52.97	68.20	-15.23	42.30	3	Vertical	190	2.84	-	39.77	15.55	44.65			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11026G	50.20	74.00	-23.80	42.76	3	Horizontal	157	2.44	-	39.06	14.53	46.15			
AV	11.10522G	36.79	54.00	-17.21	29.34	3	Horizontal	157	2.44	-	39.08	14.53	46.16			
PK	16.63938G	52.92	68.20	-15.28	42.24	3	Horizontal	90	2.71	-	39.78	15.55	44.65			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
16.5\22.5\15.5\19\20.5\21\20.5
6.08\14.26\7.10\5.04\1.25\1.95\1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6547G	115.56	Inf	-Inf	103.95	3	Vertical	326	1.80	20.5	34.11	10.02	32.52			
AV	5.6727G	102.84	Inf	-Inf	91.19	3	Vertical	326	1.80	20.5	34.15	10.02	32.52			
PK	5.7279G	66.58	68.20	-1.62	54.89	3	Vertical	326	1.80	20.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
20.5\26\19.5\20.5
5.52\ -20.26\ -4.19\5.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6733G	112.38	Inf	-Inf	100.73	3	Horizontal	330	1.80	20.5	34.15	10.02	32.52			
AV	5.6733G	98.95	Inf	-Inf	87.30	3	Horizontal	330	1.80	20.5	34.15	10.02	32.52			
PK	5.7396G	62.89	68.20	-5.31	51.20	3	Horizontal	330	1.80	20.5	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34747G	50.62	74.00	-23.38	42.71	3	Vertical	350	1.02	-	39.19	14.66	45.94			
AV	11.34678G	36.46	54.00	-17.54	28.55	3	Vertical	350	1.02	-	39.19	14.66	45.94			
PK	17.02113G	54.04	68.20	-14.16	42.44	3	Vertical	349	2.87	-	40.88	15.65	44.93			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 20.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34834G	50.36	74.00	-23.64	42.44	3	Horizontal	104	2.39	-	39.20	14.66	45.94			
AV	11.34933G	36.41	54.00	-17.59	28.49	3	Horizontal	104	2.39	-	39.20	14.66	45.94			
PK	17.00748G	53.34	68.20	-14.86	41.78	3	Horizontal	139	2.49	-	40.83	15.65	44.92			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24.5
20\26\22\24\25\24.5
6.04\4.38\4.83\3.87\1.07\2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	62.61	74.00	-11.39	51.98	3	Vertical	324	1.80	24.5	33.46	9.69	32.52			
AV	5.4184G	50.17	54.00	-3.83	39.53	3	Vertical	324	1.80	24.5	33.47	9.69	32.52			
PK	5.464G	59.48	68.20	-8.72	48.53	3	Vertical	324	1.80	24.5	33.68	9.78	32.51			
PK	5.7274G	119.36	Inf	-Inf	107.67	3	Vertical	324	1.80	24.5	34.20	10.01	32.52			
AV	5.713G	106.97	Inf	-Inf	95.28	3	Vertical	324	1.80	24.5	34.20	10.01	32.52			
PK	5.8594G	65.45	68.20	-2.75	53.25	3	Vertical	324	1.80	24.5	34.68	10.06	32.54			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 25
24.5\28\26.5\26\25.5\25
3.96\3.09\4.59\1.78\2.71\1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4274G	61.53	74.00	-12.47	50.83	3	Horizontal	328	1.80	25	33.51	9.71	32.52
AV	5.419G	47.43	54.00	-6.57	36.77	3	Horizontal	328	1.80	25	33.48	9.70	32.52
PK	5.4688G	59.60	68.20	-8.60	48.61	3	Horizontal	328	1.80	25	33.71	9.79	32.51
PK	5.692G	116.54	Inf	-Inf	104.86	3	Horizontal	328	1.80	25	34.18	10.02	32.52
AV	5.7076G	104.03	Inf	-Inf	92.34	3	Horizontal	328	1.80	25	34.20	10.01	32.52
PK	5.8516G	66.53	68.20	-1.67	54.41	3	Horizontal	328	1.80	25	34.61	10.05	32.54

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40725G	50.31	74.00	-23.69	42.40	3	Vertical	173	1.10	-	39.10	14.69	45.88			
AV	11.405G	37.06	54.00	-16.94	29.16	3	Vertical	173	1.10	-	39.10	14.69	45.89			
PK	17.13912G	55.62	68.20	-12.58	43.68	3	Vertical	146	1.07	-	41.28	15.68	45.02			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40605G	51.33	74.00	-22.67	43.42	3	Horizontal	156	2.73	-	39.10	14.69	45.88			
AV	11.40734G	36.98	54.00	-17.02	29.07	3	Horizontal	156	2.73	-	39.10	14.69	45.88			
PK	17.14008G	54.31	68.20	-13.89	42.37	3	Horizontal	94	2.25	-	41.28	15.68	45.02			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 23.5
20\26\19\22.5\24\23.5
6.44\ -8.60\6.57\0.97\ -2.16\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.25	74.00	-13.75	49.37	3	Vertical	1	1.80	23.5	33.63	9.76	32.51
AV	5.4592G	48.47	54.00	-5.53	37.55	3	Vertical	1	1.80	23.5	33.66	9.77	32.51
PK	5.6506G	68.58	68.64	-0.06	56.98	3	Vertical	1	1.80	23.5	34.10	10.02	32.52
PK	5.7712G	118.05	Inf	-Inf	106.34	3	Vertical	1	1.80	23.5	34.24	10.00	32.53
AV	5.7538G	105.70	Inf	-Inf	94.01	3	Vertical	1	1.80	23.5	34.21	10.01	32.53
PK	5.9962G	60.98	68.20	-7.22	48.05	3	Vertical	1	1.80	23.5	35.29	10.19	32.55

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 24.5
23.5\28\22.5\25\24\24.5
5.40\9.53\6.78\2.17\3.18\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4586G	59.90	74.00	-14.10	48.99	3	Horizontal	326	1.80	24.5	33.65	9.77	32.51			
AV	5.4592G	47.24	54.00	-6.76	36.32	3	Horizontal	326	1.80	24.5	33.66	9.77	32.51			
PK	5.6458G	67.83	68.20	-0.37	56.23	3	Horizontal	326	1.80	24.5	34.09	10.02	32.51			
PK	5.7682G	116.18	Inf	-Inf	104.47	3	Horizontal	326	1.80	24.5	34.24	10.00	32.53			
AV	5.737G	102.93	Inf	-Inf	91.24	3	Horizontal	326	1.80	24.5	34.20	10.01	32.52			
PK	5.926G	61.27	68.20	-6.93	48.59	3	Horizontal	326	1.80	24.5	35.10	10.12	32.54			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50475G	51.21	74.00	-22.79	43.16	3	Vertical	200	1.29	-	39.10	14.75	45.80			
AV	11.49761G	37.21	54.00	-16.79	29.17	3	Vertical	200	1.29	-	39.10	14.74	45.80			
PK	17.2554G	54.02	68.20	-14.18	41.70	3	Vertical	291	2.54	-	41.72	15.71	45.11			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 23.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50031G	50.77	74.00	-23.23	42.72	3	Horizontal	157	2.48	-	39.10	14.75	45.80			
AV	11.49764G	37.32	54.00	-16.68	29.28	3	Horizontal	157	2.48	-	39.10	14.74	45.80			
PK	17.25876G	54.14	68.20	-14.06	41.81	3	Horizontal	47	1.45	-	41.74	15.71	45.12			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 25
23.5\28\26\25
6.12\ -3.70\ -3.57\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6498G	68.01	68.20	-0.19	56.40	3	Vertical	2	1.80	25	34.10	10.02	32.51			
PK	5.7842G	120.83	Inf	-Inf	109.09	3	Vertical	2	1.80	25	34.27	10.00	32.53			
AV	5.789G	107.27	Inf	-Inf	95.52	3	Vertical	2	1.80	25	34.28	10.00	32.53			
PK	6.0536G	61.77	68.20	-6.43	48.57	3	Vertical	2	1.80	25	35.49	10.24	32.53			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 28
25\28
6.00\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.642G	67.75	68.20	-0.45	56.16	3	Horizontal	302	1.80	28	34.08	10.02	32.51				
PK	5.7938G	117.40	Inf	-Inf	105.64	3	Horizontal	302	1.80	28	34.29	10.00	32.53				
AV	5.78G	103.81	Inf	-Inf	92.08	3	Horizontal	302	1.80	28	34.26	10.00	32.53				
PK	6.0818G	61.81	68.20	-6.39	48.62	3	Horizontal	302	1.80	28	35.44	10.27	32.52				

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX



EUT Y_4TX
SET 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58322G	50.61	74.00	-23.39	42.55	3	Vertical	157	1.56	-	39.10	14.79	45.83			
AV	11.59168G	37.08	54.00	-16.92	29.01	3	Vertical	157	1.56	-	39.10	14.80	45.83			
PK	17.37459G	54.69	68.20	-13.51	42.16	3	Vertical	306	1.99	-	42.00	15.74	45.21			