



29/07/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




29/07/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




29/07/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




29/07/2026

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




03/08/2026

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




29/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




29/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




29/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




29/07/2026

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




29/07/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




29/07/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




03/08/2026

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




29/07/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




29/07/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




29/07/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




03/08/2026

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




30/07/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




03/08/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




29/07/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




30/07/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




29/07/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




29/07/2026

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6435MHz;TX




29/07/2026

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6475MHz;TX




06/08/2026

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6515MHz;TX




29/07/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




06/08/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




06/08/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX




29/07/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX




29/07/2026

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX




29/07/2026

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX




05/08/2026

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7115MHz;TX




29/07/2026

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




29/07/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




29/07/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




29/07/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX




29/07/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX




29/07/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX




06/08/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




06/08/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




29/07/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX




29/07/2026

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX




29/07/2026

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX




29/07/2026

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX




31/07/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




29/07/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




29/07/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




30/07/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX




29/07/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX




03/08/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




06/08/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




29/07/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




29/07/2026

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




29/07/2026

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




30/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




29/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




29/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




29/07/2026

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




30/07/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




05/08/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX




05/08/2026

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX




04/08/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX




03/08/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX




04/08/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX




05/08/2026

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX




04/08/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX



31/07/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX





Radiated PSD Test Mode: Mode 1

Appendix D.1

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.99
802.11be EHT20_Nss1,(MCS0)_4TX	4.90
802.11be EHT20_Nss4,(MCS0)_4TX	4.77
802.11be EHT40_Nss1,(MCS0)_4TX	4.88
802.11be EHT40_Nss4,(MCS0)_4TX	4.50
802.11be EHT80_Nss1,(MCS0)_4TX	4.65
802.11be EHT80_Nss4,(MCS0)_4TX	4.83
802.11be EHT160_Nss1,(MCS0)_4TX	4.85
802.11be EHT160_Nss4,(MCS0)_4TX	4.94
802.11be EHT320_Nss1,(MCS0)_4TX	4.89
802.11be EHT320_Nss4,(MCS0)_4TX	2.12
6.425-6.525GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.95
802.11be EHT20_Nss1,(MCS0)_4TX	4.91
802.11be EHT20_Nss4,(MCS0)_4TX	4.91
802.11be EHT40_Nss1,(MCS0)_4TX	4.92
802.11be EHT40_Nss4,(MCS0)_4TX	4.89
802.11be EHT80_Nss1,(MCS0)_4TX	4.89
802.11be EHT80_Nss4,(MCS0)_4TX	4.96
802.11be EHT160_Nss1,(MCS0)_4TX	4.91
802.11be EHT160_Nss4,(MCS0)_4TX	4.48
802.11be EHT320_Nss1,(MCS0)_4TX	4.67
802.11be EHT320_Nss4,(MCS0)_4TX	1.41
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.92
802.11be EHT20_Nss1,(MCS0)_4TX	4.92
802.11be EHT20_Nss4,(MCS0)_4TX	4.97
802.11be EHT40_Nss1,(MCS0)_4TX	4.86
802.11be EHT40_Nss4,(MCS0)_4TX	4.99
802.11be EHT80_Nss1,(MCS0)_4TX	4.71
802.11be EHT80_Nss4,(MCS0)_4TX	4.91
802.11be EHT160_Nss1,(MCS0)_4TX	4.69
802.11be EHT160_Nss4,(MCS0)_4TX	3.72
802.11be EHT320_Nss1,(MCS0)_4TX	4.78
802.11be EHT320_Nss4,(MCS0)_4TX	1.99
6.875-7.125GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.77
802.11be EHT20_Nss1,(MCS0)_4TX	4.81
802.11be EHT20_Nss4,(MCS0)_4TX	4.68
802.11be EHT40_Nss1,(MCS0)_4TX	4.55
802.11be EHT40_Nss4,(MCS0)_4TX	4.87
802.11be EHT80_Nss1,(MCS0)_4TX	4.85
802.11be EHT80_Nss4,(MCS0)_4TX	4.95
802.11be EHT160_Nss1,(MCS0)_4TX	4.89
802.11be EHT160_Nss4,(MCS0)_4TX	4.36

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-
5955MHz	Pass	4.76	5.00
6195MHz	Pass	4.93	5.00
6415MHz	Pass	4.99	5.00
6435MHz	Pass	4.53	5.00
6475MHz	Pass	4.95	5.00
6515MHz	Pass	4.85	5.00
6535MHz	Pass	4.83	5.00
6695MHz	Pass	4.92	5.00
6855MHz	Pass	4.73	5.00
6875MHz	Pass	4.87	5.00
6995MHz	Pass	4.77	5.00
7095MHz	Pass	4.53	5.00
7115MHz	Pass	0.07	5.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.72	5.00
6195MHz	Pass	4.90	5.00
6415MHz	Pass	4.74	5.00
6435MHz	Pass	4.65	5.00
6475MHz	Pass	4.91	5.00
6515MHz	Pass	4.59	5.00
6535MHz	Pass	4.51	5.00
6695MHz	Pass	4.63	5.00
6855MHz	Pass	4.90	5.00
6875MHz	Pass	4.92	5.00
6995MHz	Pass	4.81	5.00
7095MHz	Pass	4.54	5.00
7115MHz	Pass	-0.26	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.88	5.00
6205MHz	Pass	4.71	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.77	5.00
6485MHz	Pass	4.92	5.00
6525MHz	Pass	4.83	5.00
6565MHz	Pass	4.75	5.00
6685MHz	Pass	4.86	5.00
6845MHz	Pass	4.58	5.00
6885MHz	Pass	4.77	5.00
7005MHz	Pass	4.54	5.00
7085MHz	Pass	4.55	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.65	5.00
6225MHz	Pass	4.64	5.00
6385MHz	Pass	4.56	5.00
6465MHz	Pass	4.60	5.00
6545MHz	Pass	4.89	5.00
6625MHz	Pass	4.66	5.00
6705MHz	Pass	4.69	5.00
6785MHz	Pass	4.71	5.00
6865MHz	Pass	4.50	5.00
6945MHz	Pass	4.77	5.00
7025MHz	Pass	4.85	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.73	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6185MHz	Pass	4.82	5.00
6345MHz	Pass	4.85	5.00
6505MHz	Pass	4.91	5.00
6665MHz	Pass	4.60	5.00
6825MHz	Pass	4.69	5.00
6985MHz	Pass	4.89	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.87	5.00
6265MHz	Pass	4.82	5.00
6425MHz	Pass	4.89	5.00
6585MHz	Pass	4.67	5.00
6745MHz	Pass	4.55	5.00
6905MHz	Pass	4.78	5.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.67	5.00
6195MHz	Pass	4.77	5.00
6415MHz	Pass	4.63	5.00
6435MHz	Pass	4.85	5.00
6475MHz	Pass	4.91	5.00
6515MHz	Pass	4.79	5.00
6535MHz	Pass	4.97	5.00
6695MHz	Pass	4.60	5.00
6855MHz	Pass	4.97	5.00
6875MHz	Pass	4.71	5.00
6995MHz	Pass	4.68	5.00
7095MHz	Pass	4.49	5.00
7115MHz	Pass	-7.08	5.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.41	5.00
6205MHz	Pass	4.45	5.00
6405MHz	Pass	4.50	5.00
6445MHz	Pass	4.89	5.00
6485MHz	Pass	4.52	5.00
6525MHz	Pass	4.87	5.00
6565MHz	Pass	4.64	5.00
6685MHz	Pass	4.74	5.00
6845MHz	Pass	4.99	5.00
6885MHz	Pass	4.98	5.00
7005MHz	Pass	4.87	5.00
7085MHz	Pass	4.59	5.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.48	5.00
6225MHz	Pass	4.83	5.00
6385MHz	Pass	4.67	5.00
6465MHz	Pass	4.61	5.00
6545MHz	Pass	4.96	5.00
6625MHz	Pass	4.90	5.00
6705MHz	Pass	4.91	5.00
6785MHz	Pass	4.44	5.00
6865MHz	Pass	4.80	5.00
6945MHz	Pass	4.37	5.00
7025MHz	Pass	4.95	5.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.52	5.00
6185MHz	Pass	4.68	5.00
6345MHz	Pass	4.94	5.00



Radiated PSD_Test Mode: Mode 1

Appendix D.1

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6505MHz	Pass	4.48	5.00
6665MHz	Pass	3.58	5.00
6825MHz	Pass	3.72	5.00
6985MHz	Pass	4.36	5.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	2.07	5.00
6265MHz	Pass	1.34	5.00
6425MHz	Pass	2.12	5.00
6585MHz	Pass	1.41	5.00
6745MHz	Pass	1.32	5.00
6905MHz	Pass	1.99	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

31/07/2026

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.76		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.30	13.40	7.64	33.73	57.55

29/07/2026

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
19.969s

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.93		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.54	13.22	7.59	33.78	57.88


29/07/2026

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6415MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6435MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6475MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6515MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6535MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6695MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6855MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6875MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6995MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:7095MHz;TX




01/08/2026

EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:7115MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




29/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




29/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




29/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




31/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




29/07/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




03/08/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




29/07/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




29/07/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




03/08/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




03/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6435MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6475MHz;TX




06/08/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6515MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7115MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX




29/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX




31/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX




30/07/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




06/08/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




29/07/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




31/07/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




30/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




29/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




29/07/2026

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




05/08/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




30/07/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX




30/07/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX



05/08/2026


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX



03/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	1.34	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.69	12.95	7.70	33.83	58.11

30/07/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX

CF Freq
6.425GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	2.12	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.04	12.95	7.83	33.83	58.11


05/08/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX




05/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX



31/07/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	4.53
802.11be EHT80_Nss1,(MCS4)_4TX	4.63
802.11be EHT160_Nss1,(MCS0)_4TX	4.62
802.11be EHT160_Nss1,(MCS4)_4TX	4.60
802.11be EHT320_Nss1,(MCS0)_4TX	4.83
802.11be EHT320_Nss1,(MCS4)_4TX	4.80
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0)_4TX	4.65
802.11be EHT320_Nss1,(MCS4)_4TX	4.74
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	4.35
802.11be EHT80_Nss1,(MCS4)_4TX	4.61
802.11be EHT160_Nss1,(MCS0)_4TX	4.79
802.11be EHT160_Nss1,(MCS4)_4TX	4.62

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.53	5.00
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.63	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
7025MHz	Pass	4.35	5.00
802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX	-	-	-
7025MHz	Pass	4.61	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	4.62	5.00
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	4.60	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.79	5.00
802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.62	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.83	5.00
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.80	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	4.77	5.00
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	4.57	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-
6105MHz	Pass	4.82	5.00
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-
6105MHz	Pass	4.57	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6905MHz	Pass	4.65	5.00
802.11be EHT320_Nss1,(MCS4),3xRU996 MRU 4_4TX	-	-	-
6905MHz	Pass	4.57	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	4.65	5.00
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	4.74	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	4.57	5.00
802.11be EHT320_Nss1,(MCS4),2xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	4.74	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

12/08/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.53				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.37	11.49	8.57	30.79	57.61

13/08/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M4),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.28	11.48	8.57	30.80	57.62

12/08/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.35				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.51	11.80	9.41	31.69	58.94

13/08/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M4),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.61				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.25	11.80	9.41	31.69	58.94


13/08/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX




13/08/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M4),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX




13/08/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX



13/08/2026


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M4),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX



13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.03	11.51	8.40	30.86	57.83

13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M4),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.03	11.53	8.39	30.87	57.84

13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.08	11.51	8.40	30.86	57.82

13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M4),2xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.27	11.60	8.40	30.90	57.94

13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.82				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.05	11.50	8.41	30.86	57.82

13/08/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M4),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.29	11.51	8.40	30.86	57.83

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.65				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.99	11.60	8.96	31.35	58.63

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M4),3xRU996 MRU 4;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.07	11.60	8.96	31.35	58.63

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.65	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.29	11.76	9.41	31.68	58.97

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M4),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.74	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.05	11.61	9.13	31.49	58.76

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+ RU484 MRU 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.07	11.60	8.96	31.35	58.63

13/08/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M4),2xRU996+ RU484 MRU 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.90	11.60	8.96	31.35	58.63




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	PK	30M	36.54	40.00	-3.46	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30M	36.54	40.00	-3.46	-8.13	3	Vertical	208	1.00	"Worst"	44.67	23.03	0.52	31.68		
PK	49.4M	33.83	40.00	-6.17	-16.76	3	Vertical	152	1.50	-	50.59	14.27	0.67	31.70		
QP	119.24M	39.24	43.50	-4.26	-12.90	3	Vertical	184	1.00	-	52.14	17.90	1.05	31.85		
PK	124.09M	37.52	43.50	-5.98	-12.84	3	Vertical	152	1.50	-	50.36	17.95	1.07	31.86		
PK	186.17M	37.17	43.50	-6.33	-15.76	3	Vertical	200	1.00	-	52.93	14.81	1.32	31.89		
PK	300.63M	26.50	46.00	-19.50	-11.23	3	Vertical	178	1.00	-	37.73	19.14	1.71	32.08		

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30M	27.27	40.00	-12.73	-8.13	3	Horizontal	0	2.00	-	35.40	23.03	0.52	31.68		
PK	49.4M	25.16	40.00	-14.84	-16.76	3	Horizontal	151	2.00	-	41.92	14.27	0.67	31.70		
PK	102.75M	31.19	43.50	-12.31	-13.97	3	Horizontal	95	2.00	-	45.16	17.01	0.97	31.95		
PK	118.27M	39.07	43.50	-4.43	-12.97	3	Horizontal	254	3.00	"Worst"	52.04	17.85	1.04	31.86		
PK	124.09M	36.71	43.50	-6.79	-12.84	3	Horizontal	254	3.00	-	49.55	17.95	1.07	31.86		
PK	169.68M	31.40	43.50	-12.10	-15.23	3	Horizontal	257	1.50	-	46.63	15.45	1.26	31.94		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss4,(MCS0)_4TX	Pass	AV	6.19908G	4.99	5.00	-0.01	3	Horizontal	271	1.78	

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
SET 25
18\27\21.5\24\25
18.86\5.78\10.55\3.30\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9205G	81.27	88.20	-6.93	75.21	3	Vertical	7	1.98	25	32.24	7.57	33.75				
AV	5.9202G	67.93	68.20	-0.27	61.87	3	Vertical	7	1.98	25	32.24	7.57	33.75				
PK	5.9535G	121.18	Inf	-Inf	114.98	3	Vertical	7	1.98	25	32.31	7.63	33.74				
AV	5.9535G	112.02	Inf	-Inf	105.82	3	Vertical	7	1.98	25	32.31	7.63	33.74				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
SET 24
25\20\24.5\22.5\23.5\24
-4.67\12.99\0.19\7.26\3.67\2.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9172G	80.82	88.20	-7.38	74.78	3	Horizontal	327	1.86	24	32.23	7.56	33.75				
AV	5.9175G	65.30	68.20	-2.90	59.25	3	Horizontal	327	1.86	24	32.24	7.56	33.75				
PK	5.9565G	122.29	Inf	-Inf	116.09	3	Horizontal	327	1.86	24	32.31	7.63	33.74				
AV	5.9562G	114.07	Inf	-Inf	107.87	3	Horizontal	327	1.86	24	32.31	7.63	33.74				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT_Y_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90812G	45.76	74.00	-28.24	62.45	3	Vertical	192	1.78	24	38.80	11.07	66.56			
AV	11.9082G	34.30	54.00	-19.70	50.99	3	Vertical	192	1.78	24	38.80	11.07	66.56			
PK	17.86536G	59.62	74.00	-14.38	42.79	3	Vertical	335	1.00	-	47.38	14.73	45.28			
AV	17.87967G	46.38	54.00	-7.62	28.99	3	Vertical	335	1.00	-	47.93	14.74	45.28			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT_Y_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9126G	48.45	74.00	-25.55	65.14	3	Horizontal	226	1.78	24	38.80	11.07	66.56			
AV	11.91252G	36.88	54.00	-17.12	53.57	3	Horizontal	226	1.78	24	38.80	11.07	66.56			
PK	17.86773G	59.88	74.00	-14.12	42.96	3	Horizontal	173	2.86	-	47.47	14.73	45.28			
AV	17.87994G	46.38	54.00	-7.62	28.98	3	Horizontal	173	2.86	-	47.94	14.74	45.28			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24
06-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82114G	66.46	83.54	-17.08	56.08	1	Vertical	265	1.00	-	38.72	18.76	47.10			
AV	23.82186G	51.19	63.54	-12.35	40.82	1	Vertical	265	1.00	-	38.71	18.76	47.10			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82222G	62.78	83.54	-20.76	52.41	1	Vertical	247	1.64	-	38.71	18.76	47.10			
AV	23.82222G	48.88	63.54	-14.66	38.51	1	Vertical	247	1.64	-	38.71	18.76	47.10			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38493G	48.17	74.00	-25.83	64.10	3	Vertical	189	2.80	27	38.73	11.33	65.99			
AV	12.38389G	36.18	54.00	-17.82	52.12	3	Vertical	189	2.80	27	38.73	11.33	66.00			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.39747G	44.30	74.00	-29.70	60.22	3	Horizontal	292	1.93	27	38.71	11.34	65.97				
AV	12.39719G	31.77	54.00	-22.23	47.69	3	Horizontal	292	1.93	27	38.71	11.34	65.97				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58458G	59.95	83.54	-23.59	55.38	1	Vertical	113	1.61	-	37.67	16.58	49.68			
AV	18.58488G	44.94	63.54	-18.60	40.37	1	Vertical	113	1.61	-	37.67	16.58	49.68			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5856G	59.83	83.54	-23.71	55.26	1	Horizontal	66	1.55	-	37.67	16.58	49.68			
AV	18.58416G	43.68	63.54	-19.86	39.11	1	Horizontal	66	1.55	-	37.67	16.58	49.68			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8284G	50.77	88.20	-37.43	65.53	3	Vertical	201	1.87	27	39.46	11.60	65.82			
RMS	12.82816G	38.52	68.20	-29.68	53.28	3	Vertical	201	1.87	27	39.46	11.60	65.82			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82892G	48.12	88.20	-40.08	62.88	3	Horizontal	145	2.20	27	39.46	11.60	65.82			
RMS	12.8282G	35.55	68.20	-32.65	50.31	3	Horizontal	145	2.20	27	39.46	11.60	65.82			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25922G	48.00	83.54	-35.54	42.68	1	Vertical	106	2.56	-	37.86	16.94	49.48			
AV	19.23318G	34.42	63.54	-29.12	29.13	1	Vertical	106	2.56	-	37.83	16.93	49.47			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25046G	47.86	83.54	-35.68	42.50	1	Horizontal	99	2.34	-	37.90	16.94	49.48			
AV	19.23G	34.40	63.54	-29.14	29.13	1	Horizontal	99	2.34	-	37.82	16.92	49.47			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87068G	47.05	88.20	-41.15	61.78	3	Vertical	201	1.18	27	39.46	11.63	65.82			
AV	12.87024G	35.39	68.20	-32.81	50.12	3	Vertical	201	1.18	27	39.46	11.63	65.82			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86704G	44.06	88.20	-44.14	58.78	3	Horizontal	157	1.80	27	39.47	11.63	65.82			
AV	12.86676G	31.77	68.20	-36.43	46.49	3	Horizontal	157	1.80	27	39.47	11.63	65.82			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29714G	47.58	83.54	-35.96	42.41	1	Vertical	151	2.67	-	37.71	16.96	49.50			
AV	19.29078G	34.30	63.54	-29.24	29.10	1	Vertical	151	2.67	-	37.74	16.96	49.50			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2996G	48.09	83.54	-35.45	42.93	1	Horizontal	238	1.25	-	37.70	16.96	49.50			
AV	19.2906G	34.28	63.54	-29.26	29.08	1	Horizontal	238	1.25	-	37.74	16.96	49.50			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94748G	48.99	88.20	-39.21	63.64	3	Vertical	198	1.80	27	39.49	11.68	65.82			
RMS	12.94808G	37.55	68.20	-30.65	52.19	3	Vertical	198	1.80	27	39.50	11.68	65.82			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95064G	48.30	88.20	-39.90	62.94	3	Horizontal	80	1.49	27	39.50	11.68	65.82			
RMS	12.95008G	36.98	68.20	-31.22	51.62	3	Horizontal	80	1.49	27	39.50	11.68	65.82			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42716G	48.02	83.54	-35.52	42.76	1	Vertical	20	1.26	-	37.79	17.04	49.57			
AV	19.4118G	34.24	63.54	-29.30	28.92	1	Vertical	20	1.26	-	37.85	17.03	49.56			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42062G	47.65	83.54	-35.89	42.36	1	Horizontal	26	2.75	-	37.82	17.03	49.56			
AV	19.41018G	34.27	63.54	-29.27	28.94	1	Horizontal	26	2.75	-	37.86	17.03	49.56			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02453G	50.09	88.20	-38.11	64.77	3	Vertical	328	1.76	27	39.40	11.73	65.81			
RMS	13.026G	37.32	68.20	-30.88	51.99	3	Vertical	328	1.76	27	39.40	11.73	65.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0306G	49.32	88.20	-38.88	64.01	3	Horizontal	79	1.55	27	39.38	11.73	65.80			
RMS	13.03028G	37.46	68.20	-30.74	52.15	3	Horizontal	79	1.55	27	39.38	11.73	65.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55214G	47.75	83.54	-35.79	42.50	1	Vertical	37	2.61	-	37.70	17.11	49.56			
AV	19.53408G	34.30	63.54	-29.24	29.08	1	Vertical	37	2.61	-	37.70	17.10	49.58			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53666G	48.71	83.54	-34.83	43.48	1	Horizontal	66	1.07	-	37.70	17.10	49.57			
AV	19.5456G	34.29	63.54	-29.25	29.05	1	Horizontal	66	1.07	-	37.70	17.11	49.57			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0509G	44.10	88.20	-44.10	58.85	3	Vertical	8	1.76	9	39.30	11.74	65.79			
RMS	13.05042G	31.75	68.20	-36.45	46.50	3	Vertical	8	1.76	9	39.30	11.74	65.79			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06972G	44.66	88.20	-43.54	59.39	3	Horizontal	7	1.58	9	39.30	11.75	65.78			
RMS	13.06968G	33.18	68.20	-35.02	47.91	3	Horizontal	7	1.58	9	39.30	11.75	65.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60284G	48.05	83.54	-35.49	42.75	1	Vertical	36	2.34	-	37.69	17.14	49.53			
AV	19.60836G	34.39	63.54	-29.15	29.09	1	Vertical	36	2.34	-	37.68	17.14	49.52			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61664G	48.23	83.54	-35.31	42.93	1	Horizontal	37	1.74	-	37.67	17.15	49.52			
AV	19.61292G	34.40	63.54	-29.14	29.10	1	Horizontal	37	1.74	-	37.67	17.15	49.52			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40263G	45.78	88.20	-42.42	59.31	3	Vertical	15	1.80	10	40.10	11.96	65.59			
RMS	13.40403G	33.43	68.20	-34.77	46.96	3	Vertical	15	1.80	10	40.10	11.96	65.59			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40922G	47.43	88.20	-40.77	60.95	3	Horizontal	1	1.73	10	40.10	11.96	65.58			
RMS	13.40942G	35.15	68.20	-33.05	48.67	3	Horizontal	1	1.73	10	40.10	11.96	65.58			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07972G	48.42	83.54	-35.12	42.62	1	Vertical	349	1.99	-	37.66	17.38	49.24			
AV	20.07216G	34.55	63.54	-28.99	28.77	1	Vertical	349	1.99	-	37.64	17.38	49.24			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07828G	47.80	83.54	-35.74	42.00	1	Horizontal	142	2.76	-	37.66	17.38	49.24			
AV	20.07438G	34.55	63.54	-28.99	28.76	1	Horizontal	142	2.76	-	37.65	17.38	49.24			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69142G	45.00	88.20	-43.20	58.10	3	Vertical	324	1.80	9.5	40.18	12.14	65.42			
RMS	13.69078G	32.65	68.20	-35.55	45.75	3	Vertical	324	1.80	9.5	40.18	12.14	65.42			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70093G	46.27	88.20	-41.93	59.34	3	Horizontal	1	1.79	9.5	40.20	12.14	65.41			
RMS	13.6927G	33.18	68.20	-35.02	46.26	3	Horizontal	1	1.79	9.5	40.19	12.14	65.41			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55G	49.49	83.54	-34.05	43.53	1	Vertical	341	2.49	-	37.70	17.45	49.19			
AV	20.55048G	35.14	63.54	-28.40	29.18	1	Vertical	341	2.49	-	37.70	17.45	49.19			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_V_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55432G	49.29	83.54	-34.25	43.32	1	Horizontal	320	1.74	-	37.71	17.45	49.19			
AV	20.5536G	35.16	63.54	-28.38	29.19	1	Horizontal	320	1.74	-	37.71	17.45	49.19			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76862G	46.14	88.20	-42.06	59.08	3	Vertical	183	1.80	10	40.24	12.19	65.37			
RMS	13.7699G	34.31	68.20	-33.89	47.25	3	Vertical	183	1.80	10	40.24	12.19	65.37			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74225G	46.15	88.20	-42.05	59.16	3	Horizontal	185	1.94	10	40.20	12.17	65.38			
RMS	13.74125G	33.70	68.20	-34.50	46.72	3	Horizontal	185	1.94	10	40.20	12.17	65.39			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6241G	48.80	83.54	-34.74	42.64	1	Vertical	141	1.26	-	37.85	17.46	49.15			
AV	20.63082G	35.24	63.54	-28.30	29.07	1	Vertical	141	1.26	-	37.86	17.46	49.15			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6226G	49.24	83.54	-34.30	43.08	1	Horizontal	243	1.15	-	37.85	17.46	49.15			
AV	20.63064G	35.24	63.54	-28.30	29.07	1	Horizontal	243	1.15	-	37.86	17.46	49.15			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00962G	43.83	88.20	-44.37	56.17	3	Vertical	255	1.80	8	40.54	12.34	65.22			
RMS	14.00818G	31.64	68.20	-36.56	43.99	3	Vertical	255	1.80	8	40.53	12.34	65.22			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0075G	45.76	88.20	-42.44	58.11	3	Horizontal	189	1.80	8	40.53	12.34	65.22			
RMS	14.00858G	33.18	68.20	-35.02	45.53	3	Horizontal	189	1.80	8	40.53	12.34	65.22			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.99364G	48.70	83.54	-34.84	42.15	1	Vertical	60	2.60	-	37.99	17.51	48.95			
AV	20.98278G	35.31	63.54	-28.23	28.79	1	Vertical	60	2.60	-	37.97	17.51	48.96			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98464G	48.92	83.54	-34.62	42.40	1	Horizontal	95	2.80	-	37.97	17.51	48.96			
AV	20.99064G	35.27	63.54	-28.27	28.74	1	Horizontal	95	2.80	-	37.98	17.51	48.96			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 23
03-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.1014G	123.00	Inf	-Inf	112.13	3	Vertical	356	1.79	-	36.01	8.66	33.80				
RMS	7.1002G	113.76	Inf	-Inf	102.90	3	Vertical	356	1.79	-	36.00	8.66	33.80				
PK	7.1418G	83.52	88.20	-4.68	72.46	3	Vertical	356	1.79	-	36.17	8.65	33.76				
RMS	7.1342G	67.81	68.20	-0.39	56.79	3	Vertical	356	1.79	-	36.14	8.65	33.77				

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX


EUT_Y_4TX
Setting 23
03-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0902G	123.72	Inf	-Inf	112.94	3	Horizontal	89	2.41	-	35.92	8.67	33.81			
RMS	7.0902G	114.57	Inf	-Inf	103.79	3	Horizontal	89	2.41	-	35.92	8.67	33.81			
PK	7.1442G	72.46	88.20	-15.74	61.39	3	Horizontal	89	2.41	-	36.18	8.65	33.76			
RMS	7.125G	56.54	68.20	-11.66	45.56	3	Horizontal	89	2.41	-	36.10	8.66	33.78			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
SET 23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17897G	44.88	88.20	-43.32	56.81	3	Vertical	6	2.85	8.5	40.60	12.47	65.00			
RMS	14.17002G	33.27	68.20	-34.93	45.22	3	Vertical	6	2.85	8.5	40.60	12.47	65.02			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
SET 23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17062G	45.91	88.20	-42.29	57.86	3	Horizontal	1	2.91	8.5	40.60	12.47	65.02			
RMS	14.17042G	33.65	68.20	-34.55	45.60	3	Horizontal	1	2.91	8.5	40.60	12.47	65.02			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 23
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28458G	49.33	83.54	-34.21	42.57	1	Vertical	174	1.57	-	37.97	17.61	48.82			
AV	21.29796G	35.98	63.54	-27.56	29.18	1	Vertical	174	1.57	-	38.00	17.62	48.82			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 23
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2964G	49.87	83.54	-33.67	43.08	1	Horizontal	329	1.62	-	37.99	17.62	48.82			
AV	21.29832G	35.96	63.54	-27.58	29.16	1	Horizontal	329	1.62	-	38.00	17.62	48.82			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_Y_4TX
SET 5.5
06-S-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1205G	102.04	Inf	-Inf	91.30	3	Vertical	179	1.80	BP 1MHz	36.08	8.44	33.78			
RMS	7.1205G	96.27	Inf	-Inf	85.53	3	Vertical	179	1.80	BP 1MHz	36.08	8.44	33.78			
PK	7.1255G	76.06	88.20	-12.14	65.30	3	Vertical	179	1.80	BP 1MHz	36.10	8.44	33.78			
RMS	7.1255G	67.93	68.20	-0.27	57.17	3	Vertical	179	1.80	BP 1MHz	36.10	8.44	33.78			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT Y_4TX
SET 5.5
06-S-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1205G	100.84	Inf	-Inf	90.10	3	Horizontal	224	1.89	BP 1MHz	36.08	8.44	33.78			
RMS	7.1205G	94.86	Inf	-Inf	84.12	3	Horizontal	224	1.89	BP 1MHz	36.08	8.44	33.78			
PK	7.1255G	73.96	88.20	-14.24	63.20	3	Horizontal	224	1.89	BP 1MHz	36.10	8.44	33.78			
RMS	7.1255G	66.23	68.20	-1.97	55.47	3	Horizontal	224	1.89	BP 1MHz	36.10	8.44	33.78			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24107G	46.16	88.20	-42.04	57.97	3	Vertical	359	1.24	5	40.60	12.52	64.93			
RMS	14.24275G	33.46	68.20	-34.74	45.26	3	Vertical	359	1.24	5	40.60	12.52	64.92			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24998G	45.92	88.20	-42.28	57.71	3	Horizontal	360.1	1.80	5	40.60	12.53	64.92			
RMS	14.22728G	33.44	68.20	-34.76	45.27	3	Horizontal	360.1	1.80	5	40.60	12.51	64.94			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT V_4TX
Setting 5.5
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33396G	49.98	83.54	-33.56	43.22	1	Vertical	79	1.94	-	37.93	17.63	48.80			
AV	21.35886G	36.27	63.54	-27.27	29.48	1	Vertical	79	1.94	-	37.94	17.64	48.79			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5.5
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33702G	49.92	83.54	-33.62	43.16	1	Horizontal	282	2.83	-	37.93	17.63	48.80			
AV	21.35928G	36.23	63.54	-27.31	29.44	1	Horizontal	282	2.83	-	37.94	17.64	48.79			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX



EUT_Y_4TX
SET 22

19\27\18\22.5\24.5\23.5\23\22.5\22
13.11\13.32\14.69\22.67\3.25\1.63\1.30\0.53\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9247G	81.45	88.20	-6.75	75.38	3	Vertical	250	1.85	22	32.25	7.57	33.75			
AV	5.925G	67.77	68.20	-0.43	61.69	3	Vertical	250	1.85	22	32.25	7.58	33.75			
PK	5.946G	120.50	Inf	-Inf	114.34	3	Vertical	250	1.85	22	32.29	7.61	33.74			
AV	5.9463G	109.15	Inf	-Inf	102.99	3	Vertical	250	1.85	22	32.29	7.61	33.74			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 21.5
22\20.5\21\21.5
-1.29\3.59\1.56\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9232G	81.54	88.20	-6.66	75.47	3	Horizontal	250	1.69	21.5	32.25	7.57	33.75			
AV	5.925G	67.95	68.20	-0.25	61.87	3	Horizontal	250	1.69	21.5	32.25	7.58	33.75			
PK	5.964G	121.82	Inf	-Inf	115.57	3	Horizontal	250	1.69	21.5	32.33	7.65	33.73			
AV	5.9631G	110.56	Inf	-Inf	104.32	3	Horizontal	250	1.69	21.5	32.33	7.64	33.73			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90449G	47.86	74.00	-26.14	64.55	3	Vertical	126	1.78	21.5	38.80	11.07	66.56			
AV	11.90437G	34.57	54.00	-19.43	51.26	3	Vertical	126	1.78	21.5	38.80	11.07	66.56			
PK	17.87748G	59.87	74.00	-14.13	42.57	3	Vertical	179	2.58	-	47.84	14.74	45.28			
AV	17.87943G	46.35	54.00	-7.65	28.97	3	Vertical	179	2.58	-	47.92	14.74	45.28			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90485G	49.69	74.00	-24.31	66.38	3	Horizontal	225	2.44	21.5	38.80	11.07	66.56			
AV	11.90608G	36.38	54.00	-17.62	53.07	3	Horizontal	225	2.44	21.5	38.80	11.07	66.56			
PK	17.87748G	59.66	74.00	-14.34	42.36	3	Horizontal	7	1.03	-	47.84	14.74	45.28			
AV	17.8791G	46.38	54.00	-7.62	29.01	3	Horizontal	7	1.03	-	47.91	14.74	45.28			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 21.5
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8344G	52.43	83.54	-31.11	42.10	1	Vertical	260	1.70	-	38.66	18.76	47.09			
AV	23.80788G	38.48	63.54	-25.06	28.05	1	Vertical	260	1.70	-	38.77	18.76	47.10			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 21.5
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82588G	52.15	83.54	-31.39	41.79	1	Horizontal	290	1.64	-	38.70	18.76	47.10			
AV	23.80878G	38.44	63.54	-25.10	28.02	1	Horizontal	290	1.64	-	38.76	18.76	47.10			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38309G	45.47	74.00	-28.53	61.41	3	Vertical	192	1.80	27	38.73	11.33	66.00			
AV	12.38241G	33.41	54.00	-20.59	49.34	3	Vertical	192	1.80	27	38.74	11.33	66.00			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37761G	44.89	74.00	-29.11	60.84	3	Horizontal	244	2.39	27	38.74	11.32	66.01			
AV	12.37889G	32.56	54.00	-21.44	48.50	3	Horizontal	244	2.39	27	38.74	11.32	66.00			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59316G	47.72	83.54	-35.82	43.13	1	Vertical	34	2.40	-	37.69	16.58	49.68			
AV	18.59892G	34.06	63.54	-29.48	29.44	1	Vertical	34	2.40	-	37.70	16.59	49.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5805G	47.57	83.54	-35.97	43.02	1	Horizontal	319	1.63	-	37.66	16.58	49.69			
AV	18.5973G	34.04	63.54	-29.50	29.44	1	Horizontal	319	1.63	-	37.69	16.58	49.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82972G	48.73	88.20	-39.47	63.49	3	Vertical	200	1.94	27	39.46	11.60	65.82			
RMS	12.8286G	36.95	68.20	-31.25	51.71	3	Vertical	200	1.94	27	39.46	11.60	65.82			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82956G	46.58	88.20	-41.62	61.34	3	Horizontal	144	2.33	27	39.46	11.60	65.82			
RMS	12.8284G	34.60	68.20	-33.60	49.36	3	Horizontal	144	2.33	27	39.46	11.60	65.82			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT V_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24122G	47.92	83.54	-35.62	42.61	1	Vertical	270	1.73	-	37.86	16.93	49.48			
AV	19.233G	34.44	63.54	-29.10	29.15	1	Vertical	270	1.73	-	37.83	16.93	49.47			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24458G	48.18	83.54	-35.36	42.85	1	Horizontal	185	1.19	-	37.88	16.93	49.48			
AV	19.23378G	34.44	63.54	-29.10	29.14	1	Horizontal	185	1.19	-	37.84	16.93	49.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86744G	46.49	88.20	-41.71	61.21	3	Vertical	215	1.14	27	39.47	11.63	65.82			
RMS	12.86728G	35.02	68.20	-33.18	49.74	3	Vertical	215	1.14	27	39.47	11.63	65.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86732G	47.92	88.20	-40.28	62.64	3	Horizontal	146	1.70	27	39.47	11.63	65.82			
RMS	12.86768G	36.03	68.20	-32.17	50.76	3	Horizontal	146	1.70	27	39.46	11.63	65.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29096G	47.77	83.54	-35.77	42.57	1	Vertical	233	1.28	-	37.74	16.96	49.50			
AV	19.29G	34.27	63.54	-29.27	29.07	1	Vertical	233	1.28	-	37.74	16.96	49.50			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29288G	47.88	83.54	-35.66	42.69	1	Horizontal	36	1.38	-	37.73	16.96	49.50			
AV	19.296G	34.28	63.54	-29.26	29.10	1	Horizontal	36	1.38	-	37.72	16.96	49.50			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95727G	48.39	88.20	-39.81	63.03	3	Vertical	208	1.61	27	39.50	11.68	65.82			
RMS	12.95108G	36.04	68.20	-32.16	50.68	3	Vertical	208	1.61	27	39.50	11.68	65.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95072G	48.79	88.20	-39.41	63.43	3	Horizontal	81	1.80	27	39.50	11.68	65.82			
RMS	12.95048G	37.18	68.20	-31.02	51.82	3	Horizontal	81	1.80	27	39.50	11.68	65.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42302G	47.51	83.54	-36.03	42.22	1	Vertical	83	2.69	-	37.81	17.04	49.56			
AV	19.41G	34.19	63.54	-29.35	28.86	1	Vertical	83	2.69	-	37.86	17.03	49.56			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42104G	48.16	83.54	-35.38	42.87	1	Horizontal	107	1.47	-	37.82	17.03	49.56			
AV	19.41216G	34.21	63.54	-29.33	28.89	1	Horizontal	107	1.47	-	37.85	17.03	49.56			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02568G	48.80	88.20	-39.40	63.48	3	Vertical	328	1.79	27	39.40	11.73	65.81			
RMS	13.0258G	36.06	68.20	-32.14	50.74	3	Vertical	328	1.79	27	39.40	11.73	65.81			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03052G	46.96	88.20	-41.24	61.65	3	Horizontal	80	1.54	27	39.38	11.73	65.80			
RMS	13.03076G	35.62	68.20	-32.58	50.31	3	Horizontal	80	1.54	27	39.38	11.73	65.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54536G	48.31	83.54	-35.23	43.07	1	Vertical	59	1.63	-	37.70	17.11	49.57			
AV	19.545G	34.27	63.54	-29.27	29.03	1	Vertical	59	1.63	-	37.70	17.11	49.57			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5549G	47.97	83.54	-35.57	42.72	1	Horizontal	296	2.16	-	37.70	17.11	49.56			
AV	19.55058G	34.26	63.54	-29.28	29.01	1	Horizontal	296	2.16	-	37.70	17.11	49.56			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05094G	44.11	88.20	-44.09	58.86	3	Vertical	358	1.29	9	39.30	11.74	65.79			
RMS	13.05018G	31.28	68.20	-36.92	46.03	3	Vertical	358	1.29	9	39.30	11.74	65.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08199G	43.57	88.20	-44.63	58.28	3	Horizontal	196	1.80	9	39.30	11.76	65.77			
RMS	13.07767G	31.21	68.20	-36.99	45.92	3	Horizontal	196	1.80	9	39.30	11.76	65.77			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59486G	48.37	83.54	-35.17	43.06	1	Vertical	154	1.84	-	37.70	17.14	49.53			
AV	19.61298G	34.43	63.54	-29.11	29.13	1	Vertical	154	1.84	-	37.67	17.15	49.52			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60032G	48.02	83.54	-35.52	42.71	1	Horizontal	255	2.41	-	37.70	17.14	49.53			
AV	19.61466G	34.42	63.54	-29.12	29.12	1	Horizontal	255	2.41	-	37.67	17.15	49.52			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40778G	45.80	88.20	-42.40	59.32	3	Vertical	183	1.65	10.5	40.10	11.96	65.58			
RMS	13.4099G	33.41	68.20	-34.79	46.93	3	Vertical	183	1.65	10.5	40.10	11.96	65.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40562G	47.41	88.20	-40.79	60.93	3	Horizontal	230	1.60	10.5	40.10	11.96	65.58			
RMS	13.40586G	35.46	68.20	-32.74	48.98	3	Horizontal	230	1.60	10.5	40.10	11.96	65.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.073G	48.07	83.54	-35.47	42.28	1	Vertical	100	1.44	-	37.65	17.38	49.24			
AV	20.0769G	34.55	63.54	-28.99	28.76	1	Vertical	100	1.44	-	37.65	17.38	49.24			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT V_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08902G	48.24	83.54	-35.30	42.42	1	Horizontal	108	1.45	-	37.68	17.38	49.24			
AV	20.07708G	34.53	63.54	-29.01	28.74	1	Horizontal	108	1.45	-	37.65	17.38	49.24			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69737G	44.96	88.20	-43.24	58.04	3	Vertical	182.1	1.80	11.5	40.19	12.14	65.41			
RMS	13.70097G	33.01	68.20	-35.19	46.08	3	Vertical	182.1	1.80	11.5	40.20	12.14	65.41			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72898G	46.26	88.20	-41.94	59.29	3	Horizontal	30	1.88	11.5	40.20	12.16	65.39			
RMS	13.69581G	33.30	68.20	-34.90	46.38	3	Horizontal	30	1.88	11.5	40.19	12.14	65.41			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56206G	48.94	83.54	-34.60	42.96	1	Vertical	137	2.27	-	37.72	17.45	49.19			
AV	20.56536G	35.17	63.54	-28.37	29.17	1	Vertical	137	2.27	-	37.73	17.45	49.18			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 27
06-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5695G	49.27	83.54	-34.27	43.26	1	Horizontal	133	1.19	-	37.74	17.45	49.18			
AV	20.5536G	35.14	63.54	-28.40	29.17	1	Horizontal	133	1.19	-	37.71	17.45	49.19			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX



EUT_Y_4TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76431G	47.06	88.20	-41.14	60.02	3	Vertical	182	2.32	11	40.23	12.18	65.37			
RMS	13.76554G	34.27	68.20	-33.93	47.23	3	Vertical	182	2.32	11	40.23	12.18	65.37			