


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.75663G | 45.75    | 88.20    | -42.45 | 58.74  | 3    | Horizontal | 1       | 1.80   | 11      | 40.21 | 12.18 | 65.38 |  |  |  |
| RMS  | 13.75819G | 33.49    | 68.20    | -34.71 | 46.47  | 3    | Horizontal | 1       | 1.80   | 11      | 40.22 | 12.18 | 65.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.62842G | 49.31    | 83.54    | -34.23 | 43.14  | 1    | Vertical  | 136     | 2.90   | -       | 37.86 | 17.46 | 49.15 |  |  |  |
| AV   | 20.631G   | 35.13    | 63.54    | -28.41 | 28.96  | 1    | Vertical  | 136     | 2.90   | -       | 37.86 | 17.46 | 49.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.63568G | 48.57    | 83.54    | -34.97 | 42.39  | 1    | Horizontal | 257     | 2.00   | -       | 37.87 | 17.46 | 49.15 |  |  |  |  |
| AV   | 20.63082G | 35.14    | 63.54    | -28.40 | 28.97  | 1    | Horizontal | 257     | 2.00   | -       | 37.86 | 17.46 | 49.15 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.00602G | 44.09    | 88.20    | -44.11 | 56.46  | 3    | Vertical  | 6       | 1.18   | 8       | 40.52 | 12.33 | 65.22 |  |  |  |
| RMS  | 14.00818G | 31.68    | 68.20    | -36.52 | 44.03  | 3    | Vertical  | 6       | 1.18   | 8       | 40.53 | 12.34 | 65.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.00842G | 45.54    | 88.20    | -42.66 | 57.89  | 3    | Horizontal | 346     | 1.80   | 8       | 40.53 | 12.34 | 65.22 |  |  |  |
| RMS  | 14.00914G | 33.49    | 68.20    | -34.71 | 45.83  | 3    | Horizontal | 346     | 1.80   | 8       | 40.54 | 12.34 | 65.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9865G  | 49.72    | 83.54    | -33.82 | 43.20  | 1    | Vertical  | 41      | 1.60   | -       | 37.97 | 17.51 | 48.96 |  |  |  |
| AV   | 20.99394G | 35.22    | 63.54    | -28.32 | 28.67  | 1    | Vertical  | 41      | 1.60   | -       | 37.99 | 17.51 | 48.95 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.97114G | 49.55    | 83.54    | -33.99 | 43.07  | 1    | Horizontal | 307     | 2.11   | -       | 37.94 | 17.51 | 48.97 |  |  |  |
| AV   | 20.99364G | 35.21    | 63.54    | -28.33 | 28.66  | 1    | Horizontal | 307     | 2.11   | -       | 37.99 | 17.51 | 48.95 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX


EUT\_Y\_4TX  
SET 23  
8\18\23  
17.89\14.60\2.59

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0998G | 122.73   | Inf      | -Inf   | 112.10 | 3    | Vertical  | 280     | 1.84   | 23      | 36.00 | 8.43 | 33.80 |  |  |  |
| AV   | 7.1007G | 111.05   | Inf      | -Inf   | 100.41 | 3    | Vertical  | 280     | 1.84   | 23      | 36.00 | 8.44 | 33.80 |  |  |  |
| PK   | 7.128G  | 79.79    | 88.20    | -8.41  | 69.02  | 3    | Vertical  | 280     | 1.84   | 23      | 36.11 | 8.44 | 33.78 |  |  |  |
| AV   | 7.1271G | 65.61    | 68.20    | -2.59  | 54.84  | 3    | Vertical  | 280     | 1.84   | 23      | 36.11 | 8.44 | 33.78 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
SET 23  
23  
8.24

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 7.0971G      | 121.00            | Inf               | -Inf           | 110.39        | 3           | Horizontal | 62             | 2.23          | 23      | 35.98      | 8.43       | 33.80      |  |  |  |  |
| AV   | 7.0974G      | 109.35            | Inf               | -Inf           | 98.74         | 3           | Horizontal | 62             | 2.23          | 23      | 35.98      | 8.43       | 33.80      |  |  |  |  |
| PK   | 7.1352G      | 76.81             | 88.20             | -11.39         | 66.00         | 3           | Horizontal | 62             | 2.23          | 23      | 36.14      | 8.44       | 33.77      |  |  |  |  |
| AV   | 7.1364G      | 59.96             | 68.20             | -8.24          | 49.14         | 3           | Horizontal | 62             | 2.23          | 23      | 36.15      | 8.44       | 33.77      |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.17885G | 45.47    | 88.20    | -42.73 | 57.40  | 3    | Vertical  | 221     | 2.86   | 9       | 40.60 | 12.47 | 65.00 |  |  |  |
| RMS  | 14.17038G | 33.09    | 68.20    | -35.11 | 45.04  | 3    | Vertical  | 221     | 2.86   | 9       | 40.60 | 12.47 | 65.02 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.17593G | 46.36    | 88.20    | -41.84 | 58.30  | 3    | Horizontal | 181     | 2.89   | 9       | 40.60 | 12.47 | 65.01 |  |  |  |
| RMS  | 14.17542G | 33.97    | 68.20    | -34.23 | 45.91  | 3    | Horizontal | 181     | 2.89   | 9       | 40.60 | 12.47 | 65.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28944G | 49.59    | 83.54    | -33.95 | 42.82  | 1    | Vertical  | 355     | 1.73   | -       | 37.98 | 17.61 | 48.82 |  |  |  |
| AV   | 21.2988G  | 35.99    | 63.54    | -27.55 | 29.19  | 1    | Vertical  | 355     | 1.73   | -       | 38.00 | 17.62 | 48.82 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.29784G | 49.53    | 83.54    | -34.01 | 42.73  | 1    | Horizontal | 174     | 2.46   | -       | 38.00 | 17.62 | 48.82 |  |  |  |
| AV   | 21.29862G | 35.98    | 63.54    | -27.56 | 29.18  | 1    | Horizontal | 174     | 2.46   | -       | 38.00 | 17.62 | 48.82 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 4.5  
06-S-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.1205G | 100.36   | Inf      | -Inf   | 89.62  | 3    | Vertical  | 182     | 1.96   | BP 1MHz | 36.08 | 8.44 | 33.78 |  |  |  |  |
| RMS  | 7.1205G | 94.06    | Inf      | -Inf   | 83.32  | 3    | Vertical  | 182     | 1.96   | BP 1MHz | 36.08 | 8.44 | 33.78 |  |  |  |  |
| PK   | 7.1255G | 74.68    | 88.20    | -13.52 | 63.92  | 3    | Vertical  | 182     | 1.96   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |  |
| RMS  | 7.1255G | 62.96    | 68.20    | -5.24  | 52.20  | 3    | Vertical  | 182     | 1.96   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX


EUT\_Y\_4TX  
Setting 4.5  
06-S-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1105G | 102.11   | Inf      | -Inf   | 91.42  | 3    | Horizontal | 271     | 2.37   | BP 1MHz | 36.04 | 8.44 | 33.79 |  |  |  |
| RMS  | 7.1105G | 95.91    | Inf      | -Inf   | 85.22  | 3    | Horizontal | 271     | 2.37   | BP 1MHz | 36.04 | 8.44 | 33.79 |  |  |  |
| PK   | 7.1255G | 77.19    | 88.20    | -11.01 | 66.43  | 3    | Horizontal | 271     | 2.37   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1255G | 68.16    | 68.20    | -0.04  | 57.40  | 3    | Horizontal | 271     | 2.37   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
SET4.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.24986G | 46.39    | 88.20    | -41.81 | 58.18  | 3    | Vertical  | 1       | 2.56   | 4       | 40.60 | 12.53 | 64.92 |  |  |  |
| RMS  | 14.24942G | 33.97    | 68.20    | -34.23 | 45.76  | 3    | Vertical  | 1       | 2.56   | 4       | 40.60 | 12.53 | 64.92 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT Y\_4TX  
SET4.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23979G | 46.17    | 88.20    | -42.03 | 57.98  | 3    | Horizontal | 175     | 1.80   | 4       | 40.60 | 12.52 | 64.93 |  |  |  |
| RMS  | 14.24275G | 33.64    | 68.20    | -34.56 | 45.44  | 3    | Horizontal | 175     | 1.80   | 4       | 40.60 | 12.52 | 64.92 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 4.5  
06-D-I-1

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.3471G | 50.01    | 83.54    | -33.53 | 43.27  | 1    | Vertical  | 133     | 1.65   | -       | 37.91 | 17.63 | 48.80 |  |  |  |
| AV   | 21.3588G | 36.28    | 63.54    | -27.26 | 29.49  | 1    | Vertical  | 133     | 1.65   | -       | 37.94 | 17.64 | 48.79 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 4.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.35838G | 49.95    | 83.54    | -33.59 | 43.17  | 1    | Horizontal | 37      | 2.64   | -       | 37.93 | 17.64 | 48.79 |  |  |  |
| AV   | 21.35904G | 36.28    | 63.54    | -27.26 | 29.49  | 1    | Horizontal | 37      | 2.64   | -       | 37.94 | 17.64 | 48.79 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX


EUT\_Y\_4TX  
SET 21.5  
19\26\18\22\20\21\21.5  
7.12\18.74\9.09\0.74\6.31\4.60\2.17

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.923G  | 78.40    | 88.20    | -9.80  | 72.33  | 3    | Vertical  | 240     | 1.94   | 21.5    | 32.25 | 7.57 | 33.75 |  |  |  |
| RMS  | 5.925G  | 66.03    | 68.20    | -2.17  | 59.95  | 3    | Vertical  | 240     | 1.94   | 21.5    | 32.25 | 7.58 | 33.75 |  |  |  |
| PK   | 5.9761G | 118.35   | Inf      | -Inf   | 112.06 | 3    | Vertical  | 240     | 1.94   | 21.5    | 32.35 | 7.67 | 33.73 |  |  |  |
| RMS  | 5.9761G | 106.08   | Inf      | -Inf   | 99.79  | 3    | Vertical  | 240     | 1.94   | 21.5    | 32.35 | 7.67 | 33.73 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
SET 21.5  
21.5  
1.89

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.914G       | 79.45             | 88.20             | -8.75          | 73.41         | 3           | Horizontal | 238            | 1.79          | 21.5    | 32.23      | 7.56       | 33.75      |  |  |  |  |
| RMS  | 5.9146G      | 66.31             | 68.20             | -1.89          | 60.27         | 3           | Horizontal | 238            | 1.79          | 21.5    | 32.23      | 7.56       | 33.75      |  |  |  |  |
| PK   | 5.974G       | 118.94            | Inf               | -Inf           | 112.66        | 3           | Horizontal | 238            | 1.79          | 21.5    | 32.35      | 7.66       | 33.73      |  |  |  |  |
| RMS  | 5.974G       | 107.31            | Inf               | -Inf           | 101.03        | 3           | Horizontal | 238            | 1.79          | 21.5    | 32.35      | 7.66       | 33.73      |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET 21.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92353G    | 42.73             | 74.00             | -31.27         | 59.43         | 3           | Vertical  | 188            | 1.72          | 21.5    | 38.80      | 11.07      | 66.57      |  |  |  |
| AV   | 11.92353G    | 31.35             | 54.00             | -22.65         | 48.05         | 3           | Vertical  | 188            | 1.72          | 21.5    | 38.80      | 11.07      | 66.57      |  |  |  |
| PK   | 17.90517G    | 60.99             | 74.00             | -13.01         | 42.59         | 3           | Vertical  | 247            | 2.84          | -       | 48.93      | 14.75      | 45.28      |  |  |  |
| AV   | 17.91G       | 47.76             | 54.00             | -6.24          | 29.15         | 3           | Vertical  | 247            | 2.84          | -       | 49.14      | 14.75      | 45.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET21.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96141G    | 42.39             | 74.00             | -31.61         | 59.05         | 3           | Horizontal | 183            | 1.34          | 21.5    | 38.85      | 11.08      | 66.59      |  |  |  |
| AV   | 11.96381G    | 30.69             | 54.00             | -23.31         | 47.34         | 3           | Horizontal | 183            | 1.34          | 21.5    | 38.86      | 11.08      | 66.59      |  |  |  |
| PK   | 17.90574G    | 61.50             | 74.00             | -12.50         | 43.08         | 3           | Horizontal | 185            | 2.18          | -       | 48.95      | 14.75      | 45.28      |  |  |  |
| AV   | 17.90976G    | 47.71             | 54.00             | -6.29          | 29.11         | 3           | Horizontal | 185            | 2.18          | -       | 49.13      | 14.75      | 45.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8507G  | 51.89    | 83.54    | -31.65 | 41.62  | 1    | Vertical  | 55      | 2.26   | -       | 38.60 | 18.76 | 47.09 |  |  |  |
| AV   | 23.86666G | 38.39    | 63.54    | -25.15 | 28.08  | 1    | Vertical  | 55      | 2.26   | -       | 38.63 | 18.76 | 47.08 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.85088G | 52.21    | 83.54    | -31.33 | 41.94  | 1    | Horizontal | 198     | 2.88   | -       | 38.60 | 18.76 | 47.09 |  |  |  |
| AV   | 23.87254G | 38.41    | 63.54    | -25.13 | 28.08  | 1    | Horizontal | 198     | 2.88   | -       | 38.65 | 18.76 | 47.08 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.44493G | 44.62    | 74.00    | -29.38 | 60.54  | 3    | Vertical  | 2       | 1.60   | 27      | 38.61 | 11.37 | 65.90 |  |  |  |
| AV   | 12.44572G | 33.08    | 54.00    | -20.92 | 49.00  | 3    | Vertical  | 2       | 1.60   | 27      | 38.61 | 11.37 | 65.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.44109G | 44.45    | 74.00    | -29.55 | 60.37  | 3    | Horizontal | 97      | 1.77   | 27      | 38.62 | 11.36 | 65.90 |  |  |  |  |
| AV   | 12.44037G | 32.53    | 54.00    | -21.47 | 48.46  | 3    | Horizontal | 97      | 1.77   | 27      | 38.62 | 11.36 | 65.91 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.60948G | 47.95    | 83.54    | -35.59 | 43.32  | 1    | Vertical  | 75      | 2.45   | -       | 37.70 | 16.59 | 49.66 |  |  |  |
| AV   | 18.62688G | 34.15    | 63.54    | -29.39 | 29.50  | 1    | Vertical  | 75      | 2.45   | -       | 37.70 | 16.60 | 49.65 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61134G | 48.25    | 83.54    | -35.29 | 43.62  | 1    | Horizontal | 45      | 1.20   | -       | 37.70 | 16.59 | 49.66 |  |  |  |
| AV   | 18.62796G | 34.14    | 63.54    | -29.40 | 29.49  | 1    | Horizontal | 45      | 1.20   | -       | 37.70 | 16.60 | 49.65 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.80912G | 46.57    | 88.20    | -41.63 | 61.38  | 3    | Vertical  | 201     | 1.94   | 27      | 39.42 | 11.59 | 65.82 |  |  |  |
| RMS  | 12.80896G | 34.28    | 68.20    | -33.92 | 49.09  | 3    | Vertical  | 201     | 1.94   | 27      | 39.42 | 11.59 | 65.82 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.80704G | 46.08    | 88.20    | -42.12 | 60.90  | 3    | Horizontal | 148     | 1.79   | 27      | 39.41 | 11.59 | 65.82 |  |  |  |
| RMS  | 12.80744G | 34.78    | 68.20    | -33.42 | 49.60  | 3    | Horizontal | 148     | 1.79   | 27      | 39.41 | 11.59 | 65.82 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.22064G | 47.91    | 83.54    | -35.63 | 42.68  | 1    | Vertical  | 86      | 1.85   | -       | 37.78 | 16.92 | 49.47 |  |  |  |
| AV   | 19.22322G | 34.47    | 63.54    | -29.07 | 29.23  | 1    | Vertical  | 86      | 1.85   | -       | 37.79 | 16.92 | 49.47 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.22898G | 48.07    | 83.54    | -35.47 | 42.80  | 1    | Horizontal | 194     | 1.56   | -       | 37.82 | 16.92 | 49.47 |  |  |  |
| AV   | 19.22064G | 34.46    | 63.54    | -29.08 | 29.23  | 1    | Horizontal | 194     | 1.56   | -       | 37.78 | 16.92 | 49.47 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.92988G | 44.77    | 88.20    | -43.43 | 59.46  | 3    | Vertical  | 203     | 1.22   | 27      | 39.46 | 11.67 | 65.82 |  |  |  |
| RMS  | 12.92996G | 32.54    | 68.20    | -35.66 | 47.23  | 3    | Vertical  | 203     | 1.22   | 27      | 39.46 | 11.67 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.86938G | 44.19    | 88.20    | -44.01 | 58.92  | 3    | Horizontal | 84      | 2.94   | 27      | 39.46 | 11.63 | 65.82 |  |  |  |
| RMS  | 12.89967G | 31.56    | 68.20    | -36.64 | 46.33  | 3    | Horizontal | 84      | 2.94   | 27      | 39.40 | 11.65 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.3215G  | 48.21    | 83.54    | -35.33 | 43.00  | 1    | Vertical  | 218     | 2.05   | -       | 37.74 | 16.98 | 49.51 |  |  |  |
| AV   | 19.34022G | 34.26    | 63.54    | -29.28 | 29.01  | 1    | Vertical  | 218     | 2.05   | -       | 37.78 | 16.99 | 49.52 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.34382G | 47.68    | 83.54    | -35.86 | 42.43  | 1    | Horizontal | 242     | 1.84   | -       | 37.79 | 16.99 | 49.53 |  |  |  |
| AV   | 19.34028G | 34.26    | 63.54    | -29.28 | 29.01  | 1    | Horizontal | 242     | 1.84   | -       | 37.78 | 16.99 | 49.52 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.96049G | 46.90    | 88.20    | -41.30 | 61.53  | 3    | Vertical  | 126     | 1.78   | 27      | 39.50 | 11.69 | 65.82 |  |  |  |
| RMS  | 12.95985G | 34.77    | 68.20    | -33.43 | 49.40  | 3    | Vertical  | 126     | 1.78   | 27      | 39.50 | 11.69 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.93859G | 44.26    | 88.20    | -43.94 | 58.93  | 3    | Horizontal | 105     | 1.80   | 27      | 39.48 | 11.67 | 65.82 |  |  |  |
| RMS  | 12.93436G | 32.47    | 68.20    | -35.73 | 47.15  | 3    | Horizontal | 105     | 1.80   | 27      | 39.47 | 11.67 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45572G | 47.67    | 83.54    | -35.87 | 42.50  | 1    | Vertical  | 255     | 2.03   | -       | 37.70 | 17.05 | 49.58 |  |  |  |
| AV   | 19.44858G | 33.75    | 63.54    | -29.79 | 28.57  | 1    | Vertical  | 255     | 2.03   | -       | 37.71 | 17.05 | 49.58 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.46172G | 48.19    | 83.54    | -35.35 | 43.01  | 1    | Horizontal | 176     | 2.83   | -       | 37.70 | 17.06 | 49.58 |  |  |  |
| AV   | 19.46022G | 34.03    | 63.54    | -29.51 | 28.85  | 1    | Horizontal | 176     | 2.83   | -       | 37.70 | 17.06 | 49.58 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06151G | 46.81    | 88.20    | -41.39 | 61.54  | 3    | Vertical  | 124     | 1.79   | 27      | 39.30 | 11.75 | 65.78 |  |  |  |
| RMS  | 13.05999G | 34.83    | 68.20    | -33.37 | 49.57  | 3    | Vertical  | 124     | 1.79   | 27      | 39.30 | 11.75 | 65.79 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03665G | 45.54    | 88.20    | -42.66 | 60.26  | 3    | Horizontal | 190     | 1.84   | 27      | 39.35 | 11.73 | 65.80 |  |  |  |
| RMS  | 13.04457G | 33.19    | 68.20    | -35.01 | 47.92  | 3    | Horizontal | 190     | 1.84   | 27      | 39.32 | 11.74 | 65.79 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5609G  | 47.70    | 83.54    | -35.84 | 42.44  | 1    | Vertical  | 63      | 2.59   | -       | 37.70 | 17.12 | 49.56 |  |  |  |
| AV   | 19.58628G | 34.32    | 63.54    | -29.22 | 29.03  | 1    | Vertical  | 63      | 2.59   | -       | 37.70 | 17.13 | 49.54 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.57968G | 48.03    | 83.54    | -35.51 | 42.74  | 1    | Horizontal | 225     | 2.88   | -       | 37.70 | 17.13 | 49.54 |  |  |  |
| AV   | 19.58778G | 34.36    | 63.54    | -29.18 | 29.07  | 1    | Horizontal | 225     | 2.88   | -       | 37.70 | 17.13 | 49.54 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.16053G | 43.54    | 88.20    | -44.66 | 57.96  | 3    | Vertical  | 124     | 1.80   | 13      | 39.50 | 11.81 | 65.73 |  |  |  |
| RMS  | 13.16996G | 31.23    | 68.20    | -36.97 | 45.63  | 3    | Vertical  | 124     | 1.80   | 13      | 39.50 | 11.82 | 65.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.09859G | 43.18    | 88.20    | -45.02 | 57.87  | 3    | Horizontal | 224     | 2.92   | 13      | 39.30 | 11.77 | 65.76 |  |  |  |
| RMS  | 13.09859G | 31.22    | 68.20    | -36.98 | 45.91  | 3    | Horizontal | 224     | 2.92   | 13      | 39.30 | 11.77 | 65.76 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.69308G    | 49.28             | 83.54             | -34.26         | 43.78         | 1           | Vertical  | 6              | 1.43          | -       | 37.77      | 17.19      | 49.46      |  |  |  |
| AV   | 19.7022G     | 35.08             | 63.54             | -28.46         | 29.54         | 1           | Vertical  | 6              | 1.43          | -       | 37.79      | 17.20      | 49.45      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.68906G | 48.67    | 83.54    | -34.87 | 43.18  | 1    | Horizontal | 6       | 2.64   | -       | 37.76 | 17.19 | 49.46 |  |  |  |
| AV   | 19.70232G | 35.07    | 63.54    | -28.47 | 29.53  | 1    | Horizontal | 6       | 2.64   | -       | 37.79 | 17.20 | 49.45 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4094G  | 46.06    | 88.20    | -42.14 | 59.58  | 3    | Vertical  | 188     | 1.78   | 13      | 40.10 | 11.96 | 65.58 |  |  |  |
| RMS  | 13.43316G | 33.66    | 68.20    | -34.54 | 47.15  | 3    | Vertical  | 188     | 1.78   | 13      | 40.10 | 11.98 | 65.57 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40716G | 47.56    | 88.20    | -40.64 | 61.08  | 3    | Horizontal | 2       | 1.73   | 13      | 40.10 | 11.96 | 65.58 |  |  |  |
| RMS  | 13.40932G | 35.58    | 68.20    | -32.62 | 49.10  | 3    | Horizontal | 2       | 1.73   | 13      | 40.10 | 11.96 | 65.58 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.06388G | 48.05    | 83.54    | -35.49 | 42.28  | 1    | Vertical  | 241     | 1.41   | -       | 37.63 | 17.38 | 49.24 |  |  |  |
| AV   | 20.0448G  | 34.53    | 63.54    | -29.01 | 28.77  | 1    | Vertical  | 241     | 1.41   | -       | 37.62 | 17.38 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05122G | 47.80    | 83.54    | -35.74 | 42.06  | 1    | Horizontal | 168     | 2.67   | -       | 37.60 | 17.38 | 49.24 |  |  |  |
| AV   | 20.06598G | 34.54    | 63.54    | -29.00 | 28.77  | 1    | Horizontal | 168     | 2.67   | -       | 37.63 | 17.38 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.69184G | 46.55    | 88.20    | -41.65 | 59.64  | 3    | Vertical  | 2       | 1.72   | 13      | 40.18 | 12.14 | 65.41 |  |  |  |
| RMS  | 13.69144G | 34.23    | 68.20    | -33.97 | 47.33  | 3    | Vertical  | 2       | 1.72   | 13      | 40.18 | 12.14 | 65.42 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.66978G | 47.18    | 88.20    | -41.02 | 60.34  | 3    | Horizontal | 96      | 1.39   | 13      | 40.14 | 12.13 | 65.43 |  |  |  |
| RMS  | 13.66618G | 34.32    | 68.20    | -33.88 | 47.50  | 3    | Horizontal | 96      | 1.39   | 13      | 40.13 | 12.12 | 65.43 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.52348G | 49.32    | 83.54    | -34.22 | 43.39  | 1    | Vertical  | 202     | 2.08   | -       | 37.70 | 17.44 | 49.21 |  |  |  |
| AV   | 20.52066G | 35.39    | 63.54    | -28.15 | 29.46  | 1    | Vertical  | 202     | 2.08   | -       | 37.70 | 17.44 | 49.21 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.54214G | 49.68    | 83.54    | -33.86 | 43.73  | 1    | Horizontal | 321     | 2.09   | -       | 37.70 | 17.45 | 49.20 |  |  |  |
| AV   | 20.52006G | 35.40    | 63.54    | -28.14 | 29.47  | 1    | Horizontal | 321     | 2.09   | -       | 37.70 | 17.44 | 49.21 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.77623G | 46.01    | 88.20    | -42.19 | 58.93  | 3    | Vertical  | 1       | 2.14   | 12.5    | 40.25 | 12.19 | 65.36 |  |  |  |
| RMS  | 13.76624G | 33.44    | 68.20    | -34.76 | 46.39  | 3    | Vertical  | 1       | 2.14   | 12.5    | 40.23 | 12.19 | 65.37 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7545G  | 45.52    | 88.20    | -42.68 | 58.51  | 3    | Horizontal | 65      | 1.80   | 12.5    | 40.21 | 12.18 | 65.38 |  |  |  |
| RMS  | 13.73611G | 33.18    | 68.20    | -35.02 | 46.20  | 3    | Horizontal | 65      | 1.80   | 12.5    | 40.20 | 12.17 | 65.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.65218G | 49.35    | 83.54    | -34.19 | 43.14  | 1    | Vertical  | 218     | 2.07   | -       | 37.89 | 17.46 | 49.14 |  |  |  |
| AV   | 20.64456G | 35.18    | 63.54    | -28.36 | 28.97  | 1    | Vertical  | 218     | 2.07   | -       | 37.89 | 17.46 | 49.14 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.66682G | 48.41    | 83.54    | -35.13 | 42.25  | 1    | Horizontal | 270     | 2.13   | -       | 37.83 | 17.46 | 49.13 |  |  |  |
| AV   | 20.64186G | 35.14    | 63.54    | -28.40 | 28.94  | 1    | Horizontal | 270     | 2.13   | -       | 37.88 | 17.46 | 49.14 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.02694G | 45.94    | 88.20    | -42.26 | 58.18  | 3    | Vertical  | 279     | 1.54   | 12.5    | 40.61 | 12.35 | 65.20 |  |  |  |
| RMS  | 14.02335G | 33.60    | 68.20    | -34.60 | 45.86  | 3    | Vertical  | 279     | 1.54   | 12.5    | 40.59 | 12.35 | 65.20 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.03677G | 47.09    | 88.20    | -41.11 | 59.26  | 3    | Horizontal | 160     | 1.06   | 12.5    | 40.65 | 12.36 | 65.18 |  |  |  |
| RMS  | 14.04069G | 35.39    | 68.20    | -32.81 | 47.55  | 3    | Horizontal | 160     | 1.06   | 12.5    | 40.66 | 12.36 | 65.18 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01656G | 49.11    | 83.54    | -34.43 | 42.53  | 1    | Vertical  | 233     | 2.50   | -       | 38.00 | 17.52 | 48.94 |  |  |  |
| AV   | 21.00144G | 35.17    | 63.54    | -28.37 | 28.61  | 1    | Vertical  | 233     | 2.50   | -       | 38.00 | 17.51 | 48.95 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.00294G | 49.40    | 83.54    | -34.14 | 42.84  | 1    | Horizontal | 52      | 1.58   | -       | 38.00 | 17.51 | 48.95 |  |  |  |
| AV   | 21.00414G | 35.18    | 63.54    | -28.36 | 28.62  | 1    | Horizontal | 52      | 1.58   | -       | 38.00 | 17.51 | 48.95 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 23  
03-D-I-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0702G      | 123.56            | Inf               | -Inf           | 112.94        | 3           | Vertical  | 353            | 1.79          | -       | 35.76      | 8.68       | 33.82      |  |  |  |
| RMS  | 7.0702G      | 110.30            | Inf               | -Inf           | 99.68         | 3           | Vertical  | 353            | 1.79          | -       | 35.76      | 8.68       | 33.82      |  |  |  |
| PK   | 7.131G       | 82.74             | 88.20             | -5.46          | 71.74         | 3           | Vertical  | 353            | 1.79          | -       | 36.12      | 8.65       | 33.77      |  |  |  |
| RMS  | 7.1498G      | 63.34             | 68.20             | -4.86          | 52.25         | 3           | Vertical  | 353            | 1.79          | -       | 36.20      | 8.65       | 33.76      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT\_Y\_4TX  
Setting 23  
03-D-I-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0662G      | 120.57            | Inf               | -Inf           | 109.99        | 3           | Horizontal | 129            | 2.04          | -       | 35.73      | 8.68       | 33.83      |  |  |  |
| RMS  | 7.0678G      | 109.22            | Inf               | -Inf           | 98.62         | 3           | Horizontal | 129            | 2.04          | -       | 35.74      | 8.68       | 33.82      |  |  |  |
| PK   | 7.1278G      | 79.25             | 88.20             | -8.95          | 68.26         | 3           | Horizontal | 129            | 2.04          | -       | 36.11      | 8.66       | 33.78      |  |  |  |
| RMS  | 7.1398G      | 61.39             | 68.20             | -6.81          | 50.35         | 3           | Horizontal | 129            | 2.04          | -       | 36.16      | 8.65       | 33.77      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.1497G     | 47.04             | 88.20             | -41.16         | 59.03         | 3           | Vertical  | 1              | 2.02          | 10      | 40.60      | 12.45      | 65.04      |  |  |  |
| RMS  | 14.14722G    | 35.00             | 68.20             | -33.20         | 46.98         | 3           | Vertical  | 1              | 2.02          | 10      | 40.61      | 12.45      | 65.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.13587G | 47.87    | 88.20    | -40.33 | 59.83  | 3    | Horizontal | 187     | 2.14   | 10      | 40.66 | 12.44 | 65.06 |  |  |  |
| RMS  | 14.13675G | 35.60    | 68.20    | -32.60 | 47.57  | 3    | Horizontal | 187     | 2.14   | 10      | 40.65 | 12.44 | 65.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.26682G | 48.75    | 83.54    | -34.79 | 42.04  | 1    | Vertical  | 320     | 2.63   | -       | 37.93 | 17.61 | 48.83 |  |  |  |
| AV   | 21.24468G | 35.40    | 63.54    | -28.14 | 28.74  | 1    | Vertical  | 320     | 2.63   | -       | 37.90 | 17.60 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.24312G | 48.87    | 83.54    | -34.67 | 42.21  | 1    | Horizontal | 18      | 1.98   | -       | 37.90 | 17.60 | 48.84 |  |  |  |
| AV   | 21.25452G | 36.13    | 63.54    | -27.41 | 29.46  | 1    | Horizontal | 18      | 1.98   | -       | 37.91 | 17.60 | 48.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
06-D-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9082G      | 69.83             | 88.20             | -18.37         | 63.54         | 3           | Vertical  | 268.9          | 2.51          | -       | 32.22      | 7.82       | 33.75      |  |  |  |
| RMS  | 5.9086G      | 58.42             | 68.20             | -9.78          | 52.13         | 3           | Vertical  | 268.9          | 2.51          | -       | 32.22      | 7.82       | 33.75      |  |  |  |
| PK   | 5.9882G      | 114.27            | Inf               | -Inf           | 107.74        | 3           | Vertical  | 268.9          | 2.51          | -       | 32.38      | 7.87       | 33.72      |  |  |  |
| RMS  | 5.9894G      | 104.94            | Inf               | -Inf           | 98.41         | 3           | Vertical  | 268.9          | 2.51          | -       | 32.38      | 7.87       | 33.72      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
06-D-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 73.34             | 88.20             | -14.86         | 67.01         | 3           | Horizontal | 332            | 2.03          | -       | 32.25      | 7.83       | 33.75      |  |  |  |
| RMS  | 5.9238G      | 62.30             | 68.20             | -5.90          | 55.97         | 3           | Horizontal | 332            | 2.03          | -       | 32.25      | 7.83       | 33.75      |  |  |  |
| PK   | 5.9866G      | 116.31            | Inf               | -Inf           | 109.80        | 3           | Horizontal | 332            | 2.03          | -       | 32.37      | 7.87       | 33.73      |  |  |  |
| RMS  | 5.9862G      | 107.75            | Inf               | -Inf           | 101.24        | 3           | Horizontal | 332            | 2.03          | -       | 32.37      | 7.87       | 33.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 22.5  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97123G    | 47.20             | 74.00             | -26.80         | 42.59         | 3           | Vertical  | 43             | 2.32          | -       | 38.88      | 11.69      | 45.96      |  |  |  |
| AV   | 11.95575G    | 33.52             | 54.00             | -20.48         | 28.97         | 3           | Vertical  | 43             | 2.32          | -       | 38.82      | 11.68      | 45.95      |  |  |  |
| PK   | 17.95932G    | 62.75             | 74.00             | -11.25         | 42.39         | 3           | Vertical  | 327            | 2.79          | -       | 51.42      | 14.21      | 45.27      |  |  |  |
| AV   | 17.96913G    | 46.88             | 54.00             | -7.12          | 25.97         | 3           | Vertical  | 327            | 2.79          | -       | 51.97      | 14.21      | 45.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96238G    | 46.39             | 74.00             | -27.61         | 41.82         | 3           | Horizontal | 218            | 1.16          | -       | 38.85      | 11.68      | 45.96      |  |  |  |
| AV   | 11.95524G    | 33.43             | 54.00             | -20.57         | 28.88         | 3           | Horizontal | 218            | 1.16          | -       | 38.82      | 11.68      | 45.95      |  |  |  |
| PK   | 17.96526G    | 62.80             | 74.00             | -11.20         | 42.11         | 3           | Horizontal | 323            | 2.17          | -       | 51.75      | 14.21      | 45.27      |  |  |  |
| AV   | 17.9694G     | 45.89             | 54.00             | -8.11          | 24.96         | 3           | Horizontal | 323            | 2.17          | -       | 51.99      | 14.21      | 45.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9376G  | 51.97    | 83.54    | -31.57 | 41.40  | 1    | Vertical  | 136     | 1.59   | -       | 38.85 | 18.77 | 47.05 |  |  |  |
| AV   | 23.93082G | 39.36    | 63.54    | -24.18 | 28.82  | 1    | Vertical  | 136     | 1.59   | -       | 38.82 | 18.77 | 47.05 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.95338G | 51.60    | 83.54    | -31.94 | 40.98  | 1    | Horizontal | 229     | 2.46   | -       | 38.89 | 18.77 | 47.04 |  |  |  |
| AV   | 23.95404G | 39.51    | 63.54    | -24.03 | 28.89  | 1    | Horizontal | 229     | 2.46   | -       | 38.89 | 18.77 | 47.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45368G | 46.25    | 74.00    | -27.75 | 62.16  | 3    | Vertical  | 198     | 1.05   | 27      | 38.60 | 11.37 | 65.88 |  |  |  |
| AV   | 12.45336G | 35.27    | 54.00    | -18.73 | 51.18  | 3    | Vertical  | 198     | 1.05   | 27      | 38.60 | 11.37 | 65.88 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.46007G | 46.98    | 74.00    | -27.02 | 62.87  | 3    | Horizontal | 91      | 1.66   | 27      | 38.60 | 11.38 | 65.87 |  |  |  |  |
| AV   | 12.45863G | 35.36    | 54.00    | -18.64 | 51.27  | 3    | Horizontal | 91      | 1.66   | 27      | 38.60 | 11.37 | 65.88 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.68688G | 47.56    | 83.54    | -35.98 | 42.90  | 1    | Vertical  | 12      | 2.88   | -       | 37.63 | 16.63 | 49.60 |  |  |  |
| AV   | 18.6864G  | 34.24    | 63.54    | -29.30 | 29.58  | 1    | Vertical  | 12      | 2.88   | -       | 37.63 | 16.63 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.68418G | 47.85    | 83.54    | -35.69 | 43.20  | 1    | Horizontal | 293     | 1.25   | -       | 37.63 | 16.63 | 49.61 |  |  |  |
| AV   | 18.68598G | 34.25    | 63.54    | -29.29 | 29.59  | 1    | Horizontal | 293     | 1.25   | -       | 37.63 | 16.63 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.74874G | 45.15    | 88.20    | -43.05 | 60.31  | 3    | Vertical  | 200     | 1.86   | 27      | 39.10 | 11.55 | 65.81 |  |  |  |
| RMS  | 12.72796G | 32.86    | 68.20    | -35.34 | 48.03  | 3    | Vertical  | 200     | 1.86   | 27      | 39.10 | 11.54 | 65.81 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.71693G | 43.06    | 88.20    | -45.14 | 58.24  | 3    | Horizontal | 144     | 2.71   | 27      | 39.10 | 11.53 | 65.81 |  |  |  |
| RMS  | 12.80165G | 31.07    | 68.20    | -37.13 | 45.90  | 3    | Horizontal | 144     | 2.71   | 27      | 39.40 | 11.59 | 65.82 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.152G   | 48.60    | 83.54    | -34.94 | 43.26  | 1    | Vertical  | 280     | 2.57   | -       | 37.89 | 16.88 | 49.43 |  |  |  |
| AV   | 19.14996G | 34.34    | 63.54    | -29.20 | 28.99  | 1    | Vertical  | 280     | 2.57   | -       | 37.90 | 16.88 | 49.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.1646G  | 48.04    | 83.54    | -35.50 | 42.75  | 1    | Horizontal | 270     | 2.37   | -       | 37.84 | 16.89 | 49.44 |  |  |  |
| AV   | 19.15314G | 34.32    | 63.54    | -29.22 | 28.98  | 1    | Horizontal | 270     | 2.37   | -       | 37.89 | 16.88 | 49.43 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9479G  | 46.17    | 88.20    | -42.03 | 60.81  | 3    | Vertical  | 180     | 1.45   | 27      | 39.50 | 11.68 | 65.82 |  |  |  |
| RMS  | 12.94726G | 34.91    | 68.20    | -33.29 | 49.56  | 3    | Vertical  | 180     | 1.45   | 27      | 39.49 | 11.68 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.92648G | 45.69    | 88.20    | -42.51 | 60.40  | 3    | Horizontal | 189     | 1.86   | 27      | 39.45 | 11.66 | 65.82 |  |  |  |
| RMS  | 12.92552G | 33.55    | 68.20    | -34.65 | 48.26  | 3    | Horizontal | 189     | 1.86   | 27      | 39.45 | 11.66 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.3944G  | 48.95    | 83.54    | -34.59 | 43.59  | 1    | Vertical  | 282     | 2.05   | -       | 37.89 | 17.02 | 49.55 |  |  |  |
| AV   | 19.38756G | 34.36    | 63.54    | -29.18 | 29.02  | 1    | Vertical  | 282     | 2.05   | -       | 37.88 | 17.01 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4067G  | 47.87    | 83.54    | -35.67 | 42.53  | 1    | Horizontal | 69      | 1.19   | -       | 37.87 | 17.03 | 49.56 |  |  |  |
| AV   | 19.38738G | 34.36    | 63.54    | -29.18 | 29.03  | 1    | Horizontal | 69      | 1.19   | -       | 37.87 | 17.01 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06634G | 45.30    | 88.20    | -42.90 | 60.03  | 3    | Vertical  | 330     | 1.63   | 27      | 39.30 | 11.75 | 65.78 |  |  |  |
| RMS  | 13.06618G | 34.16    | 68.20    | -34.04 | 48.89  | 3    | Vertical  | 330     | 1.63   | 27      | 39.30 | 11.75 | 65.78 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.05531G | 42.95    | 88.20    | -45.25 | 57.70  | 3    | Horizontal | 5       | 1.80   | 27      | 39.30 | 11.74 | 65.79 |  |  |  |
| RMS  | 13.05659G | 31.56    | 68.20    | -36.64 | 46.30  | 3    | Horizontal | 5       | 1.80   | 27      | 39.30 | 11.75 | 65.79 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63194G | 48.27    | 83.54    | -35.27 | 42.98  | 1    | Vertical  | 267     | 2.97   | -       | 37.64 | 17.16 | 49.51 |  |  |  |
| AV   | 19.64844G | 34.49    | 63.54    | -29.05 | 29.21  | 1    | Vertical  | 267     | 2.97   | -       | 37.60 | 17.17 | 49.49 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63572G | 48.38    | 83.54    | -35.16 | 43.09  | 1    | Horizontal | 69      | 1.45   | -       | 37.63 | 17.16 | 49.50 |  |  |  |
| AV   | 19.64952G | 34.52    | 63.54    | -29.02 | 29.24  | 1    | Horizontal | 69      | 1.45   | -       | 37.60 | 17.17 | 49.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.29284G    | 45.50             | 74.00             | -28.50         | 59.66         | 3           | Vertical  | 25             | 2.38          | 15      | 39.60      | 11.89      | 65.65      |  |  |  |
| AV   | 13.3296G     | 33.91             | 54.00             | -20.09         | 47.79         | 3           | Vertical  | 25             | 2.38          | 15      | 39.84      | 11.91      | 65.63      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.32219G | 44.73    | 74.00    | -29.27 | 58.67  | 3    | Horizontal | 354     | 1.80   | 15      | 39.78 | 11.91 | 65.63 |  |  |  |
| AV   | 13.3296G  | 33.19    | 54.00    | -20.81 | 47.07  | 3    | Horizontal | 354     | 1.80   | 15      | 39.84 | 11.91 | 65.63 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.8729G  | 49.18    | 83.54    | -34.36 | 43.56  | 1    | Vertical  | 117     | 1.63   | -       | 37.65 | 17.30 | 49.33 |  |  |  |
| AV   | 19.86042G | 35.43    | 63.54    | -28.11 | 29.80  | 1    | Vertical  | 117     | 1.63   | -       | 37.68 | 17.29 | 49.34 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.8816G  | 49.57    | 83.54    | -33.97 | 43.96  | 1    | Horizontal | 115     | 2.43   | -       | 37.64 | 17.30 | 49.33 |  |  |  |
| AV   | 19.86096G | 35.45    | 63.54    | -28.09 | 29.82  | 1    | Horizontal | 115     | 2.43   | -       | 37.68 | 17.29 | 49.34 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.42614G | 47.34    | 88.20    | -40.86 | 60.84  | 3    | Vertical  | 3       | 2.29   | 15.5    | 40.10 | 11.97 | 65.57 |  |  |  |
| RMS  | 13.42678G | 36.10    | 68.20    | -32.10 | 49.60  | 3    | Vertical  | 3       | 2.29   | 15.5    | 40.10 | 11.97 | 65.57 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41895G | 46.63    | 88.20    | -41.57 | 60.14  | 3    | Horizontal | 1       | 1.86   | 15.5    | 40.10 | 11.97 | 65.58 |  |  |  |
| RMS  | 13.40457G | 34.34    | 68.20    | -33.86 | 47.87  | 3    | Horizontal | 1       | 1.86   | 15.5    | 40.10 | 11.96 | 65.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11782G | 47.98    | 83.54    | -35.56 | 42.13  | 1    | Vertical  | 5       | 1.18   | -       | 37.70 | 17.39 | 49.24 |  |  |  |
| AV   | 20.11548G | 34.62    | 63.54    | -28.92 | 28.77  | 1    | Vertical  | 5       | 1.18   | -       | 37.70 | 17.39 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11506G | 48.10    | 83.54    | -35.44 | 42.25  | 1    | Horizontal | 1       | 1.42   | -       | 37.70 | 17.39 | 49.24 |  |  |  |
| AV   | 20.12154G | 34.61    | 63.54    | -28.93 | 28.76  | 1    | Horizontal | 1       | 1.42   | -       | 37.70 | 17.39 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.54139G | 44.33    | 88.20    | -43.87 | 57.34  | 3    | Vertical  | 1       | 1.80   | 16      | 40.45 | 12.05 | 65.51 |  |  |  |
| RMS  | 13.55705G | 32.84    | 68.20    | -35.36 | 45.82  | 3    | Vertical  | 1       | 1.80   | 16      | 40.46 | 12.06 | 65.50 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.50127G | 44.44    | 88.20    | -43.76 | 57.74  | 3    | Horizontal | 128     | 1.80   | 16      | 40.21 | 12.02 | 65.53 |  |  |  |
| RMS  | 13.52349G | 32.83    | 68.20    | -35.37 | 45.98  | 3    | Horizontal | 128     | 1.80   | 16      | 40.34 | 12.03 | 65.52 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34138G    | 50.32             | 83.54             | -33.22         | 44.35         | 1           | Vertical  | 277            | 2.38          | -       | 37.78      | 17.42      | 49.23      |  |  |  |
| AV   | 20.34012G    | 36.17             | 63.54             | -27.37         | 30.20         | 1           | Vertical  | 277            | 2.38          | -       | 37.78      | 17.42      | 49.23      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.35482G | 50.04    | 83.54    | -33.50 | 44.07  | 1    | Horizontal | 131     | 2.63   | -       | 37.78 | 17.42 | 49.23 |  |  |  |
| AV   | 20.34G    | 36.17    | 63.54    | -27.37 | 30.20  | 1    | Horizontal | 131     | 2.63   | -       | 37.78 | 17.42 | 49.23 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7746G  | 45.19    | 88.20    | -43.01 | 58.12  | 3    | Vertical  | 14      | 1.72   | 16      | 40.25 | 12.19 | 65.37 |  |  |  |
| RMS  | 13.67549G | 33.25    | 68.20    | -34.95 | 46.39  | 3    | Vertical  | 14      | 1.72   | 16      | 40.15 | 12.13 | 65.42 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.67725G | 45.71    | 88.20    | -42.49 | 58.85  | 3    | Horizontal | 85      | 2.05   | 16      | 40.15 | 12.13 | 65.42 |  |  |  |
| RMS  | 13.652G   | 33.66    | 68.20    | -34.54 | 46.89  | 3    | Horizontal | 85      | 2.05   | 16      | 40.10 | 12.11 | 65.44 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.60886G | 48.60    | 83.54    | -34.94 | 42.48  | 1    | Vertical  | 219     | 2.92   | -       | 37.82 | 17.46 | 49.16 |  |  |  |
| AV   | 20.58168G | 35.08    | 63.54    | -28.46 | 29.05  | 1    | Vertical  | 219     | 2.92   | -       | 37.76 | 17.45 | 49.18 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.60772G | 49.13    | 83.54    | -34.41 | 43.01  | 1    | Horizontal | 322     | 1.72   | -       | 37.82 | 17.46 | 49.16 |  |  |  |
| AV   | 20.58936G | 35.09    | 63.54    | -28.45 | 29.03  | 1    | Horizontal | 322     | 1.72   | -       | 37.78 | 17.45 | 49.17 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81519G | 45.11    | 88.20    | -43.09 | 57.93  | 3    | Vertical  | 239     | 2.93   | 16.5    | 40.30 | 12.22 | 65.34 |  |  |  |
| RMS  | 13.81615G | 33.11    | 68.20    | -35.09 | 45.93  | 3    | Vertical  | 239     | 2.93   | 16.5    | 40.30 | 12.22 | 65.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.82143G | 44.35    | 88.20    | -43.85 | 57.17  | 3    | Horizontal | 172     | 2.62   | 16.5    | 40.30 | 12.22 | 65.34 |  |  |  |
| RMS  | 13.81967G | 31.78    | 68.20    | -36.42 | 44.60  | 3    | Horizontal | 172     | 2.62   | 16.5    | 40.30 | 12.22 | 65.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.84364G    | 50.31             | 83.54             | -33.23         | 43.98         | 1           | Vertical  | 0              | 1.44          | -       | 37.87      | 17.49      | 49.03      |  |  |  |
| AV   | 20.82726G    | 35.95             | 63.54             | -27.59         | 29.69         | 1           | Vertical  | 0              | 1.44          | -       | 37.81      | 17.49      | 49.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.835G  | 49.74    | 83.54    | -33.80 | 43.45  | 1    | Horizontal | 35      | 2.58   | -       | 37.84 | 17.49 | 49.04 |  |  |  |
| AV   | 20.8269G | 35.95    | 63.54    | -27.59 | 29.69  | 1    | Horizontal | 35      | 2.58   | -       | 37.81 | 17.49 | 49.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-D-R-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0098G | 116.52   | Inf      | -Inf   | 106.33 | 3    | Vertical  | 349     | 1.80   | -       | 35.36 | 8.70 | 33.87 |  |  |  |  |
| RMS  | 7.0298G | 106.97   | Inf      | -Inf   | 96.66  | 3    | Vertical  | 349     | 1.80   | -       | 35.48 | 8.69 | 33.86 |  |  |  |  |
| PK   | 7.149G  | 75.55    | 88.20    | -12.65 | 64.46  | 3    | Vertical  | 349     | 1.80   | -       | 36.20 | 8.65 | 33.76 |  |  |  |  |
| RMS  | 7.151G  | 63.99    | 68.20    | -4.21  | 52.90  | 3    | Vertical  | 349     | 1.80   | -       | 36.20 | 8.65 | 33.76 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0274G      | 117.13            | Inf               | -Inf           | 106.84        | 3           | Horizontal | 133.9          | 1.96          | -       | 35.46      | 8.69       | 33.86      |  |  |  |
| RMS  | 6.9874G      | 107.36            | Inf               | -Inf           | 97.28         | 3           | Horizontal | 133.9          | 1.96          | -       | 35.27      | 8.69       | 33.88      |  |  |  |
| PK   | 7.1498G      | 72.41             | 88.20             | -15.79         | 61.32         | 3           | Horizontal | 133.9          | 1.96          | -       | 36.20      | 8.65       | 33.76      |  |  |  |
| RMS  | 7.1486G      | 60.48             | 68.20             | -7.72          | 49.40         | 3           | Horizontal | 133.9          | 1.96          | -       | 36.19      | 8.65       | 33.76      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05327G | 52.07    | 88.20    | -36.13 | 44.03  | 3    | Vertical  | 225     | 1.15   | -       | 40.71 | 12.42 | 45.09 |  |  |  |
| RMS  | 14.03545G | 37.80    | 68.20    | -30.40 | 29.85  | 3    | Vertical  | 225     | 1.15   | -       | 40.64 | 12.41 | 45.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04505G | 50.97    | 88.20    | -37.23 | 42.96  | 3    | Horizontal | 326     | 2.24   | -       | 40.68 | 12.42 | 45.09 |  |  |  |
| RMS  | 14.03503G | 37.77    | 68.20    | -30.43 | 29.82  | 3    | Horizontal | 326     | 2.24   | -       | 40.64 | 12.41 | 45.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0834G  | 47.97    | 83.54    | -35.57 | 41.41  | 1    | Vertical  | 270     | 1.53   | -       | 37.93 | 17.54 | 48.91 |  |  |  |
| AV   | 21.06048G | 34.98    | 63.54    | -28.56 | 28.39  | 1    | Vertical  | 270     | 1.53   | -       | 37.98 | 17.53 | 48.92 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.0642G     | 48.12             | 83.54             | -35.42         | 41.54         | 1           | Horizontal | 297            | 2.96          | -       | 37.97      | 17.53      | 48.92      |  |  |  |
| AV   | 21.06018G    | 34.99             | 63.54             | -28.55         | 28.40         | 1           | Horizontal | 297            | 2.96          | -       | 37.98      | 17.53      | 48.92      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX



EUT\_Y\_4TX

SET 23.5


19\27\18\22.5\24.5\25.5\25\24.5\24\23.5

11.49\16.84\13.41\7.68\22.71\11.11\8.23\4.10\0.92\2.89

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9155G | 76.79    | 88.20    | -11.41 | 70.75  | 3    | Vertical  | 256     | 1.84   | 23.5    | 32.23 | 7.56 | 33.75 |  |  |  |
| RMS  | 5.916G  | 65.31    | 68.20    | -2.89  | 59.27  | 3    | Vertical  | 256     | 1.84   | 23.5    | 32.23 | 7.56 | 33.75 |  |  |  |
| PK   | 6.0955G | 114.17   | Inf      | -Inf   | 107.77 | 3    | Vertical  | 256     | 1.84   | 23.5    | 32.50 | 7.65 | 33.75 |  |  |  |
| RMS  | 6.0955G | 102.39   | Inf      | -Inf   | 95.99  | 3    | Vertical  | 256     | 1.84   | 23.5    | 32.50 | 7.65 | 33.75 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
23.5  
0.77

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.925G  | 78.14    | 88.20    | -10.06 | 72.06  | 3    | Horizontal | 326     | 1.90   | 23.5    | 32.25 | 7.58 | 33.75 |  |  |  |  |
| RMS  | 5.925G  | 67.43    | 68.20    | -0.77  | 61.35  | 3    | Horizontal | 326     | 1.90   | 23.5    | 32.25 | 7.58 | 33.75 |  |  |  |  |
| PK   | 6.0465G | 115.06   | Inf      | -Inf   | 108.62 | 3    | Horizontal | 326     | 1.90   | 23.5    | 32.49 | 7.68 | 33.73 |  |  |  |  |
| RMS  | 6.0065G | 103.83   | Inf      | -Inf   | 97.43  | 3    | Horizontal | 326     | 1.90   | 23.5    | 32.41 | 7.71 | 33.72 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 23.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.12992G | 43.53    | 74.00    | -30.47 | 59.52  | 3    | Vertical  | 233     | 1.46   | 23.5    | 39.24 | 11.17 | 66.40 |  |  |  |
| AV   | 12.13088G | 32.30    | 54.00    | -21.70 | 48.29  | 3    | Vertical  | 233     | 1.46   | 23.5    | 39.24 | 11.17 | 66.40 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 23.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.97424G | 42.61    | 74.00    | -31.39 | 59.23  | 3    | Horizontal | 233     | 1.24   | 23.5    | 38.90 | 11.08 | 66.60 |  |  |  |  |
| AV   | 11.97456G | 30.60    | 54.00    | -23.40 | 47.22  | 3    | Horizontal | 233     | 1.24   | 23.5    | 38.90 | 11.08 | 66.60 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07314G | 47.41    | 83.54    | -36.13 | 43.34  | 1    | Vertical  | 302     | 2.23   | -       | 37.35 | 16.32 | 49.60 |  |  |  |
| AV   | 18.07008G | 33.99    | 63.54    | -29.55 | 29.93  | 1    | Vertical  | 302     | 2.23   | -       | 37.34 | 16.32 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
06-D-I-1

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0765G | 47.64    | 83.54    | -35.90 | 43.58  | 1    | Horizontal | 50      | 2.21   | -       | 37.35 | 16.32 | 49.61 |  |  |  |
| AV   | 18.0618G | 34.00    | 63.54    | -29.54 | 29.97  | 1    | Horizontal | 50      | 2.21   | -       | 37.32 | 16.31 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45024G | 46.35    | 74.00    | -27.65 | 62.27  | 3    | Vertical  | 180     | 1.06   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |
| AV   | 12.45088G | 34.75    | 54.00    | -19.25 | 50.67  | 3    | Vertical  | 180     | 1.06   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.46686G | 44.81    | 74.00    | -29.19 | 60.69  | 3    | Horizontal | 180     | 1.80   | 27      | 38.60 | 11.38 | 65.86 |  |  |  |
| AV   | 12.46271G | 33.62    | 54.00    | -20.38 | 49.51  | 3    | Horizontal | 180     | 1.80   | 27      | 38.60 | 11.38 | 65.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_V\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.56022G    | 47.69             | 83.54             | -35.85         | 43.20         | 1           | Vertical  | 349            | 2.33          | -       | 37.62      | 16.57      | 49.70      |  |  |  |
| AV   | 18.5418G     | 33.98             | 63.54             | -29.56         | 29.52         | 1           | Vertical  | 349            | 2.33          | -       | 37.62      | 16.56      | 49.72      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.54348G | 47.54    | 83.54    | -36.00 | 43.09  | 1    | Horizontal | 87      | 1.50   | -       | 37.61 | 16.56 | 49.72 |  |  |  |
| AV   | 18.54132G | 34.01    | 63.54    | -29.53 | 29.55  | 1    | Horizontal | 87      | 1.50   | -       | 37.62 | 16.56 | 49.72 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.55446G | 44.59    | 74.00    | -29.41 | 60.35  | 3    | Vertical  | 4       | 1.06   | 27      | 38.62 | 11.43 | 65.81 |  |  |  |
| AV   | 12.55989G | 33.11    | 54.00    | -20.89 | 48.84  | 3    | Vertical  | 4       | 1.06   | 27      | 38.64 | 11.44 | 65.81 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.62894G | 44.26    | 74.00    | -29.74 | 59.67  | 3    | Horizontal | 57      | 1.80   | 27      | 38.92 | 11.48 | 65.81 |  |  |  |
| AV   | 12.56341G | 32.09    | 54.00    | -21.91 | 47.81  | 3    | Horizontal | 57      | 1.80   | 27      | 38.65 | 11.44 | 65.81 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.02192G    | 48.49             | 83.54             | -35.05         | 43.22         | 1           | Vertical  | 221            | 2.52          | -       | 37.84      | 16.80      | 49.37      |  |  |  |
| AV   | 19.04778G    | 34.58             | 63.54             | -28.96         | 29.24         | 1           | Vertical  | 221            | 2.52          | -       | 37.90      | 16.82      | 49.38      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.02954G | 48.31    | 83.54    | -35.23 | 43.01  | 1    | Horizontal | 293     | 1.98   | -       | 37.86 | 16.81 | 49.37 |  |  |  |
| AV   | 19.0497G  | 34.59    | 63.54    | -28.95 | 29.25  | 1    | Horizontal | 293     | 1.98   | -       | 37.90 | 16.82 | 49.38 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95821G | 44.67    | 88.20    | -43.53 | 59.31  | 3    | Vertical  | 196     | 2.80   | 27      | 39.50 | 11.68 | 65.82 |  |  |  |
| RMS  | 12.95693G | 32.95    | 68.20    | -35.25 | 47.59  | 3    | Vertical  | 196     | 2.80   | 27      | 39.50 | 11.68 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.92209G | 44.86    | 88.20    | -43.34 | 59.58  | 3    | Horizontal | 220     | 1.76   | 27      | 39.44 | 11.66 | 65.82 |  |  |  |
| RMS  | 12.92145G | 32.91    | 68.20    | -35.29 | 47.63  | 3    | Horizontal | 220     | 1.76   | 27      | 39.44 | 11.66 | 65.82 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51788G | 47.71    | 83.54    | -35.83 | 42.51  | 1    | Vertical  | 198     | 2.79   | -       | 37.70 | 17.09 | 49.59 |  |  |  |
| AV   | 19.50438G | 34.28    | 63.54    | -29.26 | 29.10  | 1    | Vertical  | 198     | 2.79   | -       | 37.70 | 17.08 | 49.60 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51398G | 48.26    | 83.54    | -35.28 | 43.06  | 1    | Horizontal | 26      | 1.72   | -       | 37.70 | 17.09 | 49.59 |  |  |  |
| AV   | 19.50954G | 34.26    | 63.54    | -29.28 | 29.06  | 1    | Horizontal | 26      | 1.72   | -       | 37.70 | 17.09 | 49.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.43837G | 46.63    | 88.20    | -41.57 | 60.12  | 3    | Vertical  | 1       | 2.28   | 18.5    | 40.10 | 11.98 | 65.57 |  |  |  |
| RMS  | 13.43454G | 34.53    | 68.20    | -33.67 | 48.02  | 3    | Vertical  | 1       | 2.28   | 18.5    | 40.10 | 11.98 | 65.57 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40672G | 47.31    | 88.20    | -40.89 | 60.83  | 3    | Horizontal | 14      | 1.80   | 18.5    | 40.10 | 11.96 | 65.58 |  |  |  |
| RMS  | 13.40896G | 34.81    | 68.20    | -33.39 | 48.33  | 3    | Horizontal | 14      | 1.80   | 18.5    | 40.10 | 11.96 | 65.58 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99056G | 48.60    | 83.54    | -34.94 | 42.71  | 1    | Vertical  | 7       | 1.59   | -       | 37.78 | 17.36 | 49.25 |  |  |  |
| AV   | 19.99782G | 34.81    | 63.54    | -28.73 | 28.88  | 1    | Vertical  | 7       | 1.59   | -       | 37.80 | 17.37 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.00592G | 48.31    | 83.54    | -35.23 | 42.40  | 1    | Horizontal | 310     | 2.15   | -       | 37.78 | 17.37 | 49.24 |  |  |  |
| AV   | 19.9947G  | 34.79    | 63.54    | -28.75 | 28.87  | 1    | Horizontal | 310     | 2.15   | -       | 37.79 | 17.37 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.67685G | 44.78    | 88.20    | -43.42 | 57.92  | 3    | Vertical  | 358     | 2.95   | 19      | 40.15 | 12.13 | 65.42 |  |  |  |
| RMS  | 13.78618G | 33.50    | 68.20    | -34.70 | 46.39  | 3    | Vertical  | 358     | 2.95   | 19      | 40.27 | 12.20 | 65.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5346G  | 45.11    | 88.20    | -43.09 | 58.17  | 3    | Horizontal | 189     | 1.80   | 19      | 40.41 | 12.04 | 65.51 |  |  |  |
| RMS  | 13.67973G | 33.28    | 68.20    | -34.92 | 46.41  | 3    | Horizontal | 189     | 1.80   | 19      | 40.16 | 12.13 | 65.42 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.46588G | 50.16    | 83.54    | -33.38 | 44.17  | 1    | Vertical  | 278     | 2.60   | -       | 37.77 | 17.44 | 49.22 |  |  |  |
| AV   | 20.4657G  | 35.61    | 63.54    | -27.93 | 29.62  | 1    | Vertical  | 278     | 2.60   | -       | 37.77 | 17.44 | 49.22 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.4699G  | 49.53    | 83.54    | -34.01 | 43.55  | 1    | Horizontal | 334     | 2.49   | -       | 37.76 | 17.44 | 49.22 |  |  |  |
| AV   | 20.46534G | 35.52    | 63.54    | -28.02 | 29.53  | 1    | Horizontal | 334     | 2.49   | -       | 37.77 | 17.44 | 49.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 26.5  
15\25\27\26\26.5  
13.94\17.14\21.33\17.14\17.15

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.991G  | 109.17   | Inf      | -Inf   | 99.36  | 3    | Vertical  | 174     | 1.84   | -       | 35.28 | 8.41 | 33.88 |  |  |  |
| AV   | 6.99G   | 97.49    | Inf      | -Inf   | 87.69  | 3    | Vertical  | 174     | 1.84   | -       | 35.28 | 8.40 | 33.88 |  |  |  |
| PK   | 7.1295G | 71.42    | 88.20    | -16.78 | 60.63  | 3    | Vertical  | 174     | 1.84   | -       | 36.12 | 8.44 | 33.77 |  |  |  |
| AV   | 7.13G   | 57.65    | 68.20    | -10.55 | 46.86  | 3    | Vertical  | 174     | 1.84   | -       | 36.12 | 8.44 | 33.77 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX


EUT Y\_4TX  
SET 26.5  
26.5  
17.15

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9075G      | 108.46            | Inf               | -Inf           | 99.13         | 3           | Horizontal | 312            | 1.96          | -       | 34.94      | 8.27       | 33.88      |  |  |  |
| AV   | 6.907G       | 97.63             | Inf               | -Inf           | 88.30         | 3           | Horizontal | 312            | 1.96          | -       | 34.94      | 8.27       | 33.88      |  |  |  |
| PK   | 7.129G       | 68.74             | 88.20             | -19.46         | 57.95         | 3           | Horizontal | 312            | 1.96          | -       | 36.12      | 8.44       | 33.77      |  |  |  |
| AV   | 7.127G       | 55.91             | 68.20             | -12.29         | 45.14         | 3           | Horizontal | 312            | 1.96          | -       | 36.11      | 8.44       | 33.78      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 26.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.03553G | 46.45    | 88.20    | -41.75 | 58.64  | 3    | Vertical  | 281     | 1.54   | 18      | 40.64 | 12.36 | 65.19 |  |  |  |
| RMS  | 14.03937G | 34.74    | 68.20    | -33.46 | 46.90  | 3    | Vertical  | 281     | 1.54   | 18      | 40.66 | 12.36 | 65.18 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 26.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14,10491G | 46.93    | 88.20    | -41.27 | 58.84  | 3    | Horizontal | 273     | 1.80   | 18      | 40.78 | 12.41 | 65.10 |  |  |  |
| RMS  | 14,04736G | 34.44    | 68.20    | -33.76 | 46.55  | 3    | Horizontal | 273     | 1.80   | 18      | 40.69 | 12.37 | 65.17 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 26.5  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.94888G    | 47.78             | 83.54             | -35.76         | 41.36         | 1           | Vertical  | 223            | 2.53          | -       | 37.90      | 17.50      | 48.98      |  |  |  |
| AV   | 20.9412G     | 34.66             | 63.54             | -28.88         | 28.24         | 1           | Vertical  | 223            | 2.53          | -       | 37.90      | 17.50      | 48.98      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 26.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9403G  | 48.21    | 83.54    | -35.33 | 41.79  | 1    | Horizontal | 136     | 1.49   | -       | 37.90 | 17.50 | 48.98 |  |  |  |
| AV   | 20.94198G | 34.66    | 63.54    | -28.88 | 28.24  | 1    | Horizontal | 136     | 1.49   | -       | 37.90 | 17.50 | 48.98 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
19\27\18\22.5\24.5\23.5\24\23.5  
12.97\12.35\15.01\8.92\4.62\3.02\1.59\3.05

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.917G | 76.99    | 88.20    | -11.21 | 70.95  | 3    | Vertical  | 243     | 1.78   | 23.5    | 32.23 | 7.56 | 33.75 |  |  |  |
| RMS  | 5.916G | 65.15    | 68.20    | -3.05  | 59.11  | 3    | Vertical  | 243     | 1.78   | 23.5    | 32.23 | 7.56 | 33.75 |  |  |  |
| PK   | 6.236G | 110.93   | Inf      | -Inf   | 104.14 | 3    | Vertical  | 243     | 1.78   | 23.5    | 32.94 | 7.64 | 33.79 |  |  |  |
| RMS  | 6.195G | 99.53    | Inf      | -Inf   | 92.94  | 3    | Vertical  | 243     | 1.78   | 23.5    | 32.79 | 7.58 | 33.78 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 23  
23.5\22.5\23  
-0.69\5.14\2.21

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 77.44             | 88.20             | -10.76         | 71.36         | 3           | Horizontal | 306            | 1.97          | 23      | 32.25      | 7.58       | 33.75      |  |  |  |
| RMS  | 5.925G       | 65.99             | 68.20             | -2.21          | 59.91         | 3           | Horizontal | 306            | 1.97          | 23      | 32.25      | 7.58       | 33.75      |  |  |  |
| PK   | 6.006G       | 112.43            | Inf               | -Inf           | 106.03        | 3           | Horizontal | 306            | 1.97          | 23      | 32.41      | 7.71       | 33.72      |  |  |  |
| RMS  | 6.046G       | 100.60            | Inf               | -Inf           | 94.16         | 3           | Horizontal | 306            | 1.97          | 23      | 32.49      | 7.68       | 33.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45104G | 44.36    | 74.00    | -29.64 | 60.28  | 3    | Vertical  | 360.6   | 1.80   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |
| AV   | 12.4504G  | 33.90    | 54.00    | -20.10 | 49.82  | 3    | Vertical  | 360.6   | 1.80   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.46574G | 44.64    | 74.00    | -29.36 | 60.52  | 3    | Horizontal | 301     | 1.76   | 27      | 38.60 | 11.38 | 65.86 |  |  |  |
| AV   | 12.46574G | 33.39    | 54.00    | -20.61 | 49.27  | 3    | Horizontal | 301     | 1.76   | 27      | 38.60 | 11.38 | 65.86 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3138G  | 48.02    | 83.54    | -35.52 | 43.77  | 1    | Vertical  | 123     | 1.60   | -       | 37.50 | 16.44 | 49.69 |  |  |  |
| AV   | 18.30366G | 33.93    | 63.54    | -29.61 | 29.68  | 1    | Vertical  | 123     | 1.60   | -       | 37.50 | 16.43 | 49.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30366G | 47.08    | 83.54    | -36.46 | 42.83  | 1    | Horizontal | 40      | 2.16   | -       | 37.50 | 16.43 | 49.68 |  |  |  |
| AV   | 18.30558G | 33.91    | 63.54    | -29.63 | 29.65  | 1    | Horizontal | 40      | 2.16   | -       | 37.50 | 16.44 | 49.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45072G | 44.56    | 74.00    | -29.44 | 60.48  | 3    | Vertical  | 1       | 1.80   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |
| AV   | 12.45072G | 33.60    | 54.00    | -20.40 | 49.52  | 3    | Vertical  | 1       | 1.80   | 27      | 38.60 | 11.37 | 65.89 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45967G | 45.09    | 74.00    | -28.91 | 60.99  | 3    | Horizontal | 33      | 1.80   | 27      | 38.60 | 11.37 | 65.87 |  |  |  |
| AV   | 12.46095G | 33.69    | 54.00    | -20.31 | 49.58  | 3    | Horizontal | 33      | 1.80   | 27      | 38.60 | 11.38 | 65.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.80106G    | 48.56             | 83.54             | -34.98         | 43.69         | 1           | Vertical  | 288            | 2.36          | -       | 37.70      | 16.69      | 49.52      |  |  |  |
| AV   | 18.80538G    | 34.86             | 63.54             | -28.68         | 29.98         | 1           | Vertical  | 288            | 2.36          | -       | 37.70      | 16.69      | 49.51      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.78726G | 49.02    | 83.54    | -34.52 | 44.14  | 1    | Horizontal | 266     | 2.20   | -       | 37.73 | 16.68 | 49.53 |  |  |  |
| AV   | 18.80232G | 34.82    | 63.54    | -28.72 | 29.94  | 1    | Horizontal | 266     | 2.20   | -       | 37.70 | 16.69 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.58275G | 43.08    | 74.00    | -30.92 | 58.71  | 3    | Vertical  | 1       | 1.57   | 27      | 38.73 | 11.45 | 65.81 |  |  |  |
| AV   | 12.58403G | 32.56    | 54.00    | -21.44 | 48.18  | 3    | Vertical  | 1       | 1.57   | 27      | 38.74 | 11.45 | 65.81 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6425MHz\_TX

EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.55845G | 44.69    | 74.00    | -29.31 | 60.43  | 3    | Horizontal | 89      | 1.05   | 27      | 38.63 | 11.44 | 65.81 |  |  |  |  |
| AV   | 12.56165G | 33.64    | 54.00    | -20.36 | 49.36  | 3    | Horizontal | 89      | 1.05   | 27      | 38.65 | 11.44 | 65.81 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.2873G  | 47.77    | 83.54    | -35.77 | 42.56  | 1    | Vertical  | 34      | 1.53   | -       | 37.75 | 16.96 | 49.50 |  |  |  |
| AV   | 19.26528G | 34.05    | 63.54    | -29.49 | 28.76  | 1    | Vertical  | 34      | 1.53   | -       | 37.84 | 16.94 | 49.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.2693G  | 47.71    | 83.54    | -35.83 | 42.43  | 1    | Horizontal | 61      | 1.34   | -       | 37.82 | 16.95 | 49.49 |  |  |  |
| AV   | 19.27956G | 34.05    | 63.54    | -29.49 | 28.81  | 1    | Horizontal | 61      | 1.34   | -       | 37.78 | 16.95 | 49.49 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.44642G | 44.18    | 88.20    | -44.02 | 57.65  | 3    | Vertical  | 69      | 2.63   | 27      | 40.10 | 11.99 | 65.56 |  |  |  |
| RMS  | 13.44513G | 33.69    | 68.20    | -34.51 | 47.16  | 3    | Vertical  | 69      | 2.63   | 27      | 40.10 | 11.99 | 65.56 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.44838G | 45.73    | 88.20    | -42.47 | 59.20  | 3    | Horizontal | 337     | 1.80   | 27      | 40.10 | 11.99 | 65.56 |  |  |  |
| RMS  | 13.41104G | 34.24    | 68.20    | -33.96 | 47.76  | 3    | Horizontal | 337     | 1.80   | 27      | 40.10 | 11.96 | 65.58 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.7556G  | 49.67    | 83.54    | -33.87 | 44.24  | 1    | Vertical  | 304     | 2.38   | -       | 37.62 | 17.23 | 49.42 |  |  |  |
| AV   | 19.76802G | 35.26    | 63.54    | -28.28 | 29.76  | 1    | Vertical  | 304     | 2.38   | -       | 37.67 | 17.24 | 49.41 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6585MHz\_TX

EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.76724G | 47.91    | 83.54    | -35.63 | 42.42  | 1    | Horizontal | 148     | 1.78   | -       | 37.67 | 17.23 | 49.41 |  |  |  |
| AV   | 19.76862G | 35.27    | 63.54    | -28.27 | 29.77  | 1    | Horizontal | 148     | 1.78   | -       | 37.67 | 17.24 | 49.41 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.42801G | 45.56    | 88.20    | -42.64 | 59.05  | 3    | Vertical  | 356     | 2.84   | 22.5    | 40.10 | 11.98 | 65.57 |  |  |  |
| RMS  | 13.42545G | 34.32    | 68.20    | -33.88 | 47.82  | 3    | Vertical  | 356     | 2.84   | 22.5    | 40.10 | 11.97 | 65.57 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
SET 27

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.42031G | 47.23    | 88.20    | -40.97 | 60.74  | 3    | Horizontal | 325     | 2.82   | 22.5    | 40.10 | 11.97 | 65.58 |  |  |  |
| RMS  | 13.42223G | 35.88    | 68.20    | -32.32 | 49.39  | 3    | Horizontal | 325     | 2.82   | 22.5    | 40.10 | 11.97 | 65.58 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.24292G    | 49.44             | 83.54             | -34.10         | 43.58         | 1           | Vertical  | 356            | 2.58          | -       | 37.69      | 17.40      | 49.23      |  |  |  |
| AV   | 20.24898G    | 35.87             | 63.54             | -27.67         | 30.00         | 1           | Vertical  | 356            | 2.58          | -       | 37.70      | 17.40      | 49.23      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
Setting 27  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.24388G | 49.17    | 83.54    | -34.37 | 43.31  | 1    | Horizontal | 66      | 2.50   | -       | 37.69 | 17.40 | 49.23 |  |  |  |
| AV   | 20.24862G | 35.87    | 63.54    | -27.67 | 30.00  | 1    | Horizontal | 66      | 2.50   | -       | 37.70 | 17.40 | 49.23 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
06-D-R-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.7586G | 109.07   | Inf      | -Inf   | 100.14 | 3    | Vertical  | 266     | 1.73   | -       | 34.32 | 8.49 | 33.88 |  |  |  |
| AV   | 6.7586G | 98.62    | Inf      | -Inf   | 89.69  | 3    | Vertical  | 266     | 1.73   | -       | 34.32 | 8.49 | 33.88 |  |  |  |
| PK   | 7.2938G | 72.94    | 74.00    | -1.06  | 61.25  | 3    | Vertical  | 266     | 1.73   | -       | 36.58 | 8.75 | 33.64 |  |  |  |
| AV   | 7.253G  | 52.45    | 54.00    | -1.55  | 41.01  | 3    | Vertical  | 266     | 1.73   | -       | 36.41 | 8.70 | 33.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
06-D-R-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8474G | 109.60   | Inf      | -Inf   | 100.28 | 3    | Horizontal | 287     | 1.56   | -       | 34.59 | 8.61 | 33.88 |  |  |  |
| AV   | 6.7466G | 98.25    | Inf      | -Inf   | 89.34  | 3    | Horizontal | 287     | 1.56   | -       | 34.31 | 8.47 | 33.87 |  |  |  |
| PK   | 7.3538G | 68.38    | 74.00    | -5.62  | 56.65  | 3    | Horizontal | 287     | 1.56   | -       | 36.49 | 8.83 | 33.59 |  |  |  |
| AV   | 7.2746G | 50.47    | 54.00    | -3.53  | 38.89  | 3    | Horizontal | 287     | 1.56   | -       | 36.50 | 8.73 | 33.65 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8058G  | 49.75    | 88.20    | -38.45 | 42.32  | 3    | Vertical  | 152     | 1.49   | -       | 40.30 | 12.21 | 45.08 |  |  |  |
| RMS  | 13.79911G | 35.96    | 68.20    | -32.24 | 28.53  | 3    | Vertical  | 152     | 1.49   | -       | 40.30 | 12.21 | 45.08 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 20.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79914G | 49.76    | 88.20    | -38.44 | 42.21  | 3    | Horizontal | 338     | 2.54   | -       | 40.30 | 12.33 | 45.08 |  |  |  |
| RMS  | 13.79671G | 36.09    | 68.20    | -32.11 | 28.55  | 3    | Horizontal | 338     | 2.54   | -       | 40.29 | 12.33 | 45.08 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT V\_4TX  
Setting 20.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71404G | 48.36    | 83.54    | -35.18 | 42.21  | 1    | Vertical  | 84      | 1.93   | -       | 37.78 | 17.47 | 49.10 |  |  |  |
| AV   | 20.72922G | 35.17    | 63.54    | -28.37 | 28.92  | 1    | Vertical  | 84      | 1.93   | -       | 37.88 | 17.47 | 49.10 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
06-D-I-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71374G | 49.04    | 83.54    | -34.50 | 42.89  | 1    | Horizontal | 351     | 2.45   | -       | 37.78 | 17.47 | 49.10 |  |  |  |
| AV   | 20.72994G | 35.20    | 63.54    | -28.34 | 28.95  | 1    | Horizontal | 351     | 2.45   | -       | 37.88 | 17.47 | 49.10 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
19\27\18\22.5\24.5\23.5  
22.60\12.05\15.91\1.36\1.94\0.12

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9208G      | 82.16             | 88.20             | -6.04          | 76.10         | 3           | Vertical  | 191            | 1.94          | 23.5    | 32.24      | 7.57       | 33.75      |  |  |  |
| RMS  | 5.925G       | 68.08             | 68.20             | -0.12          | 62.00         | 3           | Vertical  | 191            | 1.94          | 23.5    | 32.25      | 7.58       | 33.75      |  |  |  |
| PK   | 5.9637G      | 119.76            | Inf               | -Inf           | 113.52        | 3           | Vertical  | 191            | 1.94          | 23.5    | 32.33      | 7.64       | 33.73      |  |  |  |
| RMS  | 5.9634G      | 108.55            | Inf               | -Inf           | 102.31        | 3           | Vertical  | 191            | 1.94          | 23.5    | 32.33      | 7.64       | 33.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
SET 23  
23.5\23  
-0.33\0.04

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9205G | 80.18    | 88.20    | -8.02  | 74.12  | 3    | Horizontal | 191     | 1.80   | 23      | 32.24 | 7.57 | 33.75 |  |  |  |
| RMS  | 5.925G  | 68.16    | 68.20    | -0.04  | 62.08  | 3    | Horizontal | 191     | 1.80   | 23      | 32.25 | 7.58 | 33.75 |  |  |  |
| PK   | 5.9607G | 120.07   | Inf      | -Inf   | 113.84 | 3    | Horizontal | 191     | 1.80   | 23      | 32.32 | 7.64 | 33.73 |  |  |  |
| RMS  | 5.964G  | 109.20   | Inf      | -Inf   | 102.95 | 3    | Horizontal | 191     | 1.80   | 23      | 32.33 | 7.65 | 33.73 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX


7095MHz\_TX


EUT\_Y\_4TX  
SET 25  
13\23\27\25  
19.65\6.03\ -10.78\0.14

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0881G | 117.23   | Inf      | -Inf   | 106.71 | 3    | Vertical  | 255     | 1.78   | 25      | 35.90 | 8.43 | 33.81 |  |  |  |
| RMS  | 7.0881G | 105.12   | Inf      | -Inf   | 94.60  | 3    | Vertical  | 255     | 1.78   | 25      | 35.90 | 8.43 | 33.81 |  |  |  |
| PK   | 7.1262G | 82.90    | 88.20    | -5.30  | 72.14  | 3    | Vertical  | 255     | 1.78   | 25      | 36.10 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.125G  | 68.06    | 68.20    | -0.14  | 57.30  | 3    | Vertical  | 255     | 1.78   | 25      | 36.10 | 8.44 | 33.78 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
SET 24  
25\23\24.5\24  
-1.65\5.49\ -0.69\0.79

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0902G      | 120.45            | Inf               | -Inf           | 109.91        | 3           | Horizontal | 356            | 2.42          | 24      | 35.92      | 8.43       | 33.81      |  |  |  |
| RMS  | 7.0989G      | 107.07            | Inf               | -Inf           | 96.45         | 3           | Horizontal | 356            | 2.42          | 24      | 35.99      | 8.43       | 33.80      |  |  |  |
| PK   | 7.1256G      | 82.47             | 88.20             | -5.73          | 71.71         | 3           | Horizontal | 356            | 2.42          | 24      | 36.10      | 8.44       | 33.78      |  |  |  |
| RMS  | 7.125G       | 67.41             | 68.20             | -0.79          | 56.65         | 3           | Horizontal | 356            | 2.42          | 24      | 36.10      | 8.44       | 33.78      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 3.5  
06-X-J-11-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1195G | 100.04   | Inf      | -Inf   | 89.30  | 3    | Vertical  | 179     | 1.89   | BP 1MHz | 36.08 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1075G | 92.21    | Inf      | -Inf   | 81.53  | 3    | Vertical  | 179     | 1.89   | BP 1MHz | 36.03 | 8.44 | 33.79 |  |  |  |
| PK   | 7.1255G | 77.73    | 88.20    | -10.47 | 66.97  | 3    | Vertical  | 179     | 1.89   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1255G | 67.89    | 68.20    | -0.31  | 57.13  | 3    | Vertical  | 179     | 1.89   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX


7115MHz\_TX


EUT\_Y\_4TX  
Setting 3.5  
06-X-J-11-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1195G | 99.02    | Inf      | -Inf   | 88.28  | 3    | Horizontal | 282     | 2.52   | BP 1MHz | 36.08 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1135G | 92.02    | Inf      | -Inf   | 81.32  | 3    | Horizontal | 282     | 2.52   | BP 1MHz | 36.05 | 8.44 | 33.79 |  |  |  |
| PK   | 7.1255G | 77.62    | 88.20    | -10.58 | 66.86  | 3    | Horizontal | 282     | 2.52   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1255G | 67.92    | 68.20    | -0.28  | 57.16  | 3    | Horizontal | 282     | 2.52   | BP 1MHz | 36.10 | 8.44 | 33.78 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
SET 22  
19\27\18\22.5\20.5\21.5\22  
8.82\18.51\10.45\1.73\7.09\4.06\1.53

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9161G | 79.93    | 88.20    | -8.27  | 73.89  | 3    | Vertical  | 182     | 2.06   | 22      | 32.23 | 7.56 | 33.75 |  |  |  |  |
| RMS  | 5.9242G | 66.67    | 68.20    | -1.53  | 60.60  | 3    | Vertical  | 182     | 2.06   | 22      | 32.25 | 7.57 | 33.75 |  |  |  |  |
| PK   | 5.9734G | 115.85   | Inf      | -Inf   | 109.57 | 3    | Vertical  | 182     | 2.06   | 22      | 32.35 | 7.66 | 33.73 |  |  |  |  |
| RMS  | 5.9827G | 103.90   | Inf      | -Inf   | 97.58  | 3    | Vertical  | 182     | 2.06   | 22      | 32.37 | 7.68 | 33.73 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
SET 21.5  
22\21.5  
-0.08\2.57

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9131G      | 79.29             | 88.20             | -8.91          | 73.26         | 3           | Horizontal | 183            | 1.80          | 21.5    | 32.23      | 7.55       | 33.75      |  |  |  |
| RMS  | 5.9248G      | 65.63             | 68.20             | -2.57          | 59.56         | 3           | Horizontal | 183            | 1.80          | 21.5    | 32.25      | 7.57       | 33.75      |  |  |  |
| PK   | 5.9584G      | 118.34            | Inf               | -Inf           | 112.12        | 3           | Horizontal | 183            | 1.80          | 21.5    | 32.32      | 7.64       | 33.74      |  |  |  |
| RMS  | 5.9833G      | 105.00            | Inf               | -Inf           | 98.68         | 3           | Horizontal | 183            | 1.80          | 21.5    | 32.37      | 7.68       | 33.73      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
16.5\26.5\15.5\21\23.5\24.5\24\23.5  
17.99\15.25\18.44\10.86\2.04\4.40\1.70\2.16

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0715G      | 114.06            | Inf               | -Inf           | 103.68        | 3           | Vertical  | 254            | 1.80          | 23.5    | 35.77      | 8.43       | 33.82      |  |  |  |
| RMS  | 7.0931G      | 100.38            | Inf               | -Inf           | 89.81         | 3           | Vertical  | 254            | 1.80          | 23.5    | 35.94      | 8.43       | 33.80      |  |  |  |
| PK   | 7.1294G      | 81.54             | 88.20             | -6.66          | 70.75         | 3           | Vertical  | 254            | 1.80          | 23.5    | 36.12      | 8.44       | 33.77      |  |  |  |
| RMS  | 7.1252G      | 66.04             | 68.20             | -2.16          | 55.28         | 3           | Vertical  | 254            | 1.80          | 23.5    | 36.10      | 8.44       | 33.78      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
23.5  
1.70

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0745G | 117.04   | Inf      | -Inf   | 106.63 | 3    | Horizontal | 355     | 2.44   | 23.5    | 35.80 | 8.43 | 33.82 |  |  |  |  |
| RMS  | 7.0736G | 103.87   | Inf      | -Inf   | 93.47  | 3    | Horizontal | 355     | 2.44   | 23.5    | 35.79 | 8.43 | 33.82 |  |  |  |  |
| PK   | 7.1345G | 83.45    | 88.20    | -4.75  | 72.64  | 3    | Horizontal | 355     | 2.44   | 23.5    | 36.14 | 8.44 | 33.77 |  |  |  |  |
| RMS  | 7.1255G | 66.50    | 68.20    | -1.70  | 55.74  | 3    | Horizontal | 355     | 2.44   | 23.5    | 36.10 | 8.44 | 33.78 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 23  
06-X-J-11-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9214G      | 80.93             | 88.20             | -7.27          | 74.87         | 3           | Vertical  | 95             | 1.95          | -       | 32.24      | 7.57       | 33.75      |  |  |  |
| RMS  | 5.9244G      | 65.56             | 68.20             | -2.64          | 59.49         | 3           | Vertical  | 95             | 1.95          | -       | 32.25      | 7.57       | 33.75      |  |  |  |
| PK   | 5.979G       | 113.75            | Inf               | -Inf           | 107.45        | 3           | Vertical  | 95             | 1.95          | -       | 32.36      | 7.67       | 33.73      |  |  |  |
| RMS  | 6.0186G      | 101.96            | Inf               | -Inf           | 95.55         | 3           | Vertical  | 95             | 1.95          | -       | 32.44      | 7.70       | 33.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 23  
06-X-J-11-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9214G      | 77.13             | 88.20             | -11.07         | 71.07         | 3           | Horizontal | 101            | 1.94          | -       | 32.24      | 7.57       | 33.75      |  |  |  |
| RMS  | 5.925G       | 66.45             | 68.20             | -1.75          | 60.37         | 3           | Horizontal | 101            | 1.94          | -       | 32.25      | 7.58       | 33.75      |  |  |  |
| PK   | 5.973G       | 115.16            | Inf               | -Inf           | 108.88        | 3           | Horizontal | 101            | 1.94          | -       | 32.35      | 7.66       | 33.73      |  |  |  |
| RMS  | 5.991G       | 103.82            | Inf               | -Inf           | 97.47         | 3           | Horizontal | 101            | 1.94          | -       | 32.38      | 7.69       | 33.72      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 25  
19.5\27\20\23.5\25\25.5\25  
18.30\7.40\17.95\5.76\0.68\0.81\0.52

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0505G | 111.58   | Inf      | -Inf   | 101.39 | 3    | Vertical  | 254     | 1.71   | 25      | 35.60 | 8.43 | 33.84 |  |  |  |
| RMS  | 7.0562G | 97.08    | Inf      | -Inf   | 86.83  | 3    | Vertical  | 254     | 1.71   | 25      | 35.65 | 8.43 | 33.83 |  |  |  |
| PK   | 7.1252G | 82.55    | 88.20    | -5.65  | 71.79  | 3    | Vertical  | 254     | 1.71   | 25      | 36.10 | 8.44 | 33.78 |  |  |  |
| RMS  | 7.1252G | 67.68    | 68.20    | -0.52  | 56.92  | 3    | Vertical  | 254     | 1.71   | 25      | 36.10 | 8.44 | 33.78 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 24  
25\21.5\24.5\23\23.5\24  
-3.49\13.49\1.97\5.57\2.59\0.31

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.9902G | 113.86   | Inf      | -Inf   | 104.06 | 3    | Horizontal | 351     | 2.39   | 24      | 35.28 | 8.40 | 33.88 |  |  |  |  |
| RMS  | 7.0616G | 100.85   | Inf      | -Inf   | 90.56  | 3    | Horizontal | 351     | 2.39   | 24      | 35.69 | 8.43 | 33.83 |  |  |  |  |
| PK   | 7.1252G | 84.08    | 88.20    | -4.12  | 73.32  | 3    | Horizontal | 351     | 2.39   | 24      | 36.10 | 8.44 | 33.78 |  |  |  |  |
| RMS  | 7.1252G | 67.89    | 68.20    | -0.31  | 57.13  | 3    | Horizontal | 351     | 2.39   | 24      | 36.10 | 8.44 | 33.78 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
SET 24  
22\27\21\24\25\5\25\22\5\23\5\24  
9.56\15.17\9.45\1.32\9.13\6.28\9.22\5.16\1.83

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.925G  | 78.41    | 88.20    | -9.79  | 72.33  | 3    | Vertical  | 191     | 1.99   | 24      | 32.25 | 7.58 | 33.75 |  |  |  |  |
| RMS  | 5.9245G | 66.37    | 68.20    | -1.83  | 60.30  | 3    | Vertical  | 191     | 1.99   | 24      | 32.25 | 7.57 | 33.75 |  |  |  |  |
| PK   | 6.036G  | 112.30   | Inf      | -Inf   | 105.87 | 3    | Vertical  | 191     | 1.99   | 24      | 32.47 | 7.69 | 33.73 |  |  |  |  |
| RMS  | 6.0965G | 100.11   | Inf      | -Inf   | 93.71  | 3    | Vertical  | 191     | 1.99   | 24      | 32.50 | 7.65 | 33.75 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 23.5  
24\23.5  
-0.24\4.01

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9165G      | 76.33             | 88.20             | -11.87         | 70.29         | 3           | Horizontal | 194            | 1.75          | 23.5    | 32.23      | 7.56       | 33.75      |  |  |  |
| RMS  | 5.925G       | 64.19             | 68.20             | -4.01          | 58.11         | 3           | Horizontal | 194            | 1.75          | 23.5    | 32.25      | 7.58       | 33.75      |  |  |  |
| PK   | 6.046G       | 111.84            | Inf               | -Inf           | 105.40        | 3           | Horizontal | 194            | 1.75          | 23.5    | 32.49      | 7.68       | 33.73      |  |  |  |
| RMS  | 6.034G       | 99.93             | Inf               | -Inf           | 93.50         | 3           | Horizontal | 194            | 1.75          | 23.5    | 32.47      | 7.69       | 33.73      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 23.5  
19\27\18\22.5\24.5\23.5  
17.04\11.43\18.35\7.59\5.17\0.46

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.9135G | 108.81   | Inf      | -Inf   | 99.43  | 3    | Vertical  | 170     | 1.72   | 23.5    | 34.98 | 8.28 | 33.88 |  |  |  |  |
| RMS  | 6.9135G | 96.06    | Inf      | -Inf   | 86.68  | 3    | Vertical  | 170     | 1.72   | 23.5    | 34.98 | 8.28 | 33.88 |  |  |  |  |
| PK   | 7.139G  | 84.15    | 88.20    | -4.05  | 73.32  | 3    | Vertical  | 170     | 1.72   | 23.5    | 36.16 | 8.44 | 33.77 |  |  |  |  |
| RMS  | 7.1255G | 67.74    | 68.20    | -0.46  | 56.98  | 3    | Vertical  | 170     | 1.72   | 23.5    | 36.10 | 8.44 | 33.78 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX


6985MHz\_TX


EUT\_Y\_4TX  
SET 23  
23.5\23  
-0.35\2.76

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.921G  | 110.70   | Inf      | -Inf   | 101.26 | 3    | Horizontal | 0       | 2.52   | 23      | 35.03 | 8.29 | 33.88 |  |  |  |  |
| RMS  | 6.957G  | 96.86    | Inf      | -Inf   | 87.18  | 3    | Horizontal | 0       | 2.52   | 23      | 35.21 | 8.35 | 33.88 |  |  |  |  |
| PK   | 7.2135G | 81.77    | 88.20    | -6.43  | 70.65  | 3    | Horizontal | 0       | 2.52   | 23      | 36.33 | 8.49 | 33.70 |  |  |  |  |
| RMS  | 7.128G  | 65.44    | 68.20    | -2.76  | 54.67  | 3    | Horizontal | 0       | 2.52   | 23      | 36.11 | 8.44 | 33.78 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 24  
06-D-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 76.49             | 88.20             | -11.71         | 70.16         | 3           | Vertical  | 269            | 1.90          | -       | 32.25      | 7.83       | 33.75      |  |  |  |
| RMS  | 5.9214G      | 61.35             | 68.20             | -6.85          | 55.03         | 3           | Vertical  | 269            | 1.90          | -       | 32.24      | 7.83       | 33.75      |  |  |  |
| PK   | 6.2058G      | 108.69            | Inf               | -Inf           | 101.69        | 3           | Vertical  | 269            | 1.90          | -       | 32.82      | 7.96       | 33.78      |  |  |  |
| RMS  | 6.1674G      | 98.24             | Inf               | -Inf           | 91.32         | 3           | Vertical  | 269            | 1.90          | -       | 32.73      | 7.96       | 33.77      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 24  
06-D-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9178G      | 75.68             | 88.20             | -12.52         | 69.36         | 3           | Horizontal | 270.9          | 1.78          | -       | 32.24      | 7.83       | 33.75      |  |  |  |
| RMS  | 5.925G       | 63.96             | 68.20             | -4.24          | 57.63         | 3           | Horizontal | 270.9          | 1.78          | -       | 32.25      | 7.83       | 33.75      |  |  |  |
| PK   | 6.0546G      | 111.26            | Inf               | -Inf           | 104.60        | 3           | Horizontal | 270.9          | 1.78          | -       | 32.50      | 7.90       | 33.74      |  |  |  |
| RMS  | 6.1638G      | 99.76             | Inf               | -Inf           | 92.85         | 3           | Horizontal | 270.9          | 1.78          | -       | 32.73      | 7.95       | 33.77      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 20  
06-X-J-11-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.877G       | 104.88            | Inf               | -Inf           | 95.78         | 3           | Vertical  | 91             | 1.98          | -       | 34.76      | 8.22       | 33.88      |  |  |  |
| AV   | 6.792G       | 94.98             | Inf               | -Inf           | 86.39         | 3           | Vertical  | 91             | 1.98          | -       | 34.38      | 8.09       | 33.88      |  |  |  |
| PK   | 7.353G       | 67.54             | 74.00             | -6.46          | 55.78         | 3           | Vertical  | 91             | 1.98          | -       | 36.49      | 8.86       | 33.59      |  |  |  |
| AV   | 7.288G       | 52.84             | 54.00             | -1.16          | 41.25         | 3           | Vertical  | 91             | 1.98          | -       | 36.55      | 8.68       | 33.64      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX



EUT\_Y\_4TX  
Setting 20  
06-X-J-11-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.777G       | 104.71            | Inf               | -Inf           | 96.17         | 3           | Horizontal | 113            | 1.55          | -       | 34.35      | 8.07       | 33.88      |  |  |  |
| AV   | 6.756G       | 94.18             | Inf               | -Inf           | 85.70         | 3           | Horizontal | 113            | 1.55          | -       | 34.31      | 8.05       | 33.88      |  |  |  |
| PK   | 7.389G       | 62.47             | 74.00             | -11.53         | 50.66         | 3           | Horizontal | 113            | 1.55          | -       | 36.42      | 8.95       | 33.56      |  |  |  |
| AV   | 7.308G       | 47.70             | 54.00             | -6.30          | 36.01         | 3           | Horizontal | 113            | 1.55          | -       | 36.58      | 8.74       | 33.63      |  |  |  |




**Summary**

| Mode                                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX | Pass   | RMS  | 5.9146G      | 68.16             | 68.20             | -0.04          | 3           | Horizontal | 267            | 1.66          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91G        | 78.00             | 88.20             | -10.20         | 66.21         | 3           | Vertical  | 265            | 2.58          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| RMS  | 5.909G       | 64.65             | 68.20             | -3.55          | 52.86         | 3           | Vertical  | 265            | 2.58          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| PK   | 6.009G       | 117.34            | Inf               | -Inf           | 105.24        | 3           | Vertical  | 265            | 2.58          | -       | 34.32      | 8.57       | 30.79      |  |  |  |
| RMS  | 6.01G        | 107.76            | Inf               | -Inf           | 95.66         | 3           | Vertical  | 265            | 2.58          | -       | 34.32      | 8.57       | 30.79      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91G        | 83.38             | 88.20             | -4.82          | 71.59         | 3           | Horizontal | 82             | 1.80          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| RMS  | 5.911G       | 66.69             | 68.20             | -1.51          | 54.90         | 3           | Horizontal | 82             | 1.80          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| PK   | 6.0105G      | 117.91            | Inf               | -Inf           | 105.81        | 3           | Horizontal | 82             | 1.80          | -       | 34.32      | 8.57       | 30.79      |  |  |  |
| RMS  | 6.0115G      | 108.29            | Inf               | -Inf           | 96.20         | 3           | Horizontal | 82             | 1.80          | -       | 34.32      | 8.57       | 30.80      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.0252G     | 55.14             | 74.00             | -18.86         | 69.93         | 3           | Vertical  | 346            | 1.90          | -       | 39.10      | 12.68      | 66.57      |  |  |  |
| AV   | 11.9246G     | 42.79             | 54.00             | -11.21         | 57.43         | 3           | Vertical  | 346            | 1.90          | -       | 39.30      | 12.63      | 66.57      |  |  |  |
| PK   | 17.9851G     | 60.57             | 74.00             | -13.43         | 62.89         | 3           | Vertical  | 98             | 2.44          | -       | 46.41      | 15.00      | 63.73      |  |  |  |
| AV   | 17.9772G     | 47.99             | 54.00             | -6.01          | 50.37         | 3           | Vertical  | 98             | 2.44          | -       | 46.36      | 15.00      | 63.74      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9924G     | 55.61             | 74.00             | -18.39         | 70.43         | 3           | Horizontal | 38             | 1.64          | -       | 39.12      | 12.67      | 66.61      |  |  |  |
| AV   | 11.973G      | 42.67             | 54.00             | -11.33         | 57.46         | 3           | Horizontal | 38             | 1.64          | -       | 39.15      | 12.66      | 66.60      |  |  |  |
| PK   | 17.969G      | 61.15             | 74.00             | -12.85         | 63.59         | 3           | Horizontal | 224            | 2.32          | -       | 46.31      | 15.00      | 63.75      |  |  |  |
| AV   | 17.9884G     | 48.02             | 54.00             | -5.98          | 50.32         | 3           | Horizontal | 224            | 2.32          | -       | 46.43      | 15.00      | 63.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9008G | 59.78    | 83.54    | -23.76 | 50.62  | 1    | Vertical  | 9       | 1.54   | -       | 38.90 | 18.16 | 47.90 |  |  |  |
| AV   | 23.8981G | 47.04    | 63.54    | -16.50 | 37.88  | 1    | Vertical  | 9       | 1.54   | -       | 38.90 | 18.16 | 47.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8931G | 59.77    | 83.54    | -23.77 | 50.61  | 1    | Horizontal | 81      | 1.90   | -       | 38.90 | 18.16 | 47.90 |  |  |  |
| AV   | 23.9139G | 47.19    | 63.54    | -16.35 | 37.99  | 1    | Horizontal | 81      | 1.90   | -       | 38.93 | 18.17 | 47.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.922G  | 78.90    | 88.20    | -9.30  | 67.03  | 3    | Vertical  | 269     | 1.78   | -       | 34.19 | 8.48 | 30.80 |  |  |  |
| RMS  | 5.9165G | 64.93    | 68.20    | -3.27  | 53.10  | 3    | Vertical  | 269     | 1.78   | -       | 34.17 | 8.47 | 30.81 |  |  |  |
| PK   | 6.016G  | 116.52   | Inf      | -Inf   | 104.43 | 3    | Vertical  | 269     | 1.78   | -       | 34.33 | 8.56 | 30.80 |  |  |  |
| RMS  | 6.0165G | 106.72   | Inf      | -Inf   | 94.63  | 3    | Vertical  | 269     | 1.78   | -       | 34.33 | 8.56 | 30.80 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9115G      | 82.90             | 88.20             | -5.30          | 71.10         | 3           | Horizontal | 83             | 1.80          | -       | 34.15      | 8.46       | 30.81      |  |  |  |
| RMS  | 5.911G       | 67.02             | 68.20             | -1.18          | 55.23         | 3           | Horizontal | 83             | 1.80          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| PK   | 6.012G       | 117.83            | Inf               | -Inf           | 105.74        | 3           | Horizontal | 83             | 1.80          | -       | 34.32      | 8.57       | 30.80      |  |  |  |
| RMS  | 6.011G       | 108.22            | Inf               | -Inf           | 96.13         | 3           | Horizontal | 83             | 1.80          | -       | 34.32      | 8.57       | 30.80      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9485G     | 53.21             | 74.00             | -20.79         | 67.94         | 3           | Vertical  | 340            | 1.31          | -       | 39.21      | 12.64      | 66.58      |  |  |  |
| AV   | 11.9454G     | 41.23             | 54.00             | -12.77         | 55.95         | 3           | Vertical  | 340            | 1.31          | -       | 39.22      | 12.64      | 66.58      |  |  |  |
| PK   | 17.9846G     | 58.60             | 74.00             | -15.40         | 60.92         | 3           | Vertical  | 357            | 1.79          | -       | 46.41      | 15.00      | 63.73      |  |  |  |
| AV   | 17.9894G     | 47.21             | 54.00             | -6.79          | 49.48         | 3           | Vertical  | 357            | 1.79          | -       | 46.44      | 15.01      | 63.72      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9557G     | 52.12             | 74.00             | -21.88         | 66.87         | 3           | Horizontal | 236            | 2.06          | -       | 39.19      | 12.65      | 66.59      |  |  |  |
| AV   | 11.9477G     | 41.23             | 54.00             | -12.77         | 55.96         | 3           | Horizontal | 236            | 2.06          | -       | 39.21      | 12.64      | 66.58      |  |  |  |
| PK   | 17.9703G     | 58.35             | 74.00             | -15.65         | 60.78         | 3           | Horizontal | 44             | 1.52          | -       | 46.32      | 15.00      | 63.75      |  |  |  |
| AV   | 17.9878G     | 47.38             | 54.00             | -6.62          | 49.68         | 3           | Horizontal | 44             | 1.52          | -       | 46.43      | 15.00      | 63.73      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.8902G     | 58.23             | 83.54             | -25.31         | 49.07         | 1           | Vertical  | 177            | 1.53          | -       | 38.90      | 18.16      | 47.90      |  |  |  |
| AV   | 23.9078G     | 46.48             | 63.54             | -17.06         | 37.29         | 1           | Vertical  | 177            | 1.53          | -       | 38.92      | 18.17      | 47.90      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9187G | 56.96    | 83.54    | -26.58 | 47.75  | 1    | Horizontal | 70      | 1.31   | -       | 38.94 | 18.17 | 47.90 |  |  |  |
| AV   | 23.9093G | 46.63    | 63.54    | -16.91 | 37.44  | 1    | Horizontal | 70      | 1.31   | -       | 38.92 | 18.17 | 47.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0616G | 116.43   | Inf      | -Inf   | 103.28 | 3    | Vertical  | 321     | 2.04   | -       | 35.42 | 9.40 | 31.67 |  |  |  |
| RMS  | 7.0016G | 107.50   | Inf      | -Inf   | 94.48  | 3    | Vertical  | 321     | 2.04   | -       | 35.30 | 9.41 | 31.69 |  |  |  |
| PK   | 7.1324G | 76.21    | 88.20    | -11.99 | 62.86  | 3    | Vertical  | 321     | 2.04   | -       | 35.63 | 9.38 | 31.66 |  |  |  |
| RMS  | 7.13G   | 62.01    | 68.20    | -6.19  | 48.67  | 3    | Vertical  | 321     | 2.04   | -       | 35.62 | 9.38 | 31.66 |  |  |  |
| PK   | 7.2524G | 62.22    | 74.00    | -11.78 | 48.26  | 3    | Vertical  | 321     | 2.04   | -       | 36.21 | 9.37 | 31.62 |  |  |  |
| AV   | 7.253G  | 50.98    | 54.00    | -3.02  | 37.02  | 3    | Vertical  | 321     | 2.04   | -       | 36.21 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.019G  | 119.26   | Inf      | -Inf   | 106.20 | 3    | Horizontal | 85      | 2.04   | -       | 35.34 | 9.41 | 31.69 |  |  |  |
| RMS  | 6.9998G | 108.15   | Inf      | -Inf   | 95.13  | 3    | Horizontal | 85      | 2.04   | -       | 35.30 | 9.41 | 31.69 |  |  |  |
| PK   | 7.133G  | 79.88    | 88.20    | -8.32  | 66.53  | 3    | Horizontal | 85      | 2.04   | -       | 35.63 | 9.38 | 31.66 |  |  |  |
| RMS  | 7.133G  | 65.56    | 68.20    | -2.64  | 52.21  | 3    | Horizontal | 85      | 2.04   | -       | 35.63 | 9.38 | 31.66 |  |  |  |
| PK   | 7.2614G | 65.79    | 74.00    | -8.21  | 51.79  | 3    | Horizontal | 85      | 2.04   | -       | 36.25 | 9.37 | 31.62 |  |  |  |
| AV   | 7.2602G | 53.70    | 54.00    | -0.30  | 39.71  | 3    | Horizontal | 85      | 2.04   | -       | 36.24 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0444G | 56.45    | 88.20    | -31.75 | 66.64  | 3    | Vertical  | 329     | 1.39   | -       | 41.68 | 13.30 | 65.17 |  |  |  |
| RMS  | 14.0385G | 46.40    | 68.20    | -21.80 | 56.63  | 3    | Vertical  | 329     | 1.39   | -       | 41.65 | 13.30 | 65.18 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0888G | 56.22    | 88.20    | -31.98 | 66.32  | 3    | Horizontal | 85      | 1.87   | -       | 41.70 | 13.32 | 65.12 |  |  |  |
| RMS  | 14.0473G | 46.33    | 68.20    | -21.87 | 56.51  | 3    | Horizontal | 85      | 1.87   | -       | 41.69 | 13.30 | 65.17 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.125G  | 45.43    | 83.54    | -38.11 | 39.65  | 1    | Vertical  | 291     | 1.70   | -       | 37.75 | 16.88 | 48.85 |  |  |  |
| AV   | 21.1119G | 35.06    | 63.54    | -28.48 | 29.32  | 1    | Vertical  | 291     | 1.70   | -       | 37.72 | 16.88 | 48.86 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0481G | 44.95    | 83.54    | -38.59 | 39.17  | 1    | Horizontal | 337     | 1.83   | -       | 37.80 | 16.86 | 48.88 |  |  |  |
| AV   | 21.1027G | 35.05    | 63.54    | -28.49 | 29.33  | 1    | Horizontal | 337     | 1.83   | -       | 37.71 | 16.87 | 48.86 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0016G | 115.18   | Inf      | -Inf   | 102.16 | 3    | Vertical  | 322     | 2.04   | -       | 35.30 | 9.41 | 31.69 |  |  |  |
| RMS  | 7.0016G | 105.20   | Inf      | -Inf   | 92.18  | 3    | Vertical  | 322     | 2.04   | -       | 35.30 | 9.41 | 31.69 |  |  |  |
| PK   | 7.1336G | 73.55    | 88.20    | -14.65 | 60.20  | 3    | Vertical  | 322     | 2.04   | -       | 35.63 | 9.38 | 31.66 |  |  |  |
| RMS  | 7.1414G | 59.86    | 68.20    | -8.34  | 46.46  | 3    | Vertical  | 322     | 2.04   | -       | 35.67 | 9.38 | 31.65 |  |  |  |
| PK   | 7.2608G | 65.12    | 74.00    | -8.88  | 51.13  | 3    | Vertical  | 322     | 2.04   | -       | 36.24 | 9.37 | 31.62 |  |  |  |
| AV   | 7.2608G | 50.39    | 54.00    | -3.61  | 36.40  | 3    | Vertical  | 322     | 2.04   | -       | 36.24 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0202G | 116.42   | Inf      | -Inf   | 103.35 | 3    | Horizontal | 88      | 2.01   | -       | 35.34 | 9.41 | 31.68 |  |  |  |
| RMS  | 6.9992G | 105.71   | Inf      | -Inf   | 92.69  | 3    | Horizontal | 88      | 2.01   | -       | 35.30 | 9.41 | 31.69 |  |  |  |
| PK   | 7.139G  | 81.74    | 88.20    | -6.46  | 68.35  | 3    | Horizontal | 88      | 2.01   | -       | 35.66 | 9.38 | 31.65 |  |  |  |
| RMS  | 7.133G  | 62.23    | 68.20    | -5.97  | 48.88  | 3    | Horizontal | 88      | 2.01   | -       | 35.63 | 9.38 | 31.66 |  |  |  |
| PK   | 7.2524G | 69.29    | 74.00    | -4.71  | 55.33  | 3    | Horizontal | 88      | 2.01   | -       | 36.21 | 9.37 | 31.62 |  |  |  |
| AV   | 7.2812G | 53.79    | 54.00    | -0.21  | 39.72  | 3    | Horizontal | 88      | 2.01   | -       | 36.32 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0515G | 59.40    | 88.20    | -28.80 | 69.57  | 3    | Vertical  | 78      | 1.33   | -       | 41.70 | 13.30 | 65.17 |  |  |  |
| RMS  | 14.0444G | 45.79    | 68.20    | -22.41 | 55.98  | 3    | Vertical  | 78      | 1.33   | -       | 41.68 | 13.30 | 65.17 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0645G | 59.46    | 88.20    | -28.74 | 69.60  | 3    | Horizontal | 280     | 1.70   | -       | 41.70 | 13.31 | 65.15 |  |  |  |
| RMS  | 14.0503G | 45.70    | 68.20    | -22.50 | 55.87  | 3    | Horizontal | 280     | 1.70   | -       | 41.70 | 13.30 | 65.17 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.1214G | 47.98    | 83.54    | -35.56 | 42.21  | 1    | Vertical  | 304     | 1.77   | -       | 37.74 | 16.88 | 48.85 |  |  |  |
| AV   | 21.1035G | 34.42    | 63.54    | -29.12 | 28.69  | 1    | Vertical  | 304     | 1.77   | -       | 37.71 | 16.88 | 48.86 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS4),RU484+RU242 MRU 3\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.1143G | 47.92    | 83.54    | -35.62 | 42.16  | 1    | Horizontal | 300     | 1.96   | -       | 37.73 | 16.88 | 48.85 |  |  |  |
| AV   | 21.1019G | 34.28    | 63.54    | -29.26 | 28.57  | 1    | Horizontal | 300     | 1.96   | -       | 37.70 | 16.87 | 48.86 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9164G | 83.38    | 88.20    | -4.82  | 71.55  | 3    | Vertical  | 268     | 1.94   | -       | 34.17 | 8.47 | 30.81 |  |  |  |
| RMS  | 5.9164G | 67.64    | 68.20    | -0.56  | 55.81  | 3    | Vertical  | 268     | 1.94   | -       | 34.17 | 8.47 | 30.81 |  |  |  |
| PK   | 6.103G  | 115.40   | Inf      | -Inf   | 103.37 | 3    | Vertical  | 268     | 1.94   | -       | 34.41 | 8.46 | 30.84 |  |  |  |
| RMS  | 6.0958G | 105.79   | Inf      | -Inf   | 93.75  | 3    | Vertical  | 268     | 1.94   | -       | 34.40 | 8.47 | 30.83 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
02-P-V-1-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9128G      | 85.19             | 88.20             | -3.01          | 73.38         | 3           | Horizontal | 268            | 1.85          | -       | 34.15      | 8.47       | 30.81      |  |  |  |
| RMS  | 5.9158G      | 68.06             | 68.20             | -0.14          | 56.24         | 3           | Horizontal | 268            | 1.85          | -       | 34.16      | 8.47       | 30.81      |  |  |  |
| PK   | 6.0946G      | 115.33            | Inf               | -Inf           | 103.29        | 3           | Horizontal | 268            | 1.85          | -       | 34.40      | 8.47       | 30.83      |  |  |  |
| RMS  | 6.0538G      | 105.41            | Inf               | -Inf           | 93.30         | 3           | Horizontal | 268            | 1.85          | -       | 34.40      | 8.52       | 30.81      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0854G | 51.62    | 74.00    | -22.38 | 66.36  | 3    | Vertical  | 47      | 1.71   | -       | 39.03 | 12.70 | 66.47 |  |  |  |
| AV   | 12.0323G | 41.39    | 54.00    | -12.61 | 56.17  | 3    | Vertical  | 47      | 1.71   | -       | 39.10 | 12.68 | 66.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.0261G     | 51.78             | 74.00             | -22.22         | 66.57         | 3           | Horizontal | 39             | 1.68          | -       | 39.10      | 12.68      | 66.57      |  |  |  |
| AV   | 12.0316G     | 41.35             | 54.00             | -12.65         | 56.13         | 3           | Horizontal | 39             | 1.68          | -       | 39.10      | 12.68      | 66.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.1217G | 46.60    | 83.54    | -36.94 | 42.23  | 1    | Vertical  | 355     | 1.32   | -       | 37.30 | 15.52 | 48.45 |  |  |  |
| AV   | 18.0841G | 34.61    | 63.54    | -28.93 | 30.27  | 1    | Vertical  | 355     | 1.32   | -       | 37.27 | 15.50 | 48.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0598G | 45.88    | 83.54    | -37.66 | 41.59  | 1    | Horizontal | 253     | 1.68   | -       | 37.22 | 15.49 | 48.42 |  |  |  |
| AV   | 18.0371G | 34.58    | 63.54    | -28.96 | 30.26  | 1    | Horizontal | 253     | 1.68   | -       | 37.25 | 15.48 | 48.41 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-P-V-1-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.896G       | 81.94             | 88.20             | -6.26          | 70.23         | 3           | Vertical  | 269            | 1.94          | -       | 34.08      | 8.44       | 30.81      |  |  |  |
| RMS  | 5.9164G      | 68.06             | 68.20             | -0.14          | 56.23         | 3           | Vertical  | 269            | 1.94          | -       | 34.17      | 8.47       | 30.81      |  |  |  |
| PK   | 6.0958G      | 115.94            | Inf               | -Inf           | 103.90        | 3           | Vertical  | 269            | 1.94          | -       | 34.40      | 8.47       | 30.83      |  |  |  |
| RMS  | 6.0958G      | 106.29            | Inf               | -Inf           | 94.25         | 3           | Vertical  | 269            | 1.94          | -       | 34.40      | 8.47       | 30.83      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 23  
02-P-V-1-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9158G | 82.02    | 88.20    | -6.18  | 70.20  | 3    | Horizontal | 267     | 1.66   | -       | 34.16 | 8.47 | 30.81 |  |  |  |
| RMS  | 5.9146G | 68.16    | 68.20    | -0.04  | 56.34  | 3    | Horizontal | 267     | 1.66   | -       | 34.16 | 8.47 | 30.81 |  |  |  |
| PK   | 6.094G  | 114.69   | Inf      | -Inf   | 102.65 | 3    | Horizontal | 267     | 1.66   | -       | 34.40 | 8.47 | 30.83 |  |  |  |
| RMS  | 6.094G  | 105.21   | Inf      | -Inf   | 93.17  | 3    | Horizontal | 267     | 1.66   | -       | 34.40 | 8.47 | 30.83 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.0909G     | 54.76             | 74.00             | -19.24         | 69.50         | 3           | Vertical  | 119            | 1.66          | -       | 39.02      | 12.70      | 66.46      |  |  |  |
| AV   | 12.0318G     | 41.46             | 54.00             | -12.54         | 56.24         | 3           | Vertical  | 119            | 1.66          | -       | 39.10      | 12.68      | 66.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0259G | 54.95    | 74.00    | -19.05 | 69.74  | 3    | Horizontal | 72      | 1.92   | -       | 39.10 | 12.68 | 66.57 |  |  |  |
| AV   | 12.0378G | 41.55    | 54.00    | -12.45 | 56.32  | 3    | Horizontal | 72      | 1.92   | -       | 39.10 | 12.68 | 66.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0935G | 47.63    | 83.54    | -35.91 | 43.28  | 1    | Vertical  | 258     | 1.40   | -       | 37.29 | 15.50 | 48.44 |  |  |  |
| AV   | 18.026G  | 34.51    | 63.54    | -29.03 | 30.15  | 1    | Vertical  | 258     | 1.40   | -       | 37.30 | 15.47 | 48.41 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0345G | 48.11    | 83.54    | -35.43 | 43.78  | 1    | Horizontal | 7       | 1.71   | -       | 37.26 | 15.48 | 48.41 |  |  |  |
| AV   | 18.0377G | 34.54    | 63.54    | -29.00 | 30.23  | 1    | Horizontal | 7       | 1.71   | -       | 37.25 | 15.48 | 48.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 19  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0514G | 109.28   | Inf      | -Inf   | 96.16  | 3    | Vertical  | 356.1   | 2.01   | -       | 35.40 | 9.40 | 31.68 |  |  |  |
| RMS  | 7.0514G | 100.19   | Inf      | -Inf   | 87.07  | 3    | Vertical  | 356.1   | 2.01   | -       | 35.40 | 9.40 | 31.68 |  |  |  |
| PK   | 7.1698G | 70.34    | 88.20    | -17.86 | 56.79  | 3    | Vertical  | 356.1   | 2.01   | -       | 35.82 | 9.38 | 31.65 |  |  |  |
| RMS  | 7.1906G | 55.76    | 68.20    | -12.44 | 42.09  | 3    | Vertical  | 356.1   | 2.01   | -       | 35.94 | 9.37 | 31.64 |  |  |  |
| PK   | 7.2506G | 66.71    | 74.00    | -7.29  | 52.76  | 3    | Vertical  | 356.1   | 2.01   | -       | 36.20 | 9.37 | 31.62 |  |  |  |
| AV   | 7.2506G | 53.57    | 54.00    | -0.43  | 39.62  | 3    | Vertical  | 356.1   | 2.01   | -       | 36.20 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9402G | 110.60   | Inf      | -Inf   | 97.69  | 3    | Horizontal | 82      | 2.71   | -       | 35.22 | 9.30 | 31.61 |  |  |  |
| RMS  | 6.9202G | 102.12   | Inf      | -Inf   | 89.18  | 3    | Horizontal | 82      | 2.71   | -       | 35.26 | 9.26 | 31.58 |  |  |  |
| PK   | 7.1346G | 75.58    | 88.20    | -12.62 | 62.22  | 3    | Horizontal | 82      | 2.71   | -       | 35.64 | 9.38 | 31.66 |  |  |  |
| RMS  | 7.1538G | 55.02    | 68.20    | -13.18 | 41.57  | 3    | Horizontal | 82      | 2.71   | -       | 35.72 | 9.38 | 31.65 |  |  |  |
| PK   | 7.293G  | 64.35    | 74.00    | -9.65  | 50.22  | 3    | Horizontal | 82      | 2.71   | -       | 36.37 | 9.37 | 31.61 |  |  |  |
| AV   | 7.2538G | 52.52    | 54.00    | -1.48  | 38.55  | 3    | Horizontal | 82      | 2.71   | -       | 36.22 | 9.37 | 31.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9839G | 58.31    | 88.20    | -29.89 | 68.83  | 3    | Vertical  | 160     | 2.07   | -       | 41.44 | 13.28 | 65.24 |  |  |  |
| RMS  | 13.9766G | 45.10    | 68.20    | -23.10 | 55.66  | 3    | Vertical  | 160     | 2.07   | -       | 41.41 | 13.27 | 65.24 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9719G | 58.37    | 88.20    | -29.83 | 68.96  | 3    | Horizontal | 103     | 1.57   | -       | 41.39 | 13.27 | 65.25 |  |  |  |
| RMS  | 13.9766G | 45.18    | 68.20    | -23.02 | 55.74  | 3    | Horizontal | 103     | 1.57   | -       | 41.41 | 13.27 | 65.24 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9495G     | 47.27             | 83.54             | -36.27         | 41.55         | 1           | Vertical  | 316            | 1.86          | -       | 37.80      | 16.82      | 48.90      |  |  |  |
| AV   | 20.9473G     | 33.93             | 63.54             | -29.61         | 28.21         | 1           | Vertical  | 316            | 1.86          | -       | 37.80      | 16.82      | 48.90      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9991G     | 47.29             | 83.54             | -36.25         | 41.65         | 1           | Horizontal | 160            | 1.50          | -       | 37.70      | 16.84      | 48.90      |  |  |  |
| AV   | 20.9277G     | 34.01             | 63.54             | -29.53         | 28.30         | 1           | Horizontal | 160            | 1.50          | -       | 37.80      | 16.81      | 48.90      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.9122G | 109.29   | Inf      | -Inf   | 96.34  | 3    | Vertical  | 355     | 1.99   | -       | 35.28 | 9.24 | 31.57 |  |  |  |  |
| RMS  | 6.9122G | 99.70    | Inf      | -Inf   | 86.75  | 3    | Vertical  | 355     | 1.99   | -       | 35.28 | 9.24 | 31.57 |  |  |  |  |
| PK   | 7.1522G | 72.85    | 88.20    | -15.35 | 59.41  | 3    | Vertical  | 355     | 1.99   | -       | 35.71 | 9.38 | 31.65 |  |  |  |  |
| RMS  | 7.1914G | 53.03    | 68.20    | -15.17 | 39.35  | 3    | Vertical  | 355     | 1.99   | -       | 35.95 | 9.37 | 31.64 |  |  |  |  |
| PK   | 7.2506G | 67.13    | 74.00    | -6.87  | 53.18  | 3    | Vertical  | 355     | 1.99   | -       | 36.20 | 9.37 | 31.62 |  |  |  |  |
| AV   | 7.2506G | 52.57    | 54.00    | -1.43  | 38.62  | 3    | Vertical  | 355     | 1.99   | -       | 36.20 | 9.37 | 31.62 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
02-P-K-3-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.041G       | 111.81            | Inf               | -Inf           | 98.71         | 3           | Horizontal | 81             | 2.45          | -       | 35.38      | 9.40       | 31.68      |  |  |  |
| RMS  | 7.021G       | 100.88            | Inf               | -Inf           | 87.81         | 3           | Horizontal | 81             | 2.45          | -       | 35.34      | 9.41       | 31.68      |  |  |  |
| PK   | 7.1394G      | 74.16             | 88.20             | -14.04         | 60.77         | 3           | Horizontal | 81             | 2.45          | -       | 35.66      | 9.38       | 31.65      |  |  |  |
| RMS  | 7.2082G      | 54.32             | 68.20             | -13.88         | 40.56         | 3           | Horizontal | 81             | 2.45          | -       | 36.03      | 9.37       | 31.64      |  |  |  |
| PK   | 7.2786G      | 66.20             | 74.00             | -7.80          | 52.14         | 3           | Horizontal | 81             | 2.45          | -       | 36.31      | 9.37       | 31.62      |  |  |  |
| AV   | 7.253G       | 51.09             | 54.00             | -2.91          | 37.13         | 3           | Horizontal | 81             | 2.45          | -       | 36.21      | 9.37       | 31.62      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0113G | 58.71    | 88.20    | -29.49 | 69.10  | 3    | Vertical  | 345     | 1.96   | -       | 41.55 | 13.28 | 65.22 |  |  |  |
| RMS  | 13.971G  | 45.21    | 68.20    | -22.99 | 55.81  | 3    | Vertical  | 345     | 1.96   | -       | 41.38 | 13.27 | 65.25 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9739G | 59.64    | 88.20    | -28.56 | 70.22  | 3    | Horizontal | 312     | 2.06   | -       | 41.40 | 13.27 | 65.25 |  |  |  |
| RMS  | 13.9828G | 45.17    | 68.20    | -23.03 | 55.71  | 3    | Horizontal | 312     | 2.06   | -       | 41.43 | 13.27 | 65.24 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.963G  | 48.19    | 83.54    | -35.35 | 42.50  | 1    | Vertical  | 115     | 1.66   | -       | 37.77 | 16.82 | 48.90 |  |  |  |
| AV   | 20.9356G | 33.99    | 63.54    | -29.55 | 28.28  | 1    | Vertical  | 115     | 1.66   | -       | 37.80 | 16.81 | 48.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS4),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9487G     | 47.37             | 83.54             | -36.17         | 41.65         | 1           | Horizontal | 145            | 1.76          | -       | 37.80      | 16.82      | 48.90      |  |  |  |
| AV   | 20.9532G     | 34.03             | 63.54             | -29.51         | 28.32         | 1           | Horizontal | 145            | 1.76          | -       | 37.79      | 16.82      | 48.90      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 22.5  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9088G | 83.32    | 88.20    | -4.88  | 71.53  | 3    | Vertical  | 270     | 1.98   | -       | 34.14 | 8.46 | 30.81 |  |  |  |
| RMS  | 5.925G  | 66.10    | 68.20    | -2.10  | 54.22  | 3    | Vertical  | 270     | 1.98   | -       | 34.20 | 8.48 | 30.80 |  |  |  |
| PK   | 6.1566G | 112.03   | Inf      | -Inf   | 99.99  | 3    | Vertical  | 270     | 1.98   | -       | 34.50 | 8.40 | 30.86 |  |  |  |
| RMS  | 6.156G  | 102.97   | Inf      | -Inf   | 90.93  | 3    | Vertical  | 270     | 1.98   | -       | 34.50 | 8.40 | 30.86 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-P-K-3-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91G        | 81.08             | 88.20             | -7.12          | 69.29         | 3           | Horizontal | 325            | 1.91          | -       | 34.14      | 8.46       | 30.81      |  |  |  |
| RMS  | 5.925G       | 66.30             | 68.20             | -1.90          | 54.42         | 3           | Horizontal | 325            | 1.91          | -       | 34.20      | 8.48       | 30.80      |  |  |  |
| PK   | 6.0864G      | 112.50            | Inf               | -Inf           | 100.45        | 3           | Horizontal | 325            | 1.91          | -       | 34.40      | 8.48       | 30.83      |  |  |  |
| RMS  | 6.1668G      | 102.67            | Inf               | -Inf           | 90.65         | 3           | Horizontal | 325            | 1.91          | -       | 34.50      | 8.39       | 30.87      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2276G     | 55.18             | 74.00             | -18.82         | 69.89         | 3           | Vertical  | 46             | 1.51          | -       | 38.80      | 12.74      | 66.25      |  |  |  |
| AV   | 12.2154G     | 42.15             | 54.00             | -11.85         | 56.88         | 3           | Vertical  | 46             | 1.51          | -       | 38.80      | 12.74      | 66.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2548G     | 55.75             | 74.00             | -18.25         | 70.40         | 3           | Horizontal | 214            | 2.00          | -       | 38.80      | 12.75      | 66.20      |  |  |  |
| AV   | 12.2252G     | 42.24             | 54.00             | -11.76         | 56.95         | 3           | Horizontal | 214            | 2.00          | -       | 38.80      | 12.74      | 66.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.332G  | 49.30    | 83.54    | -34.24 | 44.78  | 1    | Vertical  | 24      | 2.00   | -       | 37.43 | 15.62 | 48.53 |  |  |  |
| AV   | 18.3223G | 35.02    | 63.54    | -28.52 | 30.55  | 1    | Vertical  | 24      | 2.00   | -       | 37.39 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3529G | 48.57    | 83.54    | -34.97 | 43.98  | 1    | Horizontal | 237     | 2.04   | -       | 37.50 | 15.63 | 48.54 |  |  |  |
| AV   | 18.3212G | 34.97    | 63.54    | -28.57 | 30.51  | 1    | Horizontal | 237     | 2.04   | -       | 37.38 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 22  
02-P-K-3-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9166G      | 85.09             | 88.20             | -3.11          | 73.26         | 3           | Vertical  | 270            | 1.92          | -       | 34.17      | 8.47       | 30.81      |  |  |  |
| RMS  | 5.9166G      | 66.18             | 68.20             | -2.02          | 54.35         | 3           | Vertical  | 270            | 1.92          | -       | 34.17      | 8.47       | 30.81      |  |  |  |
| PK   | 6.1752G      | 111.90            | Inf               | -Inf           | 99.89         | 3           | Vertical  | 270            | 1.92          | -       | 34.50      | 8.38       | 30.87      |  |  |  |
| RMS  | 6.1554G      | 102.44            | Inf               | -Inf           | 90.40         | 3           | Vertical  | 270            | 1.92          | -       | 34.50      | 8.40       | 30.86      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 22  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9238G | 81.28    | 88.20    | -6.92  | 69.40  | 3    | Horizontal | 330     | 1.89   | -       | 34.20 | 8.48 | 30.80 |  |  |  |
| RMS  | 5.925G  | 67.17    | 68.20    | -1.03  | 55.29  | 3    | Horizontal | 330     | 1.89   | -       | 34.20 | 8.48 | 30.80 |  |  |  |
| PK   | 6.1662G | 112.39   | Inf      | -Inf   | 100.37 | 3    | Horizontal | 330     | 1.89   | -       | 34.50 | 8.39 | 30.87 |  |  |  |
| RMS  | 6.1668G | 102.63   | Inf      | -Inf   | 90.61  | 3    | Horizontal | 330     | 1.89   | -       | 34.50 | 8.39 | 30.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2157G     | 55.65             | 74.00             | -18.35         | 70.37         | 3           | Vertical  | 336            | 1.82          | -       | 38.80      | 12.74      | 66.26      |  |  |  |
| AV   | 12.2216G     | 42.22             | 54.00             | -11.78         | 56.94         | 3           | Vertical  | 336            | 1.82          | -       | 38.80      | 12.74      | 66.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2563G     | 55.32             | 74.00             | -18.68         | 69.97         | 3           | Horizontal | 156            | 1.81          | -       | 38.80      | 12.75      | 66.20      |  |  |  |
| AV   | 12.2263G     | 42.13             | 54.00             | -11.87         | 56.84         | 3           | Horizontal | 156            | 1.81          | -       | 38.80      | 12.74      | 66.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.2787G | 48.24    | 83.54    | -35.30 | 43.77  | 1    | Vertical  | 318     | 1.34   | -       | 37.39 | 15.59 | 48.51 |  |  |  |
| AV   | 18.3514G | 34.97    | 63.54    | -28.57 | 30.38  | 1    | Vertical  | 318     | 1.34   | -       | 37.50 | 15.63 | 48.54 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.359G  | 48.38    | 83.54    | -35.16 | 43.79  | 1    | Horizontal | 195     | 1.49   | -       | 37.50 | 15.63 | 48.54 |  |  |  |
| AV   | 18.3223G | 35.14    | 63.54    | -28.40 | 30.67  | 1    | Horizontal | 195     | 1.49   | -       | 37.39 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9235G | 78.31    | 88.20    | -9.89  | 66.44  | 3    | Vertical  | 270     | 1.80   | -       | 34.19 | 8.48 | 30.80 |  |  |  |
| RMS  | 5.9235G | 65.54    | 68.20    | -2.66  | 53.67  | 3    | Vertical  | 270     | 1.80   | -       | 34.19 | 8.48 | 30.80 |  |  |  |
| PK   | 6.2355G | 114.64   | Inf      | -Inf   | 102.64 | 3    | Vertical  | 270     | 1.80   | -       | 34.50 | 8.40 | 30.90 |  |  |  |
| RMS  | 6.2355G | 104.58   | Inf      | -Inf   | 92.58  | 3    | Vertical  | 270     | 1.80   | -       | 34.50 | 8.40 | 30.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9145G | 79.61    | 88.20    | -8.59  | 67.79  | 3    | Horizontal | 344     | 2.88   | -       | 34.16 | 8.47 | 30.81 |  |  |  |
| RMS  | 5.9135G | 67.46    | 68.20    | -0.74  | 55.65  | 3    | Horizontal | 344     | 2.88   | -       | 34.15 | 8.47 | 30.81 |  |  |  |
| PK   | 6.1535G | 114.45   | Inf      | -Inf   | 102.41 | 3    | Horizontal | 344     | 2.88   | -       | 34.50 | 8.40 | 30.86 |  |  |  |
| RMS  | 6.172G  | 104.91   | Inf      | -Inf   | 92.90  | 3    | Horizontal | 344     | 2.88   | -       | 34.50 | 8.38 | 30.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.1956G     | 55.52             | 74.00             | -18.48         | 70.29         | 3           | Vertical  | 317            | 1.39          | -       | 38.80      | 12.73      | 66.30      |  |  |  |
| AV   | 12.2149G     | 42.11             | 54.00             | -11.89         | 56.84         | 3           | Vertical  | 317            | 1.39          | -       | 38.80      | 12.74      | 66.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2211G     | 55.23             | 74.00             | -18.77         | 69.95         | 3           | Horizontal | 316            | 1.93          | -       | 38.80      | 12.74      | 66.26      |  |  |  |
| AV   | 12.2257G     | 42.28             | 54.00             | -11.72         | 56.99         | 3           | Horizontal | 316            | 1.93          | -       | 38.80      | 12.74      | 66.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3195G | 48.07    | 83.54    | -35.47 | 43.61  | 1    | Vertical  | 313     | 1.54   | -       | 37.38 | 15.61 | 48.53 |  |  |  |
| AV   | 18.3233G | 35.05    | 63.54    | -28.49 | 30.57  | 1    | Vertical  | 313     | 1.54   | -       | 37.39 | 15.62 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3206G | 48.40    | 83.54    | -35.14 | 43.94  | 1    | Horizontal | 85      | 1.32   | -       | 37.38 | 15.61 | 48.53 |  |  |  |
| AV   | 18.3206G | 35.14    | 63.54    | -28.40 | 30.68  | 1    | Horizontal | 85      | 1.32   | -       | 37.38 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 23  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.916G  | 77.30    | 88.20    | -10.90 | 65.48  | 3    | Vertical  | 271     | 1.80   | -       | 34.16 | 8.47 | 30.81 |  |  |  |  |
| RMS  | 5.9165G | 66.17    | 68.20    | -2.03  | 54.34  | 3    | Vertical  | 271     | 1.80   | -       | 34.17 | 8.47 | 30.81 |  |  |  |  |
| PK   | 6.2155G | 113.51   | Inf      | -Inf   | 101.53 | 3    | Vertical  | 271     | 1.80   | -       | 34.50 | 8.37 | 30.89 |  |  |  |  |
| RMS  | 6.235G  | 104.22   | Inf      | -Inf   | 92.22  | 3    | Vertical  | 271     | 1.80   | -       | 34.50 | 8.40 | 30.90 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-P-K-3-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 77.21             | 88.20             | -10.99         | 65.33         | 3           | Horizontal | 331            | 1.74          | -       | 34.20      | 8.48       | 30.80      |  |  |  |
| RMS  | 5.925G       | 67.76             | 68.20             | -0.44          | 55.88         | 3           | Horizontal | 331            | 1.74          | -       | 34.20      | 8.48       | 30.80      |  |  |  |
| PK   | 6.1065G      | 113.94            | Inf               | -Inf           | 101.91        | 3           | Horizontal | 331            | 1.74          | -       | 34.41      | 8.46       | 30.84      |  |  |  |
| RMS  | 6.146G       | 103.97            | Inf               | -Inf           | 91.93         | 3           | Horizontal | 331            | 1.74          | -       | 34.49      | 8.41       | 30.86      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2439G     | 55.85             | 74.00             | -18.15         | 70.53         | 3           | Vertical  | 245            | 1.63          | -       | 38.80      | 12.74      | 66.22      |  |  |  |
| AV   | 12.2125G     | 42.25             | 54.00             | -11.75         | 56.99         | 3           | Vertical  | 245            | 1.63          | -       | 38.80      | 12.73      | 66.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.1936G     | 55.63             | 74.00             | -18.37         | 70.40         | 3           | Horizontal | 284            | 2.04          | -       | 38.80      | 12.73      | 66.30      |  |  |  |
| AV   | 12.2291G     | 42.33             | 54.00             | -11.67         | 57.03         | 3           | Horizontal | 284            | 2.04          | -       | 38.80      | 12.74      | 66.24      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3263G | 48.38    | 83.54    | -35.16 | 43.88  | 1    | Vertical  | 201     | 1.43   | -       | 37.41 | 15.62 | 48.53 |  |  |  |
| AV   | 18.3227G | 35.12    | 63.54    | -28.42 | 30.65  | 1    | Vertical  | 201     | 1.43   | -       | 37.39 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS4),2xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3251G | 48.90    | 83.54    | -34.64 | 44.41  | 1    | Horizontal | 78      | 1.78   | -       | 37.40 | 15.62 | 48.53 |  |  |  |
| AV   | 18.3218G | 34.94    | 63.54    | -28.60 | 30.47  | 1    | Horizontal | 78      | 1.78   | -       | 37.39 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 22  
02-P-K-3-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9085G      | 80.65             | 88.20             | -7.55          | 68.87         | 3           | Vertical  | 270            | 2.09          | -       | 34.13      | 8.46       | 30.81      |  |  |  |
| RMS  | 5.924G       | 64.18             | 68.20             | -4.02          | 52.30         | 3           | Vertical  | 270            | 2.09          | -       | 34.20      | 8.48       | 30.80      |  |  |  |
| PK   | 6.175G       | 112.47            | Inf               | -Inf           | 100.46        | 3           | Vertical  | 270            | 2.09          | -       | 34.50      | 8.38       | 30.87      |  |  |  |
| RMS  | 6.176G       | 103.75            | Inf               | -Inf           | 91.74         | 3           | Vertical  | 270            | 2.09          | -       | 34.50      | 8.38       | 30.87      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 22  
02-P-K-3-3

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 79.38    | 88.20    | -8.82  | 67.50  | 3    | Horizontal | 333     | 1.83   | -       | 34.20 | 8.48 | 30.80 |  |  |  |
| RMS  | 5.925G  | 66.84    | 68.20    | -1.36  | 54.96  | 3    | Horizontal | 333     | 1.83   | -       | 34.20 | 8.48 | 30.80 |  |  |  |
| PK   | 6.1465G | 114.27   | Inf      | -Inf   | 102.23 | 3    | Horizontal | 333     | 1.83   | -       | 34.49 | 8.41 | 30.86 |  |  |  |
| RMS  | 6.147G  | 103.79   | Inf      | -Inf   | 91.75  | 3    | Horizontal | 333     | 1.83   | -       | 34.49 | 8.41 | 30.86 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.223G  | 55.43    | 74.00    | -18.57 | 70.14  | 3    | Vertical  | 38      | 1.84   | -       | 38.80 | 12.74 | 66.25 |  |  |  |
| AV   | 12.2171G | 42.22    | 54.00    | -11.78 | 56.94  | 3    | Vertical  | 38      | 1.84   | -       | 38.80 | 12.74 | 66.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2521G | 55.00    | 74.00    | -19.00 | 69.66  | 3    | Horizontal | 116     | 2.00   | -       | 38.80 | 12.75 | 66.21 |  |  |  |
| AV   | 12.227G  | 42.19    | 54.00    | -11.81 | 56.90  | 3    | Horizontal | 116     | 2.00   | -       | 38.80 | 12.74 | 66.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3431G | 48.96    | 83.54    | -34.58 | 44.41  | 1    | Vertical  | 179     | 1.57   | -       | 37.47 | 15.62 | 48.54 |  |  |  |
| AV   | 18.3227G | 35.00    | 63.54    | -28.54 | 30.53  | 1    | Vertical  | 179     | 1.57   | -       | 37.39 | 15.61 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX

EUT Y\_4TX  
Setting 27  
02-P-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3353G | 48.85    | 83.54    | -34.69 | 44.32  | 1    | Horizontal | 322     | 1.86   | -       | 37.44 | 15.62 | 48.53 |  |  |  |
| AV   | 18.3223G | 35.02    | 63.54    | -28.52 | 30.55  | 1    | Horizontal | 322     | 1.86   | -       | 37.39 | 15.61 | 48.53 |  |  |  |