


5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60233G	49.85	74.00	-24.15	41.78	3	Horizontal	344	1.08	-	39.10	14.80	45.83			
AV	11.58064G	37.12	54.00	-16.88	29.06	3	Horizontal	344	1.08	-	39.10	14.79	45.83			
PK	17.379G	54.35	68.20	-13.85	41.79	3	Horizontal	269	2.87	-	42.02	15.75	45.21			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 17.5
20\16.5\18\17.5
-3.49\2.56\ -0.06\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	67.48	74.00	-6.52	57.47	3	Vertical	100	1.80	17.5	32.89	9.71	32.59			
AV	5.15G	53.53	54.00	-0.47	43.51	3	Vertical	100	1.80	17.5	32.90	9.71	32.59			
PK	5.233G	108.77	Inf	-Inf	98.58	3	Vertical	100	1.80	17.5	33.03	9.73	32.57			
AV	5.2445G	95.83	Inf	-Inf	85.60	3	Vertical	100	1.80	17.5	33.08	9.72	32.57			
PK	5.4145G	59.77	74.00	-14.23	49.14	3	Vertical	100	1.80	17.5	33.46	9.69	32.52			
AV	5.4585G	46.94	54.00	-7.06	36.03	3	Vertical	100	1.80	17.5	33.65	9.77	32.51			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 18.5
17.5\19.5\18.5
2.06\0.84\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1335G	66.65	74.00	-7.35	56.67	3	Horizontal	354	1.80	18.5	32.87	9.71	32.60			
AV	5.15G	53.55	54.00	-0.45	43.53	3	Horizontal	354	1.80	18.5	32.90	9.71	32.59			
PK	5.2295G	106.79	Inf	-Inf	96.61	3	Horizontal	354	1.80	18.5	33.02	9.73	32.57			
AV	5.179G	93.03	Inf	-Inf	82.98	3	Horizontal	354	1.80	18.5	32.90	9.73	32.58			
PK	5.4435G	59.47	74.00	-14.53	48.67	3	Horizontal	354	1.80	18.5	33.57	9.74	32.51			
AV	5.455G	46.33	54.00	-7.67	35.45	3	Horizontal	354	1.80	18.5	33.63	9.76	32.51			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 17.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43149G	50.30	68.20	-17.90	42.57	3	Vertical	140	1.61	-	38.90	14.16	45.33			
PK	15.63207G	54.01	74.00	-19.99	43.48	3	Vertical	66	2.55	-	38.31	15.36	43.14			
AV	15.64077G	40.71	54.00	-13.29	30.25	3	Vertical	66	2.55	-	38.26	15.36	43.16			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 17.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40671G	50.67	68.20	-17.53	42.96	3	Horizontal	11	2.24	-	38.90	14.14	45.33			
PK	15.61593G	54.36	74.00	-19.64	43.71	3	Horizontal	100	1.11	-	38.40	15.36	43.11			
AV	15.64497G	40.69	54.00	-13.31	30.27	3	Horizontal	100	1.11	-	38.23	15.36	43.17			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 18
20\16.5\18
-3.01\2.31\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0625G	58.53	74.00	-15.47	48.52	3	Vertical	103	1.80	18	32.95	9.67	32.61			
AV	5.15G	45.84	54.00	-8.16	35.82	3	Vertical	103	1.80	18	32.90	9.71	32.59			
PK	5.3285G	108.59	Inf	-Inf	98.18	3	Vertical	103	1.80	18	33.26	9.69	32.54			
AV	5.3G	95.38	Inf	-Inf	85.03	3	Vertical	103	1.80	18	33.20	9.70	32.55			
PK	5.354G	67.60	74.00	-6.40	57.15	3	Vertical	103	1.80	18	33.31	9.68	32.54			
AV	5.35G	53.64	54.00	-0.36	43.20	3	Vertical	103	1.80	18	33.30	9.68	32.54			
PK	5.5345G	60.55	68.20	-7.65	49.17	3	Vertical	103	1.80	18	33.97	9.91	32.50			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 19
18\19.5\19
1.50\0.78\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.079G	58.83	74.00	-15.17	48.88	3	Horizontal	305	1.80	19	32.88	9.68	32.61			
AV	5.1465G	45.76	54.00	-8.24	35.75	3	Horizontal	305	1.80	19	32.89	9.71	32.59			
PK	5.3025G	105.01	Inf	-Inf	94.65	3	Horizontal	305	1.80	19	33.21	9.70	32.55			
AV	5.302G	92.70	Inf	-Inf	82.35	3	Horizontal	305	1.80	19	33.20	9.70	32.55			
PK	5.3545G	66.56	74.00	-7.44	56.11	3	Horizontal	305	1.80	19	33.31	9.68	32.54			
AV	5.3525G	53.94	54.00	-0.06	43.50	3	Horizontal	305	1.80	19	33.30	9.68	32.54			
PK	5.5025G	59.86	68.20	-8.34	48.60	3	Horizontal	305	1.80	19	33.91	9.85	32.50			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58738G	50.79	68.20	-17.41	42.82	3	Vertical	110	2.22	-	39.20	14.24	45.47			
PK	15.87978G	52.29	74.00	-21.71	41.90	3	Vertical	60	1.45	-	38.68	15.37	43.66			
AV	15.85611G	38.62	54.00	-15.38	28.32	3	Vertical	60	1.45	-	38.54	15.37	43.61			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58159G	50.75	68.20	-17.45	42.77	3	Horizontal	352	2.89	-	39.20	14.24	45.46			
PK	15.88266G	51.82	74.00	-22.18	41.42	3	Horizontal	77	1.41	-	38.70	15.37	43.67			
AV	15.85587G	38.61	54.00	-15.39	28.31	3	Horizontal	77	1.41	-	38.54	15.37	43.61			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 18
20\16.5\18
-3.14\3.11\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	58.87	68.20	-9.33	48.56	3	Vertical	324	1.79	18	33.16	9.71	32.56			
AV	5.35G	46.15	54.00	-7.85	35.71	3	Vertical	324	1.79	18	33.30	9.68	32.54			
PK	5.454G	66.40	74.00	-7.60	55.53	3	Vertical	324	1.79	18	33.62	9.76	32.51			
AV	5.46G	53.63	54.00	-0.37	42.71	3	Vertical	324	1.79	18	33.66	9.77	32.51			
PK	5.467G	67.25	68.20	-0.95	56.28	3	Vertical	324	1.79	18	33.70	9.78	32.51			
PK	5.5355G	108.99	Inf	-Inf	97.56	3	Vertical	324	1.79	18	34.00	9.94	32.51			
AV	5.5655G	96.46	Inf	-Inf	85.00	3	Vertical	324	1.79	18	34.00	9.97	32.51			
PK	5.7275G	61.28	68.20	-6.92	49.59	3	Vertical	324	1.79	18	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 19.5
18\19\19.5
1.49\1.29\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3205G	58.39	68.20	-9.81	48.01	3	Horizontal	308	1.80	19.5	33.24	9.69	32.55			
AV	5.35G	45.45	54.00	-8.55	35.01	3	Horizontal	308	1.80	19.5	33.30	9.68	32.54			
PK	5.4575G	68.80	74.00	-5.20	57.89	3	Horizontal	308	1.80	19.5	33.65	9.77	32.51			
AV	5.46G	53.64	54.00	-0.36	42.72	3	Horizontal	308	1.80	19.5	33.66	9.77	32.51			
PK	5.4665G	68.16	68.20	-0.04	57.19	3	Horizontal	308	1.80	19.5	33.70	9.78	32.51			
PK	5.5015G	106.71	Inf	-Inf	95.46	3	Horizontal	308	1.80	19.5	33.90	9.85	32.50			
AV	5.501G	93.76	Inf	-Inf	82.51	3	Horizontal	308	1.80	19.5	33.90	9.85	32.50			
PK	5.769G	60.73	68.20	-7.47	49.02	3	Horizontal	308	1.80	19.5	34.24	10.00	32.53			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05601G	49.70	74.00	-24.30	42.21	3	Vertical	59	2.97	-	39.19	14.50	46.20			
AV	11.06042G	36.27	54.00	-17.73	28.79	3	Vertical	59	2.97	-	39.18	14.50	46.20			
PK	16.58718G	53.90	68.20	-14.30	43.27	3	Vertical	90	2.76	-	39.70	15.54	44.61			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06993G	49.67	74.00	-24.33	42.19	3	Horizontal	203	2.11	-	39.16	14.51	46.19			
AV	11.05748G	36.25	54.00	-17.75	28.76	3	Horizontal	203	2.11	-	39.19	14.50	46.20			
PK	16.58091G	53.41	68.20	-14.79	42.79	3	Horizontal	255	1.40	-	39.70	15.53	44.61			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX


EUT Y_4TX
Setting 23
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4472G	64.69	74.00	-9.31	53.86	3	Vertical	319	1.80	-	33.59	9.75	32.51			
AV	5.4556G	51.42	54.00	-2.58	40.54	3	Vertical	319	1.80	-	33.63	9.76	32.51			
PK	5.4672G	64.57	68.20	-3.63	53.60	3	Vertical	319	1.80	-	33.70	9.78	32.51			
PK	5.6136G	115.84	Inf	-Inf	104.29	3	Vertical	319	1.80	-	34.03	10.03	32.51			
AV	5.6272G	101.90	Inf	-Inf	90.33	3	Vertical	319	1.80	-	34.05	10.03	32.51			
PK	5.7272G	67.29	68.20	-0.91	55.60	3	Vertical	319	1.80	-	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 23
01-R-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4376G	62.37	74.00	-11.63	51.61	3	Horizontal	170	1.80	-	33.55	9.73	32.52			
AV	5.4404G	49.82	54.00	-4.18	39.05	3	Horizontal	170	1.80	-	33.56	9.73	32.52			
PK	5.4616G	61.68	68.20	-6.52	50.75	3	Horizontal	170	1.80	-	33.67	9.77	32.51			
PK	5.6144G	108.87	Inf	-Inf	97.32	3	Horizontal	170	1.80	-	34.03	10.03	32.51			
AV	5.6072G	96.03	Inf	-Inf	84.50	3	Horizontal	170	1.80	-	34.01	10.03	32.51			
PK	5.7784G	64.62	68.20	-3.58	52.89	3	Horizontal	170	1.80	-	34.26	10.00	32.53			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX


EUT Y_4TX
SET 23
01-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2176G	49.37	74.00	-24.63	41.89	3	Vertical	287	1.84	-	38.94	14.59	46.05			
AV	11.21805G	36.23	54.00	-17.77	28.75	3	Vertical	287	1.84	-	38.94	14.59	46.05			
PK	16.82748G	53.50	68.20	-14.70	42.28	3	Vertical	250	1.11	-	40.41	15.60	44.79			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
SET 23
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.214G	49.99	74.00	-24.01	42.53	3	Horizontal	145	2.32	-	38.93	14.59	46.06			
AV	11.20812G	36.19	54.00	-17.81	28.75	3	Horizontal	145	2.32	-	38.92	14.58	46.06			
PK	16.81668G	53.26	68.20	-14.94	42.07	3	Horizontal	5	2.39	-	40.37	15.60	44.78			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22.5
20\26\19\22.5\24\23.5\20.5\22\22.5
6.05\ -9.77\6.25\1.62\ -3.80\ -3.91\5.36\2.98\1.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4188G	62.71	74.00	-11.29	52.06	3	Vertical	324	1.80	22.5	33.48	9.69	32.52			
AV	5.414G	50.01	54.00	-3.99	39.38	3	Vertical	324	1.80	22.5	33.46	9.69	32.52			
PK	5.4626G	60.34	68.20	-7.86	49.39	3	Vertical	324	1.80	22.5	33.68	9.78	32.51			
PK	5.6792G	114.42	Inf	-Inf	102.76	3	Vertical	324	1.80	22.5	34.16	10.02	32.52			
AV	5.6726G	102.00	Inf	-Inf	90.35	3	Vertical	324	1.80	22.5	34.15	10.02	32.52			
PK	5.85G	66.37	68.20	-1.83	54.25	3	Vertical	324	1.80	22.5	34.60	10.05	32.53			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 23
22.5\26\21.5\23.5\24.5\24\23.5\23
3.98\9.03\6.24\0.78\3.14\1.62\0.74\1.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4356G	60.78	74.00	-13.22	50.03	3	Horizontal	324	1.80	23	33.54	9.73	32.52			
AV	5.4164G	47.47	54.00	-6.53	36.83	3	Horizontal	324	1.80	23	33.47	9.69	32.52			
PK	5.4626G	60.42	68.20	-7.78	49.47	3	Horizontal	324	1.80	23	33.68	9.78	32.51			
PK	5.7128G	111.28	Inf	-Inf	99.59	3	Horizontal	324	1.80	23	34.20	10.01	32.52			
AV	5.7242G	98.41	Inf	-Inf	86.72	3	Horizontal	324	1.80	23	34.20	10.01	32.52			
PK	5.85G	66.74	68.20	-1.46	54.62	3	Horizontal	324	1.80	23	34.60	10.05	32.53			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37511G	50.23	74.00	-23.77	42.31	3	Vertical	33	1.71	-	39.15	14.68	45.91			
AV	11.39428G	37.02	54.00	-16.98	29.12	3	Vertical	33	1.71	-	39.11	14.69	45.90			
PK	17.0607G	53.42	68.20	-14.78	41.68	3	Vertical	148	2.18	-	41.04	15.66	44.96			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22.5
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38087G	51.29	74.00	-22.71	43.38	3	Horizontal	136	2.12	-	39.14	14.68	45.91			
AV	11.39434G	36.95	54.00	-17.05	29.05	3	Horizontal	136	2.12	-	39.11	14.69	45.90			
PK	17.06655G	53.43	68.20	-14.77	41.66	3	Horizontal	195	2.81	-	41.07	15.66	44.96			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.625G	61.96	68.20	-6.24	50.39	3	Vertical	4	1.80	-	34.05	10.03	32.51			
PK	5.755G	110.01	Inf	-Inf	98.32	3	Vertical	4	1.80	-	34.21	10.01	32.53			
AV	5.7655G	96.63	Inf	-Inf	84.92	3	Vertical	4	1.80	-	34.23	10.01	32.53			
PK	5.997G	60.37	68.20	-7.83	47.44	3	Vertical	4	1.80	-	35.29	10.19	32.55			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.637G	67.30	68.20	-0.90	55.72	3	Horizontal	300	2.98	-	34.07	10.02	32.51			
PK	5.7505G	112.93	Inf	-Inf	101.25	3	Horizontal	300	2.98	-	34.20	10.01	32.53			
AV	5.758G	98.25	Inf	-Inf	86.55	3	Horizontal	300	2.98	-	34.22	10.01	32.53			
PK	5.969G	61.23	68.20	-6.97	48.38	3	Horizontal	300	2.98	-	35.24	10.16	32.55			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54706G	50.82	74.00	-23.18	42.77	3	Vertical	45	1.86	-	39.10	14.77	45.82			
AV	11.5419G	37.18	54.00	-16.82	29.12	3	Vertical	45	1.86	-	39.10	14.77	45.81			
PK	17.31702G	54.15	68.20	-14.05	41.68	3	Vertical	195	1.90	-	41.90	15.73	45.16			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 21
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54652G	50.60	74.00	-23.40	42.55	3	Horizontal	36	2.30	-	39.10	14.77	45.82			
AV	11.54184G	37.15	54.00	-16.85	29.09	3	Horizontal	36	2.30	-	39.10	14.77	45.81			
PK	17.33433G	54.94	68.20	-13.26	42.49	3	Horizontal	124	2.51	-	41.90	15.73	45.18			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 18
20\17.5\18.5\18
-2.08\1.19\0.37\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.112G	70.14	74.00	-3.86	60.22	3	Vertical	98	1.80	18	32.82	9.70	32.60				
AV	5.1498G	53.30	54.00	-0.70	43.28	3	Vertical	98	1.80	18	32.90	9.71	32.59				
PK	5.262G	106.41	Inf	-Inf	96.13	3	Vertical	98	1.80	18	33.12	9.72	32.56				
AV	5.3004G	93.72	Inf	-Inf	83.37	3	Vertical	98	1.80	18	33.20	9.70	32.55				
PK	5.37G	66.54	74.00	-7.46	56.06	3	Vertical	98	1.80	18	33.34	9.67	32.53				
AV	5.3526G	53.80	54.00	-0.20	43.35	3	Vertical	98	1.80	18	33.31	9.68	32.54				
PK	5.493G	61.15	68.20	-7.05	49.96	3	Vertical	98	1.80	18	33.86	9.83	32.50				

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz TX




EUT Y_4TX
SET 18.5
18\19.5\19\18.5
1.83\0.82\0.04\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	66.44	74.00	-7.56	56.43	3	Horizontal	353	1.80	18.5	32.89	9.71	32.59
AV	5.148G	52.70	54.00	-1.30	42.68	3	Horizontal	353	1.80	18.5	32.90	9.71	32.59
PK	5.319G	103.87	Inf	-Inf	93.49	3	Horizontal	353	1.80	18.5	33.24	9.69	32.55
AV	5.3004G	90.19	Inf	-Inf	79.84	3	Horizontal	353	1.80	18.5	33.20	9.70	32.55
AV	5.3526G	53.43	54.00	-0.57	42.98	3	Horizontal	353	1.80	18.5	33.31	9.68	32.54
PK	5.4012G	67.43	74.00	-6.57	56.90	3	Horizontal	353	1.80	18.5	33.40	9.66	32.53
PK	5.5422G	60.00	68.20	-8.20	48.60	3	Horizontal	353	1.80	18.5	33.98	9.92	32.50

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49865G	50.16	68.20	-18.04	42.19	3	Vertical	119	1.33	-	39.09	14.19	45.31			
PK	15.7383G	54.09	74.00	-19.91	43.71	3	Vertical	118	1.55	-	38.38	15.37	43.37			
AV	15.75204G	40.63	54.00	-13.37	30.25	3	Vertical	118	1.55	-	38.40	15.37	43.39			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
SET 18
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50354G	49.58	68.20	-18.62	41.59	3	Horizontal	140	1.59	-	39.11	14.20	45.32			
PK	15.75288G	55.39	74.00	-18.61	45.02	3	Horizontal	10	1.52	-	38.40	15.37	43.40			
AV	15.74781G	40.61	54.00	-13.39	30.23	3	Horizontal	10	1.52	-	38.40	15.37	43.39			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 19
20\19\19.5\19
-0.82\0.95\1.30\1.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.27G	60.78	68.20	-7.42	50.49	3	Vertical	317	1.78	19	33.14	9.71	32.56				
PK	5.4548G	67.49	74.00	-6.51	56.61	3	Vertical	317	1.78	19	33.63	9.76	32.51				
AV	5.456G	52.70	54.00	-1.30	41.81	3	Vertical	317	1.78	19	33.64	9.76	32.51				
PK	5.4692G	66.43	68.20	-1.77	55.43	3	Vertical	317	1.78	19	33.72	9.79	32.51				
PK	5.618G	107.81	Inf	-Inf	96.25	3	Vertical	317	1.78	19	34.04	10.03	32.51				
AV	5.627G	95.32	Inf	-Inf	83.75	3	Vertical	317	1.78	19	34.05	10.03	32.51				
PK	5.7278G	65.65	68.20	-2.55	53.96	3	Vertical	317	1.78	19	34.20	10.01	32.52				

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 20
19\21\20\20.5\20
2.30\2.94\1.24\0.19\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.303G	59.01	68.20	-9.19	48.65	3	Horizontal	337	1.80	20	33.21	9.70	32.55					
PK	5.4428G	69.40	74.00	-4.60	58.60	3	Horizontal	337	1.80	20	33.57	9.74	32.51					
PK	5.4638G	65.22	68.20	-2.98	54.27	3	Horizontal	337	1.80	20	33.68	9.78	32.51					
AV	5.46G	51.59	54.00	-2.41	40.67	3	Horizontal	337	1.80	20	33.66	9.77	32.51					
PK	5.6132G	105.31	Inf	-Inf	93.76	3	Horizontal	337	1.80	20	34.03	10.03	32.51					
AV	5.6414G	91.90	Inf	-Inf	80.31	3	Horizontal	337	1.80	20	34.08	10.02	32.51					
PK	5.7266G	67.85	68.20	-0.35	56.16	3	Horizontal	337	1.80	20	34.20	10.01	32.52					

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX


5570MHz_TX

EUT Y_4TX
SET 19
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13223G	50.01	74.00	-23.99	42.63	3	Vertical	120	2.69	-	38.97	14.54	46.13			
AV	11.13082G	36.85	54.00	-17.15	29.46	3	Vertical	120	2.69	-	38.98	14.54	46.13			
PK	16.69677G	53.32	68.20	-14.88	42.56	3	Vertical	110	2.26	-	39.89	15.56	44.69			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX

EUT Y_4TX
SET 19
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12749G	50.47	74.00	-23.53	43.08	3	Horizontal	237	1.24	-	38.99	14.54	46.14			
AV	11.12851G	36.74	54.00	-17.26	29.34	3	Horizontal	237	1.24	-	38.99	14.54	46.13			
PK	16.70472G	53.61	68.20	-14.59	42.82	3	Horizontal	336	2.02	-	39.92	15.57	44.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.8604G	68.15	68.20	-0.05	3	Vertical	7	1.60	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1128G	70.14	74.00	-3.86	59.89	3	Vertical	9	2.09	-	33.55	7.67	30.97
AV	5.1444G	52.86	54.00	-1.14	42.45	3	Vertical	9	2.09	-	33.68	7.69	30.96
PK	5.2464G	114.67	Inf	-Inf	104.01	3	Vertical	9	2.09	-	33.80	7.80	30.94
AV	5.246G	104.36	Inf	-Inf	93.70	3	Vertical	9	2.09	-	33.80	7.80	30.94
PK	5.3544G	65.63	74.00	-8.37	54.65	3	Vertical	9	2.09	-	33.92	7.97	30.91
AV	5.354G	49.24	54.00	-4.76	38.26	3	Vertical	9	2.09	-	33.92	7.97	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	70.89	74.00	-3.11	60.51	3	Horizontal	304	2.45	-	33.65	7.69	30.96
AV	5.1384G	52.43	54.00	-1.57	42.05	3	Horizontal	304	2.45	-	33.65	7.69	30.96
PK	5.2376G	112.73	Inf	-Inf	102.08	3	Horizontal	304	2.45	-	33.80	7.79	30.94
AV	5.2384G	102.40	Inf	-Inf	91.75	3	Horizontal	304	2.45	-	33.80	7.79	30.94
PK	5.3572G	64.49	74.00	-9.51	53.50	3	Horizontal	304	2.45	-	33.93	7.97	30.91
AV	5.3584G	48.08	54.00	-5.92	37.08	3	Horizontal	304	2.45	-	33.93	7.98	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43257G	57.49	68.20	-10.71	39.19	3	Vertical	250	1.82	-	38.17	11.84	31.71			
PK	15.63132G	60.16	74.00	-13.84	40.57	3	Vertical	258	1.96	-	37.67	13.93	32.01			
AV	15.64302G	48.38	54.00	-5.62	28.81	3	Vertical	258	1.96	-	37.63	13.94	32.00			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40686G	57.46	68.20	-10.74	39.06	3	Horizontal	27	1.60	-	38.27	11.83	31.70			
PK	15.62139G	59.88	74.00	-14.12	40.26	3	Horizontal	3	1.37	-	37.71	13.93	32.02			
AV	15.6156G	48.45	54.00	-5.55	28.80	3	Horizontal	3	1.37	-	37.74	13.93	32.02			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 19.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	70.36	74.00	-3.64	59.95	3	Vertical	9	2.08	-	33.68	7.69	30.96			
AV	5.1452G	52.47	54.00	-1.53	42.06	3	Vertical	9	2.08	-	33.68	7.69	30.96			
PK	5.2464G	114.25	Inf	-Inf	103.59	3	Vertical	9	2.08	-	33.80	7.80	30.94			
AV	5.246G	104.12	Inf	-Inf	93.46	3	Vertical	9	2.08	-	33.80	7.80	30.94			
PK	5.3532G	62.43	74.00	-11.57	51.46	3	Vertical	9	2.08	-	33.91	7.97	30.91			
AV	5.4G	49.28	54.00	-4.72	38.04	3	Vertical	9	2.08	-	34.10	8.04	30.90			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	71.79	74.00	-2.21	61.40	3	Horizontal	303	2.46	-	33.66	7.69	30.96			
AV	5.1376G	51.13	54.00	-2.87	40.75	3	Horizontal	303	2.46	-	33.65	7.69	30.96			
PK	5.2396G	112.78	Inf	-Inf	102.13	3	Horizontal	303	2.46	-	33.80	7.79	30.94			
AV	5.2376G	102.21	Inf	-Inf	91.56	3	Horizontal	303	2.46	-	33.80	7.79	30.94			
PK	5.3568G	62.54	74.00	-11.46	51.55	3	Horizontal	303	2.46	-	33.93	7.97	30.91			
AV	5.3584G	47.89	54.00	-6.11	36.89	3	Horizontal	303	2.46	-	33.93	7.98	30.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42141G	57.68	68.20	-10.52	39.34	3	Vertical	189	1.72	-	38.21	11.83	31.70			
PK	15.63873G	60.89	74.00	-13.11	41.30	3	Vertical	349	1.47	-	37.65	13.94	32.00			
AV	15.6261G	47.94	54.00	-6.06	28.32	3	Vertical	349	1.47	-	37.70	13.93	32.01			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40926G	57.47	68.20	-10.73	39.08	3	Horizontal	32	1.77	-	38.26	11.83	31.70			
PK	15.61644G	60.38	74.00	-13.62	40.74	3	Horizontal	205	1.50	-	37.73	13.93	32.02			
AV	15.63471G	47.92	54.00	-6.08	28.34	3	Horizontal	205	1.50	-	37.66	13.93	32.01			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1128G	70.14	74.00	-3.86	59.89	3	Vertical	9	2.09	-	33.55	7.67	30.97
AV	5.1444G	52.86	54.00	-1.14	42.45	3	Vertical	9	2.09	-	33.68	7.69	30.96
PK	5.2464G	114.67	Inf	-Inf	104.01	3	Vertical	9	2.09	-	33.80	7.80	30.94
AV	5.246G	104.36	Inf	-Inf	93.70	3	Vertical	9	2.09	-	33.80	7.80	30.94
PK	5.3544G	65.63	74.00	-8.37	54.65	3	Vertical	9	2.09	-	33.92	7.97	30.91
AV	5.354G	49.24	54.00	-4.76	38.26	3	Vertical	9	2.09	-	33.92	7.97	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1384G	70.89	74.00	-3.11	60.51	3	Horizontal	304	2.45	-	33.65	7.69	30.96			
AV	5.1384G	52.43	54.00	-1.57	42.05	3	Horizontal	304	2.45	-	33.65	7.69	30.96			
PK	5.2376G	112.73	Inf	-Inf	102.08	3	Horizontal	304	2.45	-	33.80	7.79	30.94			
AV	5.2384G	102.40	Inf	-Inf	91.75	3	Horizontal	304	2.45	-	33.80	7.79	30.94			
PK	5.3572G	64.49	74.00	-9.51	53.50	3	Horizontal	304	2.45	-	33.93	7.97	30.91			
AV	5.3584G	48.08	54.00	-5.92	37.08	3	Horizontal	304	2.45	-	33.93	7.98	30.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.43257G	57.49	68.20	-10.71	39.19	3	Vertical	250	1.82	-	38.17	11.84	31.71			
PK	15.63132G	60.16	74.00	-13.84	40.57	3	Vertical	258	1.96	-	37.67	13.93	32.01			
AV	15.64302G	48.38	54.00	-5.62	28.81	3	Vertical	258	1.96	-	37.63	13.94	32.00			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40686G	57.46	68.20	-10.74	39.06	3	Horizontal	27	1.60	-	38.27	11.83	31.70			
PK	15.62139G	59.88	74.00	-14.12	40.26	3	Horizontal	3	1.37	-	37.71	13.93	32.02			
AV	15.6156G	48.45	54.00	-5.55	28.80	3	Horizontal	3	1.37	-	37.74	13.93	32.02			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_V_4TX
Setting 19.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	70.36	74.00	-3.64	59.95	3	Vertical	9	2.08	-	33.68	7.69	30.96			
AV	5.1452G	52.47	54.00	-1.53	42.06	3	Vertical	9	2.08	-	33.68	7.69	30.96			
PK	5.2464G	114.25	Inf	-Inf	103.59	3	Vertical	9	2.08	-	33.80	7.80	30.94			
AV	5.246G	104.12	Inf	-Inf	93.46	3	Vertical	9	2.08	-	33.80	7.80	30.94			
PK	5.3532G	62.43	74.00	-11.57	51.46	3	Vertical	9	2.08	-	33.91	7.97	30.91			
AV	5.4G	49.28	54.00	-4.72	38.04	3	Vertical	9	2.08	-	34.10	8.04	30.90			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	71.79	74.00	-2.21	61.40	3	Horizontal	303	2.46	-	33.66	7.69	30.96			
AV	5.1376G	51.13	54.00	-2.87	40.75	3	Horizontal	303	2.46	-	33.65	7.69	30.96			
PK	5.2396G	112.78	Inf	-Inf	102.13	3	Horizontal	303	2.46	-	33.80	7.79	30.94			
AV	5.2376G	102.21	Inf	-Inf	91.56	3	Horizontal	303	2.46	-	33.80	7.79	30.94			
PK	5.3568G	62.54	74.00	-11.46	51.55	3	Horizontal	303	2.46	-	33.93	7.97	30.91			
AV	5.3584G	47.89	54.00	-6.11	36.89	3	Horizontal	303	2.46	-	33.93	7.98	30.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42141G	57.68	68.20	-10.52	39.34	3	Vertical	189	1.72	-	38.21	11.83	31.70			
PK	15.63873G	60.89	74.00	-13.11	41.30	3	Vertical	349	1.47	-	37.65	13.94	32.00			
AV	15.6261G	47.94	54.00	-6.06	28.32	3	Vertical	349	1.47	-	37.70	13.93	32.01			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40926G	57.47	68.20	-10.73	39.08	3	Horizontal	32	1.77	-	38.26	11.83	31.70			
PK	15.61644G	60.38	74.00	-13.62	40.74	3	Horizontal	205	1.50	-	37.73	13.93	32.02			
AV	15.63471G	47.92	54.00	-6.08	28.34	3	Horizontal	205	1.50	-	37.66	13.93	32.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1336G	60.22	74.00	-13.78	49.86	3	Vertical	330	1.64	-	33.63	7.69	30.96			
AV	5.1456G	47.22	54.00	-6.78	36.81	3	Vertical	330	1.64	-	33.68	7.69	30.96			
PK	5.328G	114.95	Inf	-Inf	104.08	3	Vertical	330	1.64	-	33.86	7.93	30.92			
AV	5.328G	104.51	Inf	-Inf	93.64	3	Vertical	330	1.64	-	33.86	7.93	30.92			
PK	5.3548G	73.15	74.00	-0.85	62.17	3	Vertical	330	1.64	-	33.92	7.97	30.91			
AV	5.356G	52.55	54.00	-1.45	41.57	3	Vertical	330	1.64	-	33.92	7.97	30.91			
PK	5.474G	59.43	68.20	-8.77	48.26	3	Vertical	330	1.64	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	57.92	74.00	-16.08	47.52	3	Horizontal	334	1.94	-	33.67	7.69	30.96			
AV	5.1464G	45.62	54.00	-8.38	35.19	3	Horizontal	334	1.94	-	33.69	7.70	30.96			
PK	5.3232G	113.49	Inf	-Inf	102.64	3	Horizontal	334	1.94	-	33.85	7.92	30.92			
AV	5.3228G	101.17	Inf	-Inf	90.32	3	Horizontal	334	1.94	-	33.85	7.92	30.92			
PK	5.3608G	73.87	74.00	-0.13	62.86	3	Horizontal	334	1.94	-	33.94	7.98	30.91			
AV	5.3832G	53.81	54.00	-0.19	42.68	3	Horizontal	334	1.94	-	34.03	8.01	30.91			
PK	5.486G	60.15	68.20	-8.05	48.96	3	Horizontal	334	1.94	-	34.00	8.07	30.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56554G	57.75	68.20	-10.45	39.26	3	Vertical	230	1.68	-	38.30	11.91	31.72			
PK	15.8745G	60.47	74.00	-13.53	40.53	3	Vertical	76	1.56	-	37.75	14.03	31.84			
AV	15.86928G	48.51	54.00	-5.49	28.56	3	Vertical	76	1.56	-	37.76	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5887G	57.96	68.20	-10.24	39.45	3	Horizontal	40	1.36	-	38.30	11.92	31.71			
PK	15.87123G	59.75	74.00	-14.25	39.80	3	Horizontal	164	2.06	-	37.76	14.03	31.84			
AV	15.87339G	48.47	54.00	-5.53	28.53	3	Horizontal	164	2.06	-	37.75	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1328G	65.62	74.00	-8.38	55.26	3	Vertical	326	1.81	-	33.63	7.69	30.96			
AV	5.1316G	47.88	54.00	-6.12	37.52	3	Vertical	326	1.81	-	33.63	7.69	30.96			
PK	5.3264G	114.40	Inf	-Inf	103.54	3	Vertical	326	1.81	-	33.85	7.93	30.92			
AV	5.3264G	104.17	Inf	-Inf	93.31	3	Vertical	326	1.81	-	33.85	7.93	30.92			
PK	5.3672G	72.98	74.00	-1.02	61.93	3	Vertical	326	1.81	-	33.97	7.99	30.91			
AV	5.3668G	50.86	54.00	-3.14	39.81	3	Vertical	326	1.81	-	33.97	7.99	30.91			
PK	5.4732G	61.66	68.20	-6.54	50.49	3	Vertical	326	1.81	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1432G	60.62	74.00	-13.38	50.22	3	Horizontal	336	2.13	-	33.67	7.69	30.96			
AV	5.1416G	45.81	54.00	-8.19	35.41	3	Horizontal	336	2.13	-	33.67	7.69	30.96			
PK	5.3224G	111.59	Inf	-Inf	100.75	3	Horizontal	336	2.13	-	33.84	7.92	30.92			
AV	5.3228G	101.16	Inf	-Inf	90.31	3	Horizontal	336	2.13	-	33.85	7.92	30.92			
PK	5.3624G	73.81	74.00	-0.19	62.79	3	Horizontal	336	2.13	-	33.95	7.98	30.91			
AV	5.3832G	53.51	54.00	-0.49	42.38	3	Horizontal	336	2.13	-	34.03	8.01	30.91			
PK	5.4644G	59.72	68.20	-8.48	48.55	3	Horizontal	336	2.13	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59137G	58.38	68.20	-9.82	39.87	3	Vertical	266	1.38	-	38.30	11.92	31.71			
PK	15.87432G	60.67	74.00	-13.33	40.73	3	Vertical	292	1.54	-	37.75	14.03	31.84			
AV	15.87609G	48.08	54.00	-5.92	28.14	3	Vertical	292	1.54	-	37.75	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59101G	58.22	68.20	-9.98	39.71	3	Horizontal	284	1.60	-	38.30	11.92	31.71			
PK	15.86334G	60.14	74.00	-13.86	40.19	3	Horizontal	65	1.78	-	37.77	14.03	31.85			
AV	15.88494G	48.08	54.00	-5.92	28.15	3	Horizontal	65	1.78	-	37.73	14.03	31.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1336G	60.22	74.00	-13.78	49.86	3	Vertical	330	1.64	-	33.63	7.69	30.96			
AV	5.1456G	47.22	54.00	-6.78	36.81	3	Vertical	330	1.64	-	33.68	7.69	30.96			
PK	5.328G	114.95	Inf	-Inf	104.08	3	Vertical	330	1.64	-	33.86	7.93	30.92			
AV	5.328G	104.51	Inf	-Inf	93.64	3	Vertical	330	1.64	-	33.86	7.93	30.92			
PK	5.3548G	73.15	74.00	-0.85	62.17	3	Vertical	330	1.64	-	33.92	7.97	30.91			
AV	5.356G	52.55	54.00	-1.45	41.57	3	Vertical	330	1.64	-	33.92	7.97	30.91			
PK	5.474G	59.43	68.20	-8.77	48.26	3	Vertical	330	1.64	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	57.92	74.00	-16.08	47.52	3	Horizontal	334	1.94	-	33.67	7.69	30.96			
AV	5.1464G	45.62	54.00	-8.38	35.19	3	Horizontal	334	1.94	-	33.69	7.70	30.96			
PK	5.3232G	113.49	Inf	-Inf	102.64	3	Horizontal	334	1.94	-	33.85	7.92	30.92			
AV	5.3228G	101.17	Inf	-Inf	90.32	3	Horizontal	334	1.94	-	33.85	7.92	30.92			
PK	5.3608G	73.87	74.00	-0.13	62.86	3	Horizontal	334	1.94	-	33.94	7.98	30.91			
AV	5.3832G	53.81	54.00	-0.19	42.68	3	Horizontal	334	1.94	-	34.03	8.01	30.91			
PK	5.486G	60.15	68.20	-8.05	48.96	3	Horizontal	334	1.94	-	34.00	8.07	30.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56554G	57.75	68.20	-10.45	39.26	3	Vertical	230	1.68	-	38.30	11.91	31.72			
PK	15.8745G	60.47	74.00	-13.53	40.53	3	Vertical	76	1.56	-	37.75	14.03	31.84			
AV	15.86928G	48.51	54.00	-5.49	28.56	3	Vertical	76	1.56	-	37.76	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5887G	57.96	68.20	-10.24	39.45	3	Horizontal	40	1.36	-	38.30	11.92	31.71			
PK	15.87123G	59.75	74.00	-14.25	39.80	3	Horizontal	164	2.06	-	37.76	14.03	31.84			
AV	15.87339G	48.47	54.00	-5.53	28.53	3	Horizontal	164	2.06	-	37.75	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1328G	65.62	74.00	-8.38	55.26	3	Vertical	326	1.81	-	33.63	7.69	30.96			
AV	5.1316G	47.88	54.00	-6.12	37.52	3	Vertical	326	1.81	-	33.63	7.69	30.96			
PK	5.3264G	114.40	Inf	-Inf	103.54	3	Vertical	326	1.81	-	33.85	7.93	30.92			
AV	5.3264G	104.17	Inf	-Inf	93.31	3	Vertical	326	1.81	-	33.85	7.93	30.92			
PK	5.3672G	72.98	74.00	-1.02	61.93	3	Vertical	326	1.81	-	33.97	7.99	30.91			
AV	5.3668G	50.86	54.00	-3.14	39.81	3	Vertical	326	1.81	-	33.97	7.99	30.91			
PK	5.4732G	61.66	68.20	-6.54	50.49	3	Vertical	326	1.81	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	60.62	74.00	-13.38	50.22	3	Horizontal	336	2.13	-	33.67	7.69	30.96			
AV	5.1416G	45.81	54.00	-8.19	35.41	3	Horizontal	336	2.13	-	33.67	7.69	30.96			
PK	5.3224G	111.59	Inf	-Inf	100.75	3	Horizontal	336	2.13	-	33.84	7.92	30.92			
AV	5.3228G	101.16	Inf	-Inf	90.31	3	Horizontal	336	2.13	-	33.85	7.92	30.92			
PK	5.3624G	73.81	74.00	-0.19	62.79	3	Horizontal	336	2.13	-	33.95	7.98	30.91			
AV	5.3832G	53.51	54.00	-0.49	42.38	3	Horizontal	336	2.13	-	34.03	8.01	30.91			
PK	5.4644G	59.72	68.20	-8.48	48.55	3	Horizontal	336	2.13	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59137G	58.38	68.20	-9.82	39.87	3	Vertical	266	1.38	-	38.30	11.92	31.71			
PK	15.87432G	60.67	74.00	-13.33	40.73	3	Vertical	292	1.54	-	37.75	14.03	31.84			
AV	15.87609G	48.08	54.00	-5.92	28.14	3	Vertical	292	1.54	-	37.75	14.03	31.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59101G	58.22	68.20	-9.98	39.71	3	Horizontal	284	1.60	-	38.30	11.92	31.71			
PK	15.86334G	60.14	74.00	-13.86	40.19	3	Horizontal	65	1.78	-	37.77	14.03	31.85			
AV	15.88494G	48.08	54.00	-5.92	28.15	3	Horizontal	65	1.78	-	37.73	14.03	31.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3472G	58.17	68.20	-10.03	47.23	3	Vertical	325	2.92	-	33.89	7.96	30.91			
PK	5.44G	67.76	74.00	-6.24	56.58	3	Vertical	325	2.92	-	34.02	8.05	30.89			
AV	5.44G	53.29	54.00	-0.71	42.11	3	Vertical	325	2.92	-	34.02	8.05	30.89			
PK	5.462G	63.92	68.20	-4.28	52.75	3	Vertical	325	2.92	-	34.00	8.06	30.89			
PK	5.5204G	114.46	Inf	-Inf	103.18	3	Vertical	325	2.92	-	34.08	8.08	30.88			
AV	5.554G	104.16	Inf	-Inf	92.75	3	Vertical	325	2.92	-	34.19	8.09	30.87			
PK	5.73G	59.07	68.20	-9.13	47.77	3	Vertical	325	2.92	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3464G	57.40	68.20	-10.80	46.46	3	Horizontal	335	2.08	-	33.89	7.96	30.91			
PK	5.4436G	65.58	74.00	-8.42	54.41	3	Horizontal	335	2.08	-	34.01	8.05	30.89			
AV	5.4436G	52.00	54.00	-2.00	40.83	3	Horizontal	335	2.08	-	34.01	8.05	30.89			
PK	5.4652G	64.44	68.20	-3.76	53.27	3	Horizontal	335	2.08	-	34.00	8.06	30.89			
PK	5.5044G	111.95	Inf	-Inf	100.74	3	Horizontal	335	2.08	-	34.02	8.07	30.88			
AV	5.5048G	101.01	Inf	-Inf	89.80	3	Horizontal	335	2.08	-	34.02	8.07	30.88			
PK	5.7268G	59.53	68.20	-8.67	48.23	3	Horizontal	335	2.08	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05052G	58.82	74.00	-15.18	39.82	3	Vertical	176	1.36	-	38.40	12.17	31.57			
AV	11.05322G	47.39	54.00	-6.61	28.38	3	Vertical	176	1.36	-	38.41	12.17	31.57			
PK	16.59825G	62.98	68.20	-5.22	41.29	3	Vertical	260	2.04	-	39.40	14.36	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05571G	59.32	74.00	-14.68	40.31	3	Horizontal	92	1.37	-	38.41	12.17	31.57			
AV	11.05271G	47.31	54.00	-6.69	28.30	3	Horizontal	92	1.37	-	38.41	12.17	31.57			
PK	16.59756G	62.88	68.20	-5.32	41.19	3	Horizontal	69	2.08	-	39.40	14.36	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	59.73	68.20	-8.47	48.86	3	Vertical	326	2.91	-	33.86	7.93	30.92			
PK	5.4476G	69.81	74.00	-4.19	58.65	3	Vertical	326	2.91	-	34.00	8.05	30.89			
AV	5.4544G	51.56	54.00	-2.44	40.39	3	Vertical	326	2.91	-	34.00	8.06	30.89			
PK	5.4656G	67.49	68.20	-0.71	56.32	3	Vertical	326	2.91	-	34.00	8.06	30.89			
PK	5.554G	116.37	Inf	-Inf	104.96	3	Vertical	326	2.91	-	34.19	8.09	30.87			
AV	5.5536G	103.92	Inf	-Inf	92.51	3	Vertical	326	2.91	-	34.19	8.09	30.87			
PK	5.73G	61.26	68.20	-6.94	49.96	3	Vertical	326	2.91	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3404G	58.28	68.20	-9.92	47.37	3	Horizontal	333	1.89	-	33.88	7.95	30.92			
PK	5.46G	66.16	74.00	-7.84	54.99	3	Horizontal	333	1.89	-	34.00	8.06	30.89			
AV	5.4432G	48.73	54.00	-5.27	37.56	3	Horizontal	333	1.89	-	34.01	8.05	30.89			
PK	5.4636G	66.87	68.20	-1.33	55.70	3	Horizontal	333	1.89	-	34.00	8.06	30.89			
PK	5.5656G	111.12	Inf	-Inf	99.73	3	Horizontal	333	1.89	-	34.17	8.09	30.87			
AV	5.5644G	100.07	Inf	-Inf	88.68	3	Horizontal	333	1.89	-	34.17	8.09	30.87			
PK	5.7292G	58.87	68.20	-9.33	47.57	3	Horizontal	333	1.89	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07371G	59.36	74.00	-14.64	40.31	3	Vertical	173	2.03	-	38.45	12.18	31.58			
AV	11.07083G	46.85	54.00	-7.15	27.81	3	Vertical	173	2.03	-	38.44	12.18	31.58			
PK	16.57629G	62.64	68.20	-5.56	41.01	3	Vertical	117	1.93	-	39.35	14.35	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06336G	59.37	74.00	-14.63	40.35	3	Horizontal	233	1.81	-	38.43	12.17	31.58			
AV	11.06957G	46.77	54.00	-7.23	27.73	3	Horizontal	233	1.81	-	38.44	12.18	31.58			
PK	16.58418G	62.71	68.20	-5.49	41.06	3	Horizontal	138	1.56	-	39.37	14.35	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	59.74	74.00	-14.26	48.56	3	Vertical	7	1.63	-	34.02	8.05	30.89
AV	5.4384G	47.79	54.00	-6.21	36.61	3	Vertical	7	1.63	-	34.02	8.05	30.89
PK	5.4684G	59.71	68.20	-8.49	48.54	3	Vertical	7	1.63	-	34.00	8.06	30.89
PK	5.6408G	113.62	Inf	-Inf	102.39	3	Vertical	7	1.63	-	33.94	8.14	30.85
AV	5.6412G	103.62	Inf	-Inf	92.38	3	Vertical	7	1.63	-	33.94	8.15	30.85
PK	5.7424G	67.61	68.20	-0.59	56.29	3	Vertical	7	1.63	-	33.90	8.26	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	58.44	74.00	-15.56	47.27	3	Horizontal	334	2.00	-	34.00	8.06	30.89			
AV	5.4252G	47.08	54.00	-6.92	35.88	3	Horizontal	334	2.00	-	34.05	8.05	30.90			
PK	5.4636G	61.51	68.20	-6.69	50.34	3	Horizontal	334	2.00	-	34.00	8.06	30.89			
PK	5.644G	112.67	Inf	-Inf	101.45	3	Horizontal	334	2.00	-	33.92	8.15	30.85			
AV	5.6444G	101.72	Inf	-Inf	90.50	3	Horizontal	334	2.00	-	33.92	8.15	30.85			
PK	5.726G	66.96	68.20	-1.24	55.66	3	Horizontal	334	2.00	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21091G	59.46	74.00	-14.54	40.32	3	Vertical	211	1.74	-	38.58	12.25	31.69			
AV	11.21397G	47.57	54.00	-6.43	28.44	3	Vertical	211	1.74	-	38.57	12.25	31.69			
PK	16.8405G	63.68	68.20	-4.52	40.72	3	Vertical	166	2.06	-	40.58	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23236G	59.20	74.00	-14.80	40.10	3	Horizontal	212	1.87	-	38.54	12.26	31.70			
AV	11.20503G	47.52	54.00	-6.48	28.36	3	Horizontal	212	1.87	-	38.59	12.25	31.68			
PK	16.81887G	63.32	68.20	-4.88	40.41	3	Horizontal	102	1.91	-	40.54	14.46	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.44	74.00	-13.56	49.27	3	Vertical	5	1.55	-	34.00	8.06	30.89
AV	5.4176G	46.80	54.00	-7.20	35.59	3	Vertical	5	1.55	-	34.06	8.05	30.90
PK	5.4676G	60.02	68.20	-8.18	48.85	3	Vertical	5	1.55	-	34.00	8.06	30.89
PK	5.6396G	115.36	Inf	-Inf	104.13	3	Vertical	5	1.55	-	33.94	8.14	30.85
AV	5.6408G	103.01	Inf	-Inf	91.78	3	Vertical	5	1.55	-	33.94	8.14	30.85
PK	5.7408G	67.39	68.20	-0.81	56.08	3	Vertical	5	1.55	-	33.90	8.25	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4236G	60.56	74.00	-13.44	49.36	3	Horizontal	335	1.99	-	34.05	8.05	30.90			
AV	5.4252G	46.65	54.00	-7.35	35.45	3	Horizontal	335	1.99	-	34.05	8.05	30.90			
PK	5.4656G	62.59	68.20	-5.61	51.42	3	Horizontal	335	1.99	-	34.00	8.06	30.89			
PK	5.6444G	113.23	Inf	-Inf	102.01	3	Horizontal	335	1.99	-	33.92	8.15	30.85			
AV	5.6456G	100.95	Inf	-Inf	89.73	3	Horizontal	335	1.99	-	33.92	8.15	30.85			
PK	5.7264G	66.81	68.20	-1.39	55.51	3	Horizontal	335	1.99	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22675G	60.19	74.00	-13.81	41.08	3	Vertical	25	1.49	-	38.55	12.26	31.70			
AV	11.20923G	47.10	54.00	-6.90	27.95	3	Vertical	25	1.49	-	38.58	12.25	31.68			
PK	16.83546G	64.14	68.20	-4.06	41.19	3	Vertical	15	1.82	-	40.57	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20947G	59.10	74.00	-14.90	39.96	3	Horizontal	56	1.67	-	38.58	12.25	31.69			
AV	11.20518G	47.11	54.00	-6.89	27.95	3	Horizontal	56	1.67	-	38.59	12.25	31.68			
PK	16.83945G	63.52	68.20	-4.68	40.56	3	Horizontal	330	1.56	-	40.58	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6808G	116.76	Inf	-Inf	105.52	3	Vertical	7	1.60	-	33.90	8.19	30.85			
AV	5.6608G	105.17	Inf	-Inf	93.95	3	Vertical	7	1.60	-	33.90	8.17	30.85			
PK	5.8604G	68.15	68.20	-0.05	56.63	3	Vertical	7	1.60	-	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6672G	114.36	Inf	-Inf	103.14	3	Horizontal	335	1.93	-	33.90	8.17	30.85			
AV	5.6856G	102.23	Inf	-Inf	90.99	3	Horizontal	335	1.93	-	33.90	8.19	30.85			
PK	5.8504G	64.35	68.20	-3.85	52.88	3	Horizontal	335	1.93	-	33.90	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38039G	58.53	74.00	-15.47	39.40	3	Vertical	250	1.73	-	38.60	12.34	31.81			
AV	11.38888G	47.10	54.00	-6.90	27.97	3	Vertical	250	1.73	-	38.60	12.35	31.82			
PK	17.05947G	63.99	68.20	-4.21	40.28	3	Vertical	167	1.93	-	41.24	14.57	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37742G	58.51	74.00	-15.49	39.38	3	Horizontal	308	1.95	-	38.60	12.34	31.81			
AV	11.38042G	47.01	54.00	-6.99	27.88	3	Horizontal	308	1.95	-	38.60	12.34	31.81			
PK	17.07408G	64.66	68.20	-3.54	40.88	3	Horizontal	8	1.50	-	41.30	14.58	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6608G	117.67	Inf	-Inf	106.45	3	Vertical	5	1.52	-	33.90	8.17	30.85			
AV	5.6804G	104.92	Inf	-Inf	93.68	3	Vertical	5	1.52	-	33.90	8.19	30.85			
PK	5.86G	67.60	68.20	-0.60	56.08	3	Vertical	5	1.52	-	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6676G	113.96	Inf	-Inf	102.74	3	Horizontal	337	1.85	-	33.90	8.17	30.85			
AV	5.6668G	101.82	Inf	-Inf	90.60	3	Horizontal	337	1.85	-	33.90	8.17	30.85			
PK	5.85G	64.39	68.20	-3.81	52.92	3	Horizontal	337	1.85	-	33.90	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39467G	58.48	74.00	-15.52	39.35	3	Vertical	78	1.36	-	38.60	12.35	31.82			
AV	11.38855G	46.58	54.00	-7.42	27.45	3	Vertical	78	1.36	-	38.60	12.35	31.82			
PK	17.07255G	64.07	68.20	-4.13	40.30	3	Vertical	272	1.66	-	41.29	14.58	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38759G	59.00	74.00	-15.00	39.87	3	Horizontal	301	1.39	-	38.60	12.35	31.82			
AV	11.37025G	46.57	54.00	-7.43	27.43	3	Horizontal	301	1.39	-	38.60	12.34	31.80			
PK	17.05887G	64.27	68.20	-3.93	40.56	3	Horizontal	111	1.43	-	41.24	14.57	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3472G	58.17	68.20	-10.03	47.23	3	Vertical	325	2.92	-	33.89	7.96	30.91					
PK	5.44G	67.76	74.00	-6.24	56.58	3	Vertical	325	2.92	-	34.02	8.05	30.89					
AV	5.44G	53.29	54.00	-0.71	42.11	3	Vertical	325	2.92	-	34.02	8.05	30.89					
PK	5.462G	63.92	68.20	-4.28	52.75	3	Vertical	325	2.92	-	34.00	8.06	30.89					
PK	5.5204G	114.46	Inf	-Inf	103.18	3	Vertical	325	2.92	-	34.08	8.08	30.88					
AV	5.554G	104.16	Inf	-Inf	92.75	3	Vertical	325	2.92	-	34.19	8.09	30.87					
PK	5.73G	59.07	68.20	-9.13	47.77	3	Vertical	325	2.92	-	33.90	8.24	30.84					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3464G	57.40	68.20	-10.80	46.46	3	Horizontal	335	2.08	-	33.89	7.96	30.91			
PK	5.4436G	65.58	74.00	-8.42	54.41	3	Horizontal	335	2.08	-	34.01	8.05	30.89			
AV	5.4436G	52.00	54.00	-2.00	40.83	3	Horizontal	335	2.08	-	34.01	8.05	30.89			
PK	5.4652G	64.44	68.20	-3.76	53.27	3	Horizontal	335	2.08	-	34.00	8.06	30.89			
PK	5.5044G	111.95	Inf	-Inf	100.74	3	Horizontal	335	2.08	-	34.02	8.07	30.88			
AV	5.5048G	101.01	Inf	-Inf	89.80	3	Horizontal	335	2.08	-	34.02	8.07	30.88			
PK	5.7268G	59.53	68.20	-8.67	48.23	3	Horizontal	335	2.08	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.05052G	58.82	74.00	-15.18	39.82	3	Vertical	176	1.36	-	38.40	12.17	31.57				
AV	11.05322G	47.39	54.00	-6.61	28.38	3	Vertical	176	1.36	-	38.41	12.17	31.57				
PK	16.59825G	62.98	68.20	-5.22	41.29	3	Vertical	260	2.04	-	39.40	14.36	32.07				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.05571G	59.32	74.00	-14.68	40.31	3	Horizontal	92	1.37	-	38.41	12.17	31.57				
AV	11.05271G	47.31	54.00	-6.69	28.30	3	Horizontal	92	1.37	-	38.41	12.17	31.57				
PK	16.59756G	62.88	68.20	-5.32	41.19	3	Horizontal	69	2.08	-	39.40	14.36	32.07				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	59.73	68.20	-8.47	48.86	3	Vertical	326	2.91	-	33.86	7.93	30.92			
PK	5.4476G	69.81	74.00	-4.19	58.65	3	Vertical	326	2.91	-	34.00	8.05	30.89			
AV	5.4544G	51.56	54.00	-2.44	40.39	3	Vertical	326	2.91	-	34.00	8.06	30.89			
PK	5.4656G	67.49	68.20	-0.71	56.32	3	Vertical	326	2.91	-	34.00	8.06	30.89			
PK	5.554G	116.37	Inf	-Inf	104.96	3	Vertical	326	2.91	-	34.19	8.09	30.87			
AV	5.5536G	103.92	Inf	-Inf	92.51	3	Vertical	326	2.91	-	34.19	8.09	30.87			
PK	5.73G	61.26	68.20	-6.94	49.96	3	Vertical	326	2.91	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3404G	58.28	68.20	-9.92	47.37	3	Horizontal	333	1.89	-	33.88	7.95	30.92			
PK	5.46G	66.16	74.00	-7.84	54.99	3	Horizontal	333	1.89	-	34.00	8.06	30.89			
AV	5.4432G	48.73	54.00	-5.27	37.56	3	Horizontal	333	1.89	-	34.01	8.05	30.89			
PK	5.4636G	66.87	68.20	-1.33	55.70	3	Horizontal	333	1.89	-	34.00	8.06	30.89			
PK	5.5656G	111.12	Inf	-Inf	99.73	3	Horizontal	333	1.89	-	34.17	8.09	30.87			
AV	5.5644G	100.07	Inf	-Inf	88.68	3	Horizontal	333	1.89	-	34.17	8.09	30.87			
PK	5.7292G	58.87	68.20	-9.33	47.57	3	Horizontal	333	1.89	-	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07371G	59.36	74.00	-14.64	40.31	3	Vertical	173	2.03	-	38.45	12.18	31.58			
AV	11.07083G	46.85	54.00	-7.15	27.81	3	Vertical	173	2.03	-	38.44	12.18	31.58			
PK	16.57629G	62.64	68.20	-5.56	41.01	3	Vertical	117	1.93	-	39.35	14.35	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06336G	59.37	74.00	-14.63	40.35	3	Horizontal	233	1.81	-	38.43	12.17	31.58			
AV	11.06957G	46.77	54.00	-7.23	27.73	3	Horizontal	233	1.81	-	38.44	12.18	31.58			
PK	16.58418G	62.71	68.20	-5.49	41.06	3	Horizontal	138	1.56	-	39.37	14.35	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	59.74	74.00	-14.26	48.56	3	Vertical	7	1.63	-	34.02	8.05	30.89
AV	5.4384G	47.79	54.00	-6.21	36.61	3	Vertical	7	1.63	-	34.02	8.05	30.89
PK	5.4684G	59.71	68.20	-8.49	48.54	3	Vertical	7	1.63	-	34.00	8.06	30.89
PK	5.6408G	113.62	Inf	-Inf	102.39	3	Vertical	7	1.63	-	33.94	8.14	30.85
AV	5.6412G	103.62	Inf	-Inf	92.38	3	Vertical	7	1.63	-	33.94	8.15	30.85
PK	5.7424G	67.61	68.20	-0.59	56.29	3	Vertical	7	1.63	-	33.90	8.26	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.44	74.00	-15.56	47.27	3	Horizontal	334	2.00	-	34.00	8.06	30.89
AV	5.4252G	47.08	54.00	-6.92	35.88	3	Horizontal	334	2.00	-	34.05	8.05	30.90
PK	5.4636G	61.51	68.20	-6.69	50.34	3	Horizontal	334	2.00	-	34.00	8.06	30.89
PK	5.644G	112.67	Inf	-Inf	101.45	3	Horizontal	334	2.00	-	33.92	8.15	30.85
AV	5.6444G	101.72	Inf	-Inf	90.50	3	Horizontal	334	2.00	-	33.92	8.15	30.85
PK	5.726G	66.96	68.20	-1.24	55.66	3	Horizontal	334	2.00	-	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21091G	59.46	74.00	-14.54	40.32	3	Vertical	211	1.74	-	38.58	12.25	31.69			
AV	11.21397G	47.57	54.00	-6.43	28.44	3	Vertical	211	1.74	-	38.57	12.25	31.69			
PK	16.8405G	63.68	68.20	-4.52	40.72	3	Vertical	166	2.06	-	40.58	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23236G	59.20	74.00	-14.80	40.10	3	Horizontal	212	1.87	-	38.54	12.26	31.70			
AV	11.20503G	47.52	54.00	-6.48	28.36	3	Horizontal	212	1.87	-	38.59	12.25	31.68			
PK	16.81887G	63.32	68.20	-4.88	40.41	3	Horizontal	102	1.91	-	40.54	14.46	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.44	74.00	-13.56	49.27	3	Vertical	5	1.55	-	34.00	8.06	30.89
AV	5.4176G	46.80	54.00	-7.20	35.59	3	Vertical	5	1.55	-	34.06	8.05	30.90
PK	5.4676G	60.02	68.20	-8.18	48.85	3	Vertical	5	1.55	-	34.00	8.06	30.89
PK	5.6396G	115.36	Inf	-Inf	104.13	3	Vertical	5	1.55	-	33.94	8.14	30.85
AV	5.6408G	103.01	Inf	-Inf	91.78	3	Vertical	5	1.55	-	33.94	8.14	30.85
PK	5.7408G	67.39	68.20	-0.81	56.08	3	Vertical	5	1.55	-	33.90	8.25	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 19
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4236G	60.56	74.00	-13.44	49.36	3	Horizontal	335	1.99	-	34.05	8.05	30.90
AV	5.4252G	46.65	54.00	-7.35	35.45	3	Horizontal	335	1.99	-	34.05	8.05	30.90
PK	5.4656G	62.59	68.20	-5.61	51.42	3	Horizontal	335	1.99	-	34.00	8.06	30.89
PK	5.6444G	113.23	Inf	-Inf	102.01	3	Horizontal	335	1.99	-	33.92	8.15	30.85
AV	5.6456G	100.95	Inf	-Inf	89.73	3	Horizontal	335	1.99	-	33.92	8.15	30.85
PK	5.7264G	66.81	68.20	-1.39	55.51	3	Horizontal	335	1.99	-	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22675G	60.19	74.00	-13.81	41.08	3	Vertical	25	1.49	-	38.55	12.26	31.70			
AV	11.20923G	47.10	54.00	-6.90	27.95	3	Vertical	25	1.49	-	38.58	12.25	31.68			
PK	16.83546G	64.14	68.20	-4.06	41.19	3	Vertical	15	1.82	-	40.57	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20947G	59.10	74.00	-14.90	39.96	3	Horizontal	56	1.67	-	38.58	12.25	31.69			
AV	11.20518G	47.11	54.00	-6.89	27.95	3	Horizontal	56	1.67	-	38.59	12.25	31.68			
PK	16.83945G	63.52	68.20	-4.68	40.56	3	Horizontal	330	1.56	-	40.58	14.47	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6808G	116.76	Inf	-Inf	105.52	3	Vertical	7	1.60	-	33.90	8.19	30.85			
AV	5.6608G	105.17	Inf	-Inf	93.95	3	Vertical	7	1.60	-	33.90	8.17	30.85			
PK	5.8604G	68.15	68.20	-0.05	56.63	3	Vertical	7	1.60	-	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	114.36	Inf	-Inf	103.14	3	Horizontal	335	1.93	-	33.90	8.17	30.85
AV	5.6856G	102.23	Inf	-Inf	90.99	3	Horizontal	335	1.93	-	33.90	8.19	30.85
PK	5.8504G	64.35	68.20	-3.85	52.88	3	Horizontal	335	1.93	-	33.90	8.39	30.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38039G	58.53	74.00	-15.47	39.40	3	Vertical	250	1.73	-	38.60	12.34	31.81			
AV	11.38888G	47.10	54.00	-6.90	27.97	3	Vertical	250	1.73	-	38.60	12.35	31.82			
PK	17.05947G	63.99	68.20	-4.21	40.28	3	Vertical	167	1.93	-	41.24	14.57	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37742G	58.51	74.00	-15.49	39.38	3	Horizontal	308	1.95	-	38.60	12.34	31.81			
AV	11.38042G	47.01	54.00	-6.99	27.88	3	Horizontal	308	1.95	-	38.60	12.34	31.81			
PK	17.07408G	64.66	68.20	-3.54	40.88	3	Horizontal	8	1.50	-	41.30	14.58	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6608G	117.67	Inf	-Inf	106.45	3	Vertical	5	1.52	-	33.90	8.17	30.85			
AV	5.6804G	104.92	Inf	-Inf	93.68	3	Vertical	5	1.52	-	33.90	8.19	30.85			
PK	5.86G	67.60	68.20	-0.60	56.08	3	Vertical	5	1.52	-	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6676G	113.96	Inf	-Inf	102.74	3	Horizontal	337	1.85	-	33.90	8.17	30.85			
AV	5.6668G	101.82	Inf	-Inf	90.60	3	Horizontal	337	1.85	-	33.90	8.17	30.85			
PK	5.85G	64.39	68.20	-3.81	52.92	3	Horizontal	337	1.85	-	33.90	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39467G	58.48	74.00	-15.52	39.35	3	Vertical	78	1.36	-	38.60	12.35	31.82			
AV	11.38855G	46.58	54.00	-7.42	27.45	3	Vertical	78	1.36	-	38.60	12.35	31.82			
PK	17.07255G	64.07	68.20	-4.13	40.30	3	Vertical	272	1.66	-	41.29	14.58	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38759G	59.00	74.00	-15.00	39.87	3	Horizontal	301	1.39	-	38.60	12.35	31.82			
AV	11.37025G	46.57	54.00	-7.43	27.43	3	Horizontal	301	1.39	-	38.60	12.34	31.80			
PK	17.05887G	64.27	68.20	-3.93	40.56	3	Horizontal	111	1.43	-	41.24	14.57	32.10			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6238G	67.60	68.20	-0.60	56.33	3	Vertical	4	2.67	-	34.00	8.13	30.86			
PK	5.7386G	116.92	Inf	-Inf	105.61	3	Vertical	4	2.67	-	33.90	8.25	30.84			
AV	5.7578G	104.75	Inf	-Inf	93.41	3	Vertical	4	2.67	-	33.90	8.27	30.83			
PK	5.9574G	59.36	68.20	-8.84	47.34	3	Vertical	4	2.67	-	34.30	8.52	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.655G	71.67	71.90	-0.23	60.46	3	Horizontal	320	1.94	-	33.90	8.16	30.85			
PK	5.7374G	113.65	Inf	-Inf	102.34	3	Horizontal	320	1.94	-	33.90	8.25	30.84			
AV	5.7562G	101.91	Inf	-Inf	90.57	3	Horizontal	320	1.94	-	33.90	8.27	30.83			
PK	5.9674G	59.06	68.20	-9.14	47.02	3	Horizontal	320	1.94	-	34.30	8.54	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5482G	58.89	74.00	-15.11	39.41	3	Vertical	350	1.97	-	38.99	12.43	31.94			
AV	11.56224G	47.20	54.00	-6.80	27.69	3	Vertical	350	1.97	-	39.02	12.44	31.95			
PK	17.3163G	65.22	68.20	-2.98	40.31	3	Vertical	347	1.70	-	42.33	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54532G	58.66	74.00	-15.34	39.20	3	Horizontal	331	2.03	-	38.97	12.43	31.94			
AV	11.55921G	47.05	54.00	-6.95	27.54	3	Horizontal	331	2.03	-	39.02	12.44	31.95			
PK	17.31993G	65.02	68.20	-3.18	40.08	3	Horizontal	136	1.84	-	42.36	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6458G	67.91	68.20	-0.29	56.69	3	Vertical	9	1.82	-	33.92	8.15	30.85			
PK	5.767G	114.63	Inf	-Inf	103.28	3	Vertical	9	1.82	-	33.90	8.28	30.83			
AV	5.7462G	104.57	Inf	-Inf	93.25	3	Vertical	9	1.82	-	33.90	8.26	30.84			
PK	5.9418G	59.31	68.20	-8.89	47.34	3	Vertical	9	1.82	-	34.27	8.50	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6374G	67.58	68.20	-0.62	56.35	3	Horizontal	322	1.78	-	33.95	8.14	30.86			
PK	5.7382G	111.99	Inf	-Inf	100.68	3	Horizontal	322	1.78	-	33.90	8.25	30.84			
AV	5.737G	101.04	Inf	-Inf	89.73	3	Horizontal	322	1.78	-	33.90	8.25	30.84			
PK	5.9474G	58.16	68.20	-10.04	46.16	3	Horizontal	322	1.78	-	34.29	8.51	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55096G	59.32	74.00	-14.68	39.83	3	Vertical	7	1.53	-	39.00	12.43	31.94			
AV	11.56488G	46.70	54.00	-7.30	27.18	3	Vertical	7	1.53	-	39.03	12.44	31.95			
PK	17.31579G	65.40	68.20	-2.80	40.49	3	Vertical	88	1.50	-	42.33	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5644G	59.46	74.00	-14.54	39.94	3	Horizontal	188	1.78	-	39.03	12.44	31.95			
AV	11.55975G	46.61	54.00	-7.39	27.10	3	Horizontal	188	1.78	-	39.02	12.44	31.95			
PK	17.33523G	65.26	68.20	-2.94	40.19	3	Horizontal	221	1.91	-	42.48	14.70	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6238G	67.60	68.20	-0.60	56.33	3	Vertical	4	2.67	-	34.00	8.13	30.86			
PK	5.7386G	116.92	Inf	-Inf	105.61	3	Vertical	4	2.67	-	33.90	8.25	30.84			
AV	5.7578G	104.75	Inf	-Inf	93.41	3	Vertical	4	2.67	-	33.90	8.27	30.83			
PK	5.9574G	59.36	68.20	-8.84	47.34	3	Vertical	4	2.67	-	34.30	8.52	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 20
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.655G	71.67	71.90	-0.23	60.46	3	Horizontal	320	1.94	-	33.90	8.16	30.85			
PK	5.7374G	113.65	Inf	-Inf	102.34	3	Horizontal	320	1.94	-	33.90	8.25	30.84			
AV	5.7562G	101.91	Inf	-Inf	90.57	3	Horizontal	320	1.94	-	33.90	8.27	30.83			
PK	5.9674G	59.06	68.20	-9.14	47.02	3	Horizontal	320	1.94	-	34.30	8.54	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5482G	58.89	74.00	-15.11	39.41	3	Vertical	350	1.97	-	38.99	12.43	31.94			
AV	11.56224G	47.20	54.00	-6.80	27.69	3	Vertical	350	1.97	-	39.02	12.44	31.95			
PK	17.3163G	65.22	68.20	-2.98	40.31	3	Vertical	347	1.70	-	42.33	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54532G	58.66	74.00	-15.34	39.20	3	Horizontal	331	2.03	-	38.97	12.43	31.94			
AV	11.55921G	47.05	54.00	-6.95	27.54	3	Horizontal	331	2.03	-	39.02	12.44	31.95			
PK	17.31993G	65.02	68.20	-3.18	40.08	3	Horizontal	136	1.84	-	42.36	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6458G	67.91	68.20	-0.29	56.69	3	Vertical	9	1.82	-	33.92	8.15	30.85			
PK	5.767G	114.63	Inf	-Inf	103.28	3	Vertical	9	1.82	-	33.90	8.28	30.83			
AV	5.7462G	104.57	Inf	-Inf	93.25	3	Vertical	9	1.82	-	33.90	8.26	30.84			
PK	5.9418G	59.31	68.20	-8.89	47.34	3	Vertical	9	1.82	-	34.27	8.50	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 18.5
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6374G	67.58	68.20	-0.62	56.35	3	Horizontal	322	1.78	-	33.95	8.14	30.86			
PK	5.7382G	111.99	Inf	-Inf	100.68	3	Horizontal	322	1.78	-	33.90	8.25	30.84			
AV	5.737G	101.04	Inf	-Inf	89.73	3	Horizontal	322	1.78	-	33.90	8.25	30.84			
PK	5.9474G	58.16	68.20	-10.04	46.16	3	Horizontal	322	1.78	-	34.29	8.51	30.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55096G	59.32	74.00	-14.68	39.83	3	Vertical	7	1.53	-	39.00	12.43	31.94			
AV	11.56488G	46.70	54.00	-7.30	27.18	3	Vertical	7	1.53	-	39.03	12.44	31.95			
PK	17.31579G	65.40	68.20	-2.80	40.49	3	Vertical	88	1.50	-	42.33	14.69	32.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56444G	59.46	74.00	-14.54	39.94	3	Horizontal	188	1.78	-	39.03	12.44	31.95			
AV	11.55975G	46.61	54.00	-7.39	27.10	3	Horizontal	188	1.78	-	39.02	12.44	31.95			
PK	17.33523G	65.26	68.20	-2.94	40.19	3	Horizontal	221	1.91	-	42.48	14.70	32.11			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	69.03	74.00	-4.97	58.76	3	Vertical	337	2.67	-	33.56	7.67	30.96
AV	5.1148G	50.02	54.00	-3.98	39.75	3	Vertical	337	2.67	-	33.56	7.67	30.96
PK	5.2764G	112.06	Inf	-Inf	101.34	3	Vertical	337	2.67	-	33.80	7.85	30.93
AV	5.2964G	101.14	Inf	-Inf	90.38	3	Vertical	337	2.67	-	33.80	7.88	30.92
PK	5.3964G	71.64	74.00	-2.36	60.42	3	Vertical	337	2.67	-	34.09	8.03	30.90
AV	5.4012G	53.49	54.00	-0.51	42.25	3	Vertical	337	2.67	-	34.10	8.04	30.90
PK	5.4852G	67.79	68.20	-0.41	56.60	3	Vertical	337	2.67	-	34.00	8.07	30.88

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1196G	67.72	74.00	-6.28	57.42	3	Horizontal	334	2.22	-	33.58	7.68	30.96			
AV	5.1404G	46.74	54.00	-7.26	36.35	3	Horizontal	334	2.22	-	33.66	7.69	30.96			
PK	5.322G	108.15	Inf	-Inf	97.31	3	Horizontal	334	2.22	-	33.84	7.92	30.92			
AV	5.3028G	97.40	Inf	-Inf	86.62	3	Horizontal	334	2.22	-	33.81	7.89	30.92			
PK	5.3988G	70.00	74.00	-4.00	58.76	3	Horizontal	334	2.22	-	34.10	8.04	30.90			
AV	5.362G	52.32	54.00	-1.68	41.30	3	Horizontal	334	2.22	-	33.95	7.98	30.91			
PK	5.4644G	64.42	68.20	-3.78	53.25	3	Horizontal	334	2.22	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51353G	57.47	68.20	-10.73	39.10	3	Vertical	238	1.71	-	38.23	11.88	31.74			
PK	15.75906G	59.70	74.00	-14.30	39.94	3	Vertical	352	1.47	-	37.70	13.98	31.92			
AV	15.76062G	47.49	54.00	-6.51	27.73	3	Vertical	352	1.47	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51182G	57.59	68.20	-10.61	39.23	3	Horizontal	29	1.90	-	38.22	11.88	31.74			
PK	15.74508G	59.80	74.00	-14.20	40.05	3	Horizontal	174	1.76	-	37.70	13.98	31.93			
AV	15.76101G	47.49	54.00	-6.51	27.73	3	Horizontal	174	1.76	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1164G	69.06	74.00	-4.94	58.77	3	Vertical	338	2.63	-	33.57	7.68	30.96			
AV	5.1356G	50.60	54.00	-3.40	40.23	3	Vertical	338	2.63	-	33.64	7.69	30.96			
PK	5.3164G	111.40	Inf	-Inf	100.58	3	Vertical	338	2.63	-	33.83	7.91	30.92			
AV	5.2964G	101.24	Inf	-Inf	90.48	3	Vertical	338	2.63	-	33.80	7.88	30.92			
AV	5.3572G	51.71	54.00	-2.29	40.72	3	Vertical	338	2.63	-	33.93	7.97	30.91			
PK	5.4564G	69.79	74.00	-4.21	58.62	3	Vertical	338	2.63	-	34.00	8.06	30.89			
PK	5.486G	67.36	68.20	-0.84	56.17	3	Vertical	338	2.63	-	34.00	8.07	30.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	65.51	74.00	-8.49	55.20	3	Horizontal	334	2.03	-	33.59	7.68	30.96			
AV	5.1276G	47.21	54.00	-6.79	36.88	3	Horizontal	334	2.03	-	33.61	7.68	30.96			
PK	5.322G	107.80	Inf	-Inf	96.96	3	Horizontal	334	2.03	-	33.84	7.92	30.92			
AV	5.3228G	97.39	Inf	-Inf	86.54	3	Horizontal	334	2.03	-	33.85	7.92	30.92			
PK	5.4012G	68.45	74.00	-5.55	57.21	3	Horizontal	334	2.03	-	34.10	8.04	30.90			
AV	5.3828G	50.67	54.00	-3.33	39.54	3	Horizontal	334	2.03	-	34.03	8.01	30.91			
PK	5.4644G	66.32	68.20	-1.88	55.15	3	Horizontal	334	2.03	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48701G	57.60	68.20	-10.60	39.30	3	Vertical	314	2.10	-	38.17	11.87	31.74			
PK	15.73659G	59.98	74.00	-14.02	40.24	3	Vertical	220	1.91	-	37.70	13.97	31.93			
AV	15.75594G	47.51	54.00	-6.49	27.75	3	Vertical	220	1.91	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50015G	57.36	68.20	-10.84	39.03	3	Horizontal	288	1.93	-	38.20	11.88	31.75			
PK	15.74595G	59.78	74.00	-14.22	40.03	3	Horizontal	1	1.44	-	37.70	13.98	31.93			
AV	15.73653G	47.53	54.00	-6.47	27.79	3	Horizontal	1	1.44	-	37.70	13.97	31.93			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	69.03	74.00	-4.97	58.76	3	Vertical	337	2.67	-	33.56	7.67	30.96
AV	5.1148G	50.02	54.00	-3.98	39.75	3	Vertical	337	2.67	-	33.56	7.67	30.96
PK	5.2764G	112.06	Inf	-Inf	101.34	3	Vertical	337	2.67	-	33.80	7.85	30.93
AV	5.2964G	101.14	Inf	-Inf	90.38	3	Vertical	337	2.67	-	33.80	7.88	30.92
PK	5.3964G	71.64	74.00	-2.36	60.42	3	Vertical	337	2.67	-	34.09	8.03	30.90
AV	5.4012G	53.49	54.00	-0.51	42.25	3	Vertical	337	2.67	-	34.10	8.04	30.90
PK	5.4852G	67.79	68.20	-0.41	56.60	3	Vertical	337	2.67	-	34.00	8.07	30.88

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1196G	67.72	74.00	-6.28	57.42	3	Horizontal	334	2.22	-	33.58	7.68	30.96			
AV	5.1404G	46.74	54.00	-7.26	36.35	3	Horizontal	334	2.22	-	33.66	7.69	30.96			
PK	5.322G	108.15	Inf	-Inf	97.31	3	Horizontal	334	2.22	-	33.84	7.92	30.92			
AV	5.3028G	97.40	Inf	-Inf	86.62	3	Horizontal	334	2.22	-	33.81	7.89	30.92			
PK	5.3988G	70.00	74.00	-4.00	58.76	3	Horizontal	334	2.22	-	34.10	8.04	30.90			
AV	5.362G	52.32	54.00	-1.68	41.30	3	Horizontal	334	2.22	-	33.95	7.98	30.91			
PK	5.4644G	64.42	68.20	-3.78	53.25	3	Horizontal	334	2.22	-	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51353G	57.47	68.20	-10.73	39.10	3	Vertical	238	1.71	-	38.23	11.88	31.74			
PK	15.75906G	59.70	74.00	-14.30	39.94	3	Vertical	352	1.47	-	37.70	13.98	31.92			
AV	15.76062G	47.49	54.00	-6.51	27.73	3	Vertical	352	1.47	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.51182G	57.59	68.20	-10.61	39.23	3	Horizontal	29	1.90	-	38.22	11.88	31.74			
PK	15.74508G	59.80	74.00	-14.20	40.05	3	Horizontal	174	1.76	-	37.70	13.98	31.93			
AV	15.76101G	47.49	54.00	-6.51	27.73	3	Horizontal	174	1.76	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1164G	69.06	74.00	-4.94	58.77	3	Vertical	338	2.63	-	33.57	7.68	30.96				
AV	5.1356G	50.60	54.00	-3.40	40.23	3	Vertical	338	2.63	-	33.64	7.69	30.96				
PK	5.3164G	111.40	Inf	-Inf	100.58	3	Vertical	338	2.63	-	33.83	7.91	30.92				
AV	5.2964G	101.24	Inf	-Inf	90.48	3	Vertical	338	2.63	-	33.80	7.88	30.92				
AV	5.3572G	51.71	54.00	-2.29	40.72	3	Vertical	338	2.63	-	33.93	7.97	30.91				
PK	5.4564G	69.79	74.00	-4.21	58.62	3	Vertical	338	2.63	-	34.00	8.06	30.89				
PK	5.486G	67.36	68.20	-0.84	56.17	3	Vertical	338	2.63	-	34.00	8.07	30.88				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.122G	65.51	74.00	-8.49	55.20	3	Horizontal	334	2.03	-	33.59	7.68	30.96					
AV	5.1276G	47.21	54.00	-6.79	36.88	3	Horizontal	334	2.03	-	33.61	7.68	30.96					
PK	5.322G	107.80	Inf	-Inf	96.96	3	Horizontal	334	2.03	-	33.84	7.92	30.92					
AV	5.3228G	97.39	Inf	-Inf	86.54	3	Horizontal	334	2.03	-	33.85	7.92	30.92					
PK	5.4012G	68.45	74.00	-5.55	57.21	3	Horizontal	334	2.03	-	34.10	8.04	30.90					
AV	5.3828G	50.67	54.00	-3.33	39.54	3	Horizontal	334	2.03	-	34.03	8.01	30.91					
PK	5.4644G	66.32	68.20	-1.88	55.15	3	Horizontal	334	2.03	-	34.00	8.06	30.89					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48701G	57.60	68.20	-10.60	39.30	3	Vertical	314	2.10	-	38.17	11.87	31.74			
PK	15.73659G	59.98	74.00	-14.02	40.24	3	Vertical	220	1.91	-	37.70	13.97	31.93			
AV	15.75594G	47.51	54.00	-6.49	27.75	3	Vertical	220	1.91	-	37.70	13.98	31.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50015G	57.36	68.20	-10.84	39.03	3	Horizontal	288	1.93	-	38.20	11.88	31.75			
PK	15.74595G	59.78	74.00	-14.22	40.03	3	Horizontal	1	1.44	-	37.70	13.98	31.93			
AV	15.73653G	47.53	54.00	-6.47	27.79	3	Horizontal	1	1.44	-	37.70	13.97	31.93			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3308G	62.55	68.20	-5.65	51.68	3	Vertical	6	2.77	-	33.86	7.93	30.92			
PK	5.4372G	65.23	74.00	-8.77	54.04	3	Vertical	6	2.77	-	34.03	8.05	30.89			
AV	5.4316G	50.22	54.00	-3.78	39.03	3	Vertical	6	2.77	-	34.04	8.05	30.90			
PK	5.466G	62.91	68.20	-5.29	51.74	3	Vertical	6	2.77	-	34.00	8.06	30.89			
PK	5.5932G	110.88	Inf	-Inf	99.53	3	Vertical	6	2.77	-	34.11	8.10	30.86			
AV	5.6332G	99.53	Inf	-Inf	88.28	3	Vertical	6	2.77	-	33.97	8.14	30.86			
PK	5.7356G	67.78	68.20	-0.42	56.47	3	Vertical	6	2.77	-	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	60.24	68.20	-7.96	49.32	3	Horizontal	335	1.98	-	33.88	7.95	30.91
PK	5.4436G	66.41	74.00	-7.59	55.24	3	Horizontal	335	1.98	-	34.01	8.05	30.89
AV	5.4012G	49.92	54.00	-4.08	38.68	3	Horizontal	335	1.98	-	34.10	8.04	30.90
PK	5.4636G	64.78	68.20	-3.42	53.61	3	Horizontal	335	1.98	-	34.00	8.06	30.89
PK	5.586G	108.19	Inf	-Inf	96.82	3	Horizontal	335	1.98	-	34.13	8.10	30.86
AV	5.6452G	97.53	Inf	-Inf	86.31	3	Horizontal	335	1.98	-	33.92	8.15	30.85
PK	5.7436G	67.87	68.20	-0.33	56.55	3	Horizontal	335	1.98	-	33.90	8.26	30.84

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14009G	59.60	74.00	-14.40	75.19	3	Vertical	111	1.55	-	38.42	12.21	66.22			
AV	11.15383G	47.00	54.00	-7.00	62.59	3	Vertical	111	1.55	-	38.42	12.22	66.23			
PK	16.70685G	62.96	68.20	-5.24	72.24	3	Vertical	268	2.08	-	39.85	14.41	63.54			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14411G	59.29	74.00	-14.71	40.30	3	Horizontal	39	1.99	-	38.41	12.22	31.64			
AV	11.15452G	47.00	54.00	-7.00	28.00	3	Horizontal	39	1.99	-	38.42	12.22	31.64			
PK	16.70997G	63.11	68.20	-5.09	40.90	3	Horizontal	176	1.51	-	39.88	14.41	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	62.72	68.20	-5.48	51.92	3	Vertical	7	1.38	-	33.82	7.90	30.92
PK	5.422G	64.40	74.00	-9.60	53.19	3	Vertical	7	1.38	-	34.06	8.05	30.90
AV	5.4396G	48.85	54.00	-5.15	37.67	3	Vertical	7	1.38	-	34.02	8.05	30.89
PK	5.4604G	61.54	68.20	-6.66	50.37	3	Vertical	7	1.38	-	34.00	8.06	30.89
PK	5.6212G	109.51	Inf	-Inf	98.23	3	Vertical	7	1.38	-	34.02	8.12	30.86
AV	5.6412G	100.04	Inf	-Inf	88.80	3	Vertical	7	1.38	-	33.94	8.15	30.85
PK	5.7836G	67.89	68.20	-0.31	56.52	3	Vertical	7	1.38	-	33.90	8.30	30.83

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3444G	61.17	68.20	-7.03	50.24	3	Horizontal	334	2.00	-	33.89	7.95	30.91				
PK	5.442G	64.42	74.00	-9.58	53.24	3	Horizontal	334	2.00	-	34.02	8.05	30.89				
AV	5.4228G	48.59	54.00	-5.41	37.39	3	Horizontal	334	2.00	-	34.05	8.05	30.90				
PK	5.4652G	60.83	68.20	-7.37	49.66	3	Horizontal	334	2.00	-	34.00	8.06	30.89				
PK	5.6444G	108.05	Inf	-Inf	96.83	3	Horizontal	334	2.00	-	33.92	8.15	30.85				
AV	5.6444G	97.64	Inf	-Inf	86.42	3	Horizontal	334	2.00	-	33.92	8.15	30.85				
PK	5.7404G	65.95	68.20	-2.25	54.64	3	Horizontal	334	2.00	-	33.90	8.25	30.84				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13559G	59.52	74.00	-14.48	40.51	3	Vertical	136	2.94	-	38.43	12.21	31.63			
AV	11.13115G	47.15	54.00	-6.85	28.13	3	Vertical	136	2.94	-	38.44	12.21	31.63			
PK	16.72338G	64.14	68.20	-4.06	41.81	3	Vertical	140	3.00	-	39.99	14.42	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13727G	59.94	74.00	-14.06	40.93	3	Horizontal	46	2.96	-	38.43	12.21	31.63			
AV	11.15194G	47.05	54.00	-6.95	28.06	3	Horizontal	46	2.96	-	38.41	12.22	31.64			
PK	16.71594G	63.69	68.20	-4.51	41.43	3	Horizontal	58	1.80	-	39.93	14.41	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3308G	62.55	68.20	-5.65	51.68	3	Vertical	6	2.77	-	33.86	7.93	30.92			
PK	5.4372G	65.23	74.00	-8.77	54.04	3	Vertical	6	2.77	-	34.03	8.05	30.89			
AV	5.4316G	50.22	54.00	-3.78	39.03	3	Vertical	6	2.77	-	34.04	8.05	30.90			
PK	5.466G	62.91	68.20	-5.29	51.74	3	Vertical	6	2.77	-	34.00	8.06	30.89			
PK	5.5932G	110.88	Inf	-Inf	99.53	3	Vertical	6	2.77	-	34.11	8.10	30.86			
AV	5.6332G	99.53	Inf	-Inf	88.28	3	Vertical	6	2.77	-	33.97	8.14	30.86			
PK	5.7356G	67.78	68.20	-0.42	56.47	3	Vertical	6	2.77	-	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	60.24	68.20	-7.96	49.32	3	Horizontal	335	1.98	-	33.88	7.95	30.91			
PK	5.4436G	66.41	74.00	-7.59	55.24	3	Horizontal	335	1.98	-	34.01	8.05	30.89			
AV	5.4012G	49.92	54.00	-4.08	38.68	3	Horizontal	335	1.98	-	34.10	8.04	30.90			
PK	5.4636G	64.78	68.20	-3.42	53.61	3	Horizontal	335	1.98	-	34.00	8.06	30.89			
PK	5.586G	108.19	Inf	-Inf	96.82	3	Horizontal	335	1.98	-	34.13	8.10	30.86			
AV	5.6452G	97.53	Inf	-Inf	86.31	3	Horizontal	335	1.98	-	33.92	8.15	30.85			
PK	5.7436G	67.87	68.20	-0.33	56.55	3	Horizontal	335	1.98	-	33.90	8.26	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14009G	59.60	74.00	-14.40	75.19	3	Vertical	111	1.55	-	38.42	12.21	66.22			
AV	11.15383G	47.00	54.00	-7.00	62.59	3	Vertical	111	1.55	-	38.42	12.22	66.23			
PK	16.70685G	62.96	68.20	-5.24	72.24	3	Vertical	268	2.08	-	39.85	14.41	63.54			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14411G	59.29	74.00	-14.71	40.30	3	Horizontal	39	1.99	-	38.41	12.22	31.64			
AV	11.15452G	47.00	54.00	-7.00	28.00	3	Horizontal	39	1.99	-	38.42	12.22	31.64			
PK	16.70997G	63.11	68.20	-5.09	40.90	3	Horizontal	176	1.51	-	39.88	14.41	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3116G	62.72	68.20	-5.48	51.92	3	Vertical	7	1.38	-	33.82	7.90	30.92			
PK	5.422G	64.40	74.00	-9.60	53.19	3	Vertical	7	1.38	-	34.06	8.05	30.90			
AV	5.4396G	48.85	54.00	-5.15	37.67	3	Vertical	7	1.38	-	34.02	8.05	30.89			
PK	5.4604G	61.54	68.20	-6.66	50.37	3	Vertical	7	1.38	-	34.00	8.06	30.89			
PK	5.6212G	109.51	Inf	-Inf	98.23	3	Vertical	7	1.38	-	34.02	8.12	30.86			
AV	5.6412G	100.04	Inf	-Inf	88.80	3	Vertical	7	1.38	-	33.94	8.15	30.85			
PK	5.7836G	67.89	68.20	-0.31	56.52	3	Vertical	7	1.38	-	33.90	8.30	30.83			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_V_4TX
Setting 18
02-P-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	61.17	68.20	-7.03	50.24	3	Horizontal	334	2.00	-	33.89	7.95	30.91			
PK	5.442G	64.42	74.00	-9.58	53.24	3	Horizontal	334	2.00	-	34.02	8.05	30.89			
AV	5.4228G	48.59	54.00	-5.41	37.39	3	Horizontal	334	2.00	-	34.05	8.05	30.90			
PK	5.4652G	60.83	68.20	-7.37	49.66	3	Horizontal	334	2.00	-	34.00	8.06	30.89			
PK	5.6444G	108.05	Inf	-Inf	96.83	3	Horizontal	334	2.00	-	33.92	8.15	30.85			
AV	5.6444G	97.64	Inf	-Inf	86.42	3	Horizontal	334	2.00	-	33.92	8.15	30.85			
PK	5.7404G	65.95	68.20	-2.25	54.64	3	Horizontal	334	2.00	-	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_Y_4TX
Setting 26.5
02-P-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13559G	59.52	74.00	-14.48	40.51	3	Vertical	136	2.94	-	38.43	12.21	31.63			
AV	11.13115G	47.15	54.00	-6.85	28.13	3	Vertical	136	2.94	-	38.44	12.21	31.63			
PK	16.72338G	64.14	68.20	-4.06	41.81	3	Vertical	140	3.00	-	39.99	14.42	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

5570MHz_TX

EUT Y_4TX
Setting 26.5
02-P-J-11


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13727G	59.94	74.00	-14.06	40.93	3	Horizontal	46	2.96	-	38.43	12.21	31.63			
AV	11.15194G	47.05	54.00	-6.95	28.06	3	Horizontal	46	2.96	-	38.41	12.22	31.64			
PK	16.71594G	63.69	68.20	-4.51	41.43	3	Horizontal	58	1.80	-	39.93	14.41	32.08			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	20.9532G	51.54	63.54	-12.00	Horizontal


Mode 1



Mode 1



Mode 1



Mode 1

