



DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S120AUX	
AC Input	480V/3P+PE	Rated 150A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	120kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S120AUD	
AC Input	480V/3P+PE	Rated 150A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	120kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S160AUX	
AC Input	480V/3P+PE	Rated 200A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	160kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S160AUD	
AC Input	480V/3P+PE	Rated 200A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	160kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S240AUX	
AC Input	480V/3P+PE	Rated 300A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	240kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S240AUD	
AC Input	480V/3P+PE	Rated 300A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	240kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S320AUX	
AC Input	480V/3P+PE	Rated 400A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	320kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S320AUD	
AC Input	480V/3P+PE	Rated 400A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@40°C)
DC Output B#	150-1000Vdc	Max. 400A (@40°C)
Maximum Power	320kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S320LUX	
AC Input	480V/3P+PE	Rated 400A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	320kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S320LUD	
AC Input	480V/3P+PE	Rated 400A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	320kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S400LUX	
AC Input	480V/3P+PE	Rated 500A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	400kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station



CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S400LUD	
AC Input	480V/3P+PE	Rated 500A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	400kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.



DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S480LUX	
AC Input	480V/3P+PE	Rated 600A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	480kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.





DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 36191-WDG2601
FCC ID: 2BXJOWDG2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	EAWDG2S480LUD	
AC Input	480V/3P+PE	Rated 600A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Maximum Power	480kW	
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2205WYKF22-00010001	
Manufactured	MM/DD/YYYY	



Electric Avenue Manufacturing Inc.



The position of the nameplate is marked in the red box

